# 1 CheatSheet: Cloudfoundry Tile & OpsManager

 $\mathbf{V}\mathbf{M}\mathbf{W}\mathbf{A}\mathbf{R}\mathbf{E}$ 

Updated: May 28, 2019

- PDF Link: cheatsheet-tile-A4.pdf, Category: vmware
- Blog URL: https://cheatsheet.dennyzhang.com/cheatsheet-tile-A4
- Related posts: PKS CheatSheet, Bosh CheatSheet, #denny-cheatsheets

File me Issues or star this repo.

#### 1.1 om - Basic

| Name                                  | Command  |
|---------------------------------------|--|
| om                                    | A command-line API client for Pivotal Operations Manager                               |
| omcli                                 | export passwd='CHANGEME'; alias omcli="om -t https://30.0.0.5 -u admin -p \$pa         |
| Get uaa admin password                | <pre>omcli curl -p /api/v0/deployed/products/\${bosh_deployment}/credentials/.pr</pre> |
| Get bosh connect credential           | omcli curl -p /api/v0/deployed/director/credentials/bosh_commandline_crede             |
| List all installed tiles              | omcli curl -p /api/v0/installations  |
| Upload tile to opsmanager via cli     | omcli upload-product -p  |
| Upload stemcell to opsmanager via cli | omcli upload-stemcell -s   |
| Use pivnet cli to download stemcell   | Once pivnet login, pivnet download-product-files -p stemcells-ubuntu-xenial            |
| Show status of apply changes          | omcli installation-logid 2, omcli installation-logid \$installation_id                 |
| List all properties for a deployment  | bosh deployments, omcli curl -p /api/v0/staged/products/\${bosh_deployment}/           |
| json output                           | omcli -kformat=json staged-products  |
| Reference                             | PKS CheatSheet, Bosh CheatSheet, Tile CheatSheet, UAA CheatSheet                       |

### 1.2 Get bosh/pks tile credential from om

| Name  | Summary  |
|---|--|
| bosh tile -> Bosh Commandline Credentials   | omcli curl -p /api/v0/deployed/director/credentials/bosh2_command              |
| Get ops-manager ca cert                     | omcli curl -p /api/v0/certificate_authorities                                  |
| pks tile -> Uaa Admin Password              | omcli curl -p /api/v0/deployed/products/\${bosh_deployment}/credent            |
| pks tile -> Pks Uaa Management Admin Client | omcli curl -p /api/v0/deployed/products/\${bosh_deployment}/credent            |
| pks tile - $>$ api server FQDN              | omcli curl -p /api/v0/deployed/products/\${bosh_deployment}/credent            |
| pks tile -> pks certificates                | omcli curl -p /api/v0/deployed/products/\${bosh_deployment}/credent            |
| pks tile -> whether wavefront is enabled    | omcli curl -p /api/v0/deployed/products/\${bosh_deployment}/credent            |
| pks tile -> wavefront token                 | <pre>omcli curl -p /api/v0/deployed/products/\${bosh_deployment}/credent</pre> |

### 1.3 om product

| Name                        | Summary   |
|-----------------------------|---|
| Upload tile from cli        | omcli upload-product -p   |
| List products               | omcli curl -s -p /api/v0/staged/products                              |
| List all available products | omcli available-products, or omcli curl -p /api/v0/available_products |
| List all deployed products  | omcli deployed-products   |
| Delete all unused products  | omcli delete-unused-products  |
| Delete product              | omcli -k delete-product -p pivotal-container-service -v 1.3.0-build.3 |
| Unstage product             | omcli -k unstage-product -p pivotal-container-service                 |
| Stage product               | omcli -k stage-product -p pivotal-container-service -v 1.3.0-build.3  |

# 1.4 pivnet-cli

| Name                     | Comment   |
|--------------------------|---|
| pivnet                   | CLI to interact with Pivotal Network. Install pivnet CLI                              |
| pivnet login             | pivnet loginapi-token \$your_token  |
| pivnet download stemcell | pivnet download-product-files -p stemcells-ubuntu-xenial -r 170.9 -g '*vsphere*' -d / |
| List all products        | pivnet products   |
| Show product info        | pivnet product -p pivotal-container-service   |

# 1.5 Tile Challenges

| Name                                       | Comment   |
|--|---|
| Tiles are big                              | It's usually GBs. Too big to distribute             |
| In Opsmanager, can't cancel task           | Costly to make mistakes                             |
| In Opsmanager, can't downgrade             | Inconvenient for development cycle                  |
| In Opsmanager, review changes is confusing | The review feature should be more informative       |
| Slow to apply changes                      | Usually it takes hours, while minutes in kubernetes |

#### 1.6 Tile Reference

| Name           | Command   |
|----------------|---|
| kiln           | A command line tool to help you maintain tile metadata. Download kiln           |
| Example        | example-product/metadata/example-product.yml.erb                                |
| nozzle         |   |
| firehose       |   |
| service broker |   |
| buildpack      |   |
| Reference      | Forms Reference, Product Template Reference, Property Reference, Tile Generator |

# 1.7 Ops manager

| Name                | Command  |
|---------------------|--|
| Release folder      | /var/tempest/releases  |
| Restart Ops Manager | service tempest-web start, service tempest-web stop  |
| Grant file access   | <pre>chown tempest-web:tempest-web /var/tempest/releases/<your-release.tgz></your-release.tgz></pre> |
| Tile entrance file  | /var/tempest/workspaces/default/metadata/*.yml   |
| Tile jobs folder    | /var/vcap/jobs   |

# 1.8 om cli Online Help

```
> om --help om helps you interact with an Ops Manager
```

```
Usage: om [options] <command> [<args>]
```

| client-id, -c           | ${	t string}$ | Client ID for the Ops Manager VM (not required for unauthenticated comma |
|-------------------------|---------------|--|
| client-secret, -s       | string        | Client Secret for the Ops Manager VM (not required for unauthenticated c |
| connect-timeout, -o     | int           | timeout in seconds to make TCP connections (default: 5)                  |
| format, -f              | string        | Format to print as (options: table, json) (default: table)               |
| help, -h                | bool          | prints this usage information (default: false)                           |
| password, -p            | string        | admin password for the Ops Manager VM (not required for unauthenticated  |
| request-timeout, -r     | int           | timeout in seconds for HTTP requests to Ops Manager (default: 1800)      |
| skip-ssl-validation, -k | bool          | skip ssl certificate validation during http requests (default: false)    |
| target, -t              | string        | location of the Ops Manager VM   |
| trace, -tr              | bool          | prints HTTP requests and response payloads                               |
| username, -u            | string        | admin username for the Ops Manager VM (not required for unauthenticated  |
| version, -v             | bool          | prints the om release version (default: false)                           |

#### Commands:

| activate-certificate-authority | activates a certificate authority on the Ups Manager                     |  |
|--------------------------------|--|--|
| apply-changes                  | triggers an install on the Ops Manager targeted                          |  |
| available-products             | list available products  |  |
| certificate-authorities        | lists certificates managed by Ops Manager                                |  |
| certificate-authority          | prints requested certificate authority                                   |  |
| config-template                | **EXPERIMENTAL** generates a config template for the product             |  |
| configure-authentication       | configures Ops Manager with an internal userstore and admin user account |  |
| configure-bosh                 | **DEPRECATED** configures Ops Manager deployed bosh director             |  |
| configure-director             | configures the director  |  |
| configure-product              | configures a staged product  |  |
| configure-saml-authentication  | configures Ops Manager with SAML authentication                          |  |

Updated: May 28, 2019

Updated: May 28, 2019 creates a certificate authority on the Ops Manager create-certificate-authority create-vm-extension creates a VM extension credential-references list credential references for a deployed product credentials fetch credentials for a deployed product curl issues an authenticated API request deletes a certificate authority on the Ops Manager delete-certificate-authority delete-installation deletes all the products on the Ops Manager targeted delete-product deletes a product from the Ops Manager deletes unused products on the Ops Manager targeted delete-unused-products deployed-manifest prints the deployed manifest for a product deployed-products lists deployed products errands list errands for a product exports the installation of the target Ops Manager export-installation generate-certificate generates a new certificate signed by Ops Manager's root CA generate-certificate-authority generates a certificate authority on the Opsman prints this usage information imports a given installation to the Ops Manager targeted import-installation installation-log output installation logs installations list recent installation events lists pending changes pending-changes regenerate-certificates deletes all non-configurable certificates in Ops Manager... revert-staged-changes reverts staged changes on the Ops Manager targeted set-errand-state sets state for a product's errand stage-product stages a given product in the Ops Manager targeted staged-config \*\*EXPERIMENTAL\*\* generates a config from a staged product prints the staged manifest for a product staged-manifest staged-products lists staged products unstage-product unstages a given product from the Ops Manager targeted upload-product uploads a given product to the Ops Manager targeted upload-stemcell uploads a given stemcell to the Ops Manager targeted version prints the om release version pivnet cli Online Help 1.9 > pivnet --help Usage: pivnet [OPTIONS] <command> Application Options: Print the version of this CLI and exit -v, --version --format=[table|json|yaml] Format to print as (default: table) --verbose Display verbose output Name of profile (default: default) --profile= --config= Path to config file (default: /Users/zdenny/.pivnetrc) Help Options: -h, --help Show this help message Available commands: accept-eula Accept EULA (Available for pivots only) (aliases: ae) add-file-group Add file group to release (aliases: afg)

Add product file to release (aliases: apf) add-product-file add-release-dependency Add release dependency (aliases: ard) add-release-upgrade-path Add release upgrade path (aliases: arup) Add user group to release (aliases: aug) add-user-group Add user group member to group (aliases: augm) add-user-group-member create-dependency-specifier Create dependency specifier (aliases: cds) create-file-group Create file group (aliases: cfg) create-product-file Create product file (aliases: cpf)

Updated: May 28, 2019 Create release (aliases: cr) create-release Create user group (aliases: cug) create-user-group curl Curl an endpoint (aliases: c) Delete dependency specifier (aliases: dds) delete-dependency-specifier Delete file group (aliases: dfg) delete-file-group delete-product-file Delete product file (aliases: dpf) delete-release Delete release (aliases: dr) delete-user-group Delete user group (aliases: dug) Get dependency specifier (aliases: ds) dependency-specifier dependency-specifiers List dependency specifiers (aliases: dss) Download product files (aliases: dlpf) download-product-files eula Show EULA (aliases: e) List EULAs (aliases: es) eulas file-group Show file group (aliases: fg) List file groups (aliases: fgs) file-groups Print this help message (aliases: h) help Log in to Pivotal Network. (aliases: 1) login Log out from Pivotal Network. logout Show product (aliases: p) product Show product file (aliases: pf) product-file List product files (aliases: pfs) product-files products List products (aliases: ps) Show release (aliases: r) release List release dependencies (aliases: rds) release-dependencies List release types (aliases: rts) release-types List release upgrade paths (aliases: rups) release-upgrade-paths List releases (aliases: rs) releases Remove file group from release (aliases: rfg) remove-file-group remove-product-file Remove product file from release (aliases: rpf) remove-release-dependency Remove release dependency (aliases: rrd)

remove-release-upgrade-path Remove release upgrade path (aliases: rrup) Remove user group from release (aliases: rug) remove-user-group remove-user-group-member Remove user group member from group (aliases: rugm)

Update file group (aliases: ufg) update-file-group update-product-file Update product file (aliases: upf) Update release (aliases: ur) update-release

Update user group (aliases: uug) update-user-group Show user group (aliases: ug) user-group user-groups List user groups (aliases: ugs)

Print the version of this CLI and exit (aliases: v) version

#### More Resources 1.10

License: Code is licensed under MIT License.