DECLARATION OF PERFORMANCE NO. 25022016 VARIANT N III WRAP

Product FLAMRO Variant N III wrap

1. Unique identification code of the product-type RA-16-0056

2. Intended use Pipe sealing

3. Manufacturer FLAMRO Brandschutz-Systeme GmbH

56291 Leiningen

Germany

4. Authorised representative **not relevant**

5. System(s) of AVCP System 1

6a) Harmonised standard **not relevant**

6b) European Assessment Document ETAG Nº 026 Part 2, August 2011

European Technical Assessment ETA-16/0056

Technical Assessment Body ETA-Danmark A/S, DK-2150 Nordhavn

Notified body/ ies Materialprüfanstalt für das Bauwesen Braunschweig,

Nº 0761

7. Declared performances

Essential characteristics	Performance	Harmonised technical specification
Fire resistance as a pipe sealing for combustible or non-combustible pipes made of PVC, PE, PP, eg *) with the fire protection collar type Variant N III wrap in flexible and rigid walls, thickness at least 100 mm or rigid floors, thickness at least 150 mm. *)	Max. El 120 - U/U or Max. El 240 - U/C	ETA-16/0056
Durability and serviceability with / without mineral fibre panel	use category type Y ₂ / X	
Air permeability	NPD	
Water permeability	NPD	

DECLARATION OF PERFORMANCE NO. 25022016 VARIANT N III WRAP

Release of dangerous substances	none	
Mechanical resistance and stability	NPD	
Resistance to impact/ movement	NPD	
Adhesion	NPD	
Airborne sound insulation	NPD	
Thermal properties	NPD	
Water vapour permeability	NPD	
Components – reaction to fire: FLAMRO Variant N III wrap FLAMRO BML FLAMRO BMS FLAMRO BMK Mineral wool slab, density 150 kg/m³	Class acc. to EN 13501-1 E E E E E A1	

*) according to ETA-16/0056

8. Appropriate Technical Documentation / Specific Technical Documentation:

not relevant

Online-copy of Declaration of Performance

www.flamro.de

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Dr. Hemp, Head of R & D / Authorised officer

FLAMRO Brandschutz-Systeme GmbH

Olin r. West