

EBD: Database Specification Component

TasteBuds helps people build a community of diverse, healthy and tasty eating habits.

A4: Conceptual Data Model

This artefact contains the Conceptual Domain Model that will be used by the database, namely the UML class diagram that depicts the relationships between the entities of the domain.

1. Class Diagram

Relation schemas are described in the compact notation:

Relation Reference	Relation Compact Notation
R01	frequently_asked_question(<u>id</u> , question NN , answer NN)
R02	unit(<u>id</u> , name NN)
R03	conversion(<u>unit_1</u> → unit NN , <u>unit_2</u> → unit NN , factor)
R04	ingredient_recipe(<u>id_recipe</u> → recipe, <u>ingredient_id</u> → ingredient, unit_id → unit, quantity CK >= 0)
R05	ingredient(<u>id</u> , name NN)
R06	tag(<u>id</u> , name NN)
R07	tag_recipe(<u>id_tag</u> → tag, <u>id_recipe</u> → recipe)
R08	category(<u>id</u> , name NN)
R09	step(<u>id</u> , name NN , description, id_recipe → recipe)
R10	recipe(<u>id</u> , name NN , difficulty, description, servings CK > 0, preparation_time CK >= 0, cooking_time CK >= 0, additional_time CK >= 0, creation_time DF datetime , id_member → member NN , id_category → category, id_group → group, score DF 0)
R11	favourite(<u>id_recipe</u> → recipe, <u>id_member</u> → member)
R12	group(<u>id</u> , name NN , description, visibility NN)
R13	group_moderator(<u>id_member</u> → member, <u>id_group</u> → group)
R14	group_member(<u>id_member</u> → member, <u>id_group</u> → group)
R15	group_request(<u>id_member</u> → member, <u>id_group</u> → group, state NN , timestamp DF datetime)
R16	admin(<u>id</u> , email UK NN , password NN , name NN , username UK NN)
R17	member(<u>id</u> , email UK NN , password NN , name NN , username UK NN , city, bio, visibility NN DF false , is_banned NN DF false , country_id → country, score DF 0)
R18	following(<u>id_following</u> → member NN , <u>id_followed</u> → member NN , state NN , timestamp DF datetime)
R19	country(<u>id</u> , abbreviation NN , name NN)
R20	message(<u>id</u> , text NN , read NN DF false , timestamp DF datetime , id_receiver → member NN , id_sender → member NN)
R21	comment(<u>id</u> , text NN , rating CK rating >= 1 && rating <= 5, post_time DF datetime , id_member → member NN , id_recipe → recipe NN)
R22	answer(<u>id_comment</u> → comment, father_comment → comment NN)

Relation Reference	Relation Compact Notation
R23	comment_notification(<u>id</u> , read NN DF false , timestamp DF datetime , id_comment → comment NN)
R24	delete_notification(<u>id</u> , read NN DF false , timestamp DF datetime , id_receiver → member NN , name_recipe NN)
R25	favourite_notification(<u>id</u> , read NN DF false , timestamp DF datetime , id_caused_by → member NN , id_recipe → recipe NN)
R26	comment_report(<u>id</u> , id_reporter → member NN , reason NN , active NN , id_comment → comment NN)
R27	recipe_report(<u>id</u> , id_reporter → member NN , reason NN , active NN , id_recipe → recipe NN)

where UK means UNIQUE KEY, NN means NOT NULL, DF means DEFAULT and CK means CHECK.

2. Domains

Specification of additional domains:

Domain Name	Domain Specification
datetime	DATE DEFAULT now()
Difficulty	ENUM('easy','medium','hard','very hard')
State	ENUM('pending','accepted','refused')

3. Schema Validation

Identification of all functional dependencies to achieve the normalization of all relation schemas.

Table R01 (frequently_asked_question)	
Keys: {id}	
Functional Dependencies	
FD0101	{id} → {question, answer}
Normal Form	BCNF
Table R02 (unit)	
Keys: {id}	
Functional Dependencies	
FD0201	{id} → {name}
Normal Form	BCNF
Table R03 (conversion)	

Keys: {unit1, unit2}

Functional Dependencies

FD0301 {unit1, unit2} → {factor}

Normal Form BCNF

Table R04 (ingredient_recipe)

Keys: {id_recipe, ingredient_id}

Functional Dependencies

FD0401 {id_recipe, ingredient_id} → {unit_id, quantity}

Normal Form BCNF

Table R05 (ingredient)

Keys: {id}

Functional Dependencies

FD0501 {id} → {name}

Normal Form BCNF

Table R06 (tag)

Keys: {id}

Functional Dependencies

FD0601 {id} → {name}

Normal Form BCNF

Table R07 (tag_recipe)

Keys: {id_tag, id_recipe}

Functional Dependencies

(none)

Normal Form BCNF

Table R08 (category)

Keys: {id}

Functional Dependencies

FD0801 {id} → {name}

Normal Form BCNF

Table R09 (step)

Keys: {id}

Functional Dependencies

FD0901 {id} → {name, description, id_recipe}

Normal Form BCNF

Table R10 (recipe)

Keys: {id}

Functional Dependencies

FD1001 {id} → {name, difficulty, description, servings, preparation_time, cooking_time, additional_time, creation_time, id_member, id_category, id_group, score}

Normal Form BCNF

Table R11 (favourite)

Keys: {id_recipe, id_member}

Functional Dependencies

FD1101

Normal Form BCNF

Table R12 (group)

Keys: {id}

Functional Dependencies

FD1201 {id} → {name, description, visibility}

Normal Form BCNF

Table R13 (group_moderator)

Keys: {id_member, id_group}

Functional Dependencies

(none)

Normal Form BCNF

Table R14 (group_member)

Keys: {id_member, id_group}

Functional Dependencies

(none)

Normal Form BCNF

Table R15 (group_request)

Keys: {id_member, id_group}

Functional Dependencies

FD1501	{id_member, id_group} → {state, timestamp}
--------	--

Normal Form BCNF

Table R16 (admin)

Keys: {id}, {username}, {email}

Functional Dependencies

FD1601	{id} → {email, password, name, username}
--------	--

FD1602	{username} → {id, email, password, name}
--------	--

FD1603	{email} → {id, password, name, username}
--------	--

Normal Form BCNF

Table R17 (member)

Keys: {id}, {username}, {email}

Functional Dependencies

FD1701	{id} → {email, password, name, username, city, bio, visibility, is_banned, country_id, score}
--------	---

FD1702	{username} → {id, email, password, name, city, bio, visibility, is_banned, country_id, score}
--------	---

FD1703	{email} → {id, password, name, username, city, bio, visibility, is_banned, country_id, score}
--------	---

Normal Form BCNF

Table R18 (following)

Keys: {id_following, id_followed}

Functional Dependencies

FD1801	{id_following, id_followed} → {state, timestamp}
--------	--

Normal Form BCNF

Table R19 (country)

Keys: {id}

Functional Dependencies

FD1901	{id} → {abbreviation, name}
--------	-----------------------------

Normal Form BCNF

Table R20 (message)

Keys: {id}

Functional Dependencies

FD2001 {id} → {read, timestamp, id_receiver, id_sender}

Normal Form BCNF

Table R21 (comment)

Keys: {id}

Functional Dependencies

FD2101 {id} → {text, rating, post_time, id_member, id_recipe}

Normal Form BCNF

Table R22 (answer)

Keys: {id_comment}

Functional Dependencies

FD2201 {id_comment} → {father_comment}

Normal Form BCNF

Table R23 (comment_notification)

Keys: {id}

Functional Dependencies

FD2301 {id} → {read, timestamp, id_receiver, id_comment}

Normal Form BCNF

Table R24 (delete_notification)

Keys: {id}

Functional Dependencies

FD2401 {id} → {read, timestamp, id_receiver, name_recipe}

Normal Form BCNF

Table R25 (favourite_notification)

Keys: {id}

Functional Dependencies

FD2501 {id} → {read, timestamp, id_receiver, id_caused_by, id_recipe}

Normal Form BCNF

Table R26 (comment_report)

Keys: {id}

Functional Dependencies

FD2601	$\{id\} \rightarrow \{id_reporter, reason, active, id_comment\}$
--------	--

Normal Form BCNF

Table R27 (recipe_report)

Keys: {id}

Functional Dependencies

FD2701	$\{id\} \rightarrow \{comment_report, reason, active, id_recipe\}$
--------	--

Normal Form BCNF

As all relations' normal form is the BCNF no changes were required and the schema's normal form is BCNF.

4. SQL code

```
DROP SCHEMA IF EXISTS public CASCADE;
CREATE SCHEMA public;

CREATE DOMAIN "datetime"
AS timestamp with time zone
DEFAULT now()
NOT NULL;

CREATE TYPE Difficulty AS ENUM (
    'easy',
    'medium',
    'hard',
    'very hard'
);

CREATE TYPE State AS ENUM (
    'pending',
    'accepted',
    'rejected'
);

CREATE TABLE tb_group (
    id SERIAL,
    name text NOT NULL,
    description text NOT NULL,
    visibility boolean NOT NULL,

    CONSTRAINT group_PK PRIMARY KEY (id)
);

CREATE TABLE tb_country (
    id SERIAL,
    abbreviation text NOT NULL,
    name text NOT NULL,
```

```

        CONSTRAINT country_PK PRIMARY KEY (id)
    );

CREATE TABLE tb_member (
    id SERIAL,
    email text UNIQUE NOT NULL,
    password text NOT NULL,
    name text NOT NULL,
    username text UNIQUE NOT NULL,
    city text,
    bio text,
    visibility boolean DEFAULT FALSE NOT NULL,
    is_banned boolean DEFAULT FALSE NOT NULL,
    id_country integer NOT NULL,
    score real DEFAULT 0,

    CONSTRAINT member_PK PRIMARY KEY (id),
    CONSTRAINT member_country_FK FOREIGN KEY (id_country) REFERENCES
"tb_country" ON DELETE SET NULL ON UPDATE CASCADE
);

CREATE TABLE tb_ingredient (
    id SERIAL,
    name text NOT NULL,

    CONSTRAINT ingredient_PK PRIMARY KEY (id)
);

CREATE TABLE tb_frequently_asked_question (
    id SERIAL,
    question text NOT NULL,
    answer text NOT NULL,

    CONSTRAINT frequently_asked_question_PK PRIMARY KEY (id)
);

CREATE TABLE tb_unit (
    id SERIAL,
    name text NOT NULL,

    CONSTRAINT unit_PK PRIMARY KEY (id)
);

CREATE TABLE tb_conversion (
    unit_1 integer NOT NULL,
    unit_2 integer NOT NULL,
    factor real NOT NULL,

    CONSTRAINT conversion_PK PRIMARY KEY (unit_1, unit_2),
    CONSTRAINT conversion_unit_1_FK FOREIGN KEY (unit_1) REFERENCES
"tb_unit" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT conversion_unit_2_FK FOREIGN KEY (unit_2) REFERENCES
"tb_unit" (id) ON DELETE CASCADE ON UPDATE CASCADE

```

```

);

CREATE TABLE tb_category (
    id SERIAL,
    name text NOT NULL,

    CONSTRAINT category_PK PRIMARY KEY (id)
);

CREATE TABLE tb_recipe (
    id SERIAL,
    name text NOT NULL,
    difficulty Difficulty NOT NULL,
    description text,
    servings integer,
    preparation_time integer,
    cooking_time integer,
    additional_time integer,
    creation_time datetime NOT NULL,
    id_member integer NOT NULL,
    id_category integer,
    id_group integer,
    score real DEFAULT 0,

    CONSTRAINT recipe_PK PRIMARY KEY (id),
    CONSTRAINT recipe_member_FK FOREIGN KEY (id_member) REFERENCES
"tb_member" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT recipe_category_FK FOREIGN KEY (id_category) REFERENCES
"tb_category" (id) ON DELETE SET NULL ON UPDATE CASCADE,
    CONSTRAINT recipe_group_FK FOREIGN KEY (id_group) REFERENCES "tb_group"
(id) ON DELETE SET NULL ON UPDATE CASCADE,
    CONSTRAINT recipe_servings_CK CHECK (servings > 0),
    CONSTRAINT recipe_preparation_time_CK CHECK (preparation_time >= 0),
    CONSTRAINT recipe_cooking_time_CK CHECK (cooking_time >= 0),
    CONSTRAINT recipe_additional_time_CK CHECK (additional_time >= 0)
);

CREATE TABLE tb_ingredient_recipe (
    id_recipe integer NOT NULL,
    id_ingredient integer NOT NULL,
    id_unit integer NOT NULL,
    quantity real,

    CONSTRAINT ingredient_recipe_PK PRIMARY KEY (id_recipe, id_ingredient),
    CONSTRAINT ingredient_recipe_recipe_FK FOREIGN KEY (id_recipe)
REFERENCES "tb_recipe" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT ingredient_recipe_ingredient_FK FOREIGN KEY (id_ingredient)
REFERENCES "tb_ingredient" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT ingredient_recipe_unit_FK FOREIGN KEY (id_unit) REFERENCES
"tb_unit" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT ingredient_recipe_non_negative_quantity_CK CHECK (quantity
>= 0)
);

```

```

CREATE TABLE tb_tag (
    id SERIAL,
    name text NOT NULL,

    CONSTRAINT tag_PK PRIMARY KEY (id)
);

CREATE TABLE tb_tag_recipe (
    id_tag integer NOT NULL,
    id_recipe integer NOT NULL,

    CONSTRAINT tag_recipe_PK PRIMARY KEY (id_tag, id_recipe),
    CONSTRAINT tag_recipe_tag_FK FOREIGN KEY (id_tag) REFERENCES "tb_tag"
(id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT tag_recipe_recipe_FK FOREIGN KEY (id_recipe) REFERENCES
"tb_recipe" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_step (
    id SERIAL,
    name text NOT NULL,
    description text,
    id_recipe integer NOT NULL,

    CONSTRAINT step_PK PRIMARY KEY (id),
    CONSTRAINT step_recipe_FK FOREIGN KEY (id_recipe) REFERENCES
"tb_recipe" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_favourite (
    id_recipe integer NOT NULL,
    id_member integer NOT NULL,

    CONSTRAINT favourite_PK PRIMARY KEY (id_recipe, id_member),
    CONSTRAINT favourite_recipe_FK FOREIGN KEY (id_recipe) REFERENCES
"tb_recipe" ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT favourite_member_FK FOREIGN KEY (id_member) REFERENCES
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_group_moderator (
    id_member integer NOT NULL,
    id_group integer NOT NULL,

    CONSTRAINT group_moderator_PK PRIMARY KEY (id_member, id_group),
    CONSTRAINT group_moderator_member_FK FOREIGN KEY (id_member) REFERENCES
"tb_member" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT group_moderator_group_FK FOREIGN KEY (id_group) REFERENCES
"tb_group" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_group_member (
    id_member integer NOT NULL,
    id_group integer NOT NULL,

```

```

        CONSTRAINT group_member_PK PRIMARY KEY (id_member, id_group),
        CONSTRAINT group_member_member_FK FOREIGN KEY (id_member) REFERENCES
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,
        CONSTRAINT group_member_group_FK FOREIGN KEY (id_group) REFERENCES
"tb_group" ON DELETE CASCADE ON UPDATE CASCADE
);

```

```

CREATE TABLE tb_group_request (
    id_member integer,
    id_group integer,
    state State NOT NULL,
    timestamp datetime,

    CONSTRAINT group_request_PK PRIMARY KEY (id_member, id_group),
    CONSTRAINT group_request_member_FK FOREIGN KEY (id_member) REFERENCES
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT group_request_group_FK FOREIGN KEY (id_group) REFERENCES
"tb_group" ON DELETE CASCADE ON UPDATE CASCADE
);

```

```

CREATE TABLE tb_admin (
    id SERIAL,
    email text UNIQUE NOT NULL,
    password text NOT NULL,
    name text NOT NULL,
    username text UNIQUE NOT NULL,

    CONSTRAINT admin_PK PRIMARY KEY (id)
);

```

```

CREATE TABLE tb_following (
    id_following integer NOT NULL,
    id_followed integer NOT NULL,
    state State NOT NULL,
    timestamp datetime,

    CONSTRAINT following_PK PRIMARY KEY (id_following, id_followed),
    CONSTRAINT following_following_FK FOREIGN KEY (id_following) REFERENCES
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT following_followed_FK FOREIGN KEY (id_followed) REFERENCES
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT following_diff_CK CHECK (id_following <> id_followed)
);

```

```

CREATE TABLE tb_message (
    id SERIAL,
    text text NOT NULL,
    read boolean DEFAULT FALSE NOT NULL,
    timestamp datetime,
    id_receiver integer NOT NULL,
    id_sender integer NOT NULL,

    CONSTRAINT message_PK PRIMARY KEY (id),

```

```

        CONSTRAINT message_receiver_FK FOREIGN KEY (id_receiver) REFERENCES
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,
        CONSTRAINT message_sender_FK FOREIGN KEY (id_sender) REFERENCES
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,
        CONSTRAINT message_not_same_user_CK CHECK (id_receiver <> id_sender)
);

CREATE TABLE tb_comment (
    id SERIAL,
    text text NOT NULL,
    rating integer,
    post_time datetime,
    id_member integer NOT NULL,
    id_recipe integer NOT NULL,

    CONSTRAINT comment_PK PRIMARY KEY (id),
    CONSTRAINT comment_member_FK FOREIGN KEY (id_member) REFERENCES
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT comment_recipe_FK FOREIGN KEY (id_recipe) REFERENCES
"tb_recipe" ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT comment_rating_CK CHECK (rating IS NULL OR (rating >= 1 AND
rating <= 5))
);

CREATE TABLE tb_answer (
    id_comment integer,
    father_comment integer NOT NULL,

    CONSTRAINT answer_PK PRIMARY KEY (id_comment),
    CONSTRAINT answer_comment_FK FOREIGN KEY (id_comment) REFERENCES
"tb_comment" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT answer_father_comment_FK FOREIGN KEY (father_comment)
REFERENCES "tb_comment" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_comment_notification (
    id SERIAL,
    read boolean DEFAULT FALSE NOT NULL,
    timestamp datetime,
    id_comment integer NOT NULL,

    CONSTRAINT comment_notification_PK PRIMARY KEY (id),
    CONSTRAINT comment_notification_comment_FK FOREIGN KEY (id_comment)
REFERENCES "tb_comment" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_delete_notification (
    id SERIAL,
    read boolean DEFAULT FALSE NOT NULL,
    timestamp datetime,
    id_receiver integer NOT NULL,
    name_recipe text NOT NULL,

    CONSTRAINT delete_notification_PK PRIMARY KEY (id),

```

```

        CONSTRAINT delete_notification_receiver_FK FOREIGN KEY (id_receiver)
REFERENCES "tb_member" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_favourite_notification (
    id SERIAL,
    read boolean DEFAULT FALSE NOT NULL,
    timestamp datetime,
    id_caused_by integer NOT NULL,
    id_recipe integer NOT NULL,

    CONSTRAINT favourite_notification_PK PRIMARY KEY (id),
    CONSTRAINT favourite_notification_caused_by_FK FOREIGN KEY
(id_caused_by) REFERENCES "tb_member" (id) ON DELETE CASCADE ON UPDATE
CASCADE,
    CONSTRAINT favourite_notification_recipe_FK FOREIGN KEY (id_recipe)
REFERENCES "tb_recipe" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_comment_report (
    id SERIAL,
    id_reporter integer NOT NULL,
    reason text NOT NULL,
    active boolean NOT NULL,
    id_comment integer NOT NULL,

    CONSTRAINT comment_report_PK PRIMARY KEY (id),
    CONSTRAINT comment_report_reporter_FK FOREIGN KEY (id_reporter)
REFERENCES "tb_member" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT comment_report_comment_FK FOREIGN KEY (id_comment)
REFERENCES "tb_comment" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_recipe_report (
    id SERIAL,
    id_reporter integer NOT NULL,
    reason text NOT NULL,
    active boolean NOT NULL,
    id_recipe integer NOT NULL,

    CONSTRAINT recipe_report_PK PRIMARY KEY (id),
    CONSTRAINT recipe_report_reporter_FK FOREIGN KEY (id_reporter)
REFERENCES "tb_member" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT recipe_report_recipe_FK FOREIGN KEY (id_recipe) REFERENCES
"tb_recipe" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

```

A6: Indexes, Triggers, User Functions, Transactions and Population

This artefact contains the physical schema of the database, tuple estimation, and the most frequent queries to be performed. Lastly, it includes all the SQL code necessary to define all data integrity constraints, indexes,

transactions, and triggers.

1. Database Workload

In this section we predict the system load, mainly focusing on tuple estimation, frequent queries and frequent updates.

1.1. Tuple Estimation

Relation reference	Relation Name	Order of magnitude	Estimated growth
R01	frequently_asked_question	tens	units per month
R02	unit	units	units per month
R03	conversion	units	units per month
R04	ingredient_recipe	millions	hundreds per month
R05	ingredient	thousands	units per day
R06	tag	hundreds	tens per month
R07	tag_recipe	thousands	thousands per day
R08	category	units	units per year
R09	step	tens of thousands	thousands per day
R10	recipe	thousands	hundreds per day
R11	favourite	millions	thousands per day
R12	group	hundreds	tens per day
R13	group_moderator	hundreds	tens per day
R14	group_member	thousands	hundreds per day
R15	group_request	hundreds	tens per day
R16	admin	units	units per year
R17	member	tens of thousands	hundreds per day
R18	following	tens of thousands	hundreds per day
R19	country	hundreds	units per decade
R20	message	millions	thousands per day
R21	comment	tens of thousands	hundreds per day
R22	answer	thousands	tens per day
R23	comment_notification	tens of thousands	thousands per day
R24	delete_notification	tens	units per month

Relation reference	Relation Name	Order of magnitude	Estimated growth
R25	favourite_notification	millions	thousands per day
R26	comment_report	hundreds	units per day
R27	recipe_report	hundreds	units per month

1.2. Frequent Queries

Query	SELECT01
Description	Get all of a member's recipes (that are not part of a group).
Frequency	hundreds per day

```
SELECT tb_recipe.id, tb_recipe.name, tb_recipe.description,
       tb_recipe.servings,
       tb_recipe.preparation_time, tb_recipe.cooking_time,
       tb_recipe.additional_time,
       tb_recipe.creation_time,
       tb_category.name AS category, coalesce(tb_recipe.score, 0) as score,
       comment_elapsed_time(tb_recipe.creation_time) as elapsed_time

FROM tb_recipe JOIN tb_category ON tb_recipe.id_category = tb_category.id

WHERE id_member = $memberId AND id_group IS NULL AND
       recipe_visibility(tb_recipe.id, $id_viewer);
```

Query	SELECT02
Description	Get recipes for a given category.
Frequency	hundreds per day

```
SELECT id
FROM tb_recipe
WHERE id_category = $categoryId;
```

Query	SELECT03
Description	Get recipes to show in the member feed.
Frequency	hundreds per day

```
SELECT
       tb_recipe.id, tb_recipe.name as title,
```

```

        description,
        comment_elapsed_time(tb_recipe.creation_time) as elapsed_time,
        tb_member.name as member_name,
        tb_recipe.score
FROM tb_recipe
JOIN tb_member ON tb_recipe.id_member = tb_member.id
WHERE recipe_visibility(tb_recipe.id, $memberId)
ORDER BY creation_time DESC
LIMIT 5;

```

Query	SELECT04
--------------	-----------------

Description	Filter feed recipes by date.
--------------------	------------------------------

Frequency	thousands per day
------------------	-------------------

```

SELECT
    tb_recipe.id, tb_recipe.name as title,
    description,
    comment_elapsed_time(tb_recipe.creation_time) as elapsed_time,
    tb_member.name as member_name,
    tb_recipe.score
FROM tb_recipe
JOIN tb_member ON tb_recipe.id_member = tb_member.id
WHERE recipe_visibility(tb_recipe.id, $memberId) AND creation_time >
$lower_date_bound AND creation_time < $upper_date_bound
ORDER BY creation_time DESC;

```

Query	SELECT05
--------------	-----------------

Description	Filter feed recipes by difficulty.
--------------------	------------------------------------

Frequency	tens per day
------------------	--------------

```

SELECT
    tb_recipe.id, tb_recipe.name as title,
    description,
    comment_elapsed_time(tb_recipe.creation_time) as elapsed_time,
    tb_member.name as member_name,
    tb_recipe.score
FROM tb_recipe
JOIN tb_member ON tb_recipe.id_member = tb_member.id
WHERE recipe_visibility(tb_recipe.id, $memberId) AND difficulty =
$desired_difficulty
ORDER BY creation_time DESC;

```

Query	SELECT06
-------	----------

Description	Filter feed recipes by score.
-------------	-------------------------------

Frequency	tens per day
-----------	--------------

```
SELECT
    tb_recipe.id, tb_recipe.name as title,
    description,
    comment_elapsed_time(tb_recipe.creation_time) as elapsed_time,
    tb_member.name as member_name,
    tb_recipe.score
FROM tb_recipe
JOIN tb_member ON tb_recipe.id_member = tb_member.id
WHERE recipe_visibility(tb_recipe.id, $memberId) AND score >
$lower_score_bound AND score < $upper_score_bound
ORDER BY creation_time DESC;
```

Query	SELECT07
-------	----------

Description	Get a given recipe's general information.
-------------	---

Frequency	thousands per day
-----------	-------------------

```
SELECT tb_recipe.name, tb_recipe.description, tb_recipe.servings,
tb_recipe.preparation_time, tb_recipe.cooking_time,
tb_recipe.additional_time,
    tb_recipe.creation_time, score, tb_member.name AS member_name,
tb_member.username AS member_username, tb_category.name AS category,
    (SELECT COUNT(*) FROM tb_comment WHERE id_recipe = tb_recipe.id AND
rating IS NOT NULL) AS number_ratings,
FROM tb_recipe
JOIN tb_member ON tb_recipe.id_member = tb_member.id
JOIN tb_category ON tb_recipe.id_category = tb_category.id
WHERE recipe_visibility(tb_recipe.id, $userId) = TRUE AND tb_recipe.id =
$recipeId; -- $userId | $recipeId
```

Query	SELECT08
-------	----------

Description	Get a given recipe's tags.
-------------	----------------------------

Frequency	thousands per day
-----------	-------------------

```
-- Tags

SELECT tb_tag.id, tb_tag.name
FROM tb_tag_recipe
```

```
JOIN tb_recipe ON tb_tag_recipe.id_recipe = tb_recipe.id
JOIN tb_tag ON tb_tag_recipe.id_tag = tb_tag.id
WHERE tb_recipe.id = $recipeId; -- $recipeId
```

Query	SELECT09
-------	----------

Description	Get a given recipe's ingredients.
-------------	-----------------------------------

Frequency	thousands per day
-----------	-------------------

```
-- Ingredients

SELECT tb_ingredient.id, tb_ingredient.name, tb_ingredient_recipe.quantity,
tb_unit.name
FROM tb_ingredient_recipe
JOIN tb_recipe ON tb_ingredient_recipe.id_recipe = tb_recipe.id
JOIN tb_ingredient ON tb_ingredient_recipe.id_ingredient = tb_ingredient.id
JOIN tb_unit ON tb_ingredient_recipe.id_unit = tb_unit.id
WHERE tb_recipe.id = $recipeId; -- $recipeId
```

Query	SELECT10
-------	----------

Description	Get a given recipe's steps.
-------------	-----------------------------

Frequency	thousands per day
-----------	-------------------

```
-- Steps

SELECT tb_step.id, tb_step.name, tb_step.description
FROM tb_step
JOIN tb_recipe ON tb_step.id_recipe = tb_recipe.id
WHERE tb_recipe.id = $recipeId; -- $recipeId
```

Query	SELECT11
-------	----------

Description	Get a given recipe's comments.
-------------	--------------------------------

Frequency	thousands per day
-----------	-------------------

```
-- Comments

SELECT tb_comment.id, tb_comment.text,
comment_elapsed_time(tb_comment.post_time), tb_answer.father_comment,
tb_member.name, tb_member.id
FROM tb_comment
```

```
JOIN tb_answer ON tb_comment.id = tb_answer.id_comment
JOIN tb_member ON tb_comment.id_member = tb_member.id
WHERE tb_comment.id_recipe = $recipeId; -- $recipeId
```

Query	SELECT12
-------	----------

Description	Get a given recipe's reviews.
-------------	-------------------------------

Frequency	thousands per day
-----------	-------------------

```
-- Reviews

SELECT tb_comment.id, tb_comment.text, tb_comment.rating,
comment_elapsed_time(tb_comment.post_time)
FROM tb_comment
JOIN tb_recipe ON tb_comment.id = tb_recipe.id
WHERE tb_comment.rating IS NOT NULL AND tb_recipe.id = $recipeId; --
$recipeId
```

Query	SELECT13
-------	----------

Description	Get the messages exchanged between two given members.
-------------	---

Frequency	hundreds per day
-----------	------------------

```
SELECT *
FROM tb_message
WHERE (id_receiver = $memberId1 AND id_sender = $memberId2) OR (id_receiver
= $memberId2 AND id_sender = $memberId1)
ORDER BY timestamp DESC;
```

Query	SELECT14
-------	----------

Description	Get a given member's recipes' comment notifications.
-------------	--

Frequency	tens of thousands per day
-----------	---------------------------

```
SELECT tb_comment_notification.id, read, tb_comment_notification.timestamp
FROM tb_comment_notification
JOIN tb_comment ON tb_comment_notification.id_comment = tb_comment.id
JOIN tb_recipe ON tb_comment.id_recipe = tb_recipe.id
JOIN tb_member ON tb_recipe.id_member = tb_member.id
WHERE tb_recipe.id_member = $userId;
```

Query	SELECT15
-------	----------

Description	Get the delete notifications (deletion of one of his recipes by an admin) of a given member.
-------------	--

Frequency	tens of thousands per day
-----------	---------------------------

```
SELECT tb_delete_notification.id, read, name_recipe,
tb_delete_notification.timestamp
FROM tb_delete_notification
JOIN tb_member ON tb_delete_notification.id_receiver = tb_member.id
WHERE tb_delete_notification.id_receiver = $userId;
```

Query	SELECT16
-------	----------

Description	Get the favourite notifications of a given member.
-------------	--

Frequency	tens of thousands per day
-----------	---------------------------

```
SELECT tb_favourite_notification.id, read,
tb_favourite_notification.timestamp, id_caused_by
FROM tb_favourite_notification
JOIN tb_recipe ON tb_favourite_notification.id_recipe = tb_recipe.id
JOIN tb_member ON tb_recipe.id_member = tb_member.id
WHERE tb_recipe.id_member = $userId;
```

Query	SELECT17
-------	----------

Description	Get a given member's profile information.
-------------	---

Frequency	thousands per day
-----------	-------------------

```
SELECT tb_member.name, tb_member.username, tb_member.city, tb_member.bio,
coalesce(tb_member.score, 0) AS score, tb_country.name AS country,
(SELECT COUNT(*) FROM tb_recipe WHERE id_member = tb_member.id) AS
number_recipes,
(SELECT COUNT(*) FROM tb_following WHERE id_following = tb_member.id) AS
number_following,
(SELECT COUNT(*) FROM tb_following WHERE id_followed = tb_member.id) AS
number_followed
FROM tb_member
JOIN tb_country ON tb_member.id_country = tb_country.id
WHERE tb_member.id = $userId OR tb_member.username = $username; -- $userId
or $username
```

Query	SELECT18
-------	----------

Description Get the members a given member follows.

Frequency thousands per day

```
-- Users following (Profile)

SELECT tb_following.id_followed
FROM tb_following
WHERE tb_following.id_following = $userId; -- $userId
```

Query **SELECT19**

Description Get the groups a given member is part of.

Frequency thousands per day

```
-- User Groups (Profile)

SELECT tb_group.id, tb_group.name
FROM tb_group_member
JOIN tb_group ON tb_group_member.id_group = tb_group.id
WHERE tb_group_member.id_member = $userId; -- $userId
```

Query **SELECT20**

Description Get a given group's general information.

Frequency thousands per day

```
SELECT tb_group.name, tb_group.description
FROM tb_group
WHERE tb_group.id = $groupId; -- $groupId
```

Query **SELECT21**

Description Get a given group's membership requests.

Frequency thousands per day

```
-- Group Requests

SELECT tb_group_request.state, tb_member.id, tb_member.name,
tb_member.username
FROM tb_group_request
```

```
JOIN tb_member ON tb_group_request.id_member = tb_member.id
WHERE tb_group = $groupId; -- $groupId
```

Query	SELECT22
-------	----------

Description	Get a given group's members.
-------------	------------------------------

Frequency	thousands per day
-----------	-------------------

```
-- Group Members

SELECT tb_group_member.id_member, tb_member.username
FROM tb_group_member
JOIN tb_member ON tb_group_member.id_member = tb_member.id
WHERE tb_group = $groupId; -- $groupId
```

Query	SELECT23
-------	----------

Description	Get a given group's recipes.
-------------	------------------------------

Frequency	thousands per day
-----------	-------------------

```
SELECT tb_recipe.id, tb_recipe.name, tb_recipe.description,
tb_recipe.servings,
    tb_recipe.preparation_time, tb_recipe.cooking_time,
tb_recipe.additional_time,
    tb_recipe.creation_time,
    tb_category.name AS category, coalesce(tb_recipe.score, 0) as score,
    comment_elapsed_time(tb_recipe.creation_time) as elapsed_time

FROM tb_recipe JOIN tb_category ON tb_recipe.id_category = tb_category.id

WHERE id_group = $id_group;
```

Query	SELECT24
-------	----------

Description	Search recipes for a given query.
-------------	-----------------------------------

Frequency	tens of thousands per day
-----------	---------------------------

```
SELECT *, ts_rank("search", to_tsquery('english', 'egg | beef')) AS "rank"
FROM recipes_fts_view
WHERE "search" @@ to_tsquery('english', 'egg | beef') AND
recipe_visibility(recipes_fts_view.recipe_id, $userId) = TRUE
ORDER BY "rank" DESC;
```


Query	SELECT25
Description	Search categories for a given query.
Frequency	tens of thousands per day

```
SELECT *, ts_rank("search", to_tsquery('english', 'Desserts')) AS "rank"
FROM tb_category
WHERE "search" @@ to_tsquery('english', 'Desserts')
ORDER BY "rank" DESC;
```

Query	SELECT26
Description	Search members for a given query.
Frequency	tens of thousands per day

```
SELECT *, ts_rank("search", to_tsquery('simple', 'Mihai | Searle')) AS
"rank"
FROM tb_member
WHERE "search" @@ to_tsquery('simple', 'Mihai | Searle')
ORDER BY "rank" DESC;
```

Query	SELECT27
Description	Search groups for a given query.
Frequency	tens of thousands per day

```
SELECT *, ts_rank("search", to_tsquery('english', 'Chef | Cook')) AS "rank"
FROM tb_group
WHERE "search" @@ to_tsquery('english', 'Chef | Cook')
ORDER BY "rank" DESC;
```

1.3. Frequent Updates

Query	UPDATE01
Description	Insert new recipe.
Frequency	tens per day

```
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, visibility, creation_time,
id_member, id_category)
VALUES ($title, $difficulty, $description, $servings, $preparation_time,
$cooking_time, $additional_time, $visibility, $creation_time, $id_member,
$id_category);
```

Query	UPDATE02
-------	----------

Description	Insert new recipe step.
-------------	-------------------------

Frequency	tens per day
-----------	--------------

```
INSERT INTO tb_step (name, description, id_recipe) VALUES ($step_name,
$step_description, $id_recipe);
```

Query	UPDATE03
-------	----------

Description	Insert new recipe tag.
-------------	------------------------

Frequency	tens per day
-----------	--------------

```
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES ($id_tag, $id_recipe);
```

Query	UPDATE04
-------	----------

Description	Insert new recipe ingredient.
-------------	-------------------------------

Frequency	tens per day
-----------	--------------

```
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES ($id_recipe, $id_ingredient, $id_unit, $quantity);
```

Query	UPDATE05
-------	----------

Description	Update a given recipe's general information.
-------------	--

Frequency	tens per day
-----------	--------------

```
UPDATE tb_recipe
SET difficulty = $difficulty, description = $description, servings =
$servings, preparation_time = $preparation_time,
```

```
cooking_time = $cooking_time, additional_time = $additional_time,  
visibility = $visibility, id_category = $category  
WHERE id = $recipeId;
```

Query	UPDATE06
-------	----------

Description	Update a given recipe step.
-------------	-----------------------------

Frequency	tens per day
-----------	--------------

```
UPDATE tb_step -- may need to update steps, may be repeated as necessary  
SET name = $new_step_name, description = $new_step_description  
WHERE id = $id_step_to_update;
```

Query	UPDATE07
-------	----------

Description	Update a given recipe's ingredient.
-------------	-------------------------------------

Frequency	tens per day
-----------	--------------

```
UPDATE tb_ingredient_recipe -- may need to update recipe ingredients, may  
be repeated as necessary  
SET id_unit = $new_id_unit, quantity = $new_quantity  
WHERE id_recipe = $id_recipe AND id_ingredient = $id_ingredient_to_update;
```

Query	UPDATE08
-------	----------

Description	Delete a given recipe.
-------------	------------------------

Frequency	units per day
-----------	---------------

```
DELETE FROM tb_recipe WHERE id = $recipeId; -- It should cascade to the  
steps, ingredient_recipes and comments
```

Query	UPDATE09
-------	----------

Description	Create a review.
-------------	------------------

Frequency	thousands per day
-----------	-------------------

```
INSERT INTO tb_comment(text, rating, id_member, id_recipe)  
VALUES($text, $rating, $id_member, $id_recipe);
```

Query	UPDATE10
-------	----------

Description	Create a comment.
-------------	-------------------

Frequency	thousands per day
-----------	-------------------

```
INSERT INTO tb_comment (text, id_member, id_recipe)
VALUES ($text, $id_member, $id_recipe);
```

Query	UPDATE11
-------	----------

Description	Delete a comment/review.
-------------	--------------------------

Frequency	hundreds per day
-----------	------------------

```
DELETE FROM tb_comment
WHERE id = $commentId;
```

Query	UPDATE12
-------	----------

Description	Create a private message.
-------------	---------------------------

Frequency	thousands per day
-----------	-------------------

```
-- User A sends a message to the user B
INSERT INTO tb_message (text, id_receiver, id_sender)
VALUES ($text, $id_user_b, $id_user_a);
```

Query	UPDATE13
-------	----------

Description	Update comment notification read status.
-------------	--

Frequency	thousands per day
-----------	-------------------

```
UPDATE tb_comment_notification
SET read = TRUE
WHERE id = $idCommentNotification;
```

Query	UPDATE14
-------	----------

Description	Update delete notification read status.
-------------	---

Frequency thousands per day

```
UPDATE tb_delete_notification
SET read = TRUE
WHERE id = $idDeleteNotification;
```

Query	UPDATE15
Description	Update favourite notification read status.
Frequency	thousands per day

```
UPDATE tb_favourite_notification
SET read = TRUE
WHERE id = $idFavouriteNotification;
```

2. Proposed Indices

2.1. Performance Indices

Index	IDX01
Related Queries	SELECT01, SELECT03, SELECT04, SELECT05, SELECT06, SELECT07
Relation	tb_recipe
Attribute	id_member
Type	Hash
Cardinality	Medium
Clustering	Yes
Justification	Queries related have to be very fast and executed many times; doesn't need range query support; cardinality is medium, so it's a good candidate for clustering.

```
DROP INDEX IF EXISTS member_recipe_index;
CREATE INDEX member_recipe_index ON tb_recipe USING hash(id_member);
```

Index	IDX02
Related Queries	SELECT02, SELECT07

Relation	tb_recipe
Attribute	id_category
Type	Hash
Cardinality	Low
Clustering	Yes
Justification	Query SELECT02 and SELECT07 are used to search recipes' categories. It has to be fast because it's executed many times; doesn't need range query support and, because cardinality is low, it's a good candidate for clustering.

```
DROP INDEX IF EXISTS category_recipe_index;
CREATE INDEX category_recipe_index ON tb_recipe USING hash(id_category);
```

Index	IDX03
Related Queries	SELECT23
Relation	tb_recipe
Attribute	id_group
Type	Hash
Cardinality	Medium
Clustering	No
Justification	Query SELECT23 has to be fast because it's executed many times; it does not need range support; cardinality is medium and, because the table tb_recipe has big tuples, it's not a good candidate for clustering.

```
DROP INDEX IF EXISTS group_recipe_index;
CREATE INDEX group_recipe_index ON tb_recipe USING hash(id_group);
```

Index	IDX04
Related Queries	SELECT13
Relation	tb_message
Attribute	(id_sender, id_receiver)
Type	B-tree
Cardinality	Medium

Clustering	Yes
Justification	Query SELECT13 is used to search the messages between two users really fast. It doesn't need range query support; cardinality is medium so it's a good candidate for clustering.

```
DROP INDEX IF EXISTS message_index;
CREATE INDEX message_index ON tb_message (id_sender, id_receiver);
```

Index	IDX05
Related Queries	SELECT06
Relation	tb_recipe
Attribute	score
Type	B-tree
Cardinality	Medium
Clustering	No
Justification	Query SELECT06 is used to filter feed recipes by score. It needs range query support; cardinality is medium and, as table tb_recipe has many tuples, it's not a good candidate for clustering.

```
DROP INDEX IF EXISTS rating_index;
CREATE INDEX rating_index ON tb_recipe USING btree(score); -- B-tree by default
```

Index	IDX06
Related Queries	SELECT11
Relation	tb_comment
Attribute	id_recipe
Type	Hash
Cardinality	Medium
Clustering	Yes
Justification	Query SELECT11 is used to get a recipe's comments. It has to be executed many times; It doesn't need range support; cardinality is medium, so it's a good candidate for

clustering.

```
DROP INDEX IF EXISTS recipe_comment_index;  
CREATE INDEX recipe_comment_index ON tb_comment USING hash(id_recipe);
```

Index	IDX07
Related Queries	SELECT15
Relation	tb_delete_notification
Attribute	id_receiver
Type	Hash
Cardinality	Medium
Clustering	No
Justification	Query SELECT15 is used to get the delete notifications of a given member. It doesn't need range support; cardinality is medium, so it's not a good candidate for clustering.

```
DROP INDEX IF EXISTS receiver_delete_notification_index;  
CREATE INDEX receiver_delete_notification_index ON tb_delete_notification  
USING hash(id_receiver);
```

Index	IDX08
Related Queries	SELECT04
Relation	tb_recipe
Attribute	creation_time
Type	B-tree
Cardinality	High
Clustering	No
Justification	Query SELECT04 is used to filter recipes by date. It has to be fast because it's executed many times. It needs range query support and cardinality is high because the exact creation_time of a recipe will be practically unique. It's not a good candidate for clustering.

```
DROP INDEX IF EXISTS recipe_creation_time_index;  
CREATE INDEX recipe_creation_time_index ON tb_recipe USING  
btree(creation_time);
```


--

Index	IDX09
Related Queries	SELECT05
Relation	tb_recipe
Attribute	difficulty
Type	Hash
Cardinality	Low
Clustering	Yes
Justification	Query SELECT05 is used to filter feed recipes by difficulty. It's executed many times and doesn't need range query support. Cardinality is low, so it's a good candidate for clustering.

```
DROP INDEX IF EXISTS recipe_difficulty_index;  
CREATE INDEX recipe_difficulty_index ON tb_recipe USING hash(difficulty);
```

2.2. Full-text Search Indices

Index	IDX10
Related Queries	SELECT25
Relation	tb_category
Attribute	search
Type	GIN
Clustering	No
Justification	Query SELECT25 is used to search categories given by a user's input (FTS). It's executed many times so it has to be fast. It's a GIN because the referred tuple won't be updated that frequently. This way we make searches fast. No clustering needed because the search has high cardinality.

```
ALTER TABLE tb_category  
ADD COLUMN search tsvector;  
  
DROP INDEX IF EXISTS categories_fts;  
CREATE INDEX categories_fts ON tb_category USING GIN(search);
```

Index	IDX11
Related Queries	SELECT26
Relation	tb_member
Attribute	search
Type	GIN
Clustering	No
Justification	Query SELECT26 is used to search members given by a user's input (FTS). It's executed many times so it has to be fast. It's a GIN because the referred tuple won't be updated that frequently. This way we make searches fast. No clustering needed because the search has high cardinality.

```
ALTER TABLE tb_member
ADD COLUMN search tsvector;

DROP INDEX IF EXISTS users_fts;
CREATE INDEX users_fts ON tb_member USING GIN(search);
```

Index	IDX12
Related Queries	SELECT24
Relation	tb_recipe
Attribute	search
Type	GIN
Clustering	No
Justification	Query SELECT24 is used to search recipes given by a user's input (FTS). It's executed many times so it has to be fast. It's a GIN because the referred tuple won't be updated that frequently. This way we make searches fast. No clustering needed because the search has high cardinality.

```
ALTER TABLE tb_recipe
ADD COLUMN search tsvector;

DROP INDEX IF EXISTS recipes_fts;
CREATE INDEX recipes_fts ON recipes_fts_view USING GIN(search);
```

Index	IDX13
--------------	--------------

Related Queries	SELECT27
Relation	tb_group
Attribute	search
Type	GIN
Clustering	No
Justification	Query SELECT27 is used to search groups given by a user's input (FTS). It's executed many times so it has to be fast. It's a GIN because the referred tuple won't be updated that frequently. This way we make searches fast. No clustering needed because the search has high cardinality.

```
ALTER TABLE tb_group
ADD COLUMN search tsvector;

DROP INDEX IF EXISTS groups_fts;
CREATE INDEX groups_fts ON tb_group USING GIN(search);
```

3. Triggers and User-defined Functions

User-Defined Function	UDF01
Description	This user-defined function outputs human-friendly text with the elapsed time since the given 'timestampz'.

```
DROP FUNCTION IF EXISTS comment_elapsed_time(timestampz) CASCADE;
CREATE OR REPLACE FUNCTION comment_elapsed_time(comment_creation_time
timestampz)
RETURNS TEXT AS $timeString$
DECLARE
    time_unit INTEGER;
BEGIN
    -- Year
    SELECT EXTRACT(YEAR FROM AGE(now(), comment_creation_time)) INTO
time_unit;
    IF time_unit > 0 THEN
        IF time_unit > 1 THEN
            RETURN CONCAT(time_unit, ' years ago');
        ELSE
            RETURN CONCAT(time_unit, ' year ago');
        END IF;
    END IF;

    -- Months
```

```

SELECT EXTRACT(MONTH FROM AGE(now(), comment_creation_time)) INTO
time_unit;
IF time_unit > 0 THEN
    IF time_unit > 1 THEN
        RETURN CONCAT(time_unit, ' months ago');
    ELSE
        RETURN CONCAT(time_unit, ' month ago');
    END IF;
END IF;

-- Days
SELECT EXTRACT(DAY FROM AGE(now(), comment_creation_time)) INTO
time_unit;
IF time_unit > 0 THEN
    IF time_unit > 1 THEN
        RETURN CONCAT(time_unit, ' days ago');
    ELSE
        RETURN CONCAT(time_unit, ' day ago');
    END IF;
END IF;

-- Hours
SELECT EXTRACT(HOUR FROM AGE(now(), comment_creation_time)) INTO
time_unit;
IF time_unit > 0 THEN
    IF time_unit > 1 THEN
        RETURN CONCAT(time_unit, ' hours ago');
    ELSE
        RETURN CONCAT(time_unit, ' hour ago');
    END IF;
END IF;

-- Minutes
SELECT EXTRACT(MINUTE FROM AGE(now(), comment_creation_time)) INTO
time_unit;
IF time_unit > 0 THEN
    IF time_unit > 1 THEN
        RETURN CONCAT(time_unit, ' minutes ago');
    ELSE
        RETURN CONCAT(time_unit, ' minute ago');
    END IF;
END IF;

-- Seconds
SELECT EXTRACT(SECOND FROM AGE(now(), comment_creation_time)) INTO
time_unit;
IF time_unit > 0 THEN
    IF time_unit > 1 THEN
        RETURN CONCAT(time_unit, ' seconds ago');
    ELSE
        RETURN CONCAT(time_unit, ' second ago');
    END IF;
END IF;

```

```

        RETURN time_unit;
END;
$timeString$ LANGUAGE plpgsql;

```

User-Defined Function

UDF02

Description

This user-defined function will be used in Laravel to refresh the Materialized View regarding recipes' FTS. It will be a cron job.

```

DROP MATERIALIZED VIEW IF EXISTS recipes_fts_view;
CREATE MATERIALIZED VIEW recipes_fts_view AS
    SELECT tb_recipe.id AS recipe_id , tb_recipe.name AS recipe_name,
    tb_member.id AS member_id, tb_member.name AS member_name,
           tb_category.name AS category, string_agg(tb_tag.name, ' ') AS tag,
           (setweight(to_tsvector('english', tb_recipe.name), 'A') ||
            setweight(to_tsvector('english', tb_category.name), 'B') ||
            setweight(to_tsvector('english', string_agg(tb_tag.name, ' ')),
            'B') ||
            setweight(to_tsvector('simple', tb_member.name), 'C')) AS search
    FROM tb_recipe
    JOIN tb_member ON tb_recipe.id_member = tb_member.id
    JOIN tb_category ON tb_recipe.id_category = tb_category.id
    JOIN tb_tag_recipe ON tb_recipe.id = tb_tag_recipe.id_recipe
    JOIN tb_tag ON tb_tag_recipe.id_tag = tb_tag.id
    GROUP BY tb_recipe.id, tb_member.id, tb_category.name
    ORDER BY tb_recipe.id;

-- We will have a Laravel cron job to execute this UDF.
DROP FUNCTION IF EXISTS recipes_fts_UDF() CASCADE;
CREATE OR REPLACE FUNCTION recipes_fts_UDF()
RETURNS void AS $$
BEGIN
    REFRESH MATERIALIZED VIEW recipes_fts_view;
END
$$ LANGUAGE plpgsql;

```

User-Defined Function

UDF03

Description

This user-defined function will check if a recipe is visible.

```

DROP FUNCTION IF EXISTS recipe_visibility();
CREATE OR REPLACE FUNCTION recipe_visibility(id_recipe integer, id_user
integer)
RETURNS BOOLEAN AS $$
DECLARE
    _id_group integer;
    group_visibility boolean;

```

```

author_visibility boolean;
id_author integer;
BEGIN
    SELECT tb_recipe.id_group INTO _id_group
    FROM tb_recipe
    WHERE tb_recipe.id = id_recipe;

    -- Recipe belongs to a group and the group is public or the user is a
    member of that group
    IF _id_group IS NOT NULL THEN
        SELECT visibility INTO group_visibility FROM tb_group;
        IF group_visibility = TRUE THEN
            RETURN TRUE;
        END IF;
        IF EXISTS(
            SELECT * FROM tb_group_member
            WHERE tb_group_member.id_group = _id_group AND
tb_group_member.id_member = id_user) THEN
            RETURN TRUE;
        END IF;
    END IF;

    SELECT tb_member.visibility INTO author_visibility
    FROM tb_recipe
    JOIN tb_member ON tb_recipe.id_member = tb_member.id
    WHERE tb_recipe.id = id_recipe;

    SELECT tb_recipe.id_member INTO id_author
    FROM tb_recipe
    JOIN tb_member ON tb_recipe.id_member = tb_member.id
    WHERE tb_recipe.id = id_recipe;

    -- Recipe's author profile visibility if public
    IF author_visibility = TRUE THEN
        RETURN TRUE;
    END IF;

    -- User follows recipe's author
    IF EXISTS (
        SELECT * FROM tb_following
        WHERE tb_following.id_following = id_user AND
tb_following.id_followed = id_author
        AND state = 'accepted') THEN
        RETURN TRUE;
    END IF;

    -- User is the recipe's creator
    IF id_author = id_user THEN
        RETURN TRUE;
    END IF;

    RETURN FALSE;
END;
$$ LANGUAGE plpgsql;

```

--

Trigger	TRIGGER01
Description	An user can only rate a recipe once. This trigger raises an exception if that rule is being broken by the update or insertion of a comment or review.

```
CREATE OR REPLACE FUNCTION single_rating() RETURNS TRIGGER AS $$
BEGIN
    IF NEW.rating IS NOT NULL AND EXISTS (
        SELECT FROM tb_comment
        WHERE id_recipe = NEW.id_recipe
            AND id_member = NEW.id_member
            AND rating IS NOT NULL
            AND id != NEW.id    -- the id may be equal in case of update
    ) THEN
        RAISE EXCEPTION 'A user can only rate a recipe once.';
    END IF;
    RETURN NEW;
END;
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS single_rating_tg ON tb_comment;
CREATE TRIGGER single_rating_tg
BEFORE INSERT OR UPDATE ON tb_comment
FOR EACH ROW
EXECUTE PROCEDURE single_rating();
```

Trigger	TRIGGER02
Description	The date of a comment or review must be after the post's creation date. This trigger raises an exception if that rule is being broken by the update or insertion of a comment or review.

```
CREATE OR REPLACE FUNCTION comment_date_precedence() RETURNS TRIGGER AS $$
DECLARE
    recipe_time timestamptz := (SELECT creation_time FROM tb_recipe WHERE
id = NEW.id_recipe);
BEGIN
    IF NEW.post_time IS NOT NULL AND NEW.post_time < recipe_time THEN
        RAISE EXCEPTION 'The date/time of a comment/review must be after
the recipe's creation date. Comment id = (%)', NEW.id;
    END IF;
    RETURN NEW;
END;
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS comment_date_precedence_tg ON tb_comment;
CREATE TRIGGER comment_date_precedence_tg
BEFORE INSERT OR UPDATE ON tb_comment
```

```
FOR EACH ROW
EXECUTE PROCEDURE comment_date_precedence();
```

Trigger	TRIGGER03
---------	-----------

Description

The date of an answer must be after the comment's creation date. This trigger raises an exception if that rule is being broken by the update or insertion of an answer.

```
CREATE OR REPLACE FUNCTION answer_date_precedence() RETURNS TRIGGER AS $$
DECLARE
    original_comment_time timestampz := (SELECT post_time FROM tb_comment
WHERE id = NEW.father_comment);
    answer_time timestampz := (SELECT post_time FROM tb_comment WHERE id =
NEW.id_comment);
BEGIN
    IF answer_time < original_comment_time THEN
        RAISE EXCEPTION 'The date/time of an answer must be after the
original comment's creation date. Comment id = (%), answer id = (%)',
NEW.father_comment, NEW.id_comment;
    END IF;
    RETURN NEW;
END;
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS answer_date_precedence_tg ON tb_answer;
CREATE TRIGGER answer_date_precedence_tg
BEFORE INSERT OR UPDATE ON tb_answer
FOR EACH ROW
EXECUTE PROCEDURE answer_date_precedence();
```

Trigger	TRIGGER04
---------	-----------

Description

The default value for the following state depends on the member's visibility. This trigger modifies the value of the 'state' field of an insertion to enforce that.

```
CREATE OR REPLACE FUNCTION default_following_state() RETURNS TRIGGER AS $$
DECLARE
    member_visibility boolean := (SELECT visibility FROM tb_member WHERE id
= NEW.id_followed);
BEGIN
    IF NEW.state IS NULL THEN
        IF member_visibility = TRUE THEN -- if the member's profile is
public
            NEW.state := 'accepted';
        ELSE
            NEW.state := 'pending';
        END IF;
    END IF;
```



```

        END IF;
        RETURN NEW;
    END;
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS default_following_state_tg ON tb_following;
CREATE TRIGGER default_following_state_tg
BEFORE INSERT ON tb_following
FOR EACH ROW
EXECUTE PROCEDURE default_following_state();

```

Trigger **TRIGGER05**

Description This trigger procedure makes sure that the field 'search', which is a 'ts_vector', of the new row is up to date.

```

CREATE OR REPLACE FUNCTION name_search() RETURNS TRIGGER AS $$
DECLARE
    idiom regconfig := TG_ARGV[0];
BEGIN
    NEW.search = to_tsvector(idiom, NEW.name);
    RETURN NEW;
END
$$ LANGUAGE plpgsql;

```

Trigger **TRIGGER06**

Description This trigger executes the TRIGGER05 procedure to an insertion or update on 'tb_category'.

```

DROP TRIGGER IF EXISTS category_search_tg ON tb_category;
CREATE TRIGGER category_search_tg
BEFORE INSERT OR UPDATE OF name ON tb_category
FOR EACH ROW
EXECUTE PROCEDURE name_search('english');

```

Trigger **TRIGGER07**

Description This trigger executes the TRIGGER05 procedure to an insertion or update on 'tb_member'.

```

DROP TRIGGER IF EXISTS users_search_tg ON tb_member;
CREATE TRIGGER users_search_tg
BEFORE INSERT OR UPDATE OF name ON tb_member

```

```
FOR EACH ROW
EXECUTE PROCEDURE name_search('simple');
```

Trigger	TRIGGER08
---------	-----------

Description	This trigger executes the TRIGGER05 procedure to an insertion or update on 'tb_group'.
-------------	--

```
DROP TRIGGER IF EXISTS groups_search_tg ON tb_group;
CREATE TRIGGER groups_search_tg
BEFORE INSERT OR UPDATE OF name ON tb_group
FOR EACH ROW
EXECUTE PROCEDURE name_search('english');
```

Trigger	TRIGGER09
---------	-----------

Description	This trigger is used to update a recipe's score upon insert or update of a review's rating.
-------------	---

```
DROP FUNCTION IF EXISTS score_recipe_insert_update() CASCADE;
CREATE FUNCTION score_recipe_insert_update() RETURNS TRIGGER AS $$
DECLARE
    totalScore real;
BEGIN
    SELECT score * num_rating INTO totalScore
    FROM tb_recipe
    WHERE id = NEW.id_recipe;

    IF TG_OP = 'INSERT' THEN
        UPDATE tb_recipe
        SET num_rating = num_rating + 1, score = (totalScore + NEW.rating)
        / (num_rating + 1)
        WHERE tb_recipe.id = NEW.id_recipe;
    END IF;
    IF TG_OP = 'UPDATE' THEN
        UPDATE tb_recipe
        SET score = (totalScore + (NEW.rating - OLD.rating)) / num_rating
        WHERE tb_recipe.id = NEW.id_recipe;
    END IF;

    RETURN NEW;
END
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS score_recipe_insert_update_tg ON tb_comment;
CREATE TRIGGER score_recipe_insert_update_tg
AFTER INSERT OR UPDATE OF rating ON tb_comment
FOR EACH ROW
WHEN (NEW.rating IS NOT NULL)
EXECUTE PROCEDURE score_recipe_insert_update();
```

Trigger	TRIGGER10
---------	-----------

Description	This trigger is used to update a recipe's score upon deletion of a review.
-------------	--

```
DROP FUNCTION IF EXISTS score_recipe_delete() CASCADE;
CREATE FUNCTION score_recipe_delete() RETURNS TRIGGER AS $$
DECLARE
    totalScore real;
BEGIN
    SELECT score * num_rating INTO totalScore
    FROM tb_recipe
    WHERE id = OLD.id_recipe;

    UPDATE tb_recipe
    SET num_rating = num_rating - 1, score = (totalScore - OLD.rating) /
    (num_rating - 1)
    WHERE tb_recipe.id = OLD.id_recipe;

    RETURN OLD;
END
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS score_recipe_delete_tg ON tb_comment;
CREATE TRIGGER score_recipe_delete_tg
AFTER DELETE ON tb_comment
FOR EACH ROW
WHEN (OLD.rating IS NOT NULL)
EXECUTE PROCEDURE score_recipe_delete();
```

Trigger	TRIGGER11
---------	-----------

Description	This trigger is used to update a user's score upon insert of a recipe.
-------------	--

```
DROP FUNCTION IF EXISTS score_member_insert() CASCADE;
CREATE FUNCTION score_member_insert() RETURNS TRIGGER AS $$
BEGIN
    UPDATE tb_member
    SET num_rating = num_rating + 1
    WHERE tb_member.id = NEW.id_member;

    RETURN NEW;
END
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS score_member_insert_tg ON tb_recipe;
CREATE TRIGGER score_member_insert_tg
AFTER INSERT ON tb_recipe
```

```
FOR EACH ROW
EXECUTE PROCEDURE score_member_insert();
```

Trigger	TRIGGER12
---------	-----------

Description	This trigger is used to update a user's score upon update of a recipe's score.
-------------	--

```
DROP FUNCTION IF EXISTS score_member_update() CASCADE;
CREATE FUNCTION score_member_update() RETURNS TRIGGER AS $$
DECLARE
    totalScore real;
BEGIN
    SELECT score * num_rating INTO totalScore
    FROM tb_member
    WHERE id = NEW.id_member;

    UPDATE tb_member
    SET score = (totalScore + (NEW.score - OLD.score)) / num_rating
    WHERE tb_member.id = NEW.id_member;

    RETURN NEW;
END
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS score_member_update_tg ON tb_recipe;
CREATE TRIGGER score_member_update_tg
AFTER UPDATE OF score ON tb_recipe
FOR EACH ROW
EXECUTE PROCEDURE score_member_update();
```

Trigger	TRIGGER13
---------	-----------

Description	This trigger is used to update a user's score upon delete of a recipe.
-------------	--

```
DROP FUNCTION IF EXISTS score_member_delete() CASCADE;
CREATE FUNCTION score_member_delete() RETURNS TRIGGER AS $$
DECLARE
    totalScore real;
BEGIN
    SELECT score * num_rating INTO totalScore
    FROM tb_member
    WHERE id = OLD.id_member;

    UPDATE tb_member
    SET num_rating = num_rating - 1, score = (totalScore - OLD.score) /
(num_rating - 1)
    WHERE tb_member.id = OLD.id_member;
```

```

        RETURN OLD;
    END
    $$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS score_member_delete_tg ON tb_recipe;
CREATE TRIGGER score_member_delete_tg
AFTER DELETE ON tb_recipe
FOR EACH ROW
EXECUTE PROCEDURE score_member_delete();

```

Trigger	TRIGGER14
---------	-----------

Description	This trigger is used to confirm that answers cannot have ratings.
-------------	---

```

DROP FUNCTION IF EXISTS answer_rating() CASCADE;
CREATE FUNCTION answer_rating() RETURNS TRIGGER AS
$BODY$
DECLARE
    comment_rating integer := (SELECT rating FROM tb_comment WHERE id =
NEW.id_comment);
BEGIN
    IF comment_rating IS NOT NULL THEN
        RAISE EXCEPTION 'An answer cannot have a rating.';
    END IF;
    RETURN NEW;
END
$BODY$
LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS answer_rating_tg ON tb_answer;
CREATE TRIGGER answer_rating_tg
BEFORE INSERT OR UPDATE ON tb_answer
FOR EACH ROW
EXECUTE PROCEDURE answer_rating();

```

Trigger	TRIGGER15
---------	-----------

Description	This trigger is used to verify if the request for group membership is accepted automatically if the group is public or is pending otherwise.
-------------	--

```

DROP FUNCTION IF EXISTS group_request() CASCADE;
CREATE FUNCTION group_request() RETURNS TRIGGER AS
$BODY$
DECLARE
    group_visibility boolean := (SELECT visibility FROM tb_group WHERE id =
NEW.id_group);
BEGIN
    IF group_visibility = TRUE THEN
        NEW.state := 'accepted';
    END IF;
END
$BODY$
LANGUAGE plpgsql;

```

```

ELSE
    NEW.state := 'pending';
END IF;
RETURN NEW;
END
$BODY$
LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS group_request_tg ON tb_group_request;
CREATE TRIGGER group_request_tg
    BEFORE INSERT OR UPDATE ON tb_group_request
    FOR EACH ROW
    EXECUTE PROCEDURE group_request();

```

Trigger **TRIGGER16**

Description This trigger is used to add a comment notification after a comment is inserted.

```

DROP FUNCTION IF EXISTS add_comment_notification CASCADE;
CREATE FUNCTION add_comment_notification() RETURNS TRIGGER AS
$BODY$
BEGIN
    INSERT INTO tb_comment_notification (id_comment) VALUES (NEW.id);
    RETURN NEW;
END;
$BODY$
LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS comment_notification ON tb_comment_notification
CASCADE;
CREATE TRIGGER comment_notification
    AFTER INSERT ON tb_comment
    FOR EACH ROW
    EXECUTE PROCEDURE add_comment_notification();

```

Trigger **TRIGGER17**

Description This trigger is used to add a favourite notification after a user adds a recipe to the favourites.

```

DROP FUNCTION IF EXISTS add_favourite_notification CASCADE;
CREATE FUNCTION add_favourite_notification() RETURNS TRIGGER AS
$BODY$
BEGIN
    INSERT INTO tb_favourite_notification (id_caused_by, id_recipe)
    VALUES (NEW.id_member, NEW.id_recipe);
    RETURN NEW;
END;
$BODY$

```

```

LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS favourite_notification ON tb_favourite_notification
CASCADE;
CREATE TRIGGER favourite_notification
AFTER INSERT ON tb_favourite
FOR EACH ROW
EXECUTE PROCEDURE add_favourite_notification();

```

4. Transactions

T01 Create recipe

Justification The recipe creation should be all or nothing, as we cannot have the recipe's steps, tags or ingredients being partially inserted. In this case, the isolation level doesn't have much importance, because we are only inserting.

Isolation Level READ COMMITTED

```

SET TRANSACTION ISOLATION LEVEL READ COMMITTED;
BEGIN TRANSACTION;

INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, visibility, creation_time,
id_member, id_category)
VALUES ($title, $difficulty, $description, $servings, $preparation_time,
$cooking_time, $additional_time, $visibility, $creation_time, $id_member,
$id_category);

INSERT INTO tb_step (name, description, id_recipe) VALUES ($step_name,
$step_description, $id_recipe); -- this tag is repeated for each step

INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES ($id_tag, $id_recipe);
-- this line is repeated for each tag

INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES ($id_recipe, $id_ingredient, $id_unit, $quantity); -- this
line is repeated for each ingredient

COMMIT;

```

T02 Reply to comment

Justification The answer insertion must be all or nothing because we don't want to insert the new comment (which the answer) and then not have it linked with its parent, which would result in it being treated as if it was a regular comment. In this case, the isolation level doesn't have much importance, because we are only inserting.

Isolation Level READ COMMITTED

```
SET TRANSACTION ISOLATION LEVEL READ COMMITTED;
BEGIN TRANSACTION;

WITH new_comment AS (
    INSERT INTO tb_comment (text, rating, id_member, id_recipe)
    VALUES ($text, NULL, $id_member, $id_recipe) RETURNING id AS
    new_comment_id
)
INSERT INTO tb_answer (id_comment, father_comment) SELECT new_comment_id AS
id_comment, $father_comment as father_comment FROM new_comment;

COMMIT;
```

T03 Update recipe

Justification

Updating a recipe must be an all or nothing operation because we don't want to have the recipe be partially altered, which would render it invalid. In this case, the isolation level doesn't have much importance, because we are only inserting.

Isolation Level READ COMMITTED

```
SET TRANSACTION ISOLATION LEVEL READ COMMITTED;
BEGIN TRANSACTION;

UPDATE tb_recipe
SET difficulty = $difficulty, description = $description, servings =
$servings, preparation_time = $preparation_time,
cooking_time = $cooking_time, additional_time = $additional_time,
visibility = $visibility, id_category = $category
WHERE id = $id_recipe;

INSERT INTO tb_step (name, description, id_recipe) VALUES ($step_name,
$step_description, $id_recipe); -- may need to add steps, may be repeated
as necessary

UPDATE tb_step -- may need to update steps, may be repeated as necessary
SET name = $new_step_name, description = $new_step_description
WHERE id = $id_step_to_update;

DELETE FROM tb_step WHERE id = $id_step_to_delete; -- may need to delete
steps, may be repeated as necessary

INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES ($id_tag, $id_recipe);
-- may need to add tags, may be repeated as necessary
```



```

DELETE FROM tb_tag_recipe WHERE id_tag = $id_tag_to_delete AND id_recipe =
$id_recipe; -- may need to remove tags, may be repeated as necessary

INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES ($id_recipe, $id_ingredient, $id_unit, $quantity); -- may
need to add ingredients, may be repeated as necessary

UPDATE tb_ingredient_recipe -- may need to update recipe ingredients, may
be repeated as necessary
SET id_unit = $new_id_unit, quantity = $new_quantity
WHERE id_recipe = $id_recipe AND id_ingredient = $id_ingredient_to_update;

DELETE FROM tb_ingredient_recipe WHERE id_recipe = $id_recipe AND
id_ingredient = $id_ingredient_to_delete; -- may need to delete
ingredients, may be repeated as necessary

COMMIT;

```

T04 Member Information

Justification In a transaction the insertion of new rows in the tables related to the member (tb_following, tg_group_member, tb_recipe and tb_category) information can happen, which will imply that the information retrieved in the remaining selects is different, consequently resulting in a Phantom Read. It's READ ONLY because it only uses selects.

Isolation Level SERIALIZABLE READ ONLY

```

SET TRANSACTION ISOLATION LEVEL SERIALIZABLE READ ONLY;
BEGIN TRANSACTION;

SELECT tb_member.name, tb_member.username, tb_member.city, tb_member.bio,
coalesce(tb_member.score, 0) AS score, tb_country.name AS country,
(SELECT COUNT(*) FROM tb_recipe WHERE id_member = tb_member.id) AS
number_recipes,
(SELECT COUNT(*) FROM tb_following WHERE id_following = tb_member.id) AS
number_following,
(SELECT COUNT(*) FROM tb_following WHERE id_followed = tb_member.id) AS
number_followed
FROM tb_member
JOIN tb_country ON tb_member.id_country = tb_country.id
WHERE tb_member.id = $userId; -- $userId

-- Users following (Profile)

SELECT tb_following.id_followed
FROM tb_following
WHERE tb_following.id_following = $userId; -- $userId

-- User Groups (Profile)

```

```

SELECT tb_group.id, tb_group.name
FROM tb_group_member
JOIN tb_group ON tb_group_member.id_group = tb_group.id
WHERE tb_group_member.id_member = $userId; -- $userId

-- Member Recipes

SELECT tb_recipe.id, tb_recipe.name, tb_recipe.description,
tb_recipe.servings,
    tb_recipe.preparation_time, tb_recipe.cooking_time,
tb_recipe.additional_time,
    tb_recipe.creation_time, recipe_visibility(tb_recipe.id, $userId) AS
visibility,
    tb_category.name AS category, score,
    comment_elapsed_time(tb_recipe.creation_time) as elapsed_time
FROM tb_recipe JOIN tb_category ON tb_recipe.id_category = tb_category.id
WHERE id_member = $userId AND id_group IS NULL;

COMMIT;

```

T05 Recipe Information

Justification

In a transaction the insertion of new rows in the tables related to the recipe (tb_tags, tb_ingredients, tb_steps, tb_recipe, tb_comment, etc.) information can happen, which will imply that the information retrieved in the remaining selects is different, consequently resulting in a Phantom Read. It's READ ONLY because it only uses selects.

Isolation Level

SERIALIZABLE READ ONLY

```

SET TRANSACTION ISOLATION LEVEL SERIALIZABLE READ ONLY;
BEGIN TRANSACTION;

SELECT tb_recipe.name, tb_recipe.description, tb_recipe.servings,
tb_recipe.preparation_time, tb_recipe.cooking_time,
tb_recipe.additional_time,
    tb_recipe.creation_time, score, tb_member.name AS member_name,
tb_member.username AS member_username, tb_category.name AS category,
    (SELECT COUNT(*) FROM tb_comment WHERE id_recipe = tb_recipe.id AND
rating IS NOT NULL) AS number_ratings,
FROM tb_recipe
JOIN tb_member ON tb_recipe.id_member = tb_member.id
JOIN tb_category ON tb_recipe.id_category = tb_category.id
WHERE recipe_visibility(tb_recipe.id, $userId) = TRUE AND tb_recipe.id =
$recipeId; -- $userId | $recipeId

-- Tags

SELECT tb_tag.id, tb_tag.name

```

```

FROM tb_tag_recipe
JOIN tb_recipe ON tb_tag_recipe.id_recipe = tb_recipe.id
JOIN tb_tag ON tb_tag_recipe.id_tag = tb_tag.id
WHERE tb_recipe.id = $recipeId; -- $recipeId

-- Ingredients

SELECT tb_ingredient.id, tb_ingredient.name, tb_ingredient_recipe.quantity,
tb_unit.name
FROM tb_ingredient_recipe
JOIN tb_recipe ON tb_ingredient_recipe.id_recipe = tb_recipe.id
JOIN tb_ingredient ON tb_ingredient_recipe.id_ingredient = tb_ingredient.id
JOIN tb_unit ON tb_ingredient_recipe.id_unit = tb_unit.id
WHERE tb_recipe.id = $recipeId; -- $recipeId

-- Steps

SELECT tb_step.id, tb_step.name, tb_step.description
FROM tb_step
JOIN tb_recipe ON tb_step.id_recipe = tb_recipe.id
WHERE tb_recipe.id = $recipeId; -- $recipeId

-- Note: Need to execute first the comment_elapsed_time UDF.

-- Comments

SELECT tb_comment.id, tb_comment.text,
comment_elapsed_time(tb_comment.post_time), tb_answer.father_comment,
tb_member.name, tb_member.id
FROM tb_comment
JOIN tb_answer ON tb_comment.id = tb_answer.id_comment
JOIN tb_member ON tb_comment.id_member = tb_member.id
WHERE tb_comment.id_recipe = $recipeId; -- $recipeId

-- Reviews

SELECT tb_comment.id, tb_comment.text, tb_comment.rating,
comment_elapsed_time(tb_comment.post_time)
FROM tb_comment
JOIN tb_recipe ON tb_comment.id = tb_recipe.id
WHERE tb_comment.rating IS NOT NULL AND tb_recipe.id = $recipeId; --
$recipeId

COMMIT;

```

T06 Group Member Acceptance

Justification This transactions exists to update the request of a member when they are inserted in the group.

Isolation READ COMMITTED

Level

```
SET TRANSACTION ISOLATION LEVEL READ COMMITTED;
BEGIN TRANSACTION;

-- Insert into group member
INSERT INTO tb_group_member (id_member, id_group)
VALUES ($id_member, $id_group);

-- Change group request to accepted
UPDATE tb_group_request
SET state = 'accepted'
WHERE id_member = $id_member AND id_group = $id_group;

COMMIT;
```

T07 Get group information

Justification This transaction exists to get all the information of a group. It's READ ONLY because it only uses selects.

Isolation Level SERIALIZABLE READ ONLY

```
SET TRANSACTION ISOLATION LEVEL SERIALIZABLE READ ONLY;
BEGIN TRANSACTION;

-- Group Information

SELECT tb_group.name, tb_group.description
FROM tb_group
WHERE tb_group.id = $groupId; -- $groupId

-- Members

SELECT tb_member.id, tb_member.username
FROM tb_group_member
JOIN tb_member ON tb_group_member.id_member = tb_member.id
WHERE tb_group_member.id_group = $groupId; -- $groupId

-- Group Requests

SELECT tb_group_request.state, tb_member.id, tb_member.name,
tb_member.username
FROM tb_group_request
JOIN tb_member ON tb_group_request.id_member = tb_member.id
WHERE tb_group = $groupId; -- $groupId

-- Group recipes
```

```

SELECT tb_recipe.id, tb_recipe.name, tb_recipe.description,
tb_recipe.servings,
      tb_recipe.preparation_time, tb_recipe.cooking_time,
tb_recipe.additional_time,
      tb_recipe.creation_time,
      tb_category.name AS category, coalesce(tb_recipe.score, 0) as score,
      comment_elapsed_time(tb_recipe.creation_time) as elapsed_time

FROM tb_recipe JOIN tb_category ON tb_recipe.id_category = tb_category.id

WHERE id_group = $id_group;

COMMIT;

```

5. Complete SQL Code

5.1. Database schema

```

DROP SCHEMA IF EXISTS public CASCADE;
CREATE SCHEMA public;

DROP SCHEMA IF EXISTS public CASCADE;
CREATE SCHEMA public;

CREATE DOMAIN "datetime"
AS timestamp with time zone
DEFAULT now()
NOT NULL;

CREATE TYPE Difficulty AS ENUM (
    'easy',
    'medium',
    'hard',
    'very hard'
);

CREATE TYPE State AS ENUM (
    'pending',
    'accepted',
    'rejected'
);

CREATE TABLE tb_group (
    id SERIAL,
    name text NOT NULL,
    description text NOT NULL,
    visibility boolean NOT NULL,

    CONSTRAINT group_PK PRIMARY KEY (id)
);

```

```
CREATE TABLE tb_country (  
    id SERIAL,  
    abbreviation text NOT NULL,  
    name text NOT NULL,  
  
    CONSTRAINT country_PK PRIMARY KEY (id)  
);  
  
CREATE TABLE tb_member (  
    id SERIAL,  
    email text UNIQUE NOT NULL,  
    password text NOT NULL,  
    name text NOT NULL,  
    username text UNIQUE NOT NULL,  
    city text,  
    bio text,  
    visibility boolean DEFAULT FALSE NOT NULL,  
    is_banned boolean DEFAULT FALSE NOT NULL,  
    id_country integer NOT NULL,  
    score real DEFAULT 0,  
  
    CONSTRAINT member_PK PRIMARY KEY (id),  
    CONSTRAINT member_country_FK FOREIGN KEY (id_country) REFERENCES  
"tb_country" ON DELETE SET NULL ON UPDATE CASCADE  
);  
  
CREATE TABLE tb_ingredient (  
    id SERIAL,  
    name text NOT NULL,  
  
    CONSTRAINT ingredient_PK PRIMARY KEY (id)  
);  
  
CREATE TABLE tb_frequently_asked_question (  
    id SERIAL,  
    question text NOT NULL,  
    answer text NOT NULL,  
  
    CONSTRAINT frequently_asked_question_PK PRIMARY KEY (id)  
);  
  
CREATE TABLE tb_unit (  
    id SERIAL,  
    name text NOT NULL,  
  
    CONSTRAINT unit_PK PRIMARY KEY (id)  
);  
  
CREATE TABLE tb_conversion (  
    unit_1 integer NOT NULL,  
    unit_2 integer NOT NULL,  
    factor real NOT NULL,
```

```

        CONSTRAINT conversion_PK PRIMARY KEY (unit_1, unit_2),
        CONSTRAINT conversion_unit_1_FK FOREIGN KEY (unit_1) REFERENCES
"tb_unit" (id) ON DELETE CASCADE ON UPDATE CASCADE,
        CONSTRAINT conversion_unit_2_FK FOREIGN KEY (unit_2) REFERENCES
"tb_unit" (id) ON DELETE CASCADE ON UPDATE CASCADE
    );

CREATE TABLE tb_category (
    id SERIAL,
    name text NOT NULL,

    CONSTRAINT category_PK PRIMARY KEY (id)
);

CREATE TABLE tb_recipe (
    id SERIAL,
    name text NOT NULL,
    difficulty Difficulty NOT NULL,
    description text,
    servings integer,
    preparation_time integer,
    cooking_time integer,
    additional_time integer,
    creation_time datetime NOT NULL,
    id_member integer NOT NULL,
    id_category integer,
    id_group integer,
    score real DEFAULT 0,

    CONSTRAINT recipe_PK PRIMARY KEY (id),
    CONSTRAINT recipe_member_FK FOREIGN KEY (id_member) REFERENCES
"tb_member" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT recipe_category_FK FOREIGN KEY (id_category) REFERENCES
"tb_category" (id) ON DELETE SET NULL ON UPDATE CASCADE,
    CONSTRAINT recipe_group_FK FOREIGN KEY (id_group) REFERENCES "tb_group"
(id) ON DELETE SET NULL ON UPDATE CASCADE,
    CONSTRAINT recipe_servings_CK CHECK (servings > 0),
    CONSTRAINT recipe_preparation_time_CK CHECK (preparation_time >= 0),
    CONSTRAINT recipe_cooking_time_CK CHECK (cooking_time >= 0),
    CONSTRAINT recipe_additional_time_CK CHECK (additional_time >= 0)
);

CREATE TABLE tb_ingredient_recipe (
    id_recipe integer NOT NULL,
    id_ingredient integer NOT NULL,
    id_unit integer NOT NULL,
    quantity real,

    CONSTRAINT ingredient_recipe_PK PRIMARY KEY (id_recipe, id_ingredient),
    CONSTRAINT ingredient_recipe_recipe_FK FOREIGN KEY (id_recipe)
REFERENCES "tb_recipe" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT ingredient_recipe_ingredient_FK FOREIGN KEY (id_ingredient)
REFERENCES "tb_ingredient" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT ingredient_recipe_unit_FK FOREIGN KEY (id_unit) REFERENCES

```

```

"tb_unit" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT ingredient_recipe_non_negative_quantity_CK CHECK (quantity
    >= 0)
);

CREATE TABLE tb_tag (
    id SERIAL,
    name text NOT NULL,

    CONSTRAINT tag_PK PRIMARY KEY (id)
);

CREATE TABLE tb_tag_recipe (
    id_tag integer NOT NULL,
    id_recipe integer NOT NULL,

    CONSTRAINT tag_recipe_PK PRIMARY KEY (id_tag, id_recipe),
    CONSTRAINT tag_recipe_tag_FK FOREIGN KEY (id_tag) REFERENCES "tb_tag"
(id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT tag_recipe_recipe_FK FOREIGN KEY (id_recipe) REFERENCES
"tb_recipe" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_step (
    id SERIAL,
    name text NOT NULL,
    description text,
    id_recipe integer NOT NULL,

    CONSTRAINT step_PK PRIMARY KEY (id),
    CONSTRAINT step_recipe_FK FOREIGN KEY (id_recipe) REFERENCES
"tb_recipe" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_favourite (
    id_recipe integer NOT NULL,
    id_member integer NOT NULL,

    CONSTRAINT favourite_PK PRIMARY KEY (id_recipe, id_member),
    CONSTRAINT favourite_recipe_FK FOREIGN KEY (id_recipe) REFERENCES
"tb_recipe" ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT favourite_member_FK FOREIGN KEY (id_member) REFERENCES
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_group_moderator (
    id_member integer NOT NULL,
    id_group integer NOT NULL,

    CONSTRAINT group_moderator_PK PRIMARY KEY (id_member, id_group),
    CONSTRAINT group_moderator_member_FK FOREIGN KEY (id_member) REFERENCES
"tb_member" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT group_moderator_group_FK FOREIGN KEY (id_group) REFERENCES
"tb_group" (id) ON DELETE CASCADE ON UPDATE CASCADE

```



```
);
```

```
CREATE TABLE tb_group_member (  
    id_member integer NOT NULL,  
    id_group integer NOT NULL,  
  
    CONSTRAINT group_member_PK PRIMARY KEY (id_member, id_group),  
    CONSTRAINT group_member_member_FK FOREIGN KEY (id_member) REFERENCES  
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,  
    CONSTRAINT group_member_group_FK FOREIGN KEY (id_group) REFERENCES  
"tb_group" ON DELETE CASCADE ON UPDATE CASCADE  
);
```

```
CREATE TABLE tb_group_request (  
    id_member integer,  
    id_group integer,  
    state State NOT NULL,  
    timestamp datetime,  
  
    CONSTRAINT group_request_PK PRIMARY KEY (id_member, id_group),  
    CONSTRAINT group_request_member_FK FOREIGN KEY (id_member) REFERENCES  
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,  
    CONSTRAINT group_request_group_FK FOREIGN KEY (id_group) REFERENCES  
"tb_group" ON DELETE CASCADE ON UPDATE CASCADE  
);
```

```
CREATE TABLE tb_admin (  
    id SERIAL,  
    email text UNIQUE NOT NULL,  
    password text NOT NULL,  
    name text NOT NULL,  
    username text UNIQUE NOT NULL,  
  
    CONSTRAINT admin_PK PRIMARY KEY (id)  
);
```

```
CREATE TABLE tb_following (  
    id_following integer NOT NULL,  
    id_followed integer NOT NULL,  
    state State NOT NULL,  
    timestamp datetime,  
  
    CONSTRAINT following_PK PRIMARY KEY (id_following, id_followed),  
    CONSTRAINT following_following_FK FOREIGN KEY (id_following) REFERENCES  
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,  
    CONSTRAINT following_followed_FK FOREIGN KEY (id_followed) REFERENCES  
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,  
    CONSTRAINT following_diff_CK CHECK (id_following <> id_followed)  
);
```

```
CREATE TABLE tb_message (  
    id SERIAL,  
    text text NOT NULL,  
    read boolean DEFAULT FALSE NOT NULL,
```

```

    timestamp datetime,
    id_receiver integer NOT NULL,
    id_sender integer NOT NULL,

    CONSTRAINT message_PK PRIMARY KEY (id),
    CONSTRAINT message_receiver_FK FOREIGN KEY (id_receiver) REFERENCES
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT message_sender_FK FOREIGN KEY (id_sender) REFERENCES
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT message_not_same_user_CK CHECK (id_receiver <> id_sender)
);

CREATE TABLE tb_comment (
    id SERIAL,
    text text NOT NULL,
    rating integer,
    post_time datetime,
    id_member integer NOT NULL,
    id_recipe integer NOT NULL,

    CONSTRAINT comment_PK PRIMARY KEY (id),
    CONSTRAINT comment_member_FK FOREIGN KEY (id_member) REFERENCES
"tb_member" ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT comment_recipe_FK FOREIGN KEY (id_recipe) REFERENCES
"tb_recipe" ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT comment_rating_CK CHECK (rating IS NULL OR (rating >= 1 AND
rating <= 5))
);

CREATE TABLE tb_answer (
    id_comment integer,
    father_comment integer NOT NULL,

    CONSTRAINT answer_PK PRIMARY KEY (id_comment),
    CONSTRAINT answer_comment_FK FOREIGN KEY (id_comment) REFERENCES
"tb_comment" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT answer_father_comment_FK FOREIGN KEY (father_comment)
REFERENCES "tb_comment" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_comment_notification (
    id SERIAL,
    read boolean DEFAULT FALSE NOT NULL,
    timestamp datetime,
    id_comment integer NOT NULL,

    CONSTRAINT comment_notification_PK PRIMARY KEY (id),
    CONSTRAINT comment_notification_comment_FK FOREIGN KEY (id_comment)
REFERENCES "tb_comment" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_delete_notification (
    id SERIAL,
    read boolean DEFAULT FALSE NOT NULL,

```

```

    timestamp datetime,
    id_receiver integer NOT NULL,
    name_recipe text NOT NULL,

    CONSTRAINT delete_notification_PK PRIMARY KEY (id),
    CONSTRAINT delete_notification_receiver_FK FOREIGN KEY (id_receiver)
REFERENCES "tb_member" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_favourite_notification (
    id SERIAL,
    read boolean DEFAULT FALSE NOT NULL,
    timestamp datetime,
    id_caused_by integer NOT NULL,
    id_recipe integer NOT NULL,

    CONSTRAINT favourite_notification_PK PRIMARY KEY (id),
    CONSTRAINT favourite_notification_caused_by_FK FOREIGN KEY
(id_caused_by) REFERENCES "tb_member" (id) ON DELETE CASCADE ON UPDATE
CASCADE,
    CONSTRAINT favourite_notification_recipe_FK FOREIGN KEY (id_recipe)
REFERENCES "tb_recipe" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_comment_report (
    id SERIAL,
    id_reporter integer NOT NULL,
    reason text NOT NULL,
    active boolean NOT NULL,
    id_comment integer NOT NULL,

    CONSTRAINT comment_report_PK PRIMARY KEY (id),
    CONSTRAINT comment_report_reporter_FK FOREIGN KEY (id_reporter)
REFERENCES "tb_member" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT comment_report_comment_FK FOREIGN KEY (id_comment)
REFERENCES "tb_comment" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

CREATE TABLE tb_recipe_report (
    id SERIAL,
    id_reporter integer NOT NULL,
    reason text NOT NULL,
    active boolean NOT NULL,
    id_recipe integer NOT NULL,

    CONSTRAINT recipe_report_PK PRIMARY KEY (id),
    CONSTRAINT recipe_report_reporter_FK FOREIGN KEY (id_reporter)
REFERENCES "tb_member" (id) ON DELETE CASCADE ON UPDATE CASCADE,
    CONSTRAINT recipe_report_recipe_FK FOREIGN KEY (id_recipe) REFERENCES
"tb_recipe" (id) ON DELETE CASCADE ON UPDATE CASCADE
);

```

```
-- INDEXES
```

```
DROP INDEX IF EXISTS member_recipe_index;
CREATE INDEX member_recipe_index ON tb_recipe USING hash(id_member);
```

```
DROP INDEX IF EXISTS category_recipe_index;
CREATE INDEX category_recipe_index ON tb_recipe USING hash(id_category);
```

```
DROP INDEX IF EXISTS group_recipe_index;
CREATE INDEX group_recipe_index ON tb_recipe USING hash(id_group);
```

```
DROP INDEX IF EXISTS message_index;
CREATE INDEX message_index ON tb_message (id_sender, id_receiver);
```

```
DROP INDEX IF EXISTS rating_index;
CREATE INDEX rating_index ON tb_recipe USING btree(score); -- B-tree by
default
```

```
DROP INDEX IF EXISTS member_comment_index;
CREATE INDEX member_comment_index ON tb_comment USING hash(id_member);
```

```
DROP INDEX IF EXISTS recipe_comment_index;
CREATE INDEX recipe_comment_index ON tb_comment USING hash(id_recipe);
```

```
DROP INDEX IF EXISTS receiver_delete_notification_index;
CREATE INDEX receiver_delete_notification_index ON tb_delete_notification
USING hash(id_receiver);
```

```
DROP INDEX IF EXISTS recipe_creation_time_index;
CREATE INDEX recipe_creation_time_index ON tb_recipe USING
btree(creation_time);
```

```
DROP INDEX IF EXISTS recipe_difficulty_index;
CREATE INDEX recipe_difficulty_index ON tb_recipe USING hash(difficulty);
```

```
ALTER TABLE tb_category
ADD COLUMN search tsvector;
```

```
DROP INDEX IF EXISTS categories_fts;
CREATE INDEX categories_fts ON tb_category USING GIN(search);
```

```
ALTER TABLE tb_member
ADD COLUMN search tsvector;
```

```

DROP INDEX IF EXISTS users_fts;
CREATE INDEX users_fts ON tb_member USING GIN(search);

ALTER TABLE tb_group
ADD COLUMN search tsvector;

DROP INDEX IF EXISTS groups_fts;
CREATE INDEX groups_fts ON tb_group USING GIN(search);

-- TRIGGERS

ALTER TABLE tb_recipe
ADD COLUMN num_rating integer DEFAULT 0;

DROP FUNCTION IF EXISTS score_recipe_insert_update() CASCADE;
CREATE FUNCTION score_recipe_insert_update() RETURNS TRIGGER AS $$
DECLARE
    totalScore real;
BEGIN
    SELECT score * num_rating INTO totalScore
    FROM tb_recipe
    WHERE id = NEW.id_recipe;

    IF TG_OP = 'INSERT' THEN
        UPDATE tb_recipe
        SET num_rating = num_rating + 1, score = (totalScore + NEW.rating)
        / (num_rating + 1)
        WHERE tb_recipe.id = NEW.id_recipe;
    END IF;
    IF TG_OP = 'UPDATE' THEN
        UPDATE tb_recipe
        SET score = (totalScore + (NEW.rating - OLD.rating)) / num_rating
        WHERE tb_recipe.id = NEW.id_recipe;
    END IF;

    RETURN NEW;
END
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS score_recipe_insert_update_tg ON tb_comment;
CREATE TRIGGER score_recipe_insert_update_tg
AFTER INSERT OR UPDATE ON tb_comment
FOR EACH ROW
WHEN (NEW.rating IS NOT NULL)
EXECUTE PROCEDURE score_recipe_insert_update();

DROP FUNCTION IF EXISTS score_recipe_delete() CASCADE;
CREATE FUNCTION score_recipe_delete() RETURNS TRIGGER AS $$
DECLARE
    totalScore real;
BEGIN
    SELECT score * num_rating INTO totalScore
    FROM tb_recipe

```

```

        WHERE id = OLD.id_recipe;

        UPDATE tb_recipe
        SET num_rating = num_rating - 1, score = (totalScore - OLD.rating) /
        (num_rating - 1)
        WHERE tb_recipe.id = OLD.id_recipe;

        RETURN OLD;
END
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS score_recipe_delete_tg ON tb_comment;
CREATE TRIGGER score_recipe_delete_tg
AFTER DELETE ON tb_comment
FOR EACH ROW
WHEN (OLD.rating IS NOT NULL)
EXECUTE PROCEDURE score_recipe_delete();

ALTER TABLE tb_member
ADD COLUMN num_rating integer DEFAULT 0;

DROP FUNCTION IF EXISTS score_member_insert() CASCADE;
CREATE FUNCTION score_member_insert() RETURNS TRIGGER AS $$
BEGIN
    UPDATE tb_member
    SET num_rating = num_rating + 1
    WHERE tb_member.id = NEW.id_member;

    RETURN NEW;
END
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS score_member_insert_tg ON tb_recipe;
CREATE TRIGGER score_member_insert_tg
AFTER INSERT ON tb_recipe
FOR EACH ROW
EXECUTE PROCEDURE score_member_insert();

DROP FUNCTION IF EXISTS score_member_update() CASCADE;
CREATE FUNCTION score_member_update() RETURNS TRIGGER AS $$
DECLARE
    totalScore real;
BEGIN
    SELECT score * num_rating INTO totalScore
    FROM tb_member
    WHERE id = NEW.id_member;

    UPDATE tb_member
    SET score = (totalScore + (NEW.score - OLD.score)) / num_rating
    WHERE tb_member.id = NEW.id_member;

    RETURN NEW;
END
$$ LANGUAGE plpgsql;

```

```

DROP TRIGGER IF EXISTS score_member_update_tg ON tb_recipe;
CREATE TRIGGER score_member_update_tg
AFTER UPDATE ON tb_recipe
FOR EACH ROW
EXECUTE PROCEDURE score_member_update();

DROP FUNCTION IF EXISTS score_member_delete() CASCADE;
CREATE FUNCTION score_member_delete() RETURNS TRIGGER AS $$
DECLARE
    totalScore real;
BEGIN
    SELECT score * num_rating INTO totalScore
    FROM tb_member
    WHERE id = OLD.id_member;

    UPDATE tb_member
    SET num_rating = num_rating - 1, score = (totalScore - OLD.score) /
(num_rating - 1)
    WHERE tb_member.id = OLD.id_member;

    RETURN OLD;
END
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS score_member_delete_tg ON tb_recipe;
CREATE TRIGGER score_member_delete_tg
AFTER DELETE ON tb_recipe
FOR EACH ROW
EXECUTE PROCEDURE score_member_delete();

DROP FUNCTION IF EXISTS recipe_visibility();
CREATE OR REPLACE FUNCTION recipe_visibility(id_recipe integer, id_user
integer)
RETURNS BOOLEAN AS $$
DECLARE
    _id_group integer;
    group_visibility boolean;
    author_visibility boolean;
    id_author integer;
BEGIN
    SELECT tb_recipe.id_group INTO _id_group
    FROM tb_recipe
    WHERE tb_recipe.id = id_recipe;

    -- Recipe belongs to a group and the group is public or the user is
member of that group
    IF _id_group IS NOT NULL THEN
        SELECT visibility INTO group_visibility FROM tb_group;
        IF group_visibility = TRUE THEN
            RETURN TRUE;
        END IF;
        IF EXISTS(
            SELECT * FROM tb_group_member

```

```

        WHERE tb_group_member.id_group = _id_group AND
tb_group_member.id_member = id_user) THEN
        RETURN TRUE;
    END IF;
END IF;

SELECT tb_member.visibility INTO author_visibility
FROM tb_recipe
JOIN tb_member ON tb_recipe.id_member = tb_member.id
WHERE tb_recipe.id = id_recipe;

SELECT tb_recipe.id_member INTO id_author
FROM tb_recipe
JOIN tb_member ON tb_recipe.id_member = tb_member.id
WHERE tb_recipe.id = id_recipe;

-- Recipe's author profile visibility if public
IF author_visibility = TRUE THEN
    RETURN TRUE;
END IF;

-- User follows recipe's author
IF EXISTS (
    SELECT * FROM tb_following
    WHERE tb_following.id_following = id_user AND
tb_following.id_followed = id_author
    AND state = 'accepted') THEN
    RETURN TRUE;
END IF;

-- User is the recipe's creator
IF id_author = id_user THEN
    RETURN TRUE;
END IF;

RETURN FALSE;
END;
$$ LANGUAGE plpgsql;

DROP FUNCTION IF EXISTS comment_elapsed_time(timestampz) CASCADE;
CREATE OR REPLACE FUNCTION comment_elapsed_time(comment_creation_time
timestampz)
RETURNS TEXT AS $timeString$
DECLARE
    time_unit INTEGER;
BEGIN
    -- Year
    SELECT EXTRACT(YEAR FROM AGE(now(), comment_creation_time)) INTO
time_unit;
    IF time_unit > 0 THEN
        IF time_unit > 1 THEN
            RETURN CONCAT(time_unit, ' years ago');
        ELSE
            RETURN CONCAT(time_unit, ' year ago');

```



```

        END IF;
    END IF;

    -- Months
    SELECT EXTRACT(MONTH FROM AGE(now(), comment_creation_time)) INTO
time_unit;
    IF time_unit > 0 THEN
        IF time_unit > 1 THEN
            RETURN CONCAT(time_unit, ' months ago');
        ELSE
            RETURN CONCAT(time_unit, ' month ago');
        END IF;
    END IF;

    -- Days
    SELECT EXTRACT(DAY FROM AGE(now(), comment_creation_time)) INTO
time_unit;
    IF time_unit > 0 THEN
        IF time_unit > 1 THEN
            RETURN CONCAT(time_unit, ' days ago');
        ELSE
            RETURN CONCAT(time_unit, ' day ago');
        END IF;
    END IF;

    -- Hours
    SELECT EXTRACT(HOUR FROM AGE(now(), comment_creation_time)) INTO
time_unit;
    IF time_unit > 0 THEN
        IF time_unit > 1 THEN
            RETURN CONCAT(time_unit, ' hours ago');
        ELSE
            RETURN CONCAT(time_unit, ' hour ago');
        END IF;
    END IF;

    -- Minutes
    SELECT EXTRACT(MINUTE FROM AGE(now(), comment_creation_time)) INTO
time_unit;
    IF time_unit > 0 THEN
        IF time_unit > 1 THEN
            RETURN CONCAT(time_unit, ' minutes ago');
        ELSE
            RETURN CONCAT(time_unit, ' minute ago');
        END IF;
    END IF;

    -- Seconds
    SELECT EXTRACT(SECOND FROM AGE(now(), comment_creation_time)) INTO
time_unit;
    IF time_unit > 0 THEN
        IF time_unit > 1 THEN
            RETURN CONCAT(time_unit, ' seconds ago');
        ELSE

```

```

        RETURN CONCAT(time_unit, ' second ago');
    END IF;
END IF;

RETURN time_unit;
END;
$timeString$ LANGUAGE plpgsql;

CREATE OR REPLACE FUNCTION single_rating() RETURNS TRIGGER AS $$
BEGIN
    IF NEW.rating IS NOT NULL AND EXISTS (
        SELECT FROM tb_comment
        WHERE id_recipe = NEW.id_recipe
            AND id_member = NEW.id_member
            AND rating IS NOT NULL
            AND id != NEW.id    -- the id may be equal in case of update
    ) THEN
        RAISE EXCEPTION 'A user can only rate a recipe once.';
    END IF;
    RETURN NEW;
END;
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS single_rating_tg ON tb_comment;
CREATE TRIGGER single_rating_tg
BEFORE INSERT OR UPDATE ON tb_comment
FOR EACH ROW
EXECUTE PROCEDURE single_rating();

CREATE OR REPLACE FUNCTION comment_date_precedence() RETURNS TRIGGER AS $$
DECLARE
    recipe_time timestampz := (SELECT creation_time FROM tb_recipe WHERE
id = NEW.id_recipe);
BEGIN
    IF NEW.post_time IS NOT NULL AND NEW.post_time < recipe_time THEN
        RAISE EXCEPTION 'The date/time of a comment/review must be after
the recipe's creation date. Comment id = (%)', NEW.id;
    END IF;
    RETURN NEW;
END;
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS comment_date_precedence_tg ON tb_comment;
CREATE TRIGGER comment_date_precedence_tg
BEFORE INSERT OR UPDATE ON tb_comment
FOR EACH ROW
EXECUTE PROCEDURE comment_date_precedence();

CREATE OR REPLACE FUNCTION answer_date_precedence() RETURNS TRIGGER AS $$
DECLARE
    original_comment_time timestampz := (SELECT post_time FROM tb_comment

```

```

WHERE id = NEW.father_comment);
    answer_time timestamptz := (SELECT post_time FROM tb_comment WHERE id =
NEW.id_comment);
BEGIN
    IF answer_time < original_comment_time THEN
        RAISE EXCEPTION 'The date/time of an answer must be after the
original comment's creation date. Comment id = (%) t = (%), answer id =
(%) t = (%),', NEW.father_comment, original_comment_time, NEW.id_comment,
answer_time;
    END IF;
    RETURN NEW;
END;
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS answer_date_precedence_tg ON tb_answer;
CREATE TRIGGER answer_date_precedence_tg
BEFORE INSERT OR UPDATE ON tb_answer
FOR EACH ROW
EXECUTE PROCEDURE answer_date_precedence();

CREATE OR REPLACE FUNCTION default_following_state() RETURNS TRIGGER AS $$
DECLARE
    member_visibility boolean := (SELECT visibility FROM tb_member WHERE id
= NEW.id_followed);
BEGIN
    IF NEW.state IS NULL THEN
        IF member_visibility = TRUE THEN -- if the member's profile is
public
            NEW.state := 'accepted';
        ELSE
            NEW.state := 'pending';
        END IF;
    END IF;
    RETURN NEW;
END;
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS default_following_state_tg ON tb_following;
CREATE TRIGGER default_following_state_tg
BEFORE INSERT ON tb_following
FOR EACH ROW
EXECUTE PROCEDURE default_following_state();

DROP FUNCTION IF EXISTS group_request() CASCADE;
CREATE FUNCTION group_request() RETURNS TRIGGER AS
$BODY$
DECLARE
    group_visibility boolean := (SELECT visibility FROM tb_group WHERE id =
NEW.id_group);
BEGIN
    IF group_visibility = TRUE THEN

```

```

        NEW.state := 'accepted';
    ELSE
        NEW.state := 'pending';
    END IF;
    RETURN NEW;
END
$BODY$
LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS group_request_tg ON tb_group_request;
CREATE TRIGGER group_request_tg
    BEFORE INSERT OR UPDATE ON tb_group_request
    FOR EACH ROW
    EXECUTE PROCEDURE group_request();

CREATE FUNCTION name_search() RETURNS TRIGGER AS $$
DECLARE
    idiom regconfig := TG_ARGV[0];
BEGIN
    IF TG_OP = 'INSERT' THEN
        NEW.search = to_tsvector(idiom, NEW.name);
    END IF;
    IF TG_OP = 'UPDATE' THEN
        IF NEW.name <> OLD.name THEN
            NEW.search = to_tsvector(idiom, NEW.name);
        END IF;
    END IF;
    RETURN NEW;
END
$$ LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS category_search_tg ON tb_category;
CREATE TRIGGER category_search_tg
    BEFORE INSERT OR UPDATE ON tb_category
    FOR EACH ROW
    EXECUTE PROCEDURE name_search('english');

DROP TRIGGER IF EXISTS users_search_tg ON tb_member;
CREATE TRIGGER users_search_tg
    BEFORE INSERT OR UPDATE ON tb_member
    FOR EACH ROW
    EXECUTE PROCEDURE name_search('simple');

DROP TRIGGER IF EXISTS groups_search_tg ON tb_group;
CREATE TRIGGER groups_search_tg
    BEFORE INSERT OR UPDATE ON tb_group
    FOR EACH ROW
    EXECUTE PROCEDURE name_search('english');

```

```
DROP FUNCTION IF EXISTS add_comment_notification CASCADE;
CREATE FUNCTION add_comment_notification() RETURNS TRIGGER AS
$BODY$
BEGIN
    INSERT INTO tb_comment_notification (id_comment) VALUES (NEW.id);
    RETURN NEW;
END;
$BODY$
LANGUAGE plpgsql;
```

```
DROP TRIGGER IF EXISTS comment_notification ON tb_comment_notification
CASCADE;
CREATE TRIGGER comment_notification
    AFTER INSERT ON tb_comment
    FOR EACH ROW
    EXECUTE PROCEDURE add_comment_notification();
```

```
DROP FUNCTION IF EXISTS add_favourite_notification CASCADE;
CREATE FUNCTION add_favourite_notification() RETURNS TRIGGER AS
$BODY$
BEGIN
    INSERT INTO tb_favourite_notification (id_caused_by, id_recipe)
    VALUES (NEW.id_member, NEW.id_recipe);
    RETURN NEW;
END;
$BODY$
LANGUAGE plpgsql;
```

```
DROP TRIGGER IF EXISTS favourite_notification ON tb_favourite_notification
CASCADE;
CREATE TRIGGER favourite_notification
    AFTER INSERT ON tb_favourite
    FOR EACH ROW
    EXECUTE PROCEDURE add_favourite_notification();
```

```
DROP FUNCTION IF EXISTS answer_rating() CASCADE;
CREATE FUNCTION answer_rating() RETURNS TRIGGER AS
$BODY$
DECLARE
    comment_rating integer := (SELECT rating FROM tb_comment WHERE id =
NEW.id_comment);
BEGIN
    IF comment_rating IS NOT NULL THEN
        RAISE EXCEPTION 'An answer cannot have a rating.';
    END IF;
    RETURN NEW;
```

```

END
$BODY$
LANGUAGE plpgsql;

DROP TRIGGER IF EXISTS answer_rating_tg ON tb_answer;
CREATE TRIGGER answer_rating_tg
    BEFORE INSERT OR UPDATE ON tb_answer
    FOR EACH ROW
    EXECUTE PROCEDURE answer_rating();

```

5.2. Database population

```

INSERT INTO tb_group (name, description, visibility) VALUES ('Back To The Basics', 'Lisa ate the food and washed the dishes.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Bonk a Donk Cookers', 'Pushing the plate aside so the food would cool, he began slicing the rest of the roast.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Chefs Vision', 'There are a zillion fast food restaurants around here.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Cheftastics', 'Food was more a distraction than a desire.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Chop It Like Its Hot', 'Together they went to the kitchen and began putting the food in serving bowls.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Chop It Like Its Hot', 'He offered to buy the food if I cooked the next week, I agreed.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Clever Cooks', 'Food issues are complex and deeply emotional.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Common Cooks', 'She finished the last of the food on her plate and carried it to the sink.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Confident Cooking', 'The men silently devoured their food and then helped her clean up the camp.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Cook Cave', 'We carefully examined our as yet untouched food supply.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Cook City', 'We stopped briefly for a fast food lunch.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Cook County', 'I think in the future, food will be free.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Cook To Connect', 'But were the Indians interested in the people, or the food the wagons contained?', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Cooking Cave', 'For the bundle which he had chosen had contained the food for the whole party.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Cooking Thyme', 'They ate and then she put the remaining food in the refrigerator for Alex.', FALSE);

```

```
INSERT INTO tb_group (name, description, visibility) VALUES ('Cooks and Crooks', 'You shall be given food and lodging.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Creative Cooking', 'Even more frustrated, he pulled the food out of the oven and retreated to his office, not caring that he was drenched.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Dynamo Chicken Kiev', 'Pierre sat down by the fire and began eating the mash, as they called the food in the cauldron, and he thought it more delicious than any food he had ever tasted.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Everyone is Cookin for the Weekend', 'I left some food in the kitchen.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Filipino Jalapenos', 'They selected the most valuable food items and buried them.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Flame Kings', 'With the food warming, Carmen took Destiny to her room and dressed.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Flavor Feast', 'Food security is a real issue, and nations that do not at least produce some kinds of food are at risk.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Food For Family', 'He shook his head, declining to answer until he had swallowed the food in his mouth.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Fresh Feast', 'I told her about the food in the refrigerator not being spoiled.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Fresh Fest', 'He picked at his food, and avoided eye contact with Adrienne.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Got The Runs', 'She carefully laid out the food in an attractive manner and retired to the kitchen.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Great Plates', 'Hold that food while I change.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Grills and Chills', 'The seniors tried to collect straw and potatoes and, in general, food for the men.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Ground To Plate', 'They used to gobble the same food as the gentry.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Grubs and Rubs', 'Fast food chains optimize for two of them: taste and price, at the expense of nutrition.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Hell Raisin Jalapenos', 'Brandon focused his attention on the food in his plate, his face turning a dark shade of red.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Hungry Hungry Hippos', 'I have eaten food pretty much my whole life.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Jackass Cooks', 'A plate of half-finished food sat on the coffee table, and the kitchen was a disaster.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Killer Grillers', 'In addition, how food affects us unquestionably has a lot to do with genetic factors, and because everyone has a different genetic makeup, different foods affect each of us differently.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Look To The Cook', 'He was already responsible for her food and housing.', TRUE);
```

```
INSERT INTO tb_group (name, description, visibility) VALUES ('Made With Love', 'He proceeded to thank God for the food and company.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Made With Love', 'Scarcely a quarter of the soldiers remain with the standards of their regiments, the others go off by themselves in different directions hoping to find food and escape discipline.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Meat Masters', 'She placed a plate of food upon the floor and the kitten ate greedily.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Oh, Crêpe!', 'When the steaks were grilled and the corn and green beans boiled, the table was laden with food, enough for a small army.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Oh, Crêpe!', 'Food also serves two other purposes.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Perfect Palate', 'Add to that how food itself is changing, our food choices change, our lifestyles change, and all along the way we are aging.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Perfect Pepper', 'We control the temperature of our surroundings, eat food from around the world, and own possessions no king could have imagined.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Private Cooking', 'Their mouths were open for the food they were expecting their mother to give them.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Red Hot Chili Preppers', 'It alerts you when the food is about to start burning and needs stirring.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Rib Rubbers', 'Long term, we will be better off manufacturing our food as opposed to growing it.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Salt And Pepper', 'Why is civility so lacking in discussions about food, nutrition, and food policy?', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Screw Balls', 'The normal green plant is seen thus to be in possession of a complete machinery for the manufacture of its own food.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Shakers and Bakers', 'They ate dinner at the busy food court.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Slice, Slice, Baby', 'The way in which such food when manufactured is incorporated into, and enabled to build up, the living substance is again hidden in obscurity.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Smoke Daddys', 'I foresee a day when, on a Sunday afternoon, a family might drive (or actually be driven by their car) out to a farm to see where food comes from.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Smoke on the Pit', 'Her father objected and said that no child of his should be deprived of his food on any account.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Smokers Wild', 'It will look at all other people who like the same restaurants and see where they repeatedly go for Italian food in San Francisco.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Soup-A-Stars All Fired Up', 'Eventually, he reasoned, the hungry hoards would overwhelm the beleaguered food supply.', FALSE);
```



```

INSERT INTO tb_group (name, description, visibility) VALUES ('Stop, Drop,
Cook', 'The cattle lowed from hunger, finding no food on the sun-parched
meadows.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Table
Treats', 'It was not the chewy ship food.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Tasty Tips',
'Do you have any food? she asked.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Tasty Tips',
'Rhyn started the fire again and sat beside Toby. He handed him the bag of
clothing and food. Toby withdrew the clothing skeptically.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Temptation
Cooking', 'He motioned for her to sit and brought her food and water.',
TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('The
Cheezeweasels', 'The idea was till recently currently accepted, that
anything which plants absorbed from without, and which went to build up
their organic substance, or to supply them with energy, or to exert some
beneficial influence upon their metabolism, coistituted their food.',
TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('The Evil Pop
Tarts', 'I sat at a table where were rich food and wine in abundance, and
obsequious attendance, but sincerity and truth were not; and I went away
hungry from the inhospitable board.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('The Flaming
Marshmallows', 'The smell of the food the Preobrazhenskis were eating and a
sense of hunger recalled him from these reflections; he had to get
something to eat before going away.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('The Gouda
Life', 'His attention was back on his food.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('The Missing
Ingredient', 'It must receive a large constituent of what ultimately
becomes its food from the air which surrounds it, and it must also take in
from the same source the oxygen of its respiratory processes.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('The Spice
Girls', 'In fact, they will make food even greater.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('The Spice
Girls', 'She reached the place where the food cubes had landed, bending to
pick them up in case she needed them later.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('The Tuna
Tasters', 'The United Nations World Food Programme was so inspired by this
success that pilot programs for an exchange were launched in twenty-one
countries.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('What the
Fork?', 'Of the sources of his vocabulary he is, for the most part, as
unaware as he is of the moment when he ate the food which makes a bit of
his thumbnail.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Whats
Cooking', 'The younger ones occupied themselves as before, some playing
cards (there was plenty of money, though there was no food), some with more
innocent games, such as quoits and skittles.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Worldly
Cooking', 'We have the formation of numerous mechanisms which have arisen
in connection with the question of food supply, which may not only involve
particular cells, but also lead to differentiation in the protoplasm of

```

```

those cells, as in the development of the chloroplastids of the leaves and
other green parts.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Worldly
Cooking', 'Surely not more warmth of the same kind, as more and richer
food, larger and more splendid houses, finer and more abundant clothing,
more numerous, incessant, and hotter fires, and the like.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Yum City',
'He gave his attention to the food in his plate.', TRUE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Yummy
Center', 'But surely a pan that warns you if your house is burning down or
your food will kill you has to be worth $200 to you.', FALSE);
INSERT INTO tb_group (name, description, visibility) VALUES ('Yummy Town',
'This would be the case in a besieged city or a nation using the food
supply to keep its citizenry in check.', TRUE);

```

```

INSERT INTO tb_country(name, abbreviation) VALUES
('Afghanistan', 'AF')
,('Aland Islands', 'AX')
,('Albania', 'AL')
,('Algeria', 'DZ')
,('American Samoa', 'AS')
,('Andorra', 'AD')
,('Angola', 'AO')
,('Anguilla', 'AI')
,('Antarctica', 'AQ')
,('Antigua and Barbuda', 'AG')
,('Argentina', 'AR')
,('Armenia', 'AM')
,('Aruba', 'AW')
,('Australia', 'AU')
,('Austria', 'AT')
,('Azerbaijan', 'AZ')
,('Bahamas', 'BS')
,('Bahrain', 'BH')
,('Bangladesh', 'BD')
,('Barbados', 'BB')
,('Belarus', 'BY')
,('Belgium', 'BE')
,('Belize', 'BZ')
,('Benin', 'BJ')
,('Bermuda', 'BM')
,('Bhutan', 'BT')
,('Bolivia', 'BO')
,('Bonaire, Sint Eustatius and Saba', 'BQ')
,('Bosnia and Herzegovina', 'BA')
,('Botswana', 'BW')
,('Bouvet Island', 'BV')
,('Brazil', 'BR')
,('British Indian Ocean Territory', 'IO')
,('Brunei', 'BN')
,('Bulgaria', 'BG')
,('Burkina Faso', 'BF')
,('Burundi', 'BI')
,('Cambodia', 'KH')

```

```
, ('Cameroon', 'CM')
, ('Canada', 'CA')
, ('Cape Verde', 'CV')
, ('Cayman Islands', 'KY')
, ('Central African Republic', 'CF')
, ('Chad', 'TD')
, ('Chile', 'CL')
, ('China', 'CN')
, ('Christmas Island', 'CX')
, ('Cocos (K) Islands', 'CC')
, ('Colombia', 'CO')
, ('Comoros', 'KM')
, ('Congo', 'CG')
, ('Cook Islands', 'CK')
, ('Costa Rica', 'CR')
, ('Ivory Coast', 'CI')
, ('Croatia', 'HR')
, ('Cuba', 'CU')
, ('Curacao', 'CW')
, ('Cyprus', 'CY')
, ('Czech Republic', 'CZ')
, ('Democratic Republic of the Congo', 'CD')
, ('Denmark', 'DK')
, ('Djibouti', 'DJ')
, ('Dominica', 'DM')
, ('Dominican Republic', 'DO')
, ('Ecuador', 'EC')
, ('Egypt', 'EG')
, ('El Salvador', 'SV')
, ('Equatorial Guinea', 'GQ')
, ('Eritrea', 'ER')
, ('Estonia', 'EE')
, ('Ethiopia', 'ET')
, ('Falkland Islands (Ma)', 'FK')
, ('Faroe Islands', 'FO')
, ('Fiji', 'FJ')
, ('Finland', 'FI')
, ('France', 'FR')
, ('French Guiana', 'GF')
, ('French Polynesia', 'PF')
, ('French Southern Territories', 'TF')
, ('Gabon', 'GA')
, ('Gambia', 'GM')
, ('Georgia', 'GE')
, ('Germany', 'DE')
, ('Ghana', 'GH')
, ('Gibraltar', 'GI')
, ('Greece', 'GR')
, ('Greenland', 'GL')
, ('Grenada', 'GD')
, ('Guadeloupe', 'GP')
, ('Guam', 'GU')
, ('Guatemala', 'GT')
, ('Guernsey', 'GG')
```

```
, ('Guinea', 'GN')
, ('Guinea-Bissau', 'GW')
, ('Guyana', 'GY')
, ('Haiti', 'HT')
, ('Heard Island and McDonald Islands', 'HM')
, ('Honduras', 'HN')
, ('Hong Kong', 'HK')
, ('Hungary', 'HU')
, ('Iceland', 'IS')
, ('India', 'IN')
, ('Indonesia', 'ID')
, ('Iran', 'IR')
, ('Iraq', 'IQ')
, ('Ireland', 'IE')
, ('Isle of Man', 'IM')
, ('Israel', 'IL')
, ('Italy', 'IT')
, ('Jamaica', 'JM')
, ('Japan', 'JP')
, ('Jersey', 'JE')
, ('Jordan', 'JO')
, ('Kazakhstan', 'KZ')
, ('Kenya', 'KE')
, ('Kiribati', 'KI')
, ('Kosovo', 'XK')
, ('Kuwait', 'KW')
, ('Kyrgyzstan', 'KG')
, ('Laos', 'LA')
, ('Latvia', 'LV')
, ('Lebanon', 'LB')
, ('Lesotho', 'LS')
, ('Liberia', 'LR')
, ('Libya', 'LY')
, ('Liechtenstein', 'LI')
, ('Lithuania', 'LT')
, ('Luxembourg', 'LU')
, ('Macao', 'MO')
, ('Macedonia', 'MK')
, ('Madagascar', 'MG')
, ('Malawi', 'MW')
, ('Malaysia', 'MY')
, ('Maldives', 'MV')
, ('Mali', 'ML')
, ('Malta', 'MT')
, ('Marshall Islands', 'MH')
, ('Martinique', 'MQ')
, ('Mauritania', 'MR')
, ('Mauritius', 'MU')
, ('Mayotte', 'YT')
, ('Mexico', 'MX')
, ('Micronesia', 'FM')
, ('Moldova', 'MD')
, ('Monaco', 'MC')
, ('Mongolia', 'MN')
```

```
, ('Montenegro', 'ME')
, ('Montserrat', 'MS')
, ('Morocco', 'MA')
, ('Mozambique', 'MZ')
, ('Myanmar '), ('MM')
, ('Namibia', 'NA')
, ('Nauru', 'NR')
, ('Nepal', 'NP')
, ('Netherlands', 'NL')
, ('New Caledonia', 'NC')
, ('New Zealand', 'NZ')
, ('Nicaragua', 'NI')
, ('Niger', 'NE')
, ('Nigeria', 'NG')
, ('Niue', 'NU')
, ('Norfolk Island', 'NF')
, ('North Korea', 'KP')
, ('Northern Mariana Islands', 'MP')
, ('Norway', 'NO')
, ('Oman', 'OM')
, ('Pakistan', 'PK')
, ('Palau', 'PW')
, ('Palestine', 'PS')
, ('Panama', 'PA')
, ('Papua New Guinea', 'PG')
, ('Paraguay', 'PY')
, ('Peru', 'PE')
, ('Phillipines', 'PH')
, ('Pitcairn', 'PN')
, ('Poland', 'PL')
, ('Portugal', 'PT')
, ('Puerto Rico', 'PR')
, ('Qatar', 'QA')
, ('Reunion', 'RE')
, ('Romania', 'RO')
, ('Russia', 'RU')
, ('Rwanda', 'RW')
, ('Saint Barthelemy', 'BL')
, ('Saint Helena', 'SH')
, ('Saint Kitts and Nevis', 'KN')
, ('Saint Lucia', 'LC')
, ('Saint Martin', 'MF')
, ('Saint Pierre and Miquelon', 'PM')
, ('Saint Vincent and the Grenadines', 'VC')
, ('Samoa', 'WS')
, ('San Marino', 'SM')
, ('Sao Tome and Principe', 'ST')
, ('Saudi Arabia', 'SA')
, ('Senegal', 'SN')
, ('Serbia', 'RS')
, ('Seychelles', 'SC')
, ('Sierra Leone', 'SL')
, ('Singapore', 'SG')
, ('Sint Maarten', 'SX')
```

```
,('Slovakia','SK')
,('Slovenia','SI')
,('Solomon Islands','SB')
,('Somalia','SO')
,('South Africa','ZA')
,('South Georgia and the South Sandwich Islands','GS')
,('South Korea','KR')
,('South Sudan','SS')
,('Spain','ES')
,('Sri Lanka','LK')
,('Sudan','SD')
,('Suriname','SR')
,('Svalbard and Jan Mayen','SJ')
,('Swaziland','SZ')
,('Sweden','SE')
,('Switzerland','CH')
,('Syria','SY')
,('Taiwan','TW')
,('Tajikistan','TJ')
,('Tanzania','TZ')
,('Thailand','TH')
,('Timor-Leste (East)','TL')
,('Togo','TG')
,('Tokelau','TK')
,('Tonga','TO')
,('Trinidad and Tobago','TT')
,('Tunisia','TN')
,('Turkey','TR')
,('Turkmenistan','TM')
,('Turks and Caicos Islands','TC')
,('Tuvalu','TV')
,('Uganda','UG')
,('Ukraine','UA')
,('United Arab Emirates','AE')
,('United Kingdom','GB')
,('United States','US')
,('United States Minor Outlying Islands','UM')
,('Uruguay','UY')
,('Uzbekistan','UZ')
,('Vanuatu','VU')
,('Vatican City','VA')
,('Venezuela','VE')
,('Vietnam','VN')
,('Virgin Islands, British','VG')
,('Virgin Islands, US','VI')
,('Wallis and Futuna','WF')
,('Western Sahara','EH')
,('Yemen','YE')
,('Zambia','ZM')
,('Zimbabwe','ZW');
```

```
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('deangelo.kuhn@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', '1Layla
```

```

Garcia', 'acidiccharlene', 'city', 'Hipster-friendly zombie practitioner. Subtly charming explorer. Student. Troublemaker. Tv junkie. Bacon buff. Beer evangelist. Analyst.', FALSE, '135');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('joana48@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Sammy Rodriquez', 'acidic_charlene', 'San Fernando', 'Web scholar. Creator. Proud zombie aficionado. Lifelong thinker. Pop cultureaholic.', FALSE, '39');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('jordon.champlin71@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Alissia Rennie', 'acidic.charlene', 'Aş Şaff', 'Friendly coffee buff. Passionate beer scholar. Communicator. Extreme twitter lover. Hipster-friendly internet fanatic.', FALSE, '92');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('jerrold_medhurst80@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Phyllis Sharples', 'aeratedcharlene', 'Campo Grande', 'Devoted problem solver. Subtly charming communicator. Pop culture ninja. Evil coffee lover. Web enthusiast.', TRUE, '123');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('lavon.schmidt@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ariel Krause', 'aerated_charlene', 'Leksand', 'Wannabe coffee enthusiast. Internet scholar. Beer fanatic. Total introvert. Communicator.', TRUE, '7');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('darrin_armstrong80@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Keegan Montoya', 'aerated.charlene', 'Winneba', 'Friendly tv nerd. Avid coffee practitioner. Infuriatingly humble social media fan.', TRUE, '74');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('jeanne60@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Malachi Guevara', 'almondycharlene', 'Wanxian', 'Amateur foodaholic. Incurable coffee buff. Reader. Award-winning twitter ninja.', TRUE, '24');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('hector96@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Alyssa Kearney', 'almondy_charlene', 'Priiskovyy', 'Friend of animals everywhere. Freelance zombie buff. Total web ninja. Wannabe analyst.', TRUE, '70');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('dock83@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Rosalie Nicholls', 'almondy.charlene', 'Kuloy', 'Student. Incurable explorer. Coffee buff. Evil communicator. Freelance twitter geek.', FALSE, '231');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('joesph29@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Aeryn Martin', 'caramelizedcharlene', 'Lai Cách', 'Friendly introvert. Lifelong beer practitioner. Subtly charming social media junkie.', TRUE, '173');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('jamie88@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kaira

```



```
Preece', 'caramelized_charlene', 'Okawa', 'Extreme tv practitioner. Award-winning beer specialist. Coffee junkie. Friendly twitter advocate. Troublemaker.', FALSE, '110');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('roman.waelchi17@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ida Gay', 'caramelized.charlene', 'Kotabumi', 'Thinker. Subtly charming organizer. Proud web lover. General problem solver. Alcohol specialist.', FALSE, '189');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('antonietta.purdy@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Riyad Costa', 'chloroticcharlene', 'Mokil', 'Wannabe troublemaker. Proud coffee buff. Avid pop culture fan. Subtly charming bacon ninja.', FALSE, '122');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('ivah.kilback@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ayrton Richards', 'chlorotic_charlene', 'Amsterdam Noord west', 'Certified introvert. Incurable tv expert. Extreme student. Devoted problem solver. Analyst.', FALSE, '7');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('nicholas33@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Suhayb Carpenter', 'chlorotic.charlene', 'Ninh Giang', 'General alcohol trailblazer. Amateur coffee guru. Unapologetic twitter geek. Web aficionado. Writer. Extreme tv specialist.', TRUE, '136');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('eliseo72@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Noah Stubbs', 'clammycharlene', 'Navegantes', 'Internet buff. Devoted communicator. Explorer. Organizer. Web lover. Alcohol advocate.', TRUE, '11');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('tavares23@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Sebastian Mcdonald', 'clammy_charlene', 'Lavia', 'Award-winning creator. Evil communicator. Subtly charming entrepreneur. Explorer. Amateur music expert.', TRUE, '94');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('will.hodkiewicz49@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ibrahim Tillman', 'clammy.charlene', 'Aileu', 'Internet scholar. Beer buff. Zombieaholic. Amateur troublemaker. Student. Award-winning music practitioner.', TRUE, '208');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('willa.schaefer@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Mohsin Madden', 'abominablecharlene', 'Qinglin', 'Music enthusiast. Lifelong travel geek. Hipster-friendly communicator. Reader. Evil thinker.', TRUE, '9');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('ricky5@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kailan OQuinn', 'abominable_charlene', 'Kilju', 'Prone to fits of apathy.
```



```

Introvert. Award-winning internet evangelist. Extreme beer expert.', TRUE,
'203');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('lucinda71@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Mihai
Searle', 'abominable.charlene', 'Leiwang', 'Freelance communicator.
Unapologetic music guru. Student. Certified gamer. Hardcore writer. General
organizer.', TRUE, '55');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('mark_lynch60@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Bertram
Dalby', 'abysmal.charlene', 'San Manuel Chaparrón', 'Bacon evangelist.
Typical creator. Hardcore tvaholic. Friendly writer. Twitter ninja.',
FALSE, '244');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('heather_wunsch@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Sumayya
Gunn', 'abysmal_charlene', 'Le Mans', 'Professional beer buff. Social media
ninja. Zombie advocate. Alcohol junkie. Total bacon expert. Incurable
twitter fanatic.', FALSE, '143');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('clark.wilderman@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Lily-Rose
Wynn', 'abysmal.charlene', 'Hachinohe', 'Travel maven. Certified zombie
fanatic. Wannabe reader. Devoted tv advocate. Beer enthusiast. Future teen
idol.', FALSE, '90');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('carlotta77@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Tammy
Perkins', 'appallingcharlene', 'San Vicente', 'Web fan. General internet
nerd. Infuriatingly humble zombieaholic. Typical social media aficionado.
Writer.', FALSE, '54');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('vena.collins@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Enrico
Shah', 'appalling_charlene', 'Huxi', 'Pop culture geek. Unable to type with
boxing gloves on. Friendly explorer.', TRUE, '49');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('nya.ortiz19@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Norma
Cuevas', 'appalling.charlene', 'Waepana', 'Infuriatingly humble music
aficionado. Bacon lover. Beer fan. Avid pop culture buff. Extreme tv
trailblazer.', FALSE, '236');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jovani82@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ayman
Pope', 'awfulcharlene', 'Áyios Nikólaos', 'Lifelong bacon nerd. Devoted tv
scholar. Subtly charming coffee guru. Pop culture enthusiast.', TRUE,
'148');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('melody_treutel@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Safaa
Kendall', 'awful_charlene', 'Burao', 'Hardcore coffee practitioner.
Troublemaker. Extreme beer enthusiast. Subtly charming travel fanatic.

```

```

Writer.', FALSE, '140');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('olaf_kihn52@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Clodagh
Spencer', 'awful.charlene', 'Breda', 'Coffee fan. Communicator. Analyst.
Infuriatingly humble travel expert. Tv ninja.', FALSE, '171');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('willy.thompson@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kristi
Hensley', 'badcharlene', 'Wangcun', 'Beer nerd. Entrepreneur. Problem
solver. Pop culture advocate. Evil thinker. Amateur coffee scholar.',
FALSE, '104');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('trystan.daniel35@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Daniela
Nicholson', 'bad_charlene', 'Quanyang', 'Hipster-friendly zombie geek.
Lifelong pop culture evangelist. Incurable bacon expert. Amateur alcohol
aficionado. Communicator.', TRUE, '191');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('nettie.wiegand33@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kayley
Riddle', 'bad.charlene', 'Takefu', 'Bacon fanatic. Food aficionado.
Explorer. Friendly travel buff. Typical creator. Unapologetic beer ninja.',
FALSE, '14');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('katharina.ortiz25@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu',
'Abdulrahman Doyle', 'beggarlycharlene', 'Jalingo', 'Typical thinker.
Incurable social media evangelist. Avid problem solver. Alcoholaholic.',
TRUE, '210');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('isidro.ryan@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Nataniel
Carlson', 'beggarly_charlene', 'Marseille', 'Student. Zombie specialist.
Subtly charming analyst. Alcohol fanatic. Twitter enthusiast. Coffee ninja.
Certified creator. Devoted travel fanatic.', TRUE, '138');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('christian_powlowski32@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Branden
Branch', 'beggarly.charlene', 'Jahāniān Shāh', 'Passionate bacon expert.
Web fanatic. Social media enthusiast. Organizer. Entrepreneur.', TRUE,
'167');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('marquise_wehner16@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ismail
Gardner', 'charlenelynchwales', 'Legionowo', 'Pop culture nerd. Avid
internetaholic. Web trailblazer. Infuriatingly humble travel ninja.', TRUE,
'45');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('adelia_mante@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Tracy
Weston', 'charlene_lynch_wales', 'Chernomorets', 'Freelance analyst.
Professional foodaholic. Extreme pop culture fanatic. Gamer. Explorer.
Thinker. Coffee trailblazer.', FALSE, '46');

```

```

INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('caesar_price43@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Nadir
Hamilton', 'charlene.lynch.wales', 'Färyäb', 'Typical problem solver.
Wannabe twitter expert. Evil explorer. Bacon lover. Beer geek. Avid
internet scholar. Hipster-friendly thinker.', FALSE, '211');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('catharine_witting72@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Simrah
Peel', 'charlenelynchlawyer', 'L'govskiy', 'Typical gamer. Food aficionado.
Alcohol practitioner. Problem solver. Unapologetic twitter fan. Award-
winning bacon enthusiast. Total tv fanatic.', TRUE, '60');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('alf73@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kasey
Rivera', 'charlene_lynch_lawyer', 'Dabao'anzen', 'Unapologetic twitter
scholar. Music enthusiast. Lifelong tv geek. Web ninja. Food advocate.',
TRUE, '93');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('karli.reilly@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Lacy
Camacho', 'meancharlene', 'Espírito Santo do Pinhal', 'Entrepreneur. Zombie
enthusiast. Tv evangelist. Unapologetic reader. Infuriatingly humble
explorer. Organizer.', TRUE, '72');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('vallie54@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Laura
Squires', 'mean_charlene', 'San Roque', 'Subtly charming analyst. Food
aficionado. Total problem solver. Certified beer enthusiast.', FALSE,
'117');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('georgiana_borer85@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Melissa
Ashton', 'mean.charlene', 'Tuanjie', 'Certified zombie lover. Troublemaker.
Evil twitter specialist. Analyst.', TRUE, '238');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ramiro.murphy60@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ocean
Gonzales', 'menacedenis', 'Haliut', 'Devoted internetaholic. Creator.
Friendly coffee advocate. Pop culture evangelist.', FALSE, '244');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('randal_morissette42@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ellise
Worthington', 'menace_denis', 'Ichupampa', 'Twitter fanatic. Devoted
internet ninja. Passionate web trailblazer.', FALSE, '33');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jacques88@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Lina
Morley', 'menace.denis', 'Savelugu', 'Proud music ninja. Student. Avid
social media fan. Tv evangelist. Lifelong alcohol expert. Travel
specialist. Prone to fits of apathy.', TRUE, '127');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ashlee.bahringer39@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ruairidh

```

```
Barnard', 'denisthetennis', 'Kokop', 'Troublemaker. Certified organizer. Tv fan. Infuriatingly humble coffee advocate.', TRUE, '211');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('nedra_rolfson@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Robson Fuller', 'denis_the_tennis', 'Xinshichang', 'Devoted organizer. Pop cultureaholic. Subtly charming beer junkie. Falls down a lot. Music maven. Total bacon fan.', TRUE, '160');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('ozella_thompson87@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Danish Hines', 'denis.the.tennis', 'Junín', 'Subtly charming tv maven. Proud thinker. Food buff. Evil gamer. Web scholar. Internet nerd.', TRUE, '212');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('dana.beahan@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ted Hill', 'denisthevenice', 'Lago da Pedra', 'Avid beer ninja. Extreme tv fanatic. Analyst. Wannabe internet enthusiast. Hipster-friendly twitter scholar.', FALSE, '170');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('porter.volkman84@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jorden Aguilar', 'denis_the_venice', 'Mikhaylovka', 'Friendly coffee junkie. Pop culture aficionado. Certified twitter buff. Unapologetic travel guru. Hardcore beer ninja.', TRUE, '219');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('beulah_runolfsson50@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ruairi Anthony', 'denis.the.venice', 'Salerno', 'Evil beer enthusiast. Tv evangelist. Internet buff. Typical twitter guru. Pop culture geek.', FALSE, '13');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('marcus49@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kristopher Wolf', 'pinchlynch', 'Leiguan', 'Amateur coffee nerd. Troublemaker. General communicator. Gamer. Analyst. Creator. Total beer ninja.', TRUE, '197');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('stuart.cole@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Avaya Bowden', 'pinch_lynch', 'Fort Worth', 'Prone to fits of apathy. Incurable internet trailblazer. Proud communicator. Hardcore bacon enthusiast. Beer ninja. Gamer. Extreme coffee fan. Twitteraholic.', FALSE, '84');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('naomie_simonis48@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Olli Povey', 'pinch.lynch', 'Carmen de Viboral', 'Explorer. Zombie scholar. Twitter lover. Music geek. Organizer. Food fanatic. Alcohol ninja.', FALSE, '216');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('lorna47@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Uma Wallis', 'greencharlene', 'Puerto Boyacá', 'Passionate internet specialist. Professional organizer. Devoted writer. Avid tv scholar. General web lover. Explorer.', TRUE, '96');
```



```

INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('olin.ernser1@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Autumn
Brady', 'green_charlene', 'Hamada', 'Infuriatingly humble explorer. Problem
solver. Subtly charming travel buff. Award-winning web geek. Pop culture
lover.', FALSE, '99');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('dan.oberbrunner@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Leen
Chen', 'green.charlene', 'Izborsk', 'Hipster-friendly twitter buff. Bacon
lover. Certified zombie geek. Introvert. Evil alcohol ninja.', FALSE,
'128');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('edd33@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Naveed
Rojas', 'charlenethebean', 'Jaroměř', 'Writer. Hardcore food ninja. Social
media lover. Friendly analyst. Future teen idol. Problem solver. Tv maven.
Amateur travel aficionado.', FALSE, '127');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ernesto27@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Stella
Deleon', 'charlene_the_bean', 'Chervonoarmiys'k', 'Freelance web fanatic.
Tv expert. Evil student. Writer. Internet guru. Zombieaholic.', FALSE,
'151');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('braeden12@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Aliya
Cook', 'charlene.the.bean', 'Cumming', 'Friend of animals everywhere. Web
geek. Hipster-friendly coffee trailblazer. Organizer.', FALSE, '135');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('dillan13@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Rhianne
Grey', 'cinchlynch', 'Seattle', 'Writer. Twitter specialist. Passionate
social media ninja. Lifelong beer buff. Bacon fanatic. Wannabe web scholar.
Devoted coffee maven.', TRUE, '56');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('mohamed_balistreri38@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Anabel
Neale', 'cinch_lynch', 'Sukoanyar', 'Award-winning zombie expert. Music
aficionado. Alcohol evangelist. Subtly charming tv nerd. Internet scholar.
Friendly bacon junkie.', FALSE, '115');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('earlene90@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Winnie
Summers', 'cinch.lynch', 'Silat al Hārithiyah', 'Devoted pop culture nerd.
Lifelong problem solver. Amateur internet maven. Alcohol enthusiast.
Student. Passionate beer fanatic.', FALSE, '58');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('kaitlin_rippin@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ananya
Jarvis', 'leancharlene', 'Pengulu', 'Total internet lover. Zombie junkie.
Travel buff. Alcohol specialist. Social media expert.', FALSE, '236');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('destiney.corwin@yahoo.com',

```

```

'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Rylan
Oneil', 'lean_charlene', 'Heqiao', 'Friend of animals everywhere. Unable to
type with boxing gloves on. Falls down a lot. Wannabe web enthusiast.
Professional internet guru.', TRUE, '148');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('seth_dooley26@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Josef
ONEill', 'lean.charlene', 'Rivera', 'Social media evangelist. Freelance
reader. Introvert. Infuriatingly humble internet scholar.', TRUE, '2');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('arnulfo.moen@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Shamima
Prentice', 'inchlynch', 'Sulahan', 'Beer fanatic. Amateur introvert.
Twitter junkie. Lifelong food trailblazer. Proud alcohol nerd. Zombie
buff.', FALSE, '13');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jovany.stiedemann@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Colette
Healy', 'inch_lynch', 'Maoqitun', 'Coffee enthusiast. Devoted beer fanatic.
Entrepreneur. Friendly travel scholar. Internet lover.', FALSE, '227');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('herbert4@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Amrita
Fields', 'inch.lynch', 'Plottier', 'Avid internet ninja. Bacon expert.
Alcohol advocate. Hipster-friendly web trailblazer.', TRUE, '23');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('bianka_hilll21@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kaison
Mayer', 'keencharlene', 'Pangradin Satu', 'Food aficionado. Hipster-
friendly tv maven. Coffee fanatic. Prone to fits of apathy. Creator.',
TRUE, '205');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('kristin88@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Anil
Pena', 'keen_charlene', 'Qalandiyā', 'Bacon guru. Future teen idol.
Troublemaker. Friendly pop culture fanatic. Total problem solver. Music
aficionado. Gamer. Incurable social media evangelist.', TRUE, '95');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('retta_lesch90@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Reese
Adkins', 'keen.charlene', 'Lagos da Beira', 'Subtly charming internet
specialist. Travel scholar. Student. Problem solver. Beer geek.', TRUE,
'210');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('betty79@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ami
Joyce', 'charlenethemachine', 'Bürewāla', 'Zombie specialist. Internet
buff. Hardcore web lover. Award-winning pop culture geek. Subtly charming
alcohol guru.', FALSE, '15');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('minnie88@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Amar
Wilkerson', 'charlene_the_machine', 'Jayanca', 'Hipster-friendly beer nerd.
Music geek. Infuriatingly humble food specialist. Explorer.', FALSE,

```

```

'189');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('edward.kertzmann10@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Nabil
Mayo', 'charlene.the.machine', 'Carora', 'Internet fanatic. Entrepreneur.
Alcohol enthusiast. Falls down a lot. Avid troublemaker.', FALSE, '192');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('elvera.rowe5@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Isaak
Boone', 'flinchlynch', 'Skatepark', 'Travel advocate. Internet aficionado.
Bacon trailblazer. Typical analyst. Passionate gamer.', FALSE, '43');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('rocky_kuvalis@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Axl
Lancaster', 'flinch_lynch', 'Shilovo', 'Thinker. Creator. Infuriatingly
humble bacon junkie. Devoted alcohol geek. Introvert.', FALSE, '183');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('yasmine75@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kristofer
Koch', 'flinch.lynch', 'Padre Nabeto', 'Gamer. Pop culture evangelist.
Travel fanatic. Alcohol geek. Total internet junkie.', FALSE, '42');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('zita.damore85@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Roberta
Mullen', 'lynchthehinch', 'Ordzhonikidzevskiy', 'Award-winning student.
Evil social media fanatic. Writer. Zombie guru. Tv lover. Typical coffee
advocate. Unable to type with boxing gloves on. Travel ninja.', TRUE,
'156');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('meagan57@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Bailey
Hamer', 'lynch_the_hinch', 'Omsukchan', 'Tv fanatic. Social media scholar.
Troublemaker. Beer trailblazer. Proud bacon enthusiast. Internet fan.',
FALSE, '3');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('trace.grimes@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Sahar
Chadwick', 'lynch.the.hinch', 'Hougang', 'Music practitioner. Passionate
internet fanatic. Hardcore bacon buff. Pop culture maven. Devoted web
fanatic.', TRUE, '191');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('justyn8@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ricky
Luna', 'cleancharlene', 'Arlöv', 'Certified thinker. Internet scholar.
Freelance music junkie. Tv advocate. Analyst. Bacon fanatic. Friendly beer
buff. Food maven.', FALSE, '55');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('olin99@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Anum
Diaz', 'clean_charlene', 'Pendawanbaru', 'Travelaholic. Passionate problem
solver. Infuriatingly humble web nerd. Communicator. Typical beer guru.
Amateur social media geek.', TRUE, '202');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('dennis.schneider@hotmail.com',

```

```

'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Farzana
Valenzuela', 'clean.charlene', 'Myanaung', 'Travel aficionado. Tv fanatic.
Reader. Typical beeraholic. Organizer. Certified music junkie. Zombie buff.
Communicator. Creator.', FALSE, '70');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('keanu.bernhard66@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Sofie
McLellan', 'clinchlynch', 'Envigado', 'Food advocate. Future teen idol.
Amateur social media expert. Gamer. Tv aficionado. Pop culture fanatic.',
FALSE, '152');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('mabelle.jaskolski19@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Elmer
Lester', 'clinch_lynch', 'København', 'Food practitioner. Music junkie.
Avid troublemaker. Hipster-friendly creator. Social media lover. Wannabe
pop culture fanatic.', TRUE, '1');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jazmyne.raynor91@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Dylon
Daly', 'clinch.lynch', 'Jiekeng', 'Devoted beer junkie. General zombie
expert. Professional twitter nerd. Lifelong analyst. Reader. Hipster-
friendly social media buff. Explorer. Coffee scholar.', FALSE, '59');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('letitia9@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Roksana
Barber', 'lynchthetinch', 'Ibaiti', 'Twitter guru. Passionate pop culture
trailblazer. Alcohol fanatic. Bacon aficionado. Thinker. Explorer. Writer.
Zombie junkie. Introvert.', FALSE, '29');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ida_fahey46@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Mahira
Swan', 'lynch_the_tinch', 'Mīrābād', 'Lifelong tv aficionado. Social media
fan. Award-winning food scholar. Writer. Music fanatic.', FALSE, '168');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('francis92@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Akeel
Peacock', 'lynch.the.tinch', 'Montpellier', 'Twitter scholar. Amateur tv
buff. Coffee specialist. Friendly communicator. Devoted food fanatic.',
FALSE, '167');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('orland.streich@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Paulina
Glass', 'charlene0xtkpiq45ul', 'Jeffersonville', 'Bacon aficionado.
Internet scholar. Food expert. Typical zombie fan. Web enthusiast. Creator.
Pop culture advocate.', FALSE, '3');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('emmalee52@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Maude
Curran', 'charlenej4racy6k', 'Chernyanka', 'Award-winning pop culture
aficionado. Web fan. Professional alcohol maven. Bacon practitioner. Coffee
scholar. Zombie fanatic.', TRUE, '217');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('price.wilderman8@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Emily-Jane

```



```
Duggan', 'charlenez170b9e', 'Jatirejo', 'Explorer. Food evangelist. General analyst. Wannabe gamer. Alcohol specialist. Reader. Tv fan.', TRUE, '142');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('evan_hills18@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Alivia Baker', 'charleneu.wxkejt', 'Hengpi', 'Unapologetic analyst. Gamer. Total internet scholar. Incurable writer. Introvert. Infuriatingly humble explorer.', FALSE, '183');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('guiseppe68@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Marie Paul', 'charlene93ozumv', 'Tambulatana', 'Lifelong tv junkie. Zombie geek. Food ninja. Certified bacon lover. Travelaholic. Subtly charming web enthusiast.', TRUE, '211');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('ciara.funk@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Khushi Hodge', 'charlene4e_bgafo', 'Lyozna', 'Incurable pop culture maven. Devoted twitter fanatic. Evil tvaholic. Friendly troublemaker.', FALSE, '214');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('silas.fay77@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Lilly-Mae Hail', 'charlene3txezkgn', 'Sizhou', 'Subtly charming zombie fanatic. Web maven. Alcohol ninja. General travel fanatic.', TRUE, '187');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('tiffany_gulgowski@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Sianna Plant', 'charlenezx1fn0q', 'Mabuhay', 'Bacon practitioner. Professional gamer. Pop culture junkie. Zombie fanatic. Thinker. Avid food nerd.', TRUE, '203');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('loraine27@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jarod Mackie', 'charleneezu6yn4xgm', 'Tacarigua', 'Zombie enthusiast. Subtly charming travel practitioner. Webaholic. Internet expert.', FALSE, '166');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('garrett53@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Habiba Larson', 'charlenedenislynch', 'Pskov', 'Certified pop culture fanatic. Avid social media maven. Introvert. General travel enthusiast.', TRUE, '106');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('abby46@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Alejandro Currie', 'charlene_denis_lynch', 'Wönju', 'Beer nerd. Music buff. Alcohol guru. Gamer. Certified student. Passionate writer.', FALSE, '96');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('wilburn_shields90@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Carmel McGill', 'charlene.denis.lynch', 'Pakel', 'Incurable introvert. Infuriatingly humble pop culture buff. Writer. Lifelong web practitioner. Beer geek. Travel maven.', FALSE, '32');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('sebastian47@gmail.com',
```

```

'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Shivam
Williams', 'charlenelynch84', 'Baolong', 'Passionate pop culture nerd.
Gamer. Twitter expert. Internet guru. Certified web advocate.', FALSE,
'93');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('amelie.raynor@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Huey
Bass', 'charlene_lynch_84', 'Yelizavetinskaya', 'Travel fan. Social media
scholar. Hipster-friendly writer. Reader. Avid zombie nerd.', TRUE, '35');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('felipa_erdman77@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ira
Ahmad', 'gdodgeball', 'Estoril', 'Avid music specialist. Gamer. Evil food
fanatic. Certified alcohol buff. Proud web aficionado.', TRUE, '219');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('hailie_cummings31@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Della
Calhoun', 'gsedge', 'Bailu', 'Tv geek. Friend of animals everywhere.
Foodaholic. Certified internet ninja. Twitter aficionado. Hardcore web
maven.', TRUE, '222');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('kasey61@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ben
Newton', 'grather', 'Panzhou', 'Falls down a lot. Beer aficionado. Reader.
Wannabe zombie buff. Award-winning bacon enthusiast. Internet trailblazer.
Social media ninja.', TRUE, '194');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('nellie57@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Cora
Bull', 'gunreeve', 'Galátsi', 'Typical organizer. Wannabe problem solver.
Creator. Writer. Proud travel maven.', FALSE, '28');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('andreane_hoeger21@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Mikail
Piper', 'gcaribou', 'Blois', 'Unapologetic introvert. Hipster-friendly
thinker. Writer. Social media fanatic. Friendly alcoholaholic.', TRUE,
'108');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('akeem.hane8@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Giles
Oliver', 'gshush', 'Halmstad', 'Thinker. Music junkie. Award-winning
organizer. Wannabe internet fanatic. Proud creator. Typical beer
practitioner.', FALSE, '4');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('mac_stanton@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Abbas
Dawson', 'gwhoosh', 'Krynky', 'Award-winning thinker. Avid organizer.
Hardcore communicator. Problem solver. Internet practitioner. Typical tv
guru.', TRUE, '236');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('alicia_johnston@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Charmaine
Morales', 'donkeyg', 'Chuangwang', 'Entrepreneur. Student. Tv expert.
Gamer. Devoted music practitioner. Unapologetic internet maven.', TRUE,

```

```

'65');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('shania17@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Zhane
Mohammed', 'gslippers', 'Esperanza', 'Incurable pop culture fanatic.
Hardcore organizer. Subtly charming travel junkie. Coffee buff.', TRUE,
'194');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('paige_krajcik34@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Aleah
Hutchings', 'ghumongous', 'Hucheng', 'Music specialist. Gamer. Tv lover.
General twitter guru. Pop culture expert. Coffee ninja. Beer enthusiast.',
TRUE, '5');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('janessa.crooks@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Gina
Corbett', 'chromosomeg', 'Bojnik', 'Bacon fan. Avid web scholar. Subtly
charming coffee aficionado. Friend of animals everywhere.', TRUE, '45');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('moises48@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Tomos
Pollard', 'cordageg', 'Huambo', 'Incurable pop culture fan. Writer. Social
media junkie. Proud bacon trailblazer. Future teen idol. Food fanatic.
Lifelong music ninja.', FALSE, '230');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('tanya.lesch@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Nikki
Marquez', 'gblueberries', 'Tambakmerak', 'Pop culture trailblazer. Music
practitioner. Writer. Communicator. Incurable creator.', FALSE, '139');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('christy_torphy@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Melinda
Knights', 'unusualg', 'Cijambe', 'Lifelong organizer. Travel lover.
Student. Alcohol nerd. Incurable music scholar. Twitter practitioner.
Introvert. Analyst. Friendly food guru.', TRUE, '110');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('aglae.zulauf50@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Eve
Mcbride', 'computerg', 'Cimuncang', 'Tv geek. Beeraholic. Proud food ninja.
Alcohol specialist. Devoted social media fan. Internet aficionado. Bacon
trailblazer. Writer.', FALSE, '130');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('alphonso84@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Zac
Fleming', 'gsos', 'Tangdukou', 'Alcohol specialist. Hipster-friendly travel
buff. Organizer. General reader. Communicator. Certified twitter fanatic.
Avid introvert.', TRUE, '137');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('joyce.rodriguez68@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Corben
Allison', 'yokeg', 'Florencio Sánchez', 'Amateur coffee maven. Travel
enthusiast. Infuriatingly humble beer lover. Award-winning problem solver.
Web nerd.', FALSE, '217');
INSERT INTO tb_member (email, password, name, username, city, bio,

```

```

visibility, id_country) VALUES ('mariah80@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Chelsie
Fowler', 'gsandwich', 'Finzes', 'Hardcore internet enthusiast. Music buff.
Beer geek. Subtly charming pop culture practitioner. Tv maven.', TRUE,
'187');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('gordon_pfannerstill65@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Anaya
Dotson', 'tranquilg', 'Bistrica ob Sotli', 'Travel evangelist. Creator.
Alcohol aficionado. Professional internet guru. Total explorer. Thinker.',
TRUE, '176');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('abe.miller@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Wilma
Wood', 'smokerg', 'Göteborg', 'Zombie fanatic. Alcohol scholar. Lifelong
problem solver. Internet fanatic. Freelance pop culture enthusiast. Devoted
food advocate. Gamer.', FALSE, '201');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('mallie.waelchi@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Lauryn
Anthony', 'gabsurd', 'Vacaria', 'Web buff. Bacon fan. Hipster-friendly
organizer. Unapologetic communicator. Music fanatic. Gamer. General zombie
aficionado.', FALSE, '142');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('joe.koepp91@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Haley
Keller', 'gprovider', 'Nizhnyaya Tura', 'Wannabe introvert. Travel
trailblazer. Music fanatic. Twitter advocate. Web ninja.', TRUE, '98');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('magnolia_hudson5@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Sannah
Wong', 'gabject', 'Camrose', 'Pop culture fanatic. Freelance bacon ninja.
Problem solver. Devoted music practitioner.', FALSE, '73');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('destini39@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Huw
Cummings', 'gpeace', 'Santa María Chiquimula', 'Incurable entrepreneur.
Extreme internet enthusiast. Subtly charming introvert. Friend of animals
everywhere.', TRUE, '246');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('leola53@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Juniper
Lord', 'gcleats', 'Dyurtyuli', 'Proud entrepreneur. Lifelong gamer. Zombie
advocate. Alcohol specialist. Professional writer.', FALSE, '175');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('salma_brown@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Elis
Clarkson', 'gdeter', 'Căușeni', 'Travel ninja. Food lover. Friendly beer
geek. Certified music aficionado. Typical bacon fanatic.', TRUE, '141');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('josefina5@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Chloe
Mcfarlane', 'bangbangg', 'Xiabuji', 'Troublemaker. Pop culture lover.
Friendly beer specialist. Passionate social media buff.', FALSE, '47');

```



```

INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('devonte80@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Caroline
Lugo', 'gnest', 'Jisegumen', 'Infuriatingly humble alcohol guru. Twitter
aficionado. Reader. Zombie practitioner.', TRUE, '101');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('marcelino.kunde57@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ammarah
Dillard', 'plantg', 'Fuxi', 'Student. Devoted introvert. Certified alcohol
expert. Coffee geek. Twitter ninja. Hipster-friendly reader.', TRUE, '28');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('winona.swift@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Conan
Cole', 'resistanceg', 'Shahezi', 'Lifelong tv practitioner. Internet geek.
General gamer. Bacon evangelist. Alcohol junkie. Evil troublemaker.', TRUE,
'248');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('curt.sauer87@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Rosalind
Needham', 'intensityg', 'Oslo', 'Entrepreneur. Beer trailblazer. General
analyst. Avid internet guru. Lifelong social media lover.', FALSE, '54');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jason_rau@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Bridget
Carter', 'droneg', 'Luzern', 'Zombie trailblazer. Unapologetic tv fanatic.
Music practitioner. Lifelong twitter fan. Professional social media geek.',
FALSE, '22');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('dustin3@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Toby
Mellor', 'gdeaf', 'Mach', 'Food buff. Analyst. Award-winning alcohol
fanatic. Amateur zombie practitioner. Music trailblazer.', TRUE, '38');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('lesley.heidenreich@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Teo
Gross', 'gpolitical', 'Tanjungagung', 'Total tv buff. Incurable web ninja.
Passionate food advocate. Music specialist. Freelance introvert.', FALSE,
'51');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('imani11@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Derren
Bruce', 'talentg', 'Esmoriz', 'Wannabe food evangelist. Devoted gamer.
General pop culture fanatic. Introvert. Beer lover. Amateur tv advocate.',
FALSE, '120');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('albin_wilderman23@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Shuaib
Robertson', 'downtowng', 'Uwajima', 'Avid organizer. Internet advocate.
Hipster-friendly creator. Professional tv guru. Food geek. Devoted zombie
maven.', FALSE, '15');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('eldred56@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Rayhan
Schofield', 'includeg', 'Arjasari', 'Social media lover. Professional

```

```

introvert. Evil food guru. Hardcore bacon fan. Unapologetic pop culture
specialist.', TRUE, '178');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('myrtle.smitham45@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Rudy
Ward', 'gaddicted', 'Auxerre', 'Hipster-friendly tv fanatic. Incurable web
enthusiast. Amateur social media nerd. Typical zombie practitioner.',
FALSE, '123');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('anais37@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Aviana
McLaughlin', 'gproducer', 'Yangi-Nishon Shahri', 'Travel aficionado.
Internet maven. Coffee specialist. Alcohol scholar. Incurable twitter
trailblazer. Bacon fanatic.', FALSE, '151');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('kali_ernser@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Madeeha
Hooper', 'crisisg', 'Xinkai', 'Internet geek. Zombie evangelist. Falls down
a lot. General food trailblazer. Travel guru.', TRUE, '52');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('zula.harvey58@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Alice
Braun', 'biologicalg', 'Shibajiazi', 'Student. Food aficionado. Lifelong
music trailblazer. Creator. Gamer. Professional beer expert.', TRUE, '52');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('aleen_herman@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Lawrence
Christie', 'grelation', 'Alcanh es', 'Coffee specialist. Pop culture guru.
Travel buff. Unapologetic web scholar. Twitter fanatic. Evil internet
ninja. Devoted zombie lover.', TRUE, '35');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('etha.mann84@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Iris
Compton', 'hardg', 'Klatovy', 'Award-winning bacon practitioner. Web
enthusiast. Tv ninja. Internet advocate. Total explorer.', TRUE, '161');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('haylee.swift@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Tymoteusz
Scott', 'galso', 'Kwali', 'Hardcore internet trailblazer. Travel fanatic.
Writer. Incurable tv fan. Friendly analyst.', FALSE, '86');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('lambert.fisher90@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Drew
Fritz', 'oddballg', 'Susoh', 'Coffee ninja. Wannabe twitter aficionado.
Lifelong web fanatic. Hipster-friendly musicaholic.', TRUE, '199');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('buck_jerde@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jaydan
Rollins', 'hiddeng', 'Pat a', 'Beer maven. Coffee junkie. Extreme zombie
practitioner. Webaholic. Tv advocate. Devoted bacon geek. Music expert.
Internet ninja.', FALSE, '154');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('arno_grimes@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Joey

```

```

Esquivel', 'gcashews', 'Gaoxing', 'Evil analyst. Reader. Entrepreneur.
Prone to fits of apathy. Amateur beer ninja. Total zombie fan. Lifelong
troublemaker.', FALSE, '227');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('mckayla_littel91@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Emer
Galloway', 'gviewer', 'Catbalogan', 'Internet specialist. Evil
entrepreneur. Troublemaker. Analyst. Tv aficionado. Thinker. Passionate
explorer. Bacon guru.', FALSE, '188');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jayce.reichert@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Tate
Atkinson', 'courierg', 'Zagreb - Centar', 'Wannabe coffee advocate.
Freelance bacon practitioner. Social media guru. Musicaholic. Tv fan. Evil
thinker.', FALSE, '29');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('alisa.bernhard1@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Priscilla
Sampson', 'gford', 'Carson City', 'Twitter enthusiast. Pop culture buff.
Passionate web expert. General alcohol maven. Tvaholic. Troublemaker. Music
fan.', FALSE, '206');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('barbara.rodriquez@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Aurelia
Henderson', 'touristg', 'Turbiv', 'Hipster-friendly introvert. Friendly
music nerd. Extreme travel maven. Wannabe coffee geek. Award-winning
alcohol trailblazer.', FALSE, '42');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('electa11@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jordanne
Cash', 'gunthanking', 'Złotów', 'Pop culture ninja. Unapologetic alcohol
evangelist. Passionate beer nerd. Incurable coffeeaholic. Friendly tv
expert.', FALSE, '130');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('cullen_muller@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Qasim
Snow', 'gimplement', 'Ar Rass', 'Friendly tv ninja. Incurable bacon
trailblazer. Evil food practitioner. Student.', FALSE, '153');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('emile.vonrueden69@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Rohan
Person', 'gcalm', 'Tomiya', 'Social media nerd. Troublemaker. Twitter buff.
Friendly thinker. Freelance tv trailblazer. Incurable coffee evangelist.
Organizer. General internet ninja.', TRUE, '98');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('winfield_zemlak75@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ophelia
Morris', 'flamboyantg', 'Telpaneca', 'Proud travel advocate. Freelance beer
enthusiast. Creator. Hardcore tv evangelist.', FALSE, '89');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('kristina_braun@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Owen
Hood', 'gcordial', 'Luoping', 'Wannabe thinker. Avid internet specialist.
Organizer. Communicator.', TRUE, '188');

```

```

INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('maudie80@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kobe
Robinson', 'gstock', 'Irasan', 'Music specialist. Travel aficionado.
Twitter guru. Bacon trailblazer. Friendly troublemaker. Extreme food
advocate.', TRUE, '14');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('deborah25@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Harvir
Brooks', 'ggrowling', 'Soroca', 'Travel trailblazer. Avid troublemaker.
Explorer. Web fan. Twitter buff. Wannabe social mediaholic.', FALSE,
'246');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('price9@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Bear
Povey', 'gtalkative', 'Tarimbang', 'Gamer. Infuriatingly humble zombie
practitioner. Troublemaker. Extreme webaholic. Devoted creator.', FALSE,
'222');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('kailey.waters8@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Mia
Hatfield', 'cummerbundg', 'Debrecen', 'Alcoholaholic. Organizer. Extreme
travel nerd. Devoted problem solver. Lifelong web lover. Creator. Incurable
pop culture specialist.', TRUE, '70');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('emilio75@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Elisha
Dudley', 'gweaver', 'Huitong', 'Travel ninja. Social media trailblazer.
Subtly charming alcohol specialist. Coffee scholar. Gamer.', TRUE, '178');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('eriberto_murray@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jonathan
Welch', 'switchg', 'Yuanguping', 'Social media geek. Professional internet
practitioner. Incurable web advocate. Future teen idol.', TRUE, '177');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('odessa92@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Judy
Easton', 'gmiddle', 'Ciomas', 'Alcohol junkie. Unable to type with boxing
gloves on. Certified organizer. Evil zombie fan. Typical internet ninja.',
TRUE, '194');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jesse67@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Sion
Macgregor', 'gdeafening', 'Luzhai', 'Pop culture fan. Wannabe alcohol
advocate. Zombie trailblazer. Web scholar. Coffee junkie.', TRUE, '93');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('arnulfo.king@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Frances
Patel', 'larboardg', 'Nanyuki', 'Pop culture fan. Lifelong gamer.
Introvert. Writer. Freelance twitter specialist. Passionate web fanatic.',
FALSE, '150');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jerrold.torphy64@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Fleur

```



```
Ramsey', 'gdapper', 'Maquiapo', 'Hardcore alcohol fanatic. Devoted zombie fan. Bacon practitioner. Infuriatingly humble music lover. Entrepreneur. Falls down a lot. Passionate organizer.', TRUE, '130');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('clementine.rohan95@yahoo.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Can Bishop', 'gartery', 'Santo Tomas', 'Bacon buff. Thinker. Pop culture fanatic. Alcohol practitioner. Freelance web evangelist. Coffeeaholic.', FALSE, '4');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('alysha_ernser62@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Leonidas Stamp', 'tolerantg', 'Vecumnieki', 'Incurable pop culture junkie. Evil web specialist. Freelance food nerd. Award-winning coffee fan.', TRUE, '158');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('dalton5@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Deen Bennett', 'gtempting', 'Yintang', 'Professional writer. Analyst. Bacon trailblazer. Unapologetic pop culture aficionado. Freelance alcohol evangelist.', TRUE, '62');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('alaina.batz47@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ziva Valenzuela', 'gumbrella', 'Kelaniya', 'Avid coffee scholar. Evil zombie advocate. Wannabe web expert. Social media enthusiast. Subtly charming troublemaker. Introvert. Entrepreneur.', TRUE, '222');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('arturo_swaniawski14@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jun Giles', 'parkg', 'Xincheng', 'Bacon ninja. Hipster-friendly twitter expert. Typical introvert. Web enthusiast. Communicator. Pop culture guru.', FALSE, '35');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('humberto.simonis@gmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Nellie McLoughlin', 'pestog', 'Congonhas', 'Total gamer. Social media maven. Tv practitioner. Professional zombie advocate.', TRUE, '27');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('kimberly_muller@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Vanessa Griffith', 'gcurvy', 'Jieznas', 'Friend of animals everywhere. Pop culture advocate. Certified writer. Avid social media trailblazer. Beer fan.', FALSE, '189');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('heber75@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Zahraa Rivers', 'buzzardg', 'Al Qiţena', 'Zombie nerd. Bacon practitioner. Problem solver. Professional social media junkie. Certified coffee geek.', TRUE, '71');
INSERT INTO tb_member (email, password, name, username, city, bio, visibility, id_country) VALUES ('jada.dare@hotmail.com', '$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kelsey Houston', 'gsmite', 'Lapuyan', 'Internet nerd. Professional alcohol evangelist. Amateur beer aficionado. Tv fan.', TRUE, '235');
```

```

INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('imani.reichel86@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Brian
Mccoy', 'ghat', 'Cibalong', 'Avid creator. Bacon junkie. Internet
trailblazer. Writer. Organizer. Twitter fan.', TRUE, '162');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('millie_bednar98@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Lexi-Mai
Booth', 'tone', 'Elliot', 'Internet ninja. Total web practitioner. Lifelong
twitter specialist. Writer. Friendly troublemaker.', TRUE, '141');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('stephan_west@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Zachariah
Peralta', 'quite', 'Jeseník', 'Avid problem solver. Beer evangelist.
Communicator. Freelance social media scholar. Coffee nerd. Entrepreneur.',
FALSE, '76');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('tristin.kuvalis@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Amber-Rose
Kenny', 'skip', 'Asamankese', 'Gamer. Unable to type with boxing gloves on.
Evil foodaholic. Tv maven. General thinker. Amateur beer lover.', FALSE,
'95');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('lew_bauch@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jameson
Mckenna', 'don', 'Gangkoujie', 'Devoted twitter maven. Amateur internet
trailblazer. Introvert. Passionate travelaholic. Total beer fan. Evil
alcohol geek.', TRUE, '82');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('michelle_wuckert@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jake
Regan', 'result', 'Zbytków', 'Beer specialist. Certified pop culture buff.
Devoted introvert. Internetaholic. Music enthusiast.', TRUE, '215');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('oswald_lueilwitz5@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ridwan
Butt', 'boing', 'Draguignan', 'Devoted zombie fan. Twitter practitioner.
Food geek. Beer maven. Problem solver. Coffee junkie. Subtly charming
entrepreneur.', FALSE, '244');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jaleel_rice61@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Farhana
Dickinson', 'topic', 'Taiping', 'Communicator. Devoted tv scholar. Wannabe
writer. Creator. Hardcore twitter lover. Entrepreneur.', TRUE, '60');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('zechariah15@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Sufyaan
Hutchinson', 'tricky', 'Kyöngsöng', 'Reader. Certified web nerd. Lifelong
writer. Zombieaholic. Travel enthusiast. Bacon ninja.', TRUE, '160');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ruth89@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Fahim
Matthews', 'evil', 'Guantang', 'Thinker. Social media buff. Prone to fits
of apathy. Evil web guru. General pop cultureaholic. Bacon practitioner.',

```

```

TRUE, '17');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('constance73@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Sid
Odling', 'rate', 'Shuangfeng', 'Communicator. Certified organizer. Alcohol
lover. Social media aficionado.', TRUE, '134');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('cicero7@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Mariah
Durham', 'mule', 'Terpinnya', 'Incurable alcohol guru. Avid writer. Social
media advocate. Award-winning internet nerd. Bacon lover. Analyst. General
student.', FALSE, '36');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ramona.jerde@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jordon
Roberson', 'porkchop', 'Huata', 'Creator. Total social media advocate. Tv
enthusiast. Hardcore coffee specialist. Travel geek.', FALSE, '108');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('nolan.schmitt76@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kush
Lopez', 'colony', 'Bayt Dajan', 'Tvaholic. Infuriatingly humble music
fanatic. Communicator. Lifelong travel fan. Problem solver.', FALSE,
'187');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('reid.bergnaum@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Aamna
Ray', 'merciful', 'Sibagat', 'Zombie buff. Alcohol maven. Analyst.
Passionate organizer. Music advocate. Explorer. Food fan. Wannabe pop
culture expert. Tv specialist.', TRUE, '194');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jaunita.conn@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kairo
Reynolds', 'hill', 'Oebatu', 'General social media ninja. Bacon buff.
Hipster-friendly troublemaker. Music fanatic. Amateur web geek. Subtly
charming coffee advocate.', FALSE, '12');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jadyn34@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Bilal
Betts', 'reflecting', 'Yuanzhou', 'Devoted gamer. Beer aficionado.
Certified organizer. Pop culture nerd. Travel enthusiast. Student.', TRUE,
'18');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('leta.haley4@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Haleema
Rasmussen', 'personnel', 'Dubno', 'Gamer. Amateur problem solver. Food
specialist. Web maven. Internet ninja. Lifelong analyst.', TRUE, '13');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jennie58@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Aaran
Hess', 'dolls', 'Banjar Budakeling', 'Certified twitter guru. Food
evangelist. Evil internet maven. Communicator. Professional bacon
trailblazer.', FALSE, '234');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('rudolph.bayer@hotmail.com',

```

```

'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Humayra
Fountain', 'flagstaff', 'Santiago', 'Freelance music geek. Bacon buff.
Social media junkie. Beer enthusiast. Writer. Hardcore pop culture lover.
Reader.', TRUE, '69');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('nikko38@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Samira
Lucero', 'covey', 'Cagnes-sur-Mer', 'Beer fanatic. Twitter specialist.
Student. Creator. Troublemaker. Incurable webaholic. Pop culture lover.
Wannabe reader. Social media guru.', TRUE, '12');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('kaci70@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Tyla
Mcdougall', 'sprouts', 'Balong Wetan', 'Music expert. Unapologetic social
mediaholic. Subtly charming food fanatic. Avid explorer. Friendly internet
junkie.', FALSE, '130');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('kendrick.wilkinson73@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Henley
Pace', 'jodhpurs', 'Marmande', 'Pop culture enthusiast. Coffee
practitioner. Proud twitteraholic. General gamer. Hardcore alcohol lover.
Evil zombie buff.', TRUE, '131');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('zola48@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Patricia
Harrell', 'slide', 'Santisimo Rosario', 'Extreme music maven. Troublemaker.
Infuriatingly humble pop culture buff. Certified alcohol lover.', TRUE,
'185');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('colt.reichert57@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Misbah
Mcclure', 'tail', 'Hartford', 'Web fan. Prone to fits of apathy. Tv maven.
Pop culture aficionado. General food enthusiast. Communicator.', FALSE,
'73');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jalen.kerluke@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Rubie
Singleton', 'spanish', 'Třebíč', 'Communicator. Amateur gamer.
Infuriatingly humble coffee advocate. Passionate web expert. Social media
junkie.', FALSE, '131');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('annie_roberts99@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Tarun
Lamb', 'tube', 'Riberalta', 'Social media geek. Food scholar. Prone to fits
of apathy. General student. Web ninja. Troublemaker.', TRUE, '88');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('gaylord_bode@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Carlton
Fitzgerald', 'weight', 'Kamyshevka Vtoraya', 'Wannabe alcohol lover.
Internet guru. Avid travel nerd. Devoted tv scholar. Total social media
junkie.', TRUE, '124');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jennyfer_green@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Skyla

```



```

Kim', 'miracle', 'Laocheng', 'Troublemaker. Award-winning communicator.
Devoted internet geek. Total social media fanatic.', TRUE, '9');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('rosalinda.nicolas36@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Trevor
Gilbert', 'truthful', 'Merritt', 'Student. Communicator. Food specialist.
Troublemaker. Wannabe tv scholar. Pop culture fanatic. Professional music
enthusiast.', FALSE, '171');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('milo.luettgen@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Rianna
Villalobos', 'reverse', 'Rongai', 'Incurable music advocate. Beer
aficionado. Baconaholic. Certified writer. Internet specialist.', FALSE,
'241');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('blanche70@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Cara
Gross', 'drafty', 'Las Garcitas', 'Devoted music aficionado. Coffeeaholic.
Twitter lover. Subtly charming thinker. Unapologetic introvert.', TRUE,
'141');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jaiden.nolan64@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Emelia
Mcgregor', 'motionless', 'Bafilo', 'Gamer. Wannabe social media nerd. Avid
internet expert. Pop culture advocate. Infuriatingly humble tv buff.',
TRUE, '48');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('dustin.barton@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Margaux
Power', 'dependable', 'Jiamiao', 'Extreme analyst. Travel advocate.
Organizer. Professional music fanatic. Alcohol scholar. Incurable tv
nerd.', TRUE, '142');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('april46@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Danny
Goff', 'cloak', 'Hongsung', 'Award-winning zombie trailblazer.
Coffeeaholic. Hardcore creator. Proud troublemaker. Web evangelist. Social
media buff. Freelance gamer.', FALSE, '148');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('stewart_klein@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Lilli
Brandt', 'informal', 'Lyon', 'Unapologetic analyst. Twitter evangelist.
Explorer. Prone to fits of apathy. Tv practitioner. Wannabe food ninja.',
TRUE, '246');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ashlee.lueilwitz@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Felix
Searle', 'vowel', 'Mostovskoy', 'Amateur reader. Twitter advocate. Avid
music expert. Alcohol enthusiast. Pop culture lover.', FALSE, '145');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('britney.ohara88@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Sanya
Eaton', 'advanced', 'Pereira', 'Coffee advocate. Unapologetic bacon geek.
Social media scholar. Typical reader. Zombie guru. Amateur problem

```

```

solver.', TRUE, '91');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('antone64@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Wesley
Collier', 'deserted', 'Pérama', 'Pop culture guru. General internet nerd.
Total tv junkie. Proud bacon buff. Infuriatingly humble writer.', TRUE,
'133');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('lauretta.feest@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Bayley
Arias', 'remind', 'Goris', 'Evil pop culture ninja. Wannabe creator. Beer
specialist. Freelance twitter buff. Infuriatingly humble writer.', FALSE,
'78');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('evert_gutmann92@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Huw
Bradshaw', 'shyster', 'Radamata', 'Avid tv geek. Food fan. Social media
fanatic. Incurable music buff. Coffee ninja. Travel junkie.', FALSE,
'107');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('sharon74@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Nayla
Bird', 'supply', 'Druzhny', 'Hardcore troublemaker. Professional gamer.
Amateur beer nerd. Coffee geek. Analyst.', TRUE, '126');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('stephanie.halvorson@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ayana
Mathews', 'grateful', 'Buni Yadi', 'Lifelong alcohol aficionado. Thinker.
Passionate tv ninja. Extreme food expert. Travel junkie. Unable to type
with boxing gloves on. Proud student.', FALSE, '135');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('amira62@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Annalise
Hilton', 'tabernacle', 'Cotmon', 'Total writer. General internet expert.
Hipster-friendly introvert. Organizer. Wannabe coffee buff.', FALSE,
'111');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('guadalupe.deckow@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Anaya
Walker', 'pigface', 'Jivia', 'Music maven. Lifelong pop culture fanatic.
Total communicator. Avid zombie junkie.', FALSE, '36');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('coleman30@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ellenor
Haines', 'rich', 'Aachen', 'Friendly gamer. Hipster-friendly beer
aficionado. Zombieaholic. Twitter nerd.', FALSE, '44');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('vita_kilback24@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Phillipa
Deacon', 'impala', 'Niigata-shi', 'Creator. Travel nerd. Hipster-friendly
zombie trailblazer. Subtly charming food evangelist. Student. General tv
practitioner.', TRUE, '147');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('gaston_fahey65@hotmail.com',

```

```

'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Izzy
Castaneda', 'netted', 'Cicurug', 'Zombie fanatic. Unapologetic beer
enthusiast. Web specialist. Total travel aficionado. Prone to fits of
apathy. Reader.', TRUE, '104');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('bridget16@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Macauley
Shelton', 'food', 'Tsubame', 'Infuriatingly humble food buff. Freelance
coffee specialist. General student. Zombie aficionado. Bacon lover.', TRUE,
'64');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('kayla_goldner@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Lilly-
Grace Rich', 'bother', 'Stradbally', 'Infuriatingly humble travel buff.
Lifelong bacon junkie. Hipster-friendly organizer.', FALSE, '49');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('monique.powlowski21@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Star
Prentice', 'snowman', 'Ganxi', 'Internet advocate. Pop culture trailblazer.
Passionate travel practitioner. Total coffee fan.', TRUE, '55');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('odell11@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Zoya
Palmer', 'speed', 'Lao Suea Kok', 'Student. Social media evangelist. Proud
beer geek. Hardcore internet aficionado.', FALSE, '142');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('justine.nolan@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ioana
Hogan', 'imperfect', 'Banqiaodian', 'Gamer. Professional twitter lover.
Creator. Social media specialist. Devoted pop culture junkie.', FALSE,
'228');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('roman.marvin9@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Declan
Melendez', 'agenda', 'Guangning', 'Infuriatingly humble problem solver.
Internet fanatic. Zombie scholar. Award-winning bacon evangelist. Tv lover.
Evil beer specialist.', TRUE, '118');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jaqueline69@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jenna
Lutz', 'cherries', 'Wangzha', 'Food junkie. Proud beer maven. Alcohol
scholar. General coffee specialist. Freelance bacon ninja.', FALSE, '84');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('xander87@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Fathima
Harwood', 'whoosh', 'San Carlos', 'Thinker. Social media fan. Alcohol geek.
Entrepreneur. Pop culture buff. Food fanatic.', FALSE, '92');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jazmyn.hills80@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jawad
Armitage', 'awful', 'Areado', 'Award-winning pop culture trailblazer. Evil
tv fanatic. Food ninja. Entrepreneur.', FALSE, '51');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('kylie_rice@gmail.com',

```

```

'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Lina
Hobbs', 'thing', 'Phra Pradaeng', 'Future teen idol. Travel specialist.
Amateur alcoholaholic. Incurable introvert. Wannabe food buff.', TRUE,
'98');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('kaden.cole@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Maison
Partridge', 'poll', 'Wenqiao', 'Freelance coffee nerd. Friendly internet
lover. Social media evangelist. Zombie scholar. Passionate analyst.', TRUE,
'64');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('peyton_balistreri86@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Caden
Hodge', 'weatherly', 'Qianzhou', 'Extreme beeraholic. Communicator. Wannabe
pop culture geek. Freelance travel fanatic. Music expert. Problem solver.',
FALSE, '227');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jody57@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Mindy
Arellano', 'diversity', 'Shaxi', 'Proud gamer. Social media practitioner.
Musicaholic. Hardcore beer fanatic. Travel advocate.', FALSE, '84');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jovany.schowalter80@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Areeba
Lucas', 'whispered', 'Cabodiongan', 'Alcohol practitioner. Thinker.
Passionate tv maven. Incurable problem solver. Communicator. Lifelong
organizer.', TRUE, '209');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('brooks73@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Norah
Moses', 'yearning', 'Asen', 'Music ninja. Professional twitter expert.
Gamer. Beer practitioner. Food fan. Reader.', TRUE, '91');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('rhiannon_ratke82@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Abbie
Hood', 'reign', 'Komorní Lhotka', 'Tv fan. Web practitioner. Friend of
animals everywhere. Typical pop culture evangelist. Amateur beer
aficionado.', TRUE, '3');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('carlee44@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Hunter
Atkins', 'drip', 'Biharamulo', 'Wannabe writer. Lifelong gamer. Typical
student. Troublemaker. Professional web fanatic.', FALSE, '232');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('blake_dicki@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Eleasha
Holding', 'badelynge', 'Aibak', 'Evil creator. Alcohol fan. Introvert.
Analyst. Twitter junkie. Lifelong communicator. Music lover.', FALSE,
'120');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('stevie_bartell3@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Zacharias
Nolan', 'decent', 'Sebegen', 'Beer expert. Lifelong travel ninja. Friendly
internet specialist. Coffee practitioner. Introvert.', TRUE, '215');

```



```

INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('amelie_bergnaum55@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Peter
Herbert', 'lavender', 'Kinloch', 'Coffee specialist. Hipster-friendly
reader. Freelance alcohol guru. Certified twitter ninja. Web aficionado.
General travelaholic. Zombie fanatic.', FALSE, '138');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('edwardo_zemlak@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Safah
Ryan', 'discerning', 'Linda Vista', 'Zombie aficionado. Incurable travel
scholar. Subtly charming reader. Evil writer. Webaholic. Bacon maven.
Freelance tv expert.', TRUE, '170');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('marina_donnelly92@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Tori
Morris', 'originally', 'Szprotawa', 'Internet trailblazer. Bacon
specialist. Zombie nerd. Proud tv scholar. Coffee guru. Music maven.
Problem solver.', TRUE, '131');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('gudrun34@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Garry
Grant', 'shoe', 'Jinan-gun', 'Evil music enthusiast. Devoted coffee
evangelist. Writer. Problem solver. Lifelong introvert. Amateur food
nerd.', FALSE, '148');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('veronica_pollich@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Emer
Joseph', 'vacuum', 'Mranggen', 'Travel lover. Entrepreneur. Amateur alcohol
practitioner. Bacon aficionado. Avid coffee geek.', TRUE, '110');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('antonia41@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Eshaan
Chavez', 'flapjack', 'Nashville', 'Infuriatingly humble music trailblazer.
Subtly charming travel maven. Unable to type with boxing gloves on.', TRUE,
'115');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('arturo_moen@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Caine
Davidson', 'kidneys', 'Vaitogi', 'Beeraholic. Avid pop culture advocate.
Passionate food enthusiast. Web junkie. Unapologetic travel aficionado.',
TRUE, '113');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('caden65@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Stacy
Mitchell', 'principle', 'Barong', 'Hardcore entrepreneur. Unapologetic
problem solver. Zombie trailblazer. Incurable twitter scholar. Bacon buff.
Infuriatingly humble reader.', FALSE, '23');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('shanon50@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Rohaam
Browne', 'hornet', 'Foz Giraldo', 'Infuriatingly humble travel fanatic.
Bacon practitioner. Certified problem solver. Beer specialist. Zombie
lover.', TRUE, '15');
INSERT INTO tb_member (email, password, name, username, city, bio,

```

```

visibility, id_country) VALUES ('kasey.kohler45@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Zena
Jeffery', 'purpose', 'Duancun', 'Music scholar. Extreme travel evangelist.
Twitter enthusiast. Food buff. Bacon maven.', FALSE, '8');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('nella.swift@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Lily-Ann
Huang', 'confirm', 'Futian', 'Twitter scholar. Student. Analyst. Travel
maven. Unapologetic alcohol expert. General explorer.', TRUE, '25');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('aron.nitzsche@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Alexandria
Callahan', 'melons', 'Karangmulyo', 'Travel advocate. Total internet
specialist. Bacon fan. Tv enthusiast. Typical music expert. Professional
introvert.', TRUE, '212');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('karl59@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Mahima
Kirby', 'shipton', 'Zaprudnya', 'Web fanatic. Unable to type with boxing
gloves on. Passionate coffee buff. Typical twitter fanatic.', TRUE, '46');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ethelyn.schaefer85@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Terrence
Beck', 'equipment', 'Mstsislaw', 'Twitter advocate. Proud travel
enthusiast. Organizer. Lifelong gamer. General reader. Food lover.', TRUE,
'185');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('lonie.bruen54@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Marjorie
Salas', 'milksop', 'Xinan', 'Hardcore pop culture trailblazer. Proud coffee
evangelist. Unapologetic social media guru. Entrepreneur.', TRUE, '126');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('laverna.ratke@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Savannah
Mcguire', 'reckless', 'Lope de Vega', 'Extreme twitter evangelist. Proud
reader. Coffee nerd. Pop culture junkie. Troublemaker. Typical food
lover.', FALSE, '228');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('vergie_ruecker@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Donna
Rosales', 'unbecoming', 'Hamanoichi', 'Avid coffee geek. Internet
evangelist. Troublemaker. Infuriatingly humble social media advocate.',
TRUE, '113');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('raul90@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Tyler-Jay
Oconnell', 'pipe', 'Kuantan', 'Web expert. Total thinker. Hardcore
explorer. Devoted social media fan. Organizer. Internet guru. Tv fanatic.',
FALSE, '174');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('houston.kub@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jacque
Frey', 'district', 'San Isidro', 'Typical introvert. Web fanatic.
Organizer. Food fan. Internet advocate.', FALSE, '157');

```

```
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('tate67@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Reegan
Palacios', 'band', 'Muarabuliti', 'Falls down a lot. Alcohol lover. Reader.
Devoted social media buff. General gamer. Avid travel fan.', FALSE, '40');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('tatyana.mills76@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Lachlan
Henderson', 'point', 'Orenburg', 'Extreme thinker. Wannabe social media
geek. Pop culture lover. Avid internet aficionado. Introvert.', FALSE,
'132');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('roxanne4@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Shaquille
Aguirre', 'wheelhouse', 'Sussex', 'Incurable web scholar. Tv nerd. Social
media junkie. Baconaholic. Twitter buff. Unapologetic internet ninja.',
TRUE, '121');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('leonard.kuphal32@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Mack
Mackay', 'ass', 'Néa Vrasná', 'Alcohol advocate. Food guru. Certified
travel buff. Typical explorer. Avid zombie scholar. Analyst.', FALSE,
'226');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('sadie.bosco42@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Akshay
Rivas', 'anticipate', 'Salvacion', 'Friend of animals everywhere. Subtly
charming gamer. Certified troublemaker. Tv practitioner. Reader. Alcohol
ninja.', FALSE, '83');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('rhea.dietrich@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Bradleigh
Lugo', 'muffled', 'Chengzi', 'Incurable beer fanatic. Music fanatic. Award-
winning bacon expert. Zombieaholic. Lifelong creator.', TRUE, '223');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jayson_cummings93@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Uzma
Allen', 'klutzy', 'Zlechov', 'Lifelong bacon buff. Creator. Twitter nerd.
Subtly charming webaholic. Pop culture junkie. Student.', FALSE, '115');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('may21@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Iylah
Gould', 'flairhead', 'Cai Doi Vam', 'Avid coffee fan. Infuriatingly humble
entrepreneur. Thinker. Award-winning explorer. Total introvert. Zombie
advocate. General beer expert.', TRUE, '216');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('korey6@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Tamar
Ware', 'queasy', 'Boden', 'Unable to type with boxing gloves on. Friend of
animals everywhere. Travel lover. Troublemaker.', TRUE, '151');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('melany.shanahan77@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Shyam
Lambert', 'obey', 'Dabagou', 'Devoted internet practitioner. Hipster-
```

```
friendly problem solver. Food specialist. Avid writer.', FALSE, '177');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('mackenzie70@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kane
Maguire', 'panoramic', 'Changsheng', 'Zombie expert. Evil web scholar. Tv
trailblazer. Wannabe music enthusiast.', FALSE, '223');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jennyfer_oconner12@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Joni
Ballard', 'jungle', 'Lokokrangan', 'Social media fan. Food expert. Web
ninja. Travel enthusiast. Tv geek. Hardcore internet lover.', FALSE,
'241');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('russell.dubuque41@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Oran
Duffy', 'smirk', 'Bauta', 'Professional reader. Zombie specialist.
Incurable tvaholic. Friendly organizer.', FALSE, '212');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('emmet23@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ed
Vaughan', 'mull', 'Chaltyr', 'Hipster-friendly bacon enthusiast. Friendly
social media ninja. Web aficionado. Beeraholic.', TRUE, '233');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('sienna2@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ammara
Perry', 'princess', 'Veliko Tŭrnovo', 'Coffee fan. Unapologetic
communicator. Organizer. Unable to type with boxing gloves on. Web
expert.', FALSE, '186');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('assunta_carter@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Hussein
England', 'guidance', 'Yŏnggwang-ŭp', 'Subtly charming alcohol scholar.
Typical communicator. Certified student. Passionate writer. Reader.',
FALSE, '120');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('dane.roberts@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Storm
Holden', 'torso', 'Fengle', 'Extreme gamer. Total writer. Web evangelist.
Coffee practitioner. Hardcore entrepreneur. Travel trailblazer. Beer
buff.', TRUE, '168');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('daniella70@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kenny
Andrew', 'rice', 'Monticello', 'Falls down a lot. Passionate social media
junkie. Typical alcohol fanatic. Analyst. Incurable tvaholic. Evil
reader.', TRUE, '116');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('elian10@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Marianne
Ryder', 'distribute', 'La Ceja', 'Creator. Internet guru. Pop culture
junkie. Professional student. General alcohol evangelist. Extreme problem
solver. Social media fan.', FALSE, '80');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('daniella14@hotmail.com',
```



```

'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Elouise
Knight', 'involve', 'Oakville', 'Amateur organizer. Friendly tv aficionado.
Unapologetic alcohol maven. Creator. Twitter nerd.', TRUE, '56');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('chelsey_nicolas@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Sian
Workman', 'sulphur', 'Metu', 'Twitter fanatic. General zombie evangelist.
Certified internet nerd. Introvert. Bacon aficionado.', FALSE, '88');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('leo.powlowski56@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Danielius
Barr', 'mute', 'Ágios Vasíleios', 'Thinker. Web trailblazer. Total internet
lover. Passionate twitter maven. Award-winning writer.', FALSE, '230');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('katherine63@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Luciana
Dawson', 'currants', 'Dalu', 'Travel advocate. Proud problem solver.
Passionate pop culture aficionado. Lifelong twitter fanatic.', TRUE, '33');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('emily45@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jagoda
Nairn', 'clearly', 'Prince Albert', 'Travel enthusiast. Evil explorer.
Infuriatingly humble pop culture fanatic. Lifelong zombie ninja. Extreme
twitter specialist.', TRUE, '245');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('aileen_keeling4@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Bob
Hicks', 'fizzle', 'Amirdzhan', 'Professional organizer. Coffee enthusiast.
Infuriatingly humble food geek. Creator. Zombie buff. Lifelong student.',
FALSE, '152');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('steve39@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Wiktorja
Benson', 'settle', 'Pakuranga', 'Hipster-friendly social media maven.
Creator. Entrepreneur. Friendly zombie practitioner.', FALSE, '199');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('dane_wyman23@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Meredith
Dudley', 'healthy', 'Wupu', 'Incurable alcohol buff. Unapologetic twitter
advocate. Hipster-friendly web expert.', FALSE, '201');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ali.ryan@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Mari
Hewitt', 'beneath', 'Majie', 'Communicator. Zombie advocate. Professional
pop culture lover. Typical coffee practitioner. Troublemaker. General
student. Organizer. Writer.', TRUE, '90');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('buford.lang8@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ari
Bouvet', 'witty', 'Kelburn', 'Total tv fanatic. Reader. Internet fan. Pop
culture fanatic. Gamer.', TRUE, '79');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('hertha.upton@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Conah

```

```

Dunlap', 'scumbag', 'Yarmolyntsi', 'Typical social media expert. Analyst.
Coffee practitioner. Hardcore communicator. Infuriatingly humble tv nerd.
Passionate problem solver.', TRUE, '144');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('kendall50@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Maximus
Pope', 'plague', 'Lenakapa', 'Bacon evangelist. Web practitioner. Food
advocate. Alcohol specialist. Social media ninja. Tv guru.', FALSE, '103');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('tierra_kassulke99@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ismaeel
Ventura', 'peppercorn', 'Ferreira', 'Thinker. Freelance entrepreneur.
Coffee evangelist. Proud twitter trailblazer.', FALSE, '155');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('stan.hane@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Blanka
Mcclain', 'cuban', 'Oranjestad', 'Beer advocate. Student. Pop culture
expert. Wannabe entrepreneur. Bacon fan. Alcoholaholic. Zombie aficionado.
Music trailblazer.', TRUE, '124');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('damaris25@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Zunaira
Hodges', 'killer', 'General Lavalley', 'Evil travel fanatic. Beer buff.
Future teen idol. Unapologetic social media aficionado.', FALSE, '177');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('raheem49@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Adam
Floyd', 'pale', 'Buyunshan', 'Subtly charming coffee guru. Bacon lover.
Incurable pop culture expert. Music junkie. Infuriatingly humble tv fan.',
FALSE, '79');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('marlon_braun@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jenna
Castillo', 'quote', 'Neepawa', 'Food junkie. Social media advocate.
Student. Unapologetic introvert. Analyst. Music nerd.', FALSE, '85');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('samantha.marvin@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kynan
Marks', 'bureaucrat', 'Mirskoy', 'Proud troublemaker. Analyst. Professional
web specialist. Evil pop culture buff. Amateur tv fan.', FALSE, '209');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('geovany11@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Beulah
Travers', 'automatic', 'Lajkovac', 'Unapologetic social media guru. Devoted
coffee fanatic. Freelance travel aficionado. Alcohol evangelist.', FALSE,
'125');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('nannie98@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Delilah
Travis', 'ought', 'Delft', 'Gamer. Pop culture maven. Freelance student. Tv
nerd. Avid travel expert. Friendly troublemaker. Lifelong alcohol geek. Web
evangelist.', TRUE, '87');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('henderson.stracke@yahoo.com',

```

```
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Macie
Knox', 'plot', 'Bobowa', 'Professional entrepreneur. Unapologetic
communicator. Hardcore beer aficionado. Devoted student.', FALSE, '42');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jermaine_jast75@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Maximilian
Figueroa', 'sect', 'Weitang', 'Explorer. Evil social media fanatic. Travel
aficionado. Beeraholic. Zombie fan. Hardcore student.', TRUE, '181');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('tevin.anderson32@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Steffan
Keller', 'grainy', 'Shepetivka', 'Alcohol scholar. Freelance beer fanatic.
Food geek. Lifelong troublemaker. Zombie junkie. Friendly web aficionado.',
FALSE, '76');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('armani32@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Nile
Espinosa', 'handbag', 'Bacong', 'Falls down a lot. Friendly organizer.
Freelance alcohol evangelist. Award-winning writer.', TRUE, '138');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('aric.rosenbaum@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Cassie
Hendricks', 'philips', 'Talisay', 'Organizer. Zombie enthusiast. Alcohol
guru. Reader. Extreme tv practitioner. Entrepreneur. Explorer. Social media
specialist. Beer buff.', TRUE, '214');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('adolf30@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Leslie
Armstrong', 'wombat', 'Bulihan', 'Typical analyst. Lifelong music
specialist. Certified internet ninja. General thinker.', TRUE, '157');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ellsworth_tillman@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Juliet
Cochran', 'commitment', 'Essen', 'Unable to type with boxing gloves on.
Incurable coffee advocate. Freelance beer guru.', FALSE, '109');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('zechariah.lakin57@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Cieran
Ballard', 'shall', 'Itacurubí del Rosario', 'Pop culture specialist.
Twitter expert. Music enthusiast. Tv scholar. Hipster-friendly travel
lover. Devoted explorer.', TRUE, '165');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('malachi_kihn@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Rhea
Valenzuela', 'sausages', 'Ghât', 'Lifelong troublemaker. Social media geek.
Beer buff. Alcohol aficionado.', TRUE, '185');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('sasha.barrows@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Shana
Saunders', 'ethical', 'Baizhu', 'Social media specialist. Hardcore thinker.
Unapologetic web scholar. Troublemaker. Award-winning tv guru.
Entrepreneur.', FALSE, '26');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('marjory_grant@gmail.com',
```

```

'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Elvis
Diaz', 'criteria', 'Postřekov', 'Evil travel scholar. Hipster-friendly
troublemaker. Music practitioner. Falls down a lot. Organizer. Extreme tv
buff.', FALSE, '67');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ollie39@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Elly
Chadwick', 'trickle', 'Mayang', 'Communicator. Hipster-friendly internet
fan. Devoted introvert. Thinker. Hardcore travel junkie.', TRUE, '110');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('lauriane_king@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Tayler
Burton', 'badminton', 'Sandviken', 'Travel buff. Pop culture guru. Food
geek. Reader. Student. Incurable social media practitioner.', FALSE,
'125');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('eli.johns57@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Giles
Walsh', 'describe', 'Lolodorf', 'Problem solver. Proud travel guru.
Unapologetic introvert. Wannabe writer.', TRUE, '108');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ronny41@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Lillie-
Rose Woodcock', 'individual', 'Bozoum', 'Freelance internet guru. Creator.
Web fan. Travelaholic. Unable to type with boxing gloves on. Tv
evangelist.', TRUE, '235');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('cleve14@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Donna
Kavanagh', 'coot', 'Paris 20', 'Troublemaker. Lifelong twitter ninja.
Typical zombie practitioner. Social media fanatic. Wannabe problem solver.
Pop culture evangelist.', FALSE, '36');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('presley_toy@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Taslima
Bates', 'when', 'Saint-André-Avellin', 'Certified beer fan. Pop culture
enthusiast. Web buff. Friend of animals everywhere. Internet fanatic.
Writer.', TRUE, '134');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('tyler.batz@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Jonas
Ware', 'somber', 'Ciénaga', 'Infuriatingly humble travel guru. Zombie
maven. Web ninja. Extreme coffee aficionado.', FALSE, '19');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('lesley.beer@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Alexa
Paine', 'watching', 'Gaillac', 'Problem solver. Hardcore internet
specialist. Total coffee practitioner. Professional communicator. Twitter
maven.', FALSE, '196');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('antonina_stanton@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Saanvi
Daugherty', 'rewind', 'Carrascal', 'Tv geek. Beer evangelist. Music
trailblazer. Social media lover. Unapologetic writer. Devoted analyst.

```



```
Bacon expert.', TRUE, '176');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('cara.altenwerth84@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kira
Oliver', 'wrestle', 'Piasek', 'Future teen idol. Alcohol practitioner.
Wannabe zombie specialist. Hardcore twitter expert. Lifelong
communicator.', FALSE, '73');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('larue_hills@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Hadassah
Bloom', 'painful', 'Xaysetha', 'Infuriatingly humble music aficionado.
Amateur bacon trailblazer. Troublemaker. Thinker. Web junkie. Pop culture
fanatic. Typical twitter ninja.', TRUE, '217');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('tate79@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Ann-Marie
Enriquez', 'creepy', 'Penhold', 'Zombie enthusiast. Bacon guru. Twitter
buff. Reader. Social media fanatic. Hardcore beer specialist. Falls down a
lot.', TRUE, '77');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('roger.ziemann@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Dilan
Kouma', 'portray', 'Delmas', 'Hardcore analyst. Social media expert. Subtly
charming problem solver. Falls down a lot.', FALSE, '79');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('eryn.corkery78@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Selena
Oakley', 'race', 'Itapevi', 'Extreme communicator. Beer evangelist. Avid
travel fan. Writer. Hardcore music ninja.', TRUE, '229');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('scottie34@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Alia
Wyatt', 'rectum', 'Helsingborg', 'Devoted troublemaker. Typical tv fan.
Evil gamer. Problem solver. Unapologetic entrepreneur.', FALSE, '28');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('etha_pfannerstill4@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Kashif
Rodgers', 'drawing', 'Fūman', 'Unapologetic social media evangelist.
Wannabe explorer. Certified alcohol nerd.', FALSE, '90');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('orville_becker@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Maddison
Feeney', 'victim', 'Sumber Tengah', 'General coffee evangelist. Social
media lover. Wannabe web fanatic. Creator. Passionate organizer.
Unapologetic beeraholic. Bacon ninja.', TRUE, '63');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('luisa_sipes28@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Leona
Glover', 'language', 'QiuLu', 'Incurable travel geek. Pop culture lover.
Internet evangelist. Friendly writer. Reader.', TRUE, '94');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('maiya.feest51@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Suraj
Reid', 'cardinal', 'Srbinovo', 'Food ninja. Devoted creator. Alcohol
```

```
fanatic. Typical internet buff. Zombie geek. Coffee nerd. Passionate social
mediaholic.', FALSE, '78');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('rene86@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Maxine
Weiss', 'exemplary', 'Lamalewo', 'Writer. Communicator. Award-winning food
junkie. Internet ninja. Incurable bacon fanatic.', FALSE, '145');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('effie34@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Grady
Easton', 'frontal', 'Staraya Stanitsa', 'Falls down a lot. Friendly coffee
trailblazer. Certified problem solver. Wannabe travel maven. Pop culture
scholar.', TRUE, '66');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ottis.mayert@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Varun
ORyan', 'boot', 'Lucerna', 'Coffee guru. Zombie evangelist. Unapologetic
bacon ninja. Creator. Reader. Twitter aficionado.', FALSE, '223');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('joanny47@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Asiyah
Adkins', 'cackle', 'Canmore', 'Award-winning bacon fanatic. Typical beer
fan. Proud music advocate. Entrepreneur. Twitteraholic. Professional
thinker.', FALSE, '46');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('melissa_hintz@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Pearce
Dodd', 'clancy', 'Ar Ramthā', 'Organizer. Pop culture geek. General web
scholar. Travelaholic. Coffee buff. Alcohol aficionado. Twitter expert.
Subtly charming thinker.', TRUE, '91');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('wilton_wintheiser@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Hollie
Bray', 'tongue', 'Tilamuta', 'Analyst. Coffee fan. General reader.
Introvert. Future teen idol. Tv expert. Friendly twitter guru.', FALSE,
'185');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('jeramie_brown90@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Tazmin
Calhoun', 'sicko', 'Svyatogorsk', 'Twitter specialist. Internet
trailblazer. Proud zombie fanatic. Entrepreneur. Webaholic. Passionate
organizer.', FALSE, '19');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('zetta_hodkiewicz63@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Theodore
Mathis', 'zygomatic', 'Burgau', 'Zombie ninja. Alcohol maven. Freelance
travel fanatic. Pop culture fan. Proud introvert.', TRUE, '76');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('leopold12@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Sheila
Nicholls', 'basil', 'Rauna', 'Friendly social media advocate. Analyst.
Music geek. Thinker. Pop culture enthusiast. Coffee nerd.', TRUE, '53');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('rae63@gmail.com',
```

```

'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Aliyah
Appleton', 'bitter', 'Xuefeng', 'Travel evangelist. Infuriatingly humble
web lover. Creator. Extreme internet aficionado. Beer expert. Bacon maven.
Tv fan. Zombie guru.', FALSE, '230');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('korey.langworth@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Giselle
Mcgill', 'overdue', 'Xiasi', 'Coffee fan. Freelance food maven. Twitter
guru. Passionate web aficionado.', TRUE, '42');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('ava32@yahoo.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Oran
Markham', 'murmer', 'Victoria', 'Alcohol fan. Internet aficionado. Total
web enthusiast. General travel expert. Award-winning beer geek.', FALSE,
'6');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('lorna_harvey75@gmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Alayna
Talley', 'warlike', 'Kepahiang', 'Typical pop culture trailblazer. Tv
scholar. Incurable travelaholic. Troublemaker. Music buff. Beer geek.
Reader.', TRUE, '222');
INSERT INTO tb_member (email, password, name, username, city, bio,
visibility, id_country) VALUES ('kirk.bins@hotmail.com',
'$2y$12$KD9Du7xd0L1Ed1FELEh1iu7r3F02mxYTWu73eM9Zv9dJ6N.rUuwnu', 'Keegan
Mcphree', 'tittering', 'Kongwan', 'Evil introvert. Web fanatic. Foodaholic.
Subtly charming social media fan. Bacon ninja.', TRUE, '31');

```

```

INSERT INTO tb_ingredient (name) VALUES ('Acacia');
INSERT INTO tb_ingredient (name) VALUES ('Acerola');
INSERT INTO tb_ingredient (name) VALUES ('Acesulfame');
INSERT INTO tb_ingredient (name) VALUES ('Acetate');
INSERT INTO tb_ingredient (name) VALUES ('Acetic');
INSERT INTO tb_ingredient (name) VALUES ('Acid');
INSERT INTO tb_ingredient (name) VALUES ('Acidifiant');
INSERT INTO tb_ingredient (name) VALUES ('Acidity');
INSERT INTO tb_ingredient (name) VALUES ('Acidophilus');
INSERT INTO tb_ingredient (name) VALUES ('Acidulante');
INSERT INTO tb_ingredient (name) VALUES ('Acqua');
INSERT INTO tb_ingredient (name) VALUES ('Acrylates');
INSERT INTO tb_ingredient (name) VALUES ('Actual');
INSERT INTO tb_ingredient (name) VALUES ('Acucar');
INSERT INTO tb_ingredient (name) VALUES ('Ada');
INSERT INTO tb_ingredient (name) VALUES ('Added');
INSERT INTO tb_ingredient (name) VALUES ('Additionally');
INSERT INTO tb_ingredient (name) VALUES ('Agave');
INSERT INTO tb_ingredient (name) VALUES ('Agua');
INSERT INTO tb_ingredient (name) VALUES ('Ail');
INSERT INTO tb_ingredient (name) VALUES ('Ajo');
INSERT INTO tb_ingredient (name) VALUES ('Albacore');
INSERT INTO tb_ingredient (name) VALUES ('Alcohol');
INSERT INTO tb_ingredient (name) VALUES ('Aldi');
INSERT INTO tb_ingredient (name) VALUES ('Alergicos');
INSERT INTO tb_ingredient (name) VALUES ('Alfalfa');
INSERT INTO tb_ingredient (name) VALUES ('Algae');

```

```
INSERT INTO tb_ingredient (name) VALUES ('Algin');
INSERT INTO tb_ingredient (name) VALUES ('Alginate');
INSERT INTO tb_ingredient (name) VALUES ('Alkalized');
INSERT INTO tb_ingredient (name) VALUES ('Allantoin');
INSERT INTO tb_ingredient (name) VALUES ('Allergens');
INSERT INTO tb_ingredient (name) VALUES ('Allspice');
INSERT INTO tb_ingredient (name) VALUES ('Allulose');
INSERT INTO tb_ingredient (name) VALUES ('Almendras');
INSERT INTO tb_ingredient (name) VALUES ('Almond');
INSERT INTO tb_ingredient (name) VALUES ('Almondmilk');
INSERT INTO tb_ingredient (name) VALUES ('Also');
INSERT INTO tb_ingredient (name) VALUES ('Alt');
INSERT INTO tb_ingredient (name) VALUES ('Alum');
INSERT INTO tb_ingredient (name) VALUES ('Amandes');
INSERT INTO tb_ingredient (name) VALUES ('Amaretto');
INSERT INTO tb_ingredient (name) VALUES ('Anaheim');
INSERT INTO tb_ingredient (name) VALUES ('Anchovy');
INSERT INTO tb_ingredient (name) VALUES ('And');
INSERT INTO tb_ingredient (name) VALUES ('Animal');
INSERT INTO tb_ingredient (name) VALUES ('Aniseed');
INSERT INTO tb_ingredient (name) VALUES ('Annato');
INSERT INTO tb_ingredient (name) VALUES ('Anti');
INSERT INTO tb_ingredient (name) VALUES ('Anticake');
INSERT INTO tb_ingredient (name) VALUES ('Anticaking');
INSERT INTO tb_ingredient (name) VALUES ('Antimicrobial');
INSERT INTO tb_ingredient (name) VALUES ('Antioxidant');
INSERT INTO tb_ingredient (name) VALUES ('Antioxidante');
INSERT INTO tb_ingredient (name) VALUES ('Antioxydationsmittel');
INSERT INTO tb_ingredient (name) VALUES ('Antioxydant');
INSERT INTO tb_ingredient (name) VALUES ('Apple');
INSERT INTO tb_ingredient (name) VALUES ('Applesauce');
INSERT INTO tb_ingredient (name) VALUES ('Approx');
INSERT INTO tb_ingredient (name) VALUES ('Apricot');
INSERT INTO tb_ingredient (name) VALUES ('Arabic');
INSERT INTO tb_ingredient (name) VALUES ('Arachides');
INSERT INTO tb_ingredient (name) VALUES ('Armagnac');
INSERT INTO tb_ingredient (name) VALUES ('Aro');
INSERT INTO tb_ingredient (name) VALUES ('Aromatizante');
INSERT INTO tb_ingredient (name) VALUES ('Arome');
INSERT INTO tb_ingredient (name) VALUES ('Aromes');
INSERT INTO tb_ingredient (name) VALUES ('Aromi');
INSERT INTO tb_ingredient (name) VALUES ('Arrowroot');
INSERT INTO tb_ingredient (name) VALUES ('Artichoke');
INSERT INTO tb_ingredient (name) VALUES ('Artificial');
INSERT INTO tb_ingredient (name) VALUES ('Asafoetida');
INSERT INTO tb_ingredient (name) VALUES ('Ascorbic');
INSERT INTO tb_ingredient (name) VALUES ('Ashwagandha');
INSERT INTO tb_ingredient (name) VALUES ('Asiago');
INSERT INTO tb_ingredient (name) VALUES ('Asparagus');
INSERT INTO tb_ingredient (name) VALUES ('Aspartamo');
INSERT INTO tb_ingredient (name) VALUES ('Aspic');
INSERT INTO tb_ingredient (name) VALUES ('Assaisonnement');
INSERT INTO tb_ingredient (name) VALUES ('Aubergine');
INSERT INTO tb_ingredient (name) VALUES ('Av');
```



```
INSERT INTO tb_ingredient (name) VALUES ('Avena');
INSERT INTO tb_ingredient (name) VALUES ('Avocado');
INSERT INTO tb_ingredient (name) VALUES ('Azucar');
INSERT INTO tb_ingredient (name) VALUES ('Bacon');
INSERT INTO tb_ingredient (name) VALUES ('Bagel');
INSERT INTO tb_ingredient (name) VALUES ('Baguette');
INSERT INTO tb_ingredient (name) VALUES ('Baking');
INSERT INTO tb_ingredient (name) VALUES ('Bamboo');
INSERT INTO tb_ingredient (name) VALUES ('Banana');
INSERT INTO tb_ingredient (name) VALUES ('Barley');
INSERT INTO tb_ingredient (name) VALUES ('Basil');
INSERT INTO tb_ingredient (name) VALUES ('Batata');
INSERT INTO tb_ingredient (name) VALUES ('Batavia');
INSERT INTO tb_ingredient (name) VALUES ('Batter');
INSERT INTO tb_ingredient (name) VALUES ('Beans');
INSERT INTO tb_ingredient (name) VALUES ('Beaufort');
INSERT INTO tb_ingredient (name) VALUES ('Beef');
INSERT INTO tb_ingredient (name) VALUES ('Beer');
INSERT INTO tb_ingredient (name) VALUES ('Beetroot');
INSERT INTO tb_ingredient (name) VALUES ('Bentonville');
INSERT INTO tb_ingredient (name) VALUES ('Benzoate');
INSERT INTO tb_ingredient (name) VALUES ('Berries');
INSERT INTO tb_ingredient (name) VALUES ('Beta');
INSERT INTO tb_ingredient (name) VALUES ('Betacarotene');
INSERT INTO tb_ingredient (name) VALUES ('Beurre');
INSERT INTO tb_ingredient (name) VALUES ('Bicarbonate');
INSERT INTO tb_ingredient (name) VALUES ('Bifido');
INSERT INTO tb_ingredient (name) VALUES ('Bifidum');
INSERT INTO tb_ingredient (name) VALUES ('Bifidus');
INSERT INTO tb_ingredient (name) VALUES ('Biotin');
INSERT INTO tb_ingredient (name) VALUES ('Biscuit');
INSERT INTO tb_ingredient (name) VALUES ('Bison');
INSERT INTO tb_ingredient (name) VALUES ('Black');
INSERT INTO tb_ingredient (name) VALUES ('Blackberry');
INSERT INTO tb_ingredient (name) VALUES ('Blackcurrant');
INSERT INTO tb_ingredient (name) VALUES ('Ble');
INSERT INTO tb_ingredient (name) VALUES ('Bleached');
INSERT INTO tb_ingredient (name) VALUES ('Blend');
INSERT INTO tb_ingredient (name) VALUES ('Blue');
INSERT INTO tb_ingredient (name) VALUES ('Blueberry');
INSERT INTO tb_ingredient (name) VALUES ('Bone');
INSERT INTO tb_ingredient (name) VALUES ('Boneless');
INSERT INTO tb_ingredient (name) VALUES ('Bonito');
INSERT INTO tb_ingredient (name) VALUES ('Bourbon');
INSERT INTO tb_ingredient (name) VALUES ('Bovine');
INSERT INTO tb_ingredient (name) VALUES ('Boysenberry');
INSERT INTO tb_ingredient (name) VALUES ('Bran');
INSERT INTO tb_ingredient (name) VALUES ('Brandy');
INSERT INTO tb_ingredient (name) VALUES ('Brazils');
INSERT INTO tb_ingredient (name) VALUES ('Bread');
INSERT INTO tb_ingredient (name) VALUES ('Breader');
INSERT INTO tb_ingredient (name) VALUES ('Breeding');
INSERT INTO tb_ingredient (name) VALUES ('Breadmeal');
INSERT INTO tb_ingredient (name) VALUES ('Breadstick');
```

```
INSERT INTO tb_ingredient (name) VALUES ('Breadsticks');
INSERT INTO tb_ingredient (name) VALUES ('Breast');
INSERT INTO tb_ingredient (name) VALUES ('Brie');
INSERT INTO tb_ingredient (name) VALUES ('Brine');
INSERT INTO tb_ingredient (name) VALUES ('Brioche');
INSERT INTO tb_ingredient (name) VALUES ('Broccoli');
INSERT INTO tb_ingredient (name) VALUES ('Bromelain');
INSERT INTO tb_ingredient (name) VALUES ('Broth');
INSERT INTO tb_ingredient (name) VALUES ('Brown');
INSERT INTO tb_ingredient (name) VALUES ('Brownie');
INSERT INTO tb_ingredient (name) VALUES ('Brownies');
INSERT INTO tb_ingredient (name) VALUES ('Browning');
INSERT INTO tb_ingredient (name) VALUES ('Buckwheat');
INSERT INTO tb_ingredient (name) VALUES ('Buffalo');
INSERT INTO tb_ingredient (name) VALUES ('Bulgaricus');
INSERT INTO tb_ingredient (name) VALUES ('Bulgur');
INSERT INTO tb_ingredient (name) VALUES ('Bun');
INSERT INTO tb_ingredient (name) VALUES ('Burdock');
INSERT INTO tb_ingredient (name) VALUES ('Butter');
INSERT INTO tb_ingredient (name) VALUES ('Butterfat');
INSERT INTO tb_ingredient (name) VALUES ('Buttermilk');
INSERT INTO tb_ingredient (name) VALUES ('Butteroil');
INSERT INTO tb_ingredient (name) VALUES ('Ca');
INSERT INTO tb_ingredient (name) VALUES ('Cabbage');
INSERT INTO tb_ingredient (name) VALUES ('Cabernet');
INSERT INTO tb_ingredient (name) VALUES ('Caffeine');
INSERT INTO tb_ingredient (name) VALUES ('Cakes');
INSERT INTO tb_ingredient (name) VALUES ('Calcium');
INSERT INTO tb_ingredient (name) VALUES ('Calvados');
INSERT INTO tb_ingredient (name) VALUES ('Camembert');
INSERT INTO tb_ingredient (name) VALUES ('Camomile');
INSERT INTO tb_ingredient (name) VALUES ('Candy');
INSERT INTO tb_ingredient (name) VALUES ('Cane');
INSERT INTO tb_ingredient (name) VALUES ('Canola');
INSERT INTO tb_ingredient (name) VALUES ('Cantaloupe');
INSERT INTO tb_ingredient (name) VALUES ('Capers');
INSERT INTO tb_ingredient (name) VALUES ('Capric');
INSERT INTO tb_ingredient (name) VALUES ('Caprylic');
INSERT INTO tb_ingredient (name) VALUES ('Capsicum');
INSERT INTO tb_ingredient (name) VALUES ('Carageenan');
INSERT INTO tb_ingredient (name) VALUES ('Caraway');
INSERT INTO tb_ingredient (name) VALUES ('Carbohydrate');
INSERT INTO tb_ingredient (name) VALUES ('Carbomer');
INSERT INTO tb_ingredient (name) VALUES ('Cardamom');
INSERT INTO tb_ingredient (name) VALUES ('Caret');
INSERT INTO tb_ingredient (name) VALUES ('Carignan');
INSERT INTO tb_ingredient (name) VALUES ('Carnauba');
INSERT INTO tb_ingredient (name) VALUES ('Carnitine');
INSERT INTO tb_ingredient (name) VALUES ('Carotenal');
INSERT INTO tb_ingredient (name) VALUES ('Carp');
INSERT INTO tb_ingredient (name) VALUES ('Carrageen');
INSERT INTO tb_ingredient (name) VALUES ('Carragenina');
INSERT INTO tb_ingredient (name) VALUES ('Carraghenine');
INSERT INTO tb_ingredient (name) VALUES ('Carrier');
```

```

INSERT INTO tb_ingredient (name) VALUES ('Carrot');
INSERT INTO tb_ingredient (name) VALUES ('Casei');
INSERT INTO tb_ingredient (name) VALUES ('Casein');
INSERT INTO tb_ingredient (name) VALUES ('Caseinate');
INSERT INTO tb_ingredient (name) VALUES ('Cashewmilk');
INSERT INTO tb_ingredient (name) VALUES ('Casing');
INSERT INTO tb_ingredient (name) VALUES ('Cassava');
INSERT INTO tb_ingredient (name) VALUES ('Cassia');
INSERT INTO tb_ingredient (name) VALUES ('Catfish');
INSERT INTO tb_ingredient (name) VALUES ('Catsup');
INSERT INTO tb_ingredient (name) VALUES ('Cauliflower');
INSERT INTO tb_ingredient (name) VALUES ('Caution');
INSERT INTO tb_ingredient (name) VALUES ('Cebolla');
INSERT INTO tb_ingredient (name) VALUES ('Celeri');
INSERT INTO tb_ingredient (name) VALUES ('Celeriac');
INSERT INTO tb_ingredient (name) VALUES ('Celery');
INSERT INTO tb_ingredient (name) VALUES ('Cellulase');
INSERT INTO tb_ingredient (name) VALUES ('Cep');
INSERT INTO tb_ingredient (name) VALUES ('Cereal');
INSERT INTO tb_ingredient (name) VALUES ('Cerelese');
INSERT INTO tb_ingredient (name) VALUES ('Certified');
INSERT INTO tb_ingredient (name) VALUES ('Champagne');
INSERT INTO tb_ingredient (name) VALUES ('Champignon');
INSERT INTO tb_ingredient (name) VALUES ('Chard');
INSERT INTO tb_ingredient (name) VALUES ('Chardonnay');
INSERT INTO tb_ingredient (name) VALUES ('Cheddar');
INSERT INTO tb_ingredient (name) VALUES ('Cheese');
INSERT INTO tb_ingredient (name) VALUES ('Cherry');
INSERT INTO tb_ingredient (name) VALUES ('Chervil');
INSERT INTO tb_ingredient (name) VALUES ('Chestnut');
INSERT INTO tb_ingredient (name) VALUES ('Chia');
INSERT INTO tb_ingredient (name) VALUES ('Chicago');
INSERT INTO tb_ingredient (name) VALUES ('Chicken');
INSERT INTO tb_ingredient (name) VALUES ('Chickpea');
INSERT INTO tb_ingredient (name) VALUES ('Chicory');
INSERT INTO tb_ingredient (name) VALUES ('Chilies');
INSERT INTO tb_ingredient (name) VALUES ('Chipotle');
INSERT INTO tb_ingredient (name) VALUES ('Chips');
INSERT INTO tb_ingredient (name) VALUES ('Chives');
INSERT INTO tb_ingredient (name) VALUES ('Chlorella');
INSERT INTO tb_ingredient (name) VALUES ('Chloride');
INSERT INTO tb_ingredient (name) VALUES ('Chocolate');
INSERT INTO tb_ingredient (name) VALUES ('Chokeberry');
INSERT INTO tb_ingredient (name) VALUES ('Cholecalciferol');
INSERT INTO tb_ingredient (name) VALUES ('Cholest');
INSERT INTO tb_ingredient (name) VALUES ('Cholesterol');
INSERT INTO tb_ingredient (name) VALUES ('Choline');
INSERT INTO tb_ingredient (name) VALUES ('Chorizo');
INSERT INTO tb_ingredient (name) VALUES ('Chromium');
INSERT INTO tb_ingredient (name) VALUES ('Cider');
INSERT INTO tb_ingredient (name) VALUES ('Cinnamati');
INSERT INTO tb_ingredient (name) VALUES ('Cinnamon');
INSERT INTO tb_ingredient (name) VALUES ('Cinsaut');
INSERT INTO tb_ingredient (name) VALUES ('Cital');

```

```
INSERT INTO tb_ingredient (name) VALUES ('Citric');
INSERT INTO tb_ingredient (name) VALUES ('Citronellol');
INSERT INTO tb_ingredient (name) VALUES ('Citronensaure');
INSERT INTO tb_ingredient (name) VALUES ('Clam');
INSERT INTO tb_ingredient (name) VALUES ('Clementine');
INSERT INTO tb_ingredient (name) VALUES ('Clove');
INSERT INTO tb_ingredient (name) VALUES ('Co');
INSERT INTO tb_ingredient (name) VALUES ('Coagulant');
INSERT INTO tb_ingredient (name) VALUES ('Coating');
INSERT INTO tb_ingredient (name) VALUES ('Cockles');
INSERT INTO tb_ingredient (name) VALUES ('Coco');
INSERT INTO tb_ingredient (name) VALUES ('Cocoa');
INSERT INTO tb_ingredient (name) VALUES ('Coconut');
INSERT INTO tb_ingredient (name) VALUES ('Coconutmilk');
INSERT INTO tb_ingredient (name) VALUES ('Cod');
INSERT INTO tb_ingredient (name) VALUES ('Coffee');
INSERT INTO tb_ingredient (name) VALUES ('Cognac');
INSERT INTO tb_ingredient (name) VALUES ('Cointreau');
INSERT INTO tb_ingredient (name) VALUES ('Col');
INSERT INTO tb_ingredient (name) VALUES ('Collagen');
INSERT INTO tb_ingredient (name) VALUES ('Collards');
INSERT INTO tb_ingredient (name) VALUES ('Colorante');
INSERT INTO tb_ingredient (name) VALUES ('Colorantes');
INSERT INTO tb_ingredient (name) VALUES ('Colour');
INSERT INTO tb_ingredient (name) VALUES ('Colourant');
INSERT INTO tb_ingredient (name) VALUES ('Colourants');
INSERT INTO tb_ingredient (name) VALUES ('Com');
INSERT INTO tb_ingredient (name) VALUES ('Concentrate');
INSERT INTO tb_ingredient (name) VALUES ('Condiment');
INSERT INTO tb_ingredient (name) VALUES ('Conditioner');
INSERT INTO tb_ingredient (name) VALUES ('Cone');
INSERT INTO tb_ingredient (name) VALUES ('Cons');
INSERT INTO tb_ingredient (name) VALUES ('Conservante');
INSERT INTO tb_ingredient (name) VALUES ('Conservateur');
INSERT INTO tb_ingredient (name) VALUES ('Contains');
INSERT INTO tb_ingredient (name) VALUES ('Contents');
INSERT INTO tb_ingredient (name) VALUES ('Contiene');
INSERT INTO tb_ingredient (name) VALUES ('Contient');
INSERT INTO tb_ingredient (name) VALUES ('Cooked');
INSERT INTO tb_ingredient (name) VALUES ('Cookie');
INSERT INTO tb_ingredient (name) VALUES ('Cookies');
INSERT INTO tb_ingredient (name) VALUES ('Copper');
INSERT INTO tb_ingredient (name) VALUES ('Coriander');
INSERT INTO tb_ingredient (name) VALUES ('Corn');
INSERT INTO tb_ingredient (name) VALUES ('Cornflower');
INSERT INTO tb_ingredient (name) VALUES ('Cornmeal');
INSERT INTO tb_ingredient (name) VALUES ('Cornsyrup');
INSERT INTO tb_ingredient (name) VALUES ('Cottonseed');
INSERT INTO tb_ingredient (name) VALUES ('Coumarin');
INSERT INTO tb_ingredient (name) VALUES ('Courgette');
INSERT INTO tb_ingredient (name) VALUES ('Couscous');
INSERT INTO tb_ingredient (name) VALUES ('Cow');
INSERT INTO tb_ingredient (name) VALUES ('Crab');
INSERT INTO tb_ingredient (name) VALUES ('Crabmeat');
```



```
INSERT INTO tb_ingredient (name) VALUES ('Crabstick');
INSERT INTO tb_ingredient (name) VALUES ('Crackermeal');
INSERT INTO tb_ingredient (name) VALUES ('Crackers');
INSERT INTO tb_ingredient (name) VALUES ('Cranberry');
INSERT INTO tb_ingredient (name) VALUES ('Crayfish');
INSERT INTO tb_ingredient (name) VALUES ('Cream');
INSERT INTO tb_ingredient (name) VALUES ('Creamer');
INSERT INTO tb_ingredient (name) VALUES ('Creatine');
INSERT INTO tb_ingredient (name) VALUES ('Creme');
INSERT INTO tb_ingredient (name) VALUES ('Cremoris');
INSERT INTO tb_ingredient (name) VALUES ('Cress');
INSERT INTO tb_ingredient (name) VALUES ('Crocant');
INSERT INTO tb_ingredient (name) VALUES ('Croissant');
INSERT INTO tb_ingredient (name) VALUES ('Crouton');
INSERT INTO tb_ingredient (name) VALUES ('Crudités');
INSERT INTO tb_ingredient (name) VALUES ('Crust');
INSERT INTO tb_ingredient (name) VALUES ('Crustacean');
INSERT INTO tb_ingredient (name) VALUES ('Crêpe');
INSERT INTO tb_ingredient (name) VALUES ('Csl');
INSERT INTO tb_ingredient (name) VALUES ('Cucumber');
INSERT INTO tb_ingredient (name) VALUES ('Cultured');
INSERT INTO tb_ingredient (name) VALUES ('Cupcake');
INSERT INTO tb_ingredient (name) VALUES ('Curcuma');
INSERT INTO tb_ingredient (name) VALUES ('Cure');
INSERT INTO tb_ingredient (name) VALUES ('Curry');
INSERT INTO tb_ingredient (name) VALUES ('Cuttlefish');
INSERT INTO tb_ingredient (name) VALUES ('Cyanocobalamin');
INSERT INTO tb_ingredient (name) VALUES ('Cyanocobalamine');
INSERT INTO tb_ingredient (name) VALUES ('Cyclopentasiloxane');
INSERT INTO tb_ingredient (name) VALUES ('Cysteine');
INSERT INTO tb_ingredient (name) VALUES ('Daikon');
INSERT INTO tb_ingredient (name) VALUES ('Dairy');
INSERT INTO tb_ingredient (name) VALUES ('Dandelion');
INSERT INTO tb_ingredient (name) VALUES ('Dark');
INSERT INTO tb_ingredient (name) VALUES ('Date');
INSERT INTO tb_ingredient (name) VALUES ('Decorations');
INSERT INTO tb_ingredient (name) VALUES ('Deer');
INSERT INTO tb_ingredient (name) VALUES ('Dehydrated');
INSERT INTO tb_ingredient (name) VALUES ('Derivatives');
INSERT INTO tb_ingredient (name) VALUES ('Dewlap');
INSERT INTO tb_ingredient (name) VALUES ('Dextrosa');
INSERT INTO tb_ingredient (name) VALUES ('Dextrose');
INSERT INTO tb_ingredient (name) VALUES ('Dha');
INSERT INTO tb_ingredient (name) VALUES ('Di');
INSERT INTO tb_ingredient (name) VALUES ('Diacetyllactis');
INSERT INTO tb_ingredient (name) VALUES ('Diced');
INSERT INTO tb_ingredient (name) VALUES ('Diglycerides');
INSERT INTO tb_ingredient (name) VALUES ('Dill');
INSERT INTO tb_ingredient (name) VALUES ('Dillweed');
INSERT INTO tb_ingredient (name) VALUES ('Dimethiconol');
INSERT INTO tb_ingredient (name) VALUES ('Dioxide');
INSERT INTO tb_ingredient (name) VALUES ('Directions');
INSERT INTO tb_ingredient (name) VALUES ('Disaccharide');
INSERT INTO tb_ingredient (name) VALUES ('Dist');
```

```

INSERT INTO tb_ingredient (name) VALUES ('Distilled');
INSERT INTO tb_ingredient (name) VALUES ('Donut');
INSERT INTO tb_ingredient (name) VALUES ('Dough');
INSERT INTO tb_ingredient (name) VALUES ('Doughnut');
INSERT INTO tb_ingredient (name) VALUES ('Dressing');
INSERT INTO tb_ingredient (name) VALUES ('Dried');
INSERT INTO tb_ingredient (name) VALUES ('Drizzle');
INSERT INTO tb_ingredient (name) VALUES ('Dry');
INSERT INTO tb_ingredient (name) VALUES ('Duck');
INSERT INTO tb_ingredient (name) VALUES ('Dulse');
INSERT INTO tb_ingredient (name) VALUES ('Dumplings');
INSERT INTO tb_ingredient (name) VALUES ('Durum');
INSERT INTO tb_ingredient (name) VALUES ('Dutched');
INSERT INTO tb_ingredient (name) VALUES ('Dv');
INSERT INTO tb_ingredient (name) VALUES ('Dye');
INSERT INTO tb_ingredient (name) VALUES ('Eau');
INSERT INTO tb_ingredient (name) VALUES ('Echinacea');
INSERT INTO tb_ingredient (name) VALUES ('Edam');
INSERT INTO tb_ingredient (name) VALUES ('Edamame');
INSERT INTO tb_ingredient (name) VALUES ('Edta');
INSERT INTO tb_ingredient (name) VALUES ('Edulcorante');
INSERT INTO tb_ingredient (name) VALUES ('Egg');
INSERT INTO tb_ingredient (name) VALUES ('Elder');
INSERT INTO tb_ingredient (name) VALUES ('Elderberries');
INSERT INTO tb_ingredient (name) VALUES ('Elderberry');
INSERT INTO tb_ingredient (name) VALUES ('Elderflower');
INSERT INTO tb_ingredient (name) VALUES ('Electrolyte');
INSERT INTO tb_ingredient (name) VALUES ('Electrolytes');
INSERT INTO tb_ingredient (name) VALUES ('Emmental');
INSERT INTO tb_ingredient (name) VALUES ('Emu');
INSERT INTO tb_ingredient (name) VALUES ('Emulgator');
INSERT INTO tb_ingredient (name) VALUES ('Emulsifer');
INSERT INTO tb_ingredient (name) VALUES ('Emulsifiant');
INSERT INTO tb_ingredient (name) VALUES ('Emulsifiants');
INSERT INTO tb_ingredient (name) VALUES ('Emulsificante');
INSERT INTO tb_ingredient (name) VALUES ('Emulsificantes');
INSERT INTO tb_ingredient (name) VALUES ('Emulsifier');
INSERT INTO tb_ingredient (name) VALUES ('Emulsionante');
INSERT INTO tb_ingredient (name) VALUES ('Emulsionantes');
INSERT INTO tb_ingredient (name) VALUES ('En');
INSERT INTO tb_ingredient (name) VALUES ('Endive');
INSERT INTO tb_ingredient (name) VALUES ('Energie');
INSERT INTO tb_ingredient (name) VALUES ('Energy');
INSERT INTO tb_ingredient (name) VALUES ('Enhancer');
INSERT INTO tb_ingredient (name) VALUES ('Enriched');
INSERT INTO tb_ingredient (name) VALUES ('Enrichment');
INSERT INTO tb_ingredient (name) VALUES ('Enzyme');
INSERT INTO tb_ingredient (name) VALUES ('Epaississant');
INSERT INTO tb_ingredient (name) VALUES ('Epice');
INSERT INTO tb_ingredient (name) VALUES ('Epices');
INSERT INTO tb_ingredient (name) VALUES ('Ergocalciferol');
INSERT INTO tb_ingredient (name) VALUES ('Escarole');
INSERT INTO tb_ingredient (name) VALUES ('Especias');
INSERT INTO tb_ingredient (name) VALUES ('Espresso');

```

```
INSERT INTO tb_ingredient (name) VALUES ('Estabilizante');
INSERT INTO tb_ingredient (name) VALUES ('Ethylhexylglycerin');
INSERT INTO tb_ingredient (name) VALUES ('Ethylvanillin');
INSERT INTO tb_ingredient (name) VALUES ('Eugenol');
INSERT INTO tb_ingredient (name) VALUES ('Expeller');
INSERT INTO tb_ingredient (name) VALUES ('Extract');
INSERT INTO tb_ingredient (name) VALUES ('Falafel');
INSERT INTO tb_ingredient (name) VALUES ('Farro');
INSERT INTO tb_ingredient (name) VALUES ('Fat');
INSERT INTO tb_ingredient (name) VALUES ('Fd');
INSERT INTO tb_ingredient (name) VALUES ('Fennel');
INSERT INTO tb_ingredient (name) VALUES ('Fenugreek');
INSERT INTO tb_ingredient (name) VALUES ('Fer');
INSERT INTO tb_ingredient (name) VALUES ('Ferment');
INSERT INTO tb_ingredient (name) VALUES ('Feta');
INSERT INTO tb_ingredient (name) VALUES ('Fiber');
INSERT INTO tb_ingredient (name) VALUES ('Fibersol');
INSERT INTO tb_ingredient (name) VALUES ('Fig');
INSERT INTO tb_ingredient (name) VALUES ('Filberts');
INSERT INTO tb_ingredient (name) VALUES ('Filling');
INSERT INTO tb_ingredient (name) VALUES ('Fish');
INSERT INTO tb_ingredient (name) VALUES ('Fishpowder');
INSERT INTO tb_ingredient (name) VALUES ('Flageolets');
INSERT INTO tb_ingredient (name) VALUES ('Flakes');
INSERT INTO tb_ingredient (name) VALUES ('Flatbread');
INSERT INTO tb_ingredient (name) VALUES ('Flavouring');
INSERT INTO tb_ingredient (name) VALUES ('Flax');
INSERT INTO tb_ingredient (name) VALUES ('Flaxmeal');
INSERT INTO tb_ingredient (name) VALUES ('Flounder');
INSERT INTO tb_ingredient (name) VALUES ('Flour');
INSERT INTO tb_ingredient (name) VALUES ('Fluoride');
INSERT INTO tb_ingredient (name) VALUES ('Folacin');
INSERT INTO tb_ingredient (name) VALUES ('Folate');
INSERT INTO tb_ingredient (name) VALUES ('Folic');
INSERT INTO tb_ingredient (name) VALUES ('Fondant');
INSERT INTO tb_ingredient (name) VALUES ('Fontina');
INSERT INTO tb_ingredient (name) VALUES ('Fragrance');
INSERT INTO tb_ingredient (name) VALUES ('Freekeh');
INSERT INTO tb_ingredient (name) VALUES ('Frisee');
INSERT INTO tb_ingredient (name) VALUES ('Frosting');
INSERT INTO tb_ingredient (name) VALUES ('Fructan');
INSERT INTO tb_ingredient (name) VALUES ('Fructooligosaccharide');
INSERT INTO tb_ingredient (name) VALUES ('Fructose');
INSERT INTO tb_ingredient (name) VALUES ('Fruit');
INSERT INTO tb_ingredient (name) VALUES ('Fucus');
INSERT INTO tb_ingredient (name) VALUES ('Fudge');
INSERT INTO tb_ingredient (name) VALUES ('Galangal');
INSERT INTO tb_ingredient (name) VALUES ('Gardein');
INSERT INTO tb_ingredient (name) VALUES ('Garlic');
INSERT INTO tb_ingredient (name) VALUES ('Garnish');
INSERT INTO tb_ingredient (name) VALUES ('Gel');
INSERT INTO tb_ingredient (name) VALUES ('Gelatina');
INSERT INTO tb_ingredient (name) VALUES ('Geraniol');
INSERT INTO tb_ingredient (name) VALUES ('Gewurze');
```

```

INSERT INTO tb_ingredient (name) VALUES ('Ghee');
INSERT INTO tb_ingredient (name) VALUES ('Gherkin');
INSERT INTO tb_ingredient (name) VALUES ('Gin');
INSERT INTO tb_ingredient (name) VALUES ('Ginger');
INSERT INTO tb_ingredient (name) VALUES ('Gingerbread');
INSERT INTO tb_ingredient (name) VALUES ('Ginseng');
INSERT INTO tb_ingredient (name) VALUES ('Glaze');
INSERT INTO tb_ingredient (name) VALUES ('Glucosa');
INSERT INTO tb_ingredient (name) VALUES ('Glucose');
INSERT INTO tb_ingredient (name) VALUES ('Glucuronolactone');
INSERT INTO tb_ingredient (name) VALUES ('Glukosesirup');
INSERT INTO tb_ingredient (name) VALUES ('Gluten');
INSERT INTO tb_ingredient (name) VALUES ('Goat');
INSERT INTO tb_ingredient (name) VALUES ('Goji');
INSERT INTO tb_ingredient (name) VALUES ('Goose');
INSERT INTO tb_ingredient (name) VALUES ('Gooseberry');
INSERT INTO tb_ingredient (name) VALUES ('Gorgonzola');
INSERT INTO tb_ingredient (name) VALUES ('Gouda');
INSERT INTO tb_ingredient (name) VALUES ('Grains');
INSERT INTO tb_ingredient (name) VALUES ('Granular');
INSERT INTO tb_ingredient (name) VALUES ('Grape');
INSERT INTO tb_ingredient (name) VALUES ('Grapefruit');
INSERT INTO tb_ingredient (name) VALUES ('Gravy');
INSERT INTO tb_ingredient (name) VALUES ('Gredients');
INSERT INTO tb_ingredient (name) VALUES ('Green');
INSERT INTO tb_ingredient (name) VALUES ('Greengage');
INSERT INTO tb_ingredient (name) VALUES ('Grenache');
INSERT INTO tb_ingredient (name) VALUES ('Gruyère');
INSERT INTO tb_ingredient (name) VALUES ('Guacamole');
INSERT INTO tb_ingredient (name) VALUES ('Guanylate');
INSERT INTO tb_ingredient (name) VALUES ('Guar');
INSERT INTO tb_ingredient (name) VALUES ('Guarana');
INSERT INTO tb_ingredient (name) VALUES ('Guargum');
INSERT INTO tb_ingredient (name) VALUES ('Guava');
INSERT INTO tb_ingredient (name) VALUES ('Gum');
INSERT INTO tb_ingredient (name) VALUES ('Gums');
INSERT INTO tb_ingredient (name) VALUES ('Haddock');
INSERT INTO tb_ingredient (name) VALUES ('Hake');
INSERT INTO tb_ingredient (name) VALUES ('Halibut');
INSERT INTO tb_ingredient (name) VALUES ('Ham');
INSERT INTO tb_ingredient (name) VALUES ('Hamburger');
INSERT INTO tb_ingredient (name) VALUES ('Harissa');
INSERT INTO tb_ingredient (name) VALUES ('Haymilk');
INSERT INTO tb_ingredient (name) VALUES ('Hazelnut');
INSERT INTO tb_ingredient (name) VALUES ('Hefe');
INSERT INTO tb_ingredient (name) VALUES ('Hemicellulase');
INSERT INTO tb_ingredient (name) VALUES ('Herb');
INSERT INTO tb_ingredient (name) VALUES ('Herring');
INSERT INTO tb_ingredient (name) VALUES ('Hexameta');
INSERT INTO tb_ingredient (name) VALUES ('Hibiscus');
INSERT INTO tb_ingredient (name) VALUES ('Hierro');
INSERT INTO tb_ingredient (name) VALUES ('Hominy');
INSERT INTO tb_ingredient (name) VALUES ('Honey');
INSERT INTO tb_ingredient (name) VALUES ('Honeydew');

```



```
INSERT INTO tb_ingredient (name) VALUES ('Hops');
INSERT INTO tb_ingredient (name) VALUES ('Horse');
INSERT INTO tb_ingredient (name) VALUES ('Horseradish');
INSERT INTO tb_ingredient (name) VALUES ('Huevo');
INSERT INTO tb_ingredient (name) VALUES ('Humectant');
INSERT INTO tb_ingredient (name) VALUES ('Hummus');
INSERT INTO tb_ingredient (name) VALUES ('Hydrochloride');
INSERT INTO tb_ingredient (name) VALUES ('Hydrolysed');
INSERT INTO tb_ingredient (name) VALUES ('Hydroxycitronellal');
INSERT INTO tb_ingredient (name) VALUES ('Ice');
INSERT INTO tb_ingredient (name) VALUES ('Icing');
INSERT INTO tb_ingredient (name) VALUES ('Icings');
INSERT INTO tb_ingredient (name) VALUES ('Ii');
INSERT INTO tb_ingredient (name) VALUES ('Imazalil');
INSERT INTO tb_ingredient (name) VALUES ('Important');
INSERT INTO tb_ingredient (name) VALUES ('Inc');
INSERT INTO tb_ingredient (name) VALUES ('Incl');
INSERT INTO tb_ingredient (name) VALUES ('Includes');
INSERT INTO tb_ingredient (name) VALUES ('Including');
INSERT INTO tb_ingredient (name) VALUES ('Ing');
INSERT INTO tb_ingredient (name) VALUES ('Ingredienser');
INSERT INTO tb_ingredient (name) VALUES ('Ingredient');
INSERT INTO tb_ingredient (name) VALUES ('Ingrediente');
INSERT INTO tb_ingredient (name) VALUES ('Ingredienten');
INSERT INTO tb_ingredient (name) VALUES ('Ingredientes');
INSERT INTO tb_ingredient (name) VALUES ('Ingredients');
INSERT INTO tb_ingredient (name) VALUES ('Inositol');
INSERT INTO tb_ingredient (name) VALUES ('Interesterified');
INSERT INTO tb_ingredient (name) VALUES ('Inulin');
INSERT INTO tb_ingredient (name) VALUES ('Iodine');
INSERT INTO tb_ingredient (name) VALUES ('Iron');
INSERT INTO tb_ingredient (name) VALUES ('Isomaltulose');
INSERT INTO tb_ingredient (name) VALUES ('Jackfruit');
INSERT INTO tb_ingredient (name) VALUES ('Jalapeno');
INSERT INTO tb_ingredient (name) VALUES ('Jam');
INSERT INTO tb_ingredient (name) VALUES ('Jicama');
INSERT INTO tb_ingredient (name) VALUES ('Jojoba');
INSERT INTO tb_ingredient (name) VALUES ('Juice');
INSERT INTO tb_ingredient (name) VALUES ('Juniper');
INSERT INTO tb_ingredient (name) VALUES ('Kakaobutter');
INSERT INTO tb_ingredient (name) VALUES ('Kakaomasse');
INSERT INTO tb_ingredient (name) VALUES ('Kale');
INSERT INTO tb_ingredient (name) VALUES ('Kasha');
INSERT INTO tb_ingredient (name) VALUES ('Kcal');
INSERT INTO tb_ingredient (name) VALUES ('Kefir');
INSERT INTO tb_ingredient (name) VALUES ('Kelp');
INSERT INTO tb_ingredient (name) VALUES ('Ketchup');
INSERT INTO tb_ingredient (name) VALUES ('Kg');
INSERT INTO tb_ingredient (name) VALUES ('Kirsch');
INSERT INTO tb_ingredient (name) VALUES ('Kiwi');
INSERT INTO tb_ingredient (name) VALUES ('Kj');
INSERT INTO tb_ingredient (name) VALUES ('Knoblauch');
INSERT INTO tb_ingredient (name) VALUES ('Kohlrabi');
INSERT INTO tb_ingredient (name) VALUES ('Koji');
```

```
INSERT INTO tb_ingredient (name) VALUES ('Kombu');
INSERT INTO tb_ingredient (name) VALUES ('Kombucha');
INSERT INTO tb_ingredient (name) VALUES ('Lactase');
INSERT INTO tb_ingredient (name) VALUES ('Lactic');
INSERT INTO tb_ingredient (name) VALUES ('Lactis');
INSERT INTO tb_ingredient (name) VALUES ('Lactobacillus');
INSERT INTO tb_ingredient (name) VALUES ('Lactoferrin');
INSERT INTO tb_ingredient (name) VALUES ('Lactose');
INSERT INTO tb_ingredient (name) VALUES ('Lactoserum');
INSERT INTO tb_ingredient (name) VALUES ('Lactylate');
INSERT INTO tb_ingredient (name) VALUES ('Lait');
INSERT INTO tb_ingredient (name) VALUES ('Lake');
INSERT INTO tb_ingredient (name) VALUES ('Lamb');
INSERT INTO tb_ingredient (name) VALUES ('Lard');
INSERT INTO tb_ingredient (name) VALUES ('Lardon');
INSERT INTO tb_ingredient (name) VALUES ('Lasagne');
INSERT INTO tb_ingredient (name) VALUES ('Lavash');
INSERT INTO tb_ingredient (name) VALUES ('Lavender');
INSERT INTO tb_ingredient (name) VALUES ('Laver');
INSERT INTO tb_ingredient (name) VALUES ('Lb');
INSERT INTO tb_ingredient (name) VALUES ('Leaf');
INSERT INTO tb_ingredient (name) VALUES ('Leaves');
INSERT INTO tb_ingredient (name) VALUES ('Leaving');
INSERT INTO tb_ingredient (name) VALUES ('Leche');
INSERT INTO tb_ingredient (name) VALUES ('Lecithine');
INSERT INTO tb_ingredient (name) VALUES ('Leek');
INSERT INTO tb_ingredient (name) VALUES ('Legume');
INSERT INTO tb_ingredient (name) VALUES ('Lemon');
INSERT INTO tb_ingredient (name) VALUES ('Lemonade');
INSERT INTO tb_ingredient (name) VALUES ('Lemongrass');
INSERT INTO tb_ingredient (name) VALUES ('Lentils');
INSERT INTO tb_ingredient (name) VALUES ('Lettuce');
INSERT INTO tb_ingredient (name) VALUES ('Levadura');
INSERT INTO tb_ingredient (name) VALUES ('Levure');
INSERT INTO tb_ingredient (name) VALUES ('Lime');
INSERT INTO tb_ingredient (name) VALUES ('Limonene');
INSERT INTO tb_ingredient (name) VALUES ('Linalool');
INSERT INTO tb_ingredient (name) VALUES ('Linden');
INSERT INTO tb_ingredient (name) VALUES ('Lingonberry');
INSERT INTO tb_ingredient (name) VALUES ('Liqueur');
INSERT INTO tb_ingredient (name) VALUES ('Liquid');
INSERT INTO tb_ingredient (name) VALUES ('Liquor');
INSERT INTO tb_ingredient (name) VALUES ('Liquorice');
INSERT INTO tb_ingredient (name) VALUES ('Liver');
INSERT INTO tb_ingredient (name) VALUES ('Llc');
INSERT INTO tb_ingredient (name) VALUES ('Lobster');
INSERT INTO tb_ingredient (name) VALUES ('Loin');
INSERT INTO tb_ingredient (name) VALUES ('Lote');
INSERT INTO tb_ingredient (name) VALUES ('Lovage');
INSERT INTO tb_ingredient (name) VALUES ('Love');
INSERT INTO tb_ingredient (name) VALUES ('Lt');
INSERT INTO tb_ingredient (name) VALUES ('Ltd');
INSERT INTO tb_ingredient (name) VALUES ('Lukuma');
INSERT INTO tb_ingredient (name) VALUES ('Lupin');
```

```
INSERT INTO tb_ingredient (name) VALUES ('Lychee');
INSERT INTO tb_ingredient (name) VALUES ('Maasdam');
INSERT INTO tb_ingredient (name) VALUES ('Maca');
INSERT INTO tb_ingredient (name) VALUES ('Macaroni');
INSERT INTO tb_ingredient (name) VALUES ('Mace');
INSERT INTO tb_ingredient (name) VALUES ('Mache');
INSERT INTO tb_ingredient (name) VALUES ('Mackerel');
INSERT INTO tb_ingredient (name) VALUES ('Madeira');
INSERT INTO tb_ingredient (name) VALUES ('Magermilchpulver');
INSERT INTO tb_ingredient (name) VALUES ('Magnesium');
INSERT INTO tb_ingredient (name) VALUES ('Mais');
INSERT INTO tb_ingredient (name) VALUES ('Maiz');
INSERT INTO tb_ingredient (name) VALUES ('Malic');
INSERT INTO tb_ingredient (name) VALUES ('Mallow');
INSERT INTO tb_ingredient (name) VALUES ('Malt');
INSERT INTO tb_ingredient (name) VALUES ('Maltodextrina');
INSERT INTO tb_ingredient (name) VALUES ('Maltodextrine');
INSERT INTO tb_ingredient (name) VALUES ('Maltodextrins');
INSERT INTO tb_ingredient (name) VALUES ('Maltose');
INSERT INTO tb_ingredient (name) VALUES ('Mandarin');
INSERT INTO tb_ingredient (name) VALUES ('Manganese');
INSERT INTO tb_ingredient (name) VALUES ('Mango');
INSERT INTO tb_ingredient (name) VALUES ('Mangosteen');
INSERT INTO tb_ingredient (name) VALUES ('Mani');
INSERT INTO tb_ingredient (name) VALUES ('Maple');
INSERT INTO tb_ingredient (name) VALUES ('Maqui');
INSERT INTO tb_ingredient (name) VALUES ('Margarine');
INSERT INTO tb_ingredient (name) VALUES ('Marigold');
INSERT INTO tb_ingredient (name) VALUES ('Marinade');
INSERT INTO tb_ingredient (name) VALUES ('Marionberries');
INSERT INTO tb_ingredient (name) VALUES ('Marjoram');
INSERT INTO tb_ingredient (name) VALUES ('Maroilles');
INSERT INTO tb_ingredient (name) VALUES ('Marshmallow');
INSERT INTO tb_ingredient (name) VALUES ('Marzipan');
INSERT INTO tb_ingredient (name) VALUES ('Masa');
INSERT INTO tb_ingredient (name) VALUES ('Mascarpone');
INSERT INTO tb_ingredient (name) VALUES ('Matcha');
INSERT INTO tb_ingredient (name) VALUES ('Mate');
INSERT INTO tb_ingredient (name) VALUES ('Max');
INSERT INTO tb_ingredient (name) VALUES ('Mayonnaise');
INSERT INTO tb_ingredient (name) VALUES ('Meadowsweet');
INSERT INTO tb_ingredient (name) VALUES ('Meat');
INSERT INTO tb_ingredient (name) VALUES ('Meatball');
INSERT INTO tb_ingredient (name) VALUES ('Mechanically');
INSERT INTO tb_ingredient (name) VALUES ('Meersalz');
INSERT INTO tb_ingredient (name) VALUES ('Melange');
INSERT INTO tb_ingredient (name) VALUES ('Melon');
INSERT INTO tb_ingredient (name) VALUES ('Menthol');
INSERT INTO tb_ingredient (name) VALUES ('Merguez');
INSERT INTO tb_ingredient (name) VALUES ('Merlot');
INSERT INTO tb_ingredient (name) VALUES ('Methylchloroisothiazolinone');
INSERT INTO tb_ingredient (name) VALUES ('Methylcobalamin');
INSERT INTO tb_ingredient (name) VALUES ('Methylisothiazolinone');
INSERT INTO tb_ingredient (name) VALUES ('Mica');
```

```

INSERT INTO tb_ingredient (name) VALUES ('Microbial');
INSERT INTO tb_ingredient (name) VALUES ('Miel');
INSERT INTO tb_ingredient (name) VALUES ('Milk');
INSERT INTO tb_ingredient (name) VALUES ('Milkcap');
INSERT INTO tb_ingredient (name) VALUES ('Milkfat');
INSERT INTO tb_ingredient (name) VALUES ('Millet');
INSERT INTO tb_ingredient (name) VALUES ('Min');
INSERT INTO tb_ingredient (name) VALUES ('Minerals');
INSERT INTO tb_ingredient (name) VALUES ('Mint');
INSERT INTO tb_ingredient (name) VALUES ('Mirepoix');
INSERT INTO tb_ingredient (name) VALUES ('Mirin');
INSERT INTO tb_ingredient (name) VALUES ('Miso');
INSERT INTO tb_ingredient (name) VALUES ('Mix');
INSERT INTO tb_ingredient (name) VALUES ('Mizuna');
INSERT INTO tb_ingredient (name) VALUES ('Modified');
INSERT INTO tb_ingredient (name) VALUES ('Molasses');
INSERT INTO tb_ingredient (name) VALUES ('Mollusc');
INSERT INTO tb_ingredient (name) VALUES ('Molybdenum');
INSERT INTO tb_ingredient (name) VALUES ('Mono');
INSERT INTO tb_ingredient (name) VALUES ('Monocalcium');
INSERT INTO tb_ingredient (name) VALUES ('Monodiglycerides');
INSERT INTO tb_ingredient (name) VALUES ('Monoesters');
INSERT INTO tb_ingredient (name) VALUES ('Monoglyceride');
INSERT INTO tb_ingredient (name) VALUES ('Monoglycerides');
INSERT INTO tb_ingredient (name) VALUES ('Monohydrochloride');
INSERT INTO tb_ingredient (name) VALUES ('Mononitrate');
INSERT INTO tb_ingredient (name) VALUES ('Monosodium');
INSERT INTO tb_ingredient (name) VALUES ('Monostearate');
INSERT INTO tb_ingredient (name) VALUES ('Morels');
INSERT INTO tb_ingredient (name) VALUES ('Moringa');
INSERT INTO tb_ingredient (name) VALUES ('Mourvèdre');
INSERT INTO tb_ingredient (name) VALUES ('Moutarde');
INSERT INTO tb_ingredient (name) VALUES ('Mozzarella');
INSERT INTO tb_ingredient (name) VALUES ('Mulberries');
INSERT INTO tb_ingredient (name) VALUES ('Muscadet');
INSERT INTO tb_ingredient (name) VALUES ('Muscovado');
INSERT INTO tb_ingredient (name) VALUES ('Mushroom');
INSERT INTO tb_ingredient (name) VALUES ('Mussel');
INSERT INTO tb_ingredient (name) VALUES ('Must');
INSERT INTO tb_ingredient (name) VALUES ('Mustard');
INSERT INTO tb_ingredient (name) VALUES ('Mutton');
INSERT INTO tb_ingredient (name) VALUES ('Mycoprotein');
INSERT INTO tb_ingredient (name) VALUES ('Müesli');
INSERT INTO tb_ingredient (name) VALUES ('Nacin');
INSERT INTO tb_ingredient (name) VALUES ('Nameko');
INSERT INTO tb_ingredient (name) VALUES ('Nat');
INSERT INTO tb_ingredient (name) VALUES ('Natural');
INSERT INTO tb_ingredient (name) VALUES ('Nectarine');
INSERT INTO tb_ingredient (name) VALUES ('Nettle');
INSERT INTO tb_ingredient (name) VALUES ('Neufchatel');
INSERT INTO tb_ingredient (name) VALUES ('Ngredients');
INSERT INTO tb_ingredient (name) VALUES ('Niacina');
INSERT INTO tb_ingredient (name) VALUES ('Niacine');
INSERT INTO tb_ingredient (name) VALUES ('Nigari');

```



```
INSERT INTO tb_ingredient (name) VALUES ('Noisettes');
INSERT INTO tb_ingredient (name) VALUES ('Non');
INSERT INTO tb_ingredient (name) VALUES ('Nonfat');
INSERT INTO tb_ingredient (name) VALUES ('Nonpareils');
INSERT INTO tb_ingredient (name) VALUES ('Noodle');
INSERT INTO tb_ingredient (name) VALUES ('Nori');
INSERT INTO tb_ingredient (name) VALUES ('Nougat');
INSERT INTO tb_ingredient (name) VALUES ('Nucleotides');
INSERT INTO tb_ingredient (name) VALUES ('Nueces');
INSERT INTO tb_ingredient (name) VALUES ('Nut');
INSERT INTO tb_ingredient (name) VALUES ('Nutmeg');
INSERT INTO tb_ingredient (name) VALUES ('Nutrition');
INSERT INTO tb_ingredient (name) VALUES ('Oat');
INSERT INTO tb_ingredient (name) VALUES ('Oatmeal');
INSERT INTO tb_ingredient (name) VALUES ('Oatmilk');
INSERT INTO tb_ingredient (name) VALUES ('Octopus');
INSERT INTO tb_ingredient (name) VALUES ('Octyldodecanol');
INSERT INTO tb_ingredient (name) VALUES ('Oeufs');
INSERT INTO tb_ingredient (name) VALUES ('Of');
INSERT INTO tb_ingredient (name) VALUES ('Oignon');
INSERT INTO tb_ingredient (name) VALUES ('Oignons');
INSERT INTO tb_ingredient (name) VALUES ('Oil');
INSERT INTO tb_ingredient (name) VALUES ('Oilseed');
INSERT INTO tb_ingredient (name) VALUES ('Okra');
INSERT INTO tb_ingredient (name) VALUES ('Oleoresin');
INSERT INTO tb_ingredient (name) VALUES ('Oligofructose');
INSERT INTO tb_ingredient (name) VALUES ('Oligosaccharides');
INSERT INTO tb_ingredient (name) VALUES ('Olives');
INSERT INTO tb_ingredient (name) VALUES ('Omelette');
INSERT INTO tb_ingredient (name) VALUES ('Omg');
INSERT INTO tb_ingredient (name) VALUES ('Onion');
INSERT INTO tb_ingredient (name) VALUES ('Or');
INSERT INTO tb_ingredient (name) VALUES ('Orange');
INSERT INTO tb_ingredient (name) VALUES ('Oregano');
INSERT INTO tb_ingredient (name) VALUES ('Org');
INSERT INTO tb_ingredient (name) VALUES ('Orge');
INSERT INTO tb_ingredient (name) VALUES ('Orzo');
INSERT INTO tb_ingredient (name) VALUES ('Oyster');
INSERT INTO tb_ingredient (name) VALUES ('Oz');
INSERT INTO tb_ingredient (name) VALUES ('Pa');
INSERT INTO tb_ingredient (name) VALUES ('Palm');
INSERT INTO tb_ingredient (name) VALUES ('Palma');
INSERT INTO tb_ingredient (name) VALUES ('Palme');
INSERT INTO tb_ingredient (name) VALUES ('Palmfat');
INSERT INTO tb_ingredient (name) VALUES ('Palmolein');
INSERT INTO tb_ingredient (name) VALUES ('Panax');
INSERT INTO tb_ingredient (name) VALUES ('Pancetta');
INSERT INTO tb_ingredient (name) VALUES ('Panko');
INSERT INTO tb_ingredient (name) VALUES ('Panthenol');
INSERT INTO tb_ingredient (name) VALUES ('Papain');
INSERT INTO tb_ingredient (name) VALUES ('Papaya');
INSERT INTO tb_ingredient (name) VALUES ('Paprika');
INSERT INTO tb_ingredient (name) VALUES ('Paracasei');
INSERT INTO tb_ingredient (name) VALUES ('Parfum');
```

```
INSERT INTO tb_ingredient (name) VALUES ('Parmesan');
INSERT INTO tb_ingredient (name) VALUES ('Parsley');
INSERT INTO tb_ingredient (name) VALUES ('Parsnip');
INSERT INTO tb_ingredient (name) VALUES ('Pasta');
INSERT INTO tb_ingredient (name) VALUES ('Paste');
INSERT INTO tb_ingredient (name) VALUES ('Pasteurised');
INSERT INTO tb_ingredient (name) VALUES ('Pastry');
INSERT INTO tb_ingredient (name) VALUES ('Pea');
INSERT INTO tb_ingredient (name) VALUES ('Peach');
INSERT INTO tb_ingredient (name) VALUES ('Peanut');
INSERT INTO tb_ingredient (name) VALUES ('Pear');
INSERT INTO tb_ingredient (name) VALUES ('Pecorino');
INSERT INTO tb_ingredient (name) VALUES ('Pectina');
INSERT INTO tb_ingredient (name) VALUES ('Pectinase');
INSERT INTO tb_ingredient (name) VALUES ('Pectine');
INSERT INTO tb_ingredient (name) VALUES ('Penaeidae');
INSERT INTO tb_ingredient (name) VALUES ('Penicillium');
INSERT INTO tb_ingredient (name) VALUES ('Penne');
INSERT INTO tb_ingredient (name) VALUES ('Pepitas');
INSERT INTO tb_ingredient (name) VALUES ('Pepper');
INSERT INTO tb_ingredient (name) VALUES ('Peppercorns');
INSERT INTO tb_ingredient (name) VALUES ('Peppermint');
INSERT INTO tb_ingredient (name) VALUES ('Pepperoncini');
INSERT INTO tb_ingredient (name) VALUES ('Pepperoni');
INSERT INTO tb_ingredient (name) VALUES ('Per');
INSERT INTO tb_ingredient (name) VALUES ('Persil');
INSERT INTO tb_ingredient (name) VALUES ('Persimmon');
INSERT INTO tb_ingredient (name) VALUES ('Persipan');
INSERT INTO tb_ingredient (name) VALUES ('Pesto');
INSERT INTO tb_ingredient (name) VALUES ('Phenoxyethanol');
INSERT INTO tb_ingredient (name) VALUES ('Phenylketonurics');
INSERT INTO tb_ingredient (name) VALUES ('Pholiota');
INSERT INTO tb_ingredient (name) VALUES ('Phosphate');
INSERT INTO tb_ingredient (name) VALUES ('Phospholipase');
INSERT INTO tb_ingredient (name) VALUES ('Phosphor');
INSERT INTO tb_ingredient (name) VALUES ('Phosphorus');
INSERT INTO tb_ingredient (name) VALUES ('Phylloquinone');
INSERT INTO tb_ingredient (name) VALUES ('Phytonadione');
INSERT INTO tb_ingredient (name) VALUES ('Pickles');
INSERT INTO tb_ingredient (name) VALUES ('Pike');
INSERT INTO tb_ingredient (name) VALUES ('Pimiento');
INSERT INTO tb_ingredient (name) VALUES ('Pineapple');
INSERT INTO tb_ingredient (name) VALUES ('Pink');
INSERT INTO tb_ingredient (name) VALUES ('Pita');
INSERT INTO tb_ingredient (name) VALUES ('Plano');
INSERT INTO tb_ingredient (name) VALUES ('Plant');
INSERT INTO tb_ingredient (name) VALUES ('Plantain');
INSERT INTO tb_ingredient (name) VALUES ('Plum');
INSERT INTO tb_ingredient (name) VALUES ('Poblano');
INSERT INTO tb_ingredient (name) VALUES ('Poivre');
INSERT INTO tb_ingredient (name) VALUES ('Pollen');
INSERT INTO tb_ingredient (name) VALUES ('Polysorbate');
INSERT INTO tb_ingredient (name) VALUES ('Pomegranate');
INSERT INTO tb_ingredient (name) VALUES ('Popcorn');
```

```
INSERT INTO tb_ingredient (name) VALUES ('Poppyseeds');
INSERT INTO tb_ingredient (name) VALUES ('Pork');
INSERT INTO tb_ingredient (name) VALUES ('Port');
INSERT INTO tb_ingredient (name) VALUES ('Potas');
INSERT INTO tb_ingredient (name) VALUES ('Potassium');
INSERT INTO tb_ingredient (name) VALUES ('Potato');
INSERT INTO tb_ingredient (name) VALUES ('Poultry');
INSERT INTO tb_ingredient (name) VALUES ('Powder');
INSERT INTO tb_ingredient (name) VALUES ('Praliné');
INSERT INTO tb_ingredient (name) VALUES ('Prebiotics');
INSERT INTO tb_ingredient (name) VALUES ('Predust');
INSERT INTO tb_ingredient (name) VALUES ('Preservative');
INSERT INTO tb_ingredient (name) VALUES ('Pretzel');
INSERT INTO tb_ingredient (name) VALUES ('Pretzels');
INSERT INTO tb_ingredient (name) VALUES ('Probiotic');
INSERT INTO tb_ingredient (name) VALUES ('Probiotics');
INSERT INTO tb_ingredient (name) VALUES ('Products');
INSERT INTO tb_ingredient (name) VALUES ('Propanediol');
INSERT INTO tb_ingredient (name) VALUES ('Propylene');
INSERT INTO tb_ingredient (name) VALUES ('Prosciutto');
INSERT INTO tb_ingredient (name) VALUES ('Protein');
INSERT INTO tb_ingredient (name) VALUES ('Proteinas');
INSERT INTO tb_ingredient (name) VALUES ('Provolone');
INSERT INTO tb_ingredient (name) VALUES ('Prune');
INSERT INTO tb_ingredient (name) VALUES ('Psyllium');
INSERT INTO tb_ingredient (name) VALUES ('Pulp');
INSERT INTO tb_ingredient (name) VALUES ('Pumpkin');
INSERT INTO tb_ingredient (name) VALUES ('Purple');
INSERT INTO tb_ingredient (name) VALUES ('Purée');
INSERT INTO tb_ingredient (name) VALUES ('Pyridoxine');
INSERT INTO tb_ingredient (name) VALUES ('Quark');
INSERT INTO tb_ingredient (name) VALUES ('Quince');
INSERT INTO tb_ingredient (name) VALUES ('Quinine');
INSERT INTO tb_ingredient (name) VALUES ('Quinoa');
INSERT INTO tb_ingredient (name) VALUES ('Quot');
INSERT INTO tb_ingredient (name) VALUES ('Rabbit');
INSERT INTO tb_ingredient (name) VALUES ('Raclette');
INSERT INTO tb_ingredient (name) VALUES ('Radicchio');
INSERT INTO tb_ingredient (name) VALUES ('Radish');
INSERT INTO tb_ingredient (name) VALUES ('Rain');
INSERT INTO tb_ingredient (name) VALUES ('Raisin');
INSERT INTO tb_ingredient (name) VALUES ('Rapeseed');
INSERT INTO tb_ingredient (name) VALUES ('Rapsol');
INSERT INTO tb_ingredient (name) VALUES ('Raspberry');
INSERT INTO tb_ingredient (name) VALUES ('Ravioli');
INSERT INTO tb_ingredient (name) VALUES ('Raw');
INSERT INTO tb_ingredient (name) VALUES ('Rebiana');
INSERT INTO tb_ingredient (name) VALUES ('Reblochon');
INSERT INTO tb_ingredient (name) VALUES ('Red');
INSERT INTO tb_ingredient (name) VALUES ('Redcurrant');
INSERT INTO tb_ingredient (name) VALUES ('Redients');
INSERT INTO tb_ingredient (name) VALUES ('Reduced');
INSERT INTO tb_ingredient (name) VALUES ('Refined');
INSERT INTO tb_ingredient (name) VALUES ('Refrigerate');
```

```
INSERT INTO tb_ingredient (name) VALUES ('Reg');
INSERT INTO tb_ingredient (name) VALUES ('Relish');
INSERT INTO tb_ingredient (name) VALUES ('Rennet');
INSERT INTO tb_ingredient (name) VALUES ('Rennetless');
INSERT INTO tb_ingredient (name) VALUES ('Res');
INSERT INTO tb_ingredient (name) VALUES ('Retinol');
INSERT INTO tb_ingredient (name) VALUES ('Rhubarb');
INSERT INTO tb_ingredient (name) VALUES ('Riboflavina');
INSERT INTO tb_ingredient (name) VALUES ('Rice');
INSERT INTO tb_ingredient (name) VALUES ('Ricotta');
INSERT INTO tb_ingredient (name) VALUES ('Riz');
INSERT INTO tb_ingredient (name) VALUES ('Roasted');
INSERT INTO tb_ingredient (name) VALUES ('Roboflavin');
INSERT INTO tb_ingredient (name) VALUES ('Rocket');
INSERT INTO tb_ingredient (name) VALUES ('Rockfish');
INSERT INTO tb_ingredient (name) VALUES ('Roe');
INSERT INTO tb_ingredient (name) VALUES ('Roll');
INSERT INTO tb_ingredient (name) VALUES ('Romaine');
INSERT INTO tb_ingredient (name) VALUES ('Rooibos');
INSERT INTO tb_ingredient (name) VALUES ('Root');
INSERT INTO tb_ingredient (name) VALUES ('Roquefort');
INSERT INTO tb_ingredient (name) VALUES ('Rosemary');
INSERT INTO tb_ingredient (name) VALUES ('Roux');
INSERT INTO tb_ingredient (name) VALUES ('Rum');
INSERT INTO tb_ingredient (name) VALUES ('Rusk');
INSERT INTO tb_ingredient (name) VALUES ('Rutabaga');
INSERT INTO tb_ingredient (name) VALUES ('Rye');
INSERT INTO tb_ingredient (name) VALUES ('Sa');
INSERT INTO tb_ingredient (name) VALUES ('Saborizante');
INSERT INTO tb_ingredient (name) VALUES ('Saccharose');
INSERT INTO tb_ingredient (name) VALUES ('Safflower');
INSERT INTO tb_ingredient (name) VALUES ('Saffron');
INSERT INTO tb_ingredient (name) VALUES ('Sage');
INSERT INTO tb_ingredient (name) VALUES ('Saib');
INSERT INTO tb_ingredient (name) VALUES ('Saithe');
INSERT INTO tb_ingredient (name) VALUES ('Sake');
INSERT INTO tb_ingredient (name) VALUES ('Salad');
INSERT INTO tb_ingredient (name) VALUES ('Salami');
INSERT INTO tb_ingredient (name) VALUES ('Sale');
INSERT INTO tb_ingredient (name) VALUES ('Sali');
INSERT INTO tb_ingredient (name) VALUES ('Salmon');
INSERT INTO tb_ingredient (name) VALUES ('Salsa');
INSERT INTO tb_ingredient (name) VALUES ('Salsify');
INSERT INTO tb_ingredient (name) VALUES ('Salt');
INSERT INTO tb_ingredient (name) VALUES ('Salted');
INSERT INTO tb_ingredient (name) VALUES ('Salz');
INSERT INTO tb_ingredient (name) VALUES ('Sambal');
INSERT INTO tb_ingredient (name) VALUES ('Sardine');
INSERT INTO tb_ingredient (name) VALUES ('Sare');
INSERT INTO tb_ingredient (name) VALUES ('Sat');
INSERT INTO tb_ingredient (name) VALUES ('Sauce');
INSERT INTO tb_ingredient (name) VALUES ('Sauerkraut');
INSERT INTO tb_ingredient (name) VALUES ('Sauerungsmittel');
INSERT INTO tb_ingredient (name) VALUES ('Sausage');
```



```
INSERT INTO tb_ingredient (name) VALUES ('Sauternes');
INSERT INTO tb_ingredient (name) VALUES ('Saviseed');
INSERT INTO tb_ingredient (name) VALUES ('Scallop');
INSERT INTO tb_ingredient (name) VALUES ('Scfos');
INSERT INTO tb_ingredient (name) VALUES ('Se');
INSERT INTO tb_ingredient (name) VALUES ('Seasalt');
INSERT INTO tb_ingredient (name) VALUES ('Seaweed');
INSERT INTO tb_ingredient (name) VALUES ('Seed');
INSERT INTO tb_ingredient (name) VALUES ('Seitan');
INSERT INTO tb_ingredient (name) VALUES ('Sel');
INSERT INTO tb_ingredient (name) VALUES ('Selenium');
INSERT INTO tb_ingredient (name) VALUES ('Semolina');
INSERT INTO tb_ingredient (name) VALUES ('Sequestrant');
INSERT INTO tb_ingredient (name) VALUES ('Serrano');
INSERT INTO tb_ingredient (name) VALUES ('Serv');
INSERT INTO tb_ingredient (name) VALUES ('Serving');
INSERT INTO tb_ingredient (name) VALUES ('Sesame');
INSERT INTO tb_ingredient (name) VALUES ('Shallot');
INSERT INTO tb_ingredient (name) VALUES ('Sheep');
INSERT INTO tb_ingredient (name) VALUES ('Shellfish');
INSERT INTO tb_ingredient (name) VALUES ('Sherry');
INSERT INTO tb_ingredient (name) VALUES ('Shiitake');
INSERT INTO tb_ingredient (name) VALUES ('Shortening');
INSERT INTO tb_ingredient (name) VALUES ('Shrimp');
INSERT INTO tb_ingredient (name) VALUES ('Size');
INSERT INTO tb_ingredient (name) VALUES ('Skim');
INSERT INTO tb_ingredient (name) VALUES ('Smetana');
INSERT INTO tb_ingredient (name) VALUES ('Smoke');
INSERT INTO tb_ingredient (name) VALUES ('Snail');
INSERT INTO tb_ingredient (name) VALUES ('So');
INSERT INTO tb_ingredient (name) VALUES ('Soapwort');
INSERT INTO tb_ingredient (name) VALUES ('Soda');
INSERT INTO tb_ingredient (name) VALUES ('Sodio');
INSERT INTO tb_ingredient (name) VALUES ('Sodiu');
INSERT INTO tb_ingredient (name) VALUES ('Sodium');
INSERT INTO tb_ingredient (name) VALUES ('Solids');
INSERT INTO tb_ingredient (name) VALUES ('Sonnenblumenol');
INSERT INTO tb_ingredient (name) VALUES ('Sorbate');
INSERT INTO tb_ingredient (name) VALUES ('Sorghum');
INSERT INTO tb_ingredient (name) VALUES ('Sorrel');
INSERT INTO tb_ingredient (name) VALUES ('Sourdough');
INSERT INTO tb_ingredient (name) VALUES ('Soya');
INSERT INTO tb_ingredient (name) VALUES ('Soylecithin');
INSERT INTO tb_ingredient (name) VALUES ('Soymilk');
INSERT INTO tb_ingredient (name) VALUES ('Spaghetti');
INSERT INTO tb_ingredient (name) VALUES ('Spearment');
INSERT INTO tb_ingredient (name) VALUES ('Speculoos');
INSERT INTO tb_ingredient (name) VALUES ('Speisesalz');
INSERT INTO tb_ingredient (name) VALUES ('Spelt');
INSERT INTO tb_ingredient (name) VALUES ('Spice');
INSERT INTO tb_ingredient (name) VALUES ('Spinach');
INSERT INTO tb_ingredient (name) VALUES ('Spirulina');
INSERT INTO tb_ingredient (name) VALUES ('Spread');
INSERT INTO tb_ingredient (name) VALUES ('Sprinkles');
```

```
INSERT INTO tb_ingredient (name) VALUES ('Squash');
INSERT INTO tb_ingredient (name) VALUES ('Squid');
INSERT INTO tb_ingredient (name) VALUES ('Sriracha');
INSERT INTO tb_ingredient (name) VALUES ('Ssl');
INSERT INTO tb_ingredient (name) VALUES ('St');
INSERT INTO tb_ingredient (name) VALUES ('Stabilisant');
INSERT INTO tb_ingredient (name) VALUES ('Stabilisants');
INSERT INTO tb_ingredient (name) VALUES ('Stabiliser');
INSERT INTO tb_ingredient (name) VALUES ('Starch');
INSERT INTO tb_ingredient (name) VALUES ('Starke');
INSERT INTO tb_ingredient (name) VALUES ('Starter');
INSERT INTO tb_ingredient (name) VALUES ('Stevia');
INSERT INTO tb_ingredient (name) VALUES ('Steviol');
INSERT INTO tb_ingredient (name) VALUES ('Storage');
INSERT INTO tb_ingredient (name) VALUES ('Strawberry');
INSERT INTO tb_ingredient (name) VALUES ('Su');
INSERT INTO tb_ingredient (name) VALUES ('Sucralosa');
INSERT INTO tb_ingredient (name) VALUES ('Sucre');
INSERT INTO tb_ingredient (name) VALUES ('Sucres');
INSERT INTO tb_ingredient (name) VALUES ('Sucromalt');
INSERT INTO tb_ingredient (name) VALUES ('Sucrose');
INSERT INTO tb_ingredient (name) VALUES ('Suga');
INSERT INTO tb_ingredient (name) VALUES ('Sugar');
INSERT INTO tb_ingredient (name) VALUES ('Suiker');
INSERT INTO tb_ingredient (name) VALUES ('Sulfates');
INSERT INTO tb_ingredient (name) VALUES ('Sulfite');
INSERT INTO tb_ingredient (name) VALUES ('Sultanas');
INSERT INTO tb_ingredient (name) VALUES ('Sumac');
INSERT INTO tb_ingredient (name) VALUES ('Sunflower');
INSERT INTO tb_ingredient (name) VALUES ('Surimi');
INSERT INTO tb_ingredient (name) VALUES ('Swai');
INSERT INTO tb_ingredient (name) VALUES ('Sweetcorn');
INSERT INTO tb_ingredient (name) VALUES ('Sweetener');
INSERT INTO tb_ingredient (name) VALUES ('Swiss');
INSERT INTO tb_ingredient (name) VALUES ('Swordfish');
INSERT INTO tb_ingredient (name) VALUES ('Syrah');
INSERT INTO tb_ingredient (name) VALUES ('Syrup');
INSERT INTO tb_ingredient (name) VALUES ('Tagliatelle');
INSERT INTO tb_ingredient (name) VALUES ('Tahini');
INSERT INTO tb_ingredient (name) VALUES ('Tallow');
INSERT INTO tb_ingredient (name) VALUES ('Tamari');
INSERT INTO tb_ingredient (name) VALUES ('Tamarind');
INSERT INTO tb_ingredient (name) VALUES ('Tangerine');
INSERT INTO tb_ingredient (name) VALUES ('Tango');
INSERT INTO tb_ingredient (name) VALUES ('Tara');
INSERT INTO tb_ingredient (name) VALUES ('Taro');
INSERT INTO tb_ingredient (name) VALUES ('Tarragon');
INSERT INTO tb_ingredient (name) VALUES ('Tartrazina');
INSERT INTO tb_ingredient (name) VALUES ('Tatsoi');
INSERT INTO tb_ingredient (name) VALUES ('Taurine');
INSERT INTO tb_ingredient (name) VALUES ('Tea');
INSERT INTO tb_ingredient (name) VALUES ('Teff');
INSERT INTO tb_ingredient (name) VALUES ('Tegument');
INSERT INTO tb_ingredient (name) VALUES ('Tel');
```

```
INSERT INTO tb_ingredient (name) VALUES ('Tenderizer');
INSERT INTO tb_ingredient (name) VALUES ('Tequila');
INSERT INTO tb_ingredient (name) VALUES ('Thermophilus');
INSERT INTO tb_ingredient (name) VALUES ('Thiamin');
INSERT INTO tb_ingredient (name) VALUES ('Thickener');
INSERT INTO tb_ingredient (name) VALUES ('Thongweed');
INSERT INTO tb_ingredient (name) VALUES ('Thyme');
INSERT INTO tb_ingredient (name) VALUES ('Tiamina');
INSERT INTO tb_ingredient (name) VALUES ('Tigernut');
INSERT INTO tb_ingredient (name) VALUES ('Tilapia');
INSERT INTO tb_ingredient (name) VALUES ('Tilde');
INSERT INTO tb_ingredient (name) VALUES ('Tm');
INSERT INTO tb_ingredient (name) VALUES ('Toffee');
INSERT INTO tb_ingredient (name) VALUES ('Tofu');
INSERT INTO tb_ingredient (name) VALUES ('Tomate');
INSERT INTO tb_ingredient (name) VALUES ('Tomates');
INSERT INTO tb_ingredient (name) VALUES ('Tomatillo');
INSERT INTO tb_ingredient (name) VALUES ('Tomatillos');
INSERT INTO tb_ingredient (name) VALUES ('Tomato');
INSERT INTO tb_ingredient (name) VALUES ('Tomme');
INSERT INTO tb_ingredient (name) VALUES ('Toppers');
INSERT INTO tb_ingredient (name) VALUES ('Topping');
INSERT INTO tb_ingredient (name) VALUES ('Toppings');
INSERT INTO tb_ingredient (name) VALUES ('Toronto');
INSERT INTO tb_ingredient (name) VALUES ('Tortilla');
INSERT INTO tb_ingredient (name) VALUES ('Total');
INSERT INTO tb_ingredient (name) VALUES ('Transglutaminase');
INSERT INTO tb_ingredient (name) VALUES ('Trehalose');
INSERT INTO tb_ingredient (name) VALUES ('Tri');
INSERT INTO tb_ingredient (name) VALUES ('Triethanolamine');
INSERT INTO tb_ingredient (name) VALUES ('Triglycerides');
INSERT INTO tb_ingredient (name) VALUES ('Trigo');
INSERT INTO tb_ingredient (name) VALUES ('Tripolyphosphate');
INSERT INTO tb_ingredient (name) VALUES ('Triticale');
INSERT INTO tb_ingredient (name) VALUES ('Trout');
INSERT INTO tb_ingredient (name) VALUES ('Truffle');
INSERT INTO tb_ingredient (name) VALUES ('Tumeric');
INSERT INTO tb_ingredient (name) VALUES ('Tuna');
INSERT INTO tb_ingredient (name) VALUES ('Turkey');
INSERT INTO tb_ingredient (name) VALUES ('Turmeric');
INSERT INTO tb_ingredient (name) VALUES ('Turnip');
INSERT INTO tb_ingredient (name) VALUES ('Uk');
INSERT INTO tb_ingredient (name) VALUES ('Unbleached');
INSERT INTO tb_ingredient (name) VALUES ('Unbromated');
INSERT INTO tb_ingredient (name) VALUES ('Unenriched');
INSERT INTO tb_ingredient (name) VALUES ('Unsulfured');
INSERT INTO tb_ingredient (name) VALUES ('Unsulphured');
INSERT INTO tb_ingredient (name) VALUES ('Vanilla');
INSERT INTO tb_ingredient (name) VALUES ('Vanillin');
INSERT INTO tb_ingredient (name) VALUES ('Varietal');
INSERT INTO tb_ingredient (name) VALUES ('Veal');
INSERT INTO tb_ingredient (name) VALUES ('Veg');
INSERT INTO tb_ingredient (name) VALUES ('Vegan');
INSERT INTO tb_ingredient (name) VALUES ('Vegenaise');
```

```

INSERT INTO tb_ingredient (name) VALUES ('Vegetable');
INSERT INTO tb_ingredient (name) VALUES ('Venison');
INSERT INTO tb_ingredient (name) VALUES ('Verbena');
INSERT INTO tb_ingredient (name) VALUES ('Verdickungsmittel');
INSERT INTO tb_ingredient (name) VALUES ('Vermicelli');
INSERT INTO tb_ingredient (name) VALUES ('Vermouth');
INSERT INTO tb_ingredient (name) VALUES ('Vinaigre');
INSERT INTO tb_ingredient (name) VALUES ('Vinaigrette');
INSERT INTO tb_ingredient (name) VALUES ('Vinegar');
INSERT INTO tb_ingredient (name) VALUES ('Vit');
INSERT INTO tb_ingredient (name) VALUES ('Vitaminas');
INSERT INTO tb_ingredient (name) VALUES ('Vitamins');
INSERT INTO tb_ingredient (name) VALUES ('Vodka');
INSERT INTO tb_ingredient (name) VALUES ('Vol');
INSERT INTO tb_ingredient (name) VALUES ('Wafer');
INSERT INTO tb_ingredient (name) VALUES ('Waffle');
INSERT INTO tb_ingredient (name) VALUES ('Wakame');
INSERT INTO tb_ingredient (name) VALUES ('Walnut');
INSERT INTO tb_ingredient (name) VALUES ('Warning');
INSERT INTO tb_ingredient (name) VALUES ('Wasabi');
INSERT INTO tb_ingredient (name) VALUES ('Wasser');
INSERT INTO tb_ingredient (name) VALUES ('Water');
INSERT INTO tb_ingredient (name) VALUES ('Watercress');
INSERT INTO tb_ingredient (name) VALUES ('Watermelon');
INSERT INTO tb_ingredient (name) VALUES ('Wax');
INSERT INTO tb_ingredient (name) VALUES ('Weizenmehl');
INSERT INTO tb_ingredient (name) VALUES ('Wheat');
INSERT INTO tb_ingredient (name) VALUES ('Wheatgrass');
INSERT INTO tb_ingredient (name) VALUES ('Whey');
INSERT INTO tb_ingredient (name) VALUES ('Whiskey');
INSERT INTO tb_ingredient (name) VALUES ('Whisky');
INSERT INTO tb_ingredient (name) VALUES ('White');
INSERT INTO tb_ingredient (name) VALUES ('Whitefish');
INSERT INTO tb_ingredient (name) VALUES ('Whiting');
INSERT INTO tb_ingredient (name) VALUES ('Whole');
INSERT INTO tb_ingredient (name) VALUES ('Wild');
INSERT INTO tb_ingredient (name) VALUES ('Wine');
INSERT INTO tb_ingredient (name) VALUES ('Worcestershire');
INSERT INTO tb_ingredient (name) VALUES ('Wrapper');
INSERT INTO tb_ingredient (name) VALUES ('Www');
INSERT INTO tb_ingredient (name) VALUES ('Xylanase');
INSERT INTO tb_ingredient (name) VALUES ('Yam');
INSERT INTO tb_ingredient (name) VALUES ('Yeast');
INSERT INTO tb_ingredient (name) VALUES ('Yellow');
INSERT INTO tb_ingredient (name) VALUES ('Yogurt');
INSERT INTO tb_ingredient (name) VALUES ('Zinc');
INSERT INTO tb_ingredient (name) VALUES ('Zout');
INSERT INTO tb_ingredient (name) VALUES ('Zuccherò');
INSERT INTO tb_ingredient (name) VALUES ('Zucker');
INSERT INTO tb_ingredient (name) VALUES ('Zutaten');
INSERT INTO tb_ingredient (name) VALUES ('Zwiebeln');

```

```

INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How to sign up?','If you are a visitor and wants to create a new account in our

```


site, you can sign up in any page, in the navbar there will be a button with the text "Sign Up", this will send you to a page where you can create a profile with your information.');

```
INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How to sign in?','If you are a visitor in the website, you can sign in in any page, in the navbar there will be a button with the text "Sign In", this will redirect you to a page where you can use your username and password to sign in.');
```

```
INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How does Google Sign In and Sign Out works?','If you want to create an account in our site you can use Google to be your way in, that way you will not have a password on our website, the way to sign in your account would be via this Google account.');
```

```
INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('Where is the homepage?','If you are in the site you can go to the homepage at any time using the breadcrumb (The path in the top of the page that gives your location on the website) or clicking on our logo on the top left corner of the page.');
```

```
INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How to search for something?','You can search for recipes, users, tags and groups. This can be achieved using our searchbox, on the top of the page a place to type your search will be available (mobile users need to click on the search icon for it to appear), then after writing your search term you can press enter and you will see the search results.');
```

```
INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How to filter my search results?','After doing a search, you will see some filter inputs, you can use them to filter the results by category, tags, rating, ingredients, date, duration and difficulty, after you choose a filter your results will include or exclude as you ordered.');
```

```
INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How do I know more about the developers of this page?','Our website has an "About" page, where you can read information about this project and its developers, you can access it at any time using the link at the footer (the very bottom of the page).');
```

```
INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How to see a profile?','If the profile is public you can access it in various ways depending on where you see the user: If it's a user that appears as a result of a search you can just click on their name or profile picture; If you want to know more about a user that has made a recipe, on the information box of the recipe (the box at the top) you can click on the name of the user; If you want to know more about a user that made a comment you can just click on the name that appears immediatly above the comment.');
```

```
INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How do I see the reviews of a recipe?','You can't see ratings themselves, but if a user made a review they can justify it using the comment section, the rating of that user will appear bellow his/her name and you will have more infomration about the recipe.');
```

```
INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How to view a recipe?','If you are in a feed or search results page you can just click on the name of the recipe or its image and you will be redirected to the recipe page.');
```

```
INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How to see the frequently asked questions page?','This is not a good place to make
```

```

this question, as you are already in it.');
```

```

INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How to
share a recipe?', 'If you are in a recipe page and want to share it you can
just go to the information box of that recipe and click on the button that
says "Share", if you are on mobile you will only see the share icon.');
```

```

INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How to
print a recipe?', 'If you open a recipe in the upper part there will be an
text that says "share", if you are using a mobile dispositive, then only
the icon of a printer will be seen.');
```

```

INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How to
post a recipe?', 'You can post recipes in two ways, either go to your feed
or to your profile page, in both pages there will be a green button to
create a recipe.');
```

```

INSERT INTO tb_frequently_asked_question (question, answer) VALUES ('How to
edit a recipe?', 'To edit a recipe you must go to the recipe page, if
you''re the author a button with the text "edit" will appear, if you are
using a mobile dispositive, then only the icon of a pencil and papper will
be seen.');
```



```

-- Units of Mass (Weight)
INSERT INTO tb_unit (name) VALUES ('Kg'); -- kilogram
INSERT INTO tb_unit (name) VALUES ('g'); -- gram
INSERT INTO tb_unit (name) VALUES ('dg'); -- decigram
INSERT INTO tb_unit (name) VALUES ('cg'); -- centigram
INSERT INTO tb_unit (name) VALUES ('mg'); -- milligram
```



```

-- Units of Capacity (Volume)
INSERT INTO tb_unit (name) VALUES ('L'); -- litre
INSERT INTO tb_unit (name) VALUES ('dL'); -- decilitre
INSERT INTO tb_unit (name) VALUES ('cL'); -- centilitre
INSERT INTO tb_unit (name) VALUES ('mL'); -- millilitre
```



```

INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (1, 2, 0.001);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (1, 3, 0.0001);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (1, 4, 0.00001);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (1, 5, 0.000001);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (2, 3, 0.1);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (2, 4, 0.01);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (2, 5, 0.001);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (3, 4, 0.1);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (3, 5, 0.01);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (4, 5, 0.1);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (6, 7, 0.1);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (6, 8, 0.01);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (6, 9, 0.001);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (7, 8, 0.1);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (7, 9, 0.01);
INSERT INTO tb_conversion (unit_1, unit_2, factor) VALUES (8, 9, 0.1);
```



```

INSERT INTO tb_category (name) VALUES ('Breakfast');
INSERT INTO tb_category (name) VALUES ('Lunch');
INSERT INTO tb_category (name) VALUES ('Beverages');
INSERT INTO tb_category (name) VALUES ('Appetizers');
INSERT INTO tb_category (name) VALUES ('Soups');
```

```
INSERT INTO tb_category (name) VALUES ('Salads');
INSERT INTO tb_category (name) VALUES ('Desserts');
```

```
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Corned Beef and Cabbage I', 'very hard', 'I'm working
on a sweet potato farm.', 5, 51.666666666666664, 103.33333333333333, 0,
'2016-10-05 13:57:00', 132, 2);
```

```
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category, id_group) VALUES ('Good Old Fashioned Pancakes', 'very hard',
'The waves were crashing on the shore; it was a lovely sight.', 8,
6.666666666666667, 13.333333333333334, 0, '2016-12-03 13:06:00', 175, 7,
26);
```

```
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Slow-Cooker Corned Beef and Cabbage', 'medium', 'I
liked their first two albums but changed my mind after that charity gig.',
8, 185.0, 370.0, 0, '2013-11-18 22:27:00', 283, 4);
```

```
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Oven-Roasted Asparagus', 'very hard', 'The waitress
was not amused when he ordered green eggs and ham.', 4, 0.0, 0.0, 0, '2016-
05-18 17:38:00', 122, 2);
```

```
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Easy Meatloaf', 'very hard', 'He used to get confused
between soldiers and shoulders, but as a military man, he now soldiers
responsibility.', 8, 0.0, 0.0, 0, '2015-03-04 15:42:00', 131, 3);
```

```
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Best Chocolate Chip Cookies', 'medium', 'Combines are
no longer just for farms.', 4, 20.0, 40.0, 0, '2014-08-09 19:31:00', 96,
3);
```

```
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Easy Cinnamon Rolls', 'medium', 'He's in a boy band
which doesn't make much sense for a snake.', 20, 46.666666666666664,
93.33333333333333, 0, '2016-11-21 15:26:00', 37, 4);
```

```
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Guacamole', 'hard', 'He's in a boy band which
doesn't make much sense for a snake.', 4, 3.3333333333333335,
6.666666666666667, 0, '2016-05-20 22:06:00', 342, 6);
```

```
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Best Brownies', 'medium', 'The waves were crashing on
the shore; it was a lovely sight.', 16, 0.0, 0.0, 0, '2014-05-08 17:15:00',
119, 6);
```

```
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Butter Beef', 'very hard', 'People who insist on
picking their teeth with their elbows are so annoying!', 8,
```

```

101.66666666666667, 203.33333333333334, 0, '2015-05-04 03:25:00', 306, 1);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Alfredo Sauce', 'hard', 'I liked their first two
albums but changed my mind after that charity gig.', 4, 6.66666666666667,
13.333333333333334, 0, '2016-09-07 07:19:00', 67, 4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Basic Crepes', 'hard', 'I'm a great listener, really
good with empathy vs sympathy and all that, but I hate people.', 8, 10.0,
20.0, 0, '2014-11-18 09:25:00', 72, 5);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Quick and Almost-Professional Buttercream Icing',
'hard', 'With a single flip of the coin, his life changed forever.', 2,
0.0, 0.0, 0, '2016-01-26 15:34:00', 267, 5);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Reuben Sandwich II', 'medium', 'Tom got a small piece
of pie.', 4, 8.333333333333334, 16.666666666666668, 0, '2015-11-06
09:42:00', 52, 4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Instant Pot® Corned Beef', 'hard', 'Getting up at
dawn is for the birds.', 4, 41.666666666666664, 83.33333333333333, 0,
'2015-05-23 19:34:00', 280, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Waffles I', 'medium', 'With a single flip of the
coin, his life changed forever.', 6, 6.666666666666667, 13.333333333333334,
0, '2016-09-07 18:42:00', 276, 6);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Joy's Easy Banana Bread', 'hard', 'People who insist
on picking their teeth with their elbows are so annoying!', 1, 25.0, 50.0,
0, '2015-08-24 18:14:00', 327, 3);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Quick and Easy Brownies', 'very hard', 'The beauty of
the sunset was obscured by the industrial cranes.', 20, 11.666666666666666,
23.333333333333332, 0, '2014-01-26 20:32:00', 27, 4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Simple Macaroni and Cheese', 'medium', 'The beauty of
the sunset was obscured by the industrial cranes.', 4, 10.0, 20.0, 0,
'2017-03-20 22:28:00', 200, 6);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Chicken Pot Pie IX', 'very hard', 'The waves were
crashing on the shore; it was a lovely sight.', 1, 23.333333333333332,
46.666666666666664, 0, '2015-08-21 22:51:00', 265, 7);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Loaded Breakfast Skillet', 'medium', 'People who

```

```

insist on picking their teeth with their elbows are so annoying!', 4,
16.666666666666668, 33.333333333333336, 0, '2016-12-27 23:04:00', 86, 7);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Creamy Italian Slow Cooker Chicken', 'medium', 'He
appeared to be confusingly perplexed.', 4, 91.66666666666667,
183.33333333333334, 0, '2013-09-16 13:29:00', 171, 4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Easy Chicken Piccata', 'very hard', 'The opportunity
of a lifetime passed before him as he tried to decide between a cone or a
cup.', 4, 8.333333333333334, 16.666666666666668, 0, '2016-09-16 12:35:00',
152, 1);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Gourmet Mushroom Risotto', 'hard', 'Weather is not
trivial - it's especially important when you're standing in it.', 6,
16.666666666666668, 33.333333333333336, 0, '2013-11-23 13:59:00', 166, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Microwave Chocolate Mug Cake', 'medium', 'Going from
child, to childish, to childlike is only a matter of time.', 1,
2.3333333333333335, 4.666666666666667, 0, '2016-04-28 22:24:00', 109, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category, id_group) VALUES ('Soft Oatmeal Cookies', 'very hard', 'Tom
got a small piece of pie.', 2, 40.0, 80.0, 0, '2014-08-14 13:44:00', 286,
6, 72);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Simple Roasted Butternut Squash', 'very hard', 'She
traveled because it cost the same as therapy and was a lot more
enjoyable.', 4, 13.333333333333334, 26.666666666666668, 0, '2016-03-06
19:03:00', 280, 6);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category, id_group) VALUES ('Fajita Seasoning', 'very hard', 'He used to
get confused between soldiers and shoulders, but as a military man, he now
soldiers responsibility.', 3, 1.6666666666666667, 3.3333333333333335, 0,
'2014-12-27 00:25:00', 76, 4, 20);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Skinny Chicken Casserole', 'medium', 'Shingle color
was not something the couple had ever talked about.', 8,
21.666666666666668, 43.333333333333336, 0, '2014-06-27 10:24:00', 335, 5);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Braised Corned Beef Brisket', 'very hard', 'It caught
him off guard that space smelled of seared steak.', 6, 130.0, 260.0, 0,
'2015-10-23 02:40:00', 181, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('The Real Mojito', 'very hard', 'It's much more
difficult to play tennis with a bowling ball than it is to bowl with a

```



```

tennis ball.', 1, 3.333333333333335, 6.666666666666667, 0, '2013-06-19
01:09:00', 274, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Strawberry Chicken Salad for Sandwiches', 'medium',
'I'm working on a sweet potato farm.', 2, 6.666666666666667,
13.333333333333334, 0, '2017-01-20 20:04:00', 229, 3);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Easy Pancakes', 'very hard', 'Shingle color was not
something the couple had ever talked about.', 4, 5.0, 10.0, 0, '2016-08-08
09:52:00', 288, 5);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category, id_group) VALUES ('Best Big, Fat, Chewy Chocolate Chip
Cookie', 'hard', 'Swim at your own risk was taken as a challenge for the
group of Kansas City college students.', 1, 13.333333333333334,
26.666666666666668, 0, '2013-12-02 08:01:00', 128, 4, 27);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Baked Pork Chops I', 'very hard', 'She couldn't
decide of the glass was half empty or half full so she drank it.', 6, 40.0,
80.0, 0, '2013-05-08 17:41:00', 152, 3);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Salmon Patties I', 'medium', 'His mind was blown that
there was nothing in space except space itself.', 4, 8.333333333333334,
16.666666666666668, 0, '2013-05-18 17:02:00', 165, 7);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Tatertot Casserole', 'medium', 'David subscribes to
the "stuff your tent into the bag" strategy over nicely folding it.', 8,
13.333333333333334, 26.666666666666668, 0, '2016-11-28 14:21:00', 211, 3);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Vietnamese Fresh Spring Rolls', 'medium', 'He looked
behind the door and didn't like what he saw.', 8, 16.666666666666668,
33.333333333333336, 0, '2014-10-26 07:27:00', 314, 6);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Quick Tartar Sauce', 'very hard', 'People who insist
on picking their teeth with their elbows are so annoying!', 1,
1.666666666666667, 3.333333333333335, 0, '2014-02-12 11:55:00', 238, 3);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Lasagna Roll Ups II', 'very hard', 'I checked to make
sure that he was still alive.', 9, 26.666666666666668, 53.333333333333336,
0, '2013-10-03 08:18:00', 242, 6);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Baked Kale Chips', 'medium', 'With a single flip of
the coin, his life changed forever.', 6, 6.666666666666667,
13.333333333333334, 0, '2013-07-05 06:19:00', 81, 5);
INSERT INTO tb_recipe (name, difficulty, description, servings,

```

```

preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Roasted Pork Loin', 'medium', 'Nancy was proud that
she ran a tight shipwreck.', 8, 26.666666666666668, 53.33333333333336, 0,
'2016-10-19 13:53:00', 134, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Whipped Cream', 'hard', 'She found his complete
dullness interesting.', 16, 1.6666666666666667, 3.333333333333335, 0,
'2013-05-09 10:18:00', 113, 4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category, id_group) VALUES ('Chewy Chocolate Chip Oatmeal Cookies',
'medium', 'Tom got a small piece of pie.', 3, 18.333333333333332,
36.666666666666664, 0, '2014-03-26 12:14:00', 174, 5, 63);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Banana Pancakes I', 'medium', 'He looked behind the
door and didn''t like what he saw.', 12, 5.0, 10.0, 0, '2013-04-11
08:53:00', 299, 6);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category, id_group) VALUES ('Cordon Bleu Rollups with Honey-Mustard Wine
Sauce', 'medium', 'The light that burns twice as bright burns half as
long.', 8, 0.0, 0.0, 0, '2016-04-30 21:56:00', 236, 4, 39);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Cast Iron Pan-Seared Steak (Oven-Finished)',
'medium', 'The efficiency we have at removing trash has made creating trash
more acceptable.', 2, 27.333333333333332, 54.666666666666664, 0, '2016-12-
08 14:45:00', 70, 5);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category, id_group) VALUES ('Buffalo Chicken Wing Sauce', 'hard', 'The
waves were crashing on the shore; it was a lovely sight.', 8,
3.3333333333333335, 6.666666666666667, 0, '2015-03-24 06:32:00', 63, 5,
12);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Creamy Rice Pudding', 'very hard', 'The waves were
crashing on the shore; it was a lovely sight.', 4, 15.0, 30.0, 0, '2015-03-
31 04:09:00', 147, 3);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category, id_group) VALUES ('Old Fashioned Onion Rings', 'medium', 'Tom
got a small piece of pie.', 3, 6.0, 12.0, 0, '2014-07-11 14:33:00', 125, 1,
73);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Pasta Salad', 'medium', 'Swim at your own risk was
taken as a challenge for the group of Kansas City college students.', 6,
278.33333333333333, 556.66666666666666, 0, '2013-07-01 01:57:00', 27, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Best Lemonade Ever', 'medium', 'Choosing to do

```

```

nothing is still a choice, after all.', 10, 91.66666666666667,
183.33333333333334, 0, '2015-04-07 15:16:00', 95, 3);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Cheesy Hamburger Stew with Rice', 'hard', 'It caught
him off guard that space smelled of seared steak.', 4, 11.666666666666666,
23.333333333333332, 0, '2015-05-07 12:53:00', 171, 7);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('German Hamburgers (Frikadellen)', 'hard', 'People who
insist on picking their teeth with their elbows are so annoying!', 4,
13.333333333333334, 26.666666666666668, 0, '2017-03-15 03:34:00', 179, 7);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Oven-Baked Potato Slices', 'very hard', 'Nancy was
proud that she ran a tight shipwreck.', 4, 18.333333333333332,
36.666666666666664, 0, '2016-11-29 14:43:00', 200, 4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Quick and Easy Alfredo Sauce', 'very hard', 'Choosing
to do nothing is still a choice, after all.', 4, 3.3333333333333335,
6.666666666666667, 0, '2014-10-01 19:05:00', 267, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Janet's Rich Banana Bread', 'hard', 'The opportunity
of a lifetime passed before him as he tried to decide between a cone or a
cup.', 1, 23.333333333333332, 46.666666666666664, 0, '2015-03-15 04:03:00',
138, 4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category, id_group) VALUES ('Clone of a Cinnabon', 'very hard', 'Each
person who knows you has a different perception of who you are.', 12, 60.0,
120.0, 0, '2017-03-06 01:34:00', 294, 3, 11);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Gnocchi I', 'very hard', 'She found his complete
dullness interesting.', 4, 20.0, 40.0, 0, '2014-06-21 05:27:00', 120, 1);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Rich and Simple French Onion Soup', 'hard', 'There
are few things better in life than a slice of pie.', 4, 21.666666666666668,
43.333333333333336, 0, '2013-09-16 02:16:00', 181, 3);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Salisbury Steak', 'medium', 'You're unsure whether
or not to trust him, but very thankful that you wore a turtle neck.', 6,
13.333333333333334, 26.666666666666668, 0, '2014-12-31 09:13:00', 16, 4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Tender Italian Baked Chicken', 'hard', 'There was no
ice cream in the freezer, nor did they have money to go to the store.', 4,
10.0, 20.0, 0, '2016-11-30 04:11:00', 222, 6);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,

```



```

id_category) VALUES ('Perfect Ten Baked Cod', 'very hard', 'He''s in a boy
band which doesn''t make much sense for a snake.', 4, 11.666666666666666,
23.33333333333332, 0, '2015-04-21 01:30:00', 6, 7);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Classic Old Fashioned', 'hard', 'Her daily goal was
to improve on yesterday.', 1, 3.333333333333335, 6.666666666666667, 0,
'2014-09-19 05:10:00', 84, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('How to Make Perfect Polenta', 'very hard', 'There was
no ice cream in the freezer, nor did they have money to go to the store.',
4, 18.33333333333332, 36.666666666666664, 0, '2016-07-28 23:52:00', 132,
6);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Mamaw''s Chicken and Rice Casserole', 'hard',
'Weather is not trivial - it''s especially important when you''re standing
in it.', 6, 26.666666666666668, 53.33333333333336, 0, '2015-02-16
01:58:00', 116, 7);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Indian Chicken Curry (Murgh Kari)', 'medium',
'You''re unsure whether or not to trust him, but very thankful that you
wore a turtle neck.', 6, 20.0, 40.0, 0, '2015-03-21 20:35:00', 145, 4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Old Fashioned Creamy Rice Pudding', 'hard', 'He''s in
a boy band which doesn''t make much sense for a snake.', 4, 10.0, 20.0, 0,
'2016-07-23 09:59:00', 348, 6);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Spaghetti Aglio e Olio', 'very hard', 'The beauty of
the sunset was obscured by the industrial cranes.', 4, 10.666666666666666,
21.33333333333332, 0, '2014-02-02 19:42:00', 171, 5);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Melt-In-Your-Mouth Meat Loaf', 'medium', 'Nancy was
proud that she ran a tight shipwreck.', 6, 113.33333333333333,
226.66666666666666, 0, '2014-03-25 07:03:00', 257, 5);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Ultimate Twice Baked Potatoes', 'hard', 'I checked to
make sure that he was still alive.', 8, 30.0, 60.0, 0, '2017-02-09
13:04:00', 298, 7);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Three Ingredient Peanut Butter Cookies', 'very hard',
'I liked their first two albums but changed my mind after that charity
gig.', 1, 0.0, 0.0, 0, '2015-12-11 00:22:00', 299, 7);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category, id_group) VALUES ('Basic Chicken Salad', 'medium', 'We should
play with legos at camp.', 2, 3.333333333333335, 6.666666666666667, 0,

```

```

'2014-06-27 04:16:00', 175, 2, 26);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Balsamic Bruschetta', 'medium', 'Choosing to do
nothing is still a choice, after all.', 8, 5.0, 10.0, 0, '2015-11-12
07:19:00', 30, 3);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Emily's Famous Hash Browns', 'very hard', 'I'm a
great listener, really good with empathy vs sympathy and all that, but I
hate people.', 4, 11.666666666666666, 23.333333333333332, 0, '2013-05-30
07:07:00', 98, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Cabbage Fat-Burning Soup', 'medium', 'I'm working on
a sweet potato farm.', 15, 15.0, 30.0, 0, '2015-02-07 11:06:00', 50, 4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Seared Ahi Tuna Steaks', 'medium', 'The efficiency we
have at removing trash has made creating trash more acceptable.', 2,
5.666666666666667, 11.333333333333334, 0, '2016-02-12 19:40:00', 301, 4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Baked Ziti I', 'hard', 'He used to get confused
between soldiers and shoulders, but as a military man, he now soldiers
responsibility.', 10, 18.333333333333332, 36.666666666666664, 0, '2015-04-
13 14:27:00', 129, 6);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Absolute Best Liver and Onions', 'very hard', 'I
liked their first two albums but changed my mind after that charity gig.',
4, 15.0, 30.0, 0, '2016-03-06 06:39:00', 66, 6);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Juiciest Hamburgers Ever', 'hard', 'Today arrived
with a crash of my car through the garage door.', 8, 11.666666666666666,
23.333333333333332, 0, '2014-01-12 13:20:00', 306, 6);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Greek Lemon Chicken and Potatoes', 'very hard', 'Swim
at your own risk was taken as a challenge for the group of Kansas City
college students.', 4, 20.0, 40.0, 0, '2016-10-11 11:07:00', 92, 7);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Cheesy Chicken Pot Pie', 'medium', 'People who insist
on picking their teeth with their elbows are so annoying!', 1, 0.0, 0.0, 0,
'2016-09-16 10:54:00', 217, 7);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Old Fashioned Potato Cakes', 'medium', 'The light
that burns twice as bright burns half as long.', 4, 6.666666666666667,
13.333333333333334, 0, '2016-01-16 23:36:00', 54, 6);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,

```

```

id_category) VALUES ('Chef John''s Perfect Prime Rib', 'hard', 'He was
disappointed when he found the beach to be so sandy and the sun so sunny.',
4, 130.0, 260.0, 0, '2014-08-09 21:25:00', 182, 5);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category, id_group) VALUES ('Baked Ham and Cheese Party Sandwiches',
'medium', 'The waves were crashing on the shore; it was a lovely sight.',
24, 11.666666666666666, 23.333333333333332, 0, '2015-04-10 12:17:00', 216,
3, 43);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Easy Garlic-Lemon Scallops', 'very hard', 'The
efficiency we have at removing trash has made creating trash more
acceptable.', 6, 6.666666666666667, 13.333333333333334, 0, '2014-09-21
21:31:00', 78, 3);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('One-Pan Sour Cream Chicken Enchilada Skillet',
'medium', 'She found his complete dullness interesting.', 8, 16.0, 32.0, 0,
'2015-11-20 11:39:00', 129, 4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Bacon-Wrapped Jalapeno Poppers', 'very hard', 'The
efficiency we have at removing trash has made creating trash more
acceptable.', 12, 10.0, 20.0, 0, '2015-12-23 15:42:00', 135, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category, id_group) VALUES ('Classic Hash Browns', 'very hard', 'Getting
up at dawn is for the birds.', 2, 6.666666666666667, 13.333333333333334, 0,
'2014-10-22 16:13:00', 257, 4, 64);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Best Carrot Cake Ever', 'medium', 'She couldn''t
decide if the glass was half empty or half full so she drank it.', 2, 50.0,
100.0, 0, '2016-07-12 19:43:00', 125, 5);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Pesto Pasta', 'very hard', 'It caught him off guard
that space smelled of seared steak.', 8, 5.0, 10.0, 0, '2015-11-06
15:38:00', 246, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Fried Cabbage with Bacon, Onion, and Garlic', 'very
hard', 'It caught him off guard that space smelled of seared steak.', 6,
25.0, 50.0, 0, '2016-12-15 06:59:00', 98, 4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Homemade Baked Egg Custard', 'very hard', 'Getting up
at dawn is for the birds.', 8, 41.666666666666664, 83.33333333333333, 0,
'2016-06-23 12:03:00', 184, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category, id_group) VALUES ('Mushroom Pork Chops', 'medium', 'He''s in a
boy band which doesn''t make much sense for a snake.', 4,

```

```

13.333333333333334, 26.666666666666668, 0, '2016-10-28 01:33:00', 84, 4,
3);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Roasted Rack of Lamb', 'very hard', 'He was
disappointed when he found the beach to be so sandy and the sun so sunny.',
4, 13.333333333333334, 26.666666666666668, 0, '2014-03-28 22:06:00', 209,
4);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Scones', 'hard', 'There are few things better in life
than a slice of pie.', 8, 8.333333333333334, 16.666666666666668, 0, '2015-
06-05 11:08:00', 265, 2);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Easy Guacamole', 'hard', 'The beauty of the sunset
was obscured by the industrial cranes.', 2, 13.333333333333334,
26.666666666666668, 0, '2016-07-01 21:13:00', 10, 3);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Cherry Cream Cheese Dump Cake', 'hard', 'The
efficiency we have at removing trash has made creating trash more
acceptable.', 16, 26.666666666666668, 53.333333333333336, 0, '2014-08-28
23:11:00', 148, 7);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('Unbelievable Fish Batter', 'very hard', 'Weather is
not trivial - it's especially important when you're standing in it.', 2,
3.3333333333333335, 6.666666666666667, 0, '2015-06-03 23:23:00', 185, 1);
INSERT INTO tb_recipe (name, difficulty, description, servings,
preparation_time, cooking_time, additional_time, creation_time, id_member,
id_category) VALUES ('3 Cheese Enchiladas', 'very hard', 'Choosing to do
nothing is still a choice, after all.', 6, 20.0, 40.0, 0, '2015-03-24
14:50:00', 263, 2);

INSERT INTO tb_step (name, id_recipe) VALUES ('Place corned beef in large
pot or Dutch oven and cover with water. Add the spice packet that came with
the corned beef. Cover pot and bring to a boil, then reduce to a simmer.
Simmer approximately 50 minutes per pound or until tender.', 1);
INSERT INTO tb_step (name, id_recipe) VALUES ('Add whole potatoes and
carrots, and cook until the vegetables are almost tender. Add cabbage and
cook for 15 more minutes. Remove meat and let rest 15 minutes.', 1);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place vegetables in a bowl
and cover. Add as much broth (cooking liquid reserved in the Dutch oven or
large pot) as you want. Slice meat across the grain.', 1);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a large bowl, sift
together the flour, baking powder, salt and sugar. Make a well in the
center and pour in the milk, egg and melted butter; mix until smooth.', 2);
INSERT INTO tb_step (name, id_recipe) VALUES ('Heat a lightly oiled griddle
or frying pan over medium-high heat. Pour or scoop the batter onto the
griddle, using approximately 1/4 cup for each pancake. Brown on both sides
and serve hot.', 2);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place the carrots, potatoes,
and onion into the bottom of a slow cooker, pour in the water, and place

```

the brisket on top of the vegetables. Pour the beer over the brisket. Sprinkle on the spices from the packet, cover, and set the cooker on High.', 3);

INSERT INTO tb_step (name, id_recipe) VALUES ('Cook the brisket for about 8 hours. An hour before serving, stir in the cabbage and cook for 1 more hour.', 3);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat an oven to 425 degrees F (220 degrees C).', 4);

INSERT INTO tb_step (name, id_recipe) VALUES ('Place the asparagus into a mixing bowl, and drizzle with the olive oil. Toss to coat the spears, then sprinkle with Parmesan cheese, garlic, salt, and pepper. Arrange the asparagus onto a baking sheet in a single layer.', 4);

INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in the preheated oven until just tender, 12 to 15 minutes depending on thickness. Sprinkle with lemon juice just before serving.', 4);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 350 degrees F (175 degrees C).', 5);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a large bowl, combine the beef, egg, onion, milk and bread OR cracker crumbs. Season with salt and pepper to taste and place in a lightly greased 9x5-inch loaf pan, or form into a loaf and place in a lightly greased 9x13-inch baking dish.', 5);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a separate small bowl, combine the brown sugar, mustard and ketchup. Mix well and pour over the meatloaf.', 5);

INSERT INTO tb_step (name, id_recipe) VALUES ('Bake at 350 degrees F (175 degrees C) for 1 hour.', 5);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 350 degrees F (175 degrees C).', 6);

INSERT INTO tb_step (name, id_recipe) VALUES ('Cream together the butter, white sugar, and brown sugar until smooth. Beat in the eggs one at a time, then stir in the vanilla. Dissolve baking soda in hot water. Add to batter along with salt. Stir in flour, chocolate chips, and nuts. Drop by large spoonfuls onto ungreased pans.', 6);

INSERT INTO tb_step (name, id_recipe) VALUES ('Bake for about 10 minutes in the preheated oven, or until edges are nicely browned.', 6);

INSERT INTO tb_step (name, id_recipe) VALUES ('Lightly grease 2 round cake pans with butter.', 7);

INSERT INTO tb_step (name, id_recipe) VALUES ('Roll bread dough out to an 6x18-inch rectangle. Brush with melted butter. Combine brown sugar, walnuts, and cinnamon in a small bowl; sprinkle over butter. Roll dough into a log, starting at the long edge. Moisten edge with water and seal. Cut log into 20 slices; arrange rolls, cut sides down, in prepared cake pans. Cover with a towel and let rise in a warm place until doubled in volume, about 90 minutes.', 7);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 350 degrees F (175 degrees C). Pour heavy cream over dough.', 7);

INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in preheated oven until golden brown, about 25 minutes.', 7);

INSERT INTO tb_step (name, id_recipe) VALUES ('Mix confectioners'' sugar, milk, and vanilla extract in a small bowl; drizzle over warm cinnamon rolls to serve.', 7);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a medium bowl, mash together the avocados, lime juice, and salt. Mix in onion, cilantro, tomatoes, and garlic. Stir in cayenne pepper. Refrigerate 1 hour for best


```
flavor, or serve immediately.', 8);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 350 degrees
F (175 degrees C). Grease and flour an 8-inch square pan.', 9);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a large saucepan, melt
1/2 cup butter. Remove from heat, and stir in sugar, eggs, and 1 teaspoon
vanilla. Beat in 1/3 cup cocoa, 1/2 cup flour, salt, and baking powder.
Spread batter into prepared pan.', 9);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in preheated oven for
25 to 30 minutes. Do not overcook.', 9);
INSERT INTO tb_step (name, id_recipe) VALUES ('To Make Frosting: Combine 3
tablespoons softened butter, 3 tablespoons cocoa, honey, 1 teaspoon vanilla
extract, and 1 cup confectioners'' sugar. Stir until smooth. Frost brownies
while they are still warm.', 9);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place the beef and butter
into a slow cooker. Sprinkle the onion soup mix over. Cover, and cook on
Low for 8 hours, or High for 4 to 5 hours. Stir once or twice.', 10);
INSERT INTO tb_step (name, id_recipe) VALUES ('Melt butter in a medium
saucepan over medium low heat. Add cream and simmer for 5 minutes, then add
garlic and cheese and whisk quickly, heating through. Stir in parsley and
serve.', 11);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a large mixing bowl,
whisk together the flour and the eggs. Gradually add in the milk and water,
stirring to combine. Add the salt and butter; beat until smooth.', 12);
INSERT INTO tb_step (name, id_recipe) VALUES ('Heat a lightly oiled griddle
or frying pan over medium high heat. Pour or scoop the batter onto the
griddle, using approximately 1/4 cup for each crepe. Tilt the pan with a
circular motion so that the batter coats the surface evenly.', 12);
INSERT INTO tb_step (name, id_recipe) VALUES ('Cook the crepe for about 2
minutes, until the bottom is light brown. Loosen with a spatula, turn and
cook the other side. Serve hot.', 12);
INSERT INTO tb_step (name, id_recipe) VALUES ('Cream room temperature
butter with a hand mixer, the paddle attachment of a stand mixer, or a
wooden spoon until smooth and fluffy. Gradually beat in confectioners''
sugar until fully incorporated. Beat in vanilla extract.', 13);
INSERT INTO tb_step (name, id_recipe) VALUES ('Pour in milk and beat for an
additional 3 to 4 minutes. Add food coloring, if using, and beat for thirty
seconds until smooth or until desired color is reached.', 13);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat a large skillet or
griddle on medium heat.', 14);
INSERT INTO tb_step (name, id_recipe) VALUES ('Lightly butter one side of
bread slices. Spread non-buttered sides with Thousand Island dressing. On 4
bread slices, layer 1 slice Swiss cheese, 2 slices corned beef, 1/4 cup
sauerkraut and second slice of Swiss cheese. Top with remaining bread
slices, buttered sides out.', 14);
INSERT INTO tb_step (name, id_recipe) VALUES ('Grill sandwiches until both
sides are golden brown, about 5 minutes per side. Serve hot.', 14);
INSERT INTO tb_step (name, id_recipe) VALUES ('Combine water, beer, and
garlic in a multi-functional pressure cooker (such as Instant Pot®). Place
trivet inside. Place brisket on the trivet and sprinkle spice packet on
top. Close and lock the lid. Select high pressure according to
manufacturer's instructions; set timer for 90 minutes. Allow 10 to 15
minutes for pressure to build.', 15);
INSERT INTO tb_step (name, id_recipe) VALUES ('Release pressure carefully
using the quick-release method according to manufacturer's instructions,
```

```
about 5 minutes. Unlock and remove the lid. Transfer brisket to a baking
sheet, cover with aluminum foil, and let rest for 15 minutes.', 15);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat waffle iron. Beat
eggs in large bowl with hand beater until fluffy. Beat in flour, milk,
vegetable oil, sugar, baking powder, salt and vanilla, just until smooth.',
16);
INSERT INTO tb_step (name, id_recipe) VALUES ('Spray preheated waffle iron
with non-stick cooking spray. Pour mix onto hot waffle iron. Cook until
golden brown. Serve hot.', 16);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 325 degrees
F (165 degrees C). Grease a 9x5-inch loaf pan.', 17);
INSERT INTO tb_step (name, id_recipe) VALUES ('Combine bananas, sugar, egg,
and butter together in a bowl. Mix flour and baking soda together in a
separate bowl; stir into banana mixture until batter is just mixed. Stir
salt into batter. Pour batter into the prepared loaf pan.', 17);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in the preheated oven
until a toothpick inserted in the center of the bread comes out clean,
about 1 hour.', 17);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat the oven to 350
degrees F (175 degrees C). Grease a 9x13-inch pan.', 18);
INSERT INTO tb_step (name, id_recipe) VALUES ('Combine the melted butter,
sugar, cocoa powder, vanilla, eggs, flour, baking powder, and salt. Spread
the batter into the prepared pan. Decorate with walnut halves, if
desired.', 18);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in preheated oven for
20 to 30 minutes or until a toothpick inserted in the center comes out with
crumbs, not wet. Cool on wire rack.', 18);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bring a large pot of lightly
salted water to a boil. Cook elbow macaroni in the boiling water, stirring
occasionally until cooked through but firm to the bite, 8 minutes. Drain.',
19);
INSERT INTO tb_step (name, id_recipe) VALUES ('Melt butter in a saucepan
over medium heat; stir in flour, salt, and pepper until smooth, about 5
minutes. Slowly pour milk into butter-flour mixture while continuously
stirring until mixture is smooth and bubbling, about 5 minutes. Add Cheddar
cheese to milk mixture and stir until cheese is melted, 2 to 4 minutes.',
19);
INSERT INTO tb_step (name, id_recipe) VALUES ('Fold macaroni into cheese
sauce until coated.', 19);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 425 degrees
F (220 degrees C.)', 20);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a saucepan, combine
chicken, carrots, peas, and celery. Add water to cover and boil for 15
minutes. Remove from heat, drain and set aside.', 20);
INSERT INTO tb_step (name, id_recipe) VALUES ('In the saucepan over medium
heat, cook onions in butter until soft and translucent. Stir in flour,
salt, pepper, and celery seed. Slowly stir in chicken broth and milk.
Simmer over medium-low heat until thick. Remove from heat and set aside.',
20);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place the chicken mixture in
bottom pie crust. Pour hot liquid mixture over. Cover with top crust, seal
edges, and cut away excess dough. Make several small slits in the top to
allow steam to escape.', 20);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in the preheated oven
```



```
for 30 to 35 minutes, or until pastry is golden brown and filling is
bubbly. Cool for 10 minutes before serving.', 20);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place bacon in a large
skillet and cook over medium-high heat, turning occasionally, until crispy,
5 to 8 minutes. Drain on paper towels; reserve most of the bacon fat in
skillet.', 21);
INSERT INTO tb_step (name, id_recipe) VALUES ('Reduce heat to medium. Cook
and stir onions until starting to soften, about 5 minutes. Add potatoes;
toss to coat evenly in bacon fat. Pour in water and cover skillet with a
large lid. Cook, checking occasionally, until potatoes are tender, about 20
minutes. Add green onions, garlic, and paprika. Season with salt and
pepper.', 21);
INSERT INTO tb_step (name, id_recipe) VALUES ('Make 4 wells in the potato
mixture using a wooden spoon, revealing the bottom of the skillet. Crack an
egg into each well; season with salt and pepper. Sprinkle cooked bacon and
Cheddar cheese over the entire skillet. Replace lid; cook until egg whites
are set and yolks are still runny, about 5 minutes.', 21);
INSERT INTO tb_step (name, id_recipe) VALUES ('Rinse chicken, and pat dry
with paper towels. Place chicken breasts into a slow cooker, and drizzle
melted butter all over the chicken breasts, lifting them up to allow butter
to flow underneath the chicken. Cover the cooker, set to High, and cook
until tender, 4 to 5 hours. With a metal spatula, chop up the chicken into
bite-size pieces in the slow cooker.', 22);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place the cream cheese,
cream of chicken soup, Italian salad dressing mix, and sherry into a
saucepan over medium heat, and bring to a boil, stirring constantly until
the cream cheese has melted and the sauce is well combined. Pour the sauce
over the chicken in the slow cooker; cover, and cook on High until the
flavors have blended and the sauce is bubbling, about 30 more minutes.',
22);
INSERT INTO tb_step (name, id_recipe) VALUES ('Slice chicken breasts
horizontally to yield 4 pieces. Place breasts between 2 sheets of plastic
wrap and pound to 1/4-inch thin. Place flour on a plate and dredge each
breast on both sides in flour.', 23);
INSERT INTO tb_step (name, id_recipe) VALUES ('Melt butter in a large
skillet over medium heat. Put chicken into the skillet and season tops with
salt and pepper. Turn when nicely browned, about 4 minutes, and season
again. Cook second side until browned, about 4 minutes. Transfer breasts to
a plate, reserving skillet drippings.', 23);
INSERT INTO tb_step (name, id_recipe) VALUES ('Add wine and lemon juice to
the skillet, stirring to scrape up any browned bits. Simmer to reduce and
thicken sauce, about 5 minutes more. Add capers and pour sauce over chicken
breasts on the plate. Sprinkle with parsley.', 23);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a saucepan, warm the
broth over low heat.', 24);
INSERT INTO tb_step (name, id_recipe) VALUES ('Warm 2 tablespoons olive oil
in a large saucepan over medium-high heat. Stir in the mushrooms, and cook
until soft, about 3 minutes. Remove mushrooms and their liquid, and set
aside.', 24);
INSERT INTO tb_step (name, id_recipe) VALUES ('Add 1 tablespoon olive oil
to skillet, and stir in the shallots. Cook 1 minute. Add rice, stirring to
coat with oil, about 2 minutes. When the rice has taken on a pale, golden
color, pour in wine, stirring constantly until the wine is fully absorbed.
Add 1/2 cup broth to the rice, and stir until the broth is absorbed.
```

```
Continue adding broth 1/2 cup at a time, stirring continuously, until the liquid is absorbed and the rice is al dente, about 15 to 20 minutes.', 24);
INSERT INTO tb_step (name, id_recipe) VALUES ('Remove from heat, and stir in mushrooms with their liquid, butter, chives, and parmesan. Season with salt and pepper to taste.', 24);
INSERT INTO tb_step (name, id_recipe) VALUES ('Mix flour, sugar, cocoa powder, baking soda, and salt in a large microwave-safe mug; stir in milk, canola oil, water, and vanilla extract.', 25);
INSERT INTO tb_step (name, id_recipe) VALUES ('Cook in microwave until cake is done in the middle, about 1 minute 45 seconds.', 25);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a medium bowl, cream together butter, white sugar, and brown sugar. Beat in eggs one at a time, then stir in vanilla. Combine flour, baking soda, salt, and cinnamon; stir into the creamed mixture. Mix in oats. Cover, and chill dough for at least one hour.', 26);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat the oven to 375 degrees F (190 degrees C). Grease cookie sheets. Roll the dough into walnut sized balls, and place 2 inches apart on cookie sheets. Flatten each cookie with a large fork dipped in sugar.', 26);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake for 8 to 10 minutes in preheated oven. Allow cookies to cool on baking sheet for 5 minutes before transferring to a wire rack to cool completely.', 26);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 400 degrees F (200 degrees C).', 27);
INSERT INTO tb_step (name, id_recipe) VALUES ('Toss butternut squash with olive oil and garlic in a large bowl. Season with salt and black pepper. Arrange coated squash on a baking sheet.', 27);
INSERT INTO tb_step (name, id_recipe) VALUES ('Roast in the preheated oven until squash is tender and lightly browned, 25 to 30 minutes.', 27);
INSERT INTO tb_step (name, id_recipe) VALUES ('Stir cornstarch, chili powder, salt, paprika, sugar, onion powder, garlic powder, cayenne pepper, and cumin together in a small bowl.', 28);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat the oven to 400 degrees F (200 degrees C). Coat a medium-sized casserole dish with cooking spray.', 29);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bring a large pot of lightly salted water to a boil. Cook rigatoni in the boiling water, stirring occasionally until tender yet firm to the bite, about 8 minutes. Drain and set aside.', 29);
INSERT INTO tb_step (name, id_recipe) VALUES ('Mix mayonnaise, garlic, onion, salt, and pepper together in a medium-sized bowl. Add 1 1/4 cup Parmesan cheese; mix well. Mix in cooked pasta and chicken, making sure everything is evenly coated.', 29);
INSERT INTO tb_step (name, id_recipe) VALUES ('Transfer mixture to the prepared casserole dish. Sprinkle with remaining 1/4 cup Parmesan cheese and panko bread crumbs. Cover with aluminum foil.', 29);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in the preheated oven for 30 minutes. Remove from the oven, uncover, and replace in the oven. Bake until chicken is no longer pink in the center and juices run clear, about 10 minutes more. Let stand for 1 to 2 minutes before dishing out.', 29);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 275 degrees F (135 degrees C).', 30);
INSERT INTO tb_step (name, id_recipe) VALUES ('Discard any flavoring packet
```

from corned beef. Brush brisket with browning sauce on both sides. Heat vegetable oil in a large skillet over medium-high heat and brown brisket on both sides in the hot oil, 5 to 8 minutes per side.', 30);

INSERT INTO tb_step (name, id_recipe) VALUES ('Place brisket on a rack set in a roasting pan. Scatter onion and garlic slices over brisket and add water to roasting pan. Cover pan tightly with aluminum foil.', 30);

INSERT INTO tb_step (name, id_recipe) VALUES ('Roast in the preheated oven until meat is tender, about 6 hours.', 30);

INSERT INTO tb_step (name, id_recipe) VALUES ('Place mint leaves and 1 lime wedge into a sturdy glass. Use a muddler to crush the mint and lime to release the mint oils and lime juice. Add 2 more lime wedges and the sugar, and muddle again to release the lime juice. Do not strain the mixture. Fill the glass almost to the top with ice. Pour the rum over the ice, and fill the glass with carbonated water. Stir, taste, and add more sugar if desired. Garnish with the remaining lime wedge.', 31);

INSERT INTO tb_step (name, id_recipe) VALUES ('Mix mayonnaise, lemon juice, honey, and poppy seeds together in a medium bowl. Add chicken, strawberries, pecans, celery, green onions, parsley; toss to combine. Season with salt and pepper.', 32);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a large bowl, mix flour, sugar, baking powder and salt. Make a well in the center, and pour in milk, egg and oil. Mix until smooth.', 33);

INSERT INTO tb_step (name, id_recipe) VALUES ('Heat a lightly oiled griddle or frying pan over medium high heat. Pour or scoop the batter onto the griddle, using approximately 1/4 cup for each pancake. Brown on both sides and serve hot.', 33);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat the oven to 325 degrees F (165 degrees C). Grease cookie sheets or line with parchment paper.', 34);

INSERT INTO tb_step (name, id_recipe) VALUES ('Sift together the flour, baking soda and salt; set aside.', 34);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a medium bowl, cream together the melted butter, brown sugar and white sugar until well blended. Beat in the vanilla, egg, and egg yolk until light and creamy. Mix in the sifted ingredients until just blended. Stir in the chocolate chips by hand using a wooden spoon. Drop cookie dough 1/4 cup at a time onto the prepared cookie sheets. Cookies should be about 3 inches apart.', 34);

INSERT INTO tb_step (name, id_recipe) VALUES ('Bake for 15 to 17 minutes in the preheated oven, or until the edges are lightly toasted. Cool on baking sheets for a few minutes before transferring to wire racks to cool completely.', 34);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 350 degrees F (175 degrees C).', 35);

INSERT INTO tb_step (name, id_recipe) VALUES ('Rinse pork chops, pat dry, and season with garlic powder and seasoning salt to taste. Place the beaten eggs in a small bowl. Dredge the pork chops lightly in flour, dip in the egg, and coat liberally with bread crumbs.', 35);

INSERT INTO tb_step (name, id_recipe) VALUES ('Heat the oil in a medium skillet over medium-high heat. Fry the pork chops 5 minutes per side, or until the breading appears well browned. Transfer the chops to a 9x13 inch baking dish, and cover with foil.', 35);

INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in the preheated oven for 1 hour. While baking, combine the cream of mushroom soup, milk and white wine in a medium bowl. After the pork chops have baked for an hour,

```
cover them with the soup mixture. Replace foil, and bake for another 30
minutes.', 35);
INSERT INTO tb_step (name, id_recipe) VALUES ('Drain and reserve liquid
from salmon. Mix egg, onion, bread crumbs and salmon together.', 36);
INSERT INTO tb_step (name, id_recipe) VALUES ('Make into patties. If
mixture is too dry to form into patties, add reserved liquid from salmon.',
36);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a frying pan, heat olive
oil. Place patties in pan. Brown on each side, turning gently. Drain on
paper towels and serve.', 36);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 350 degrees
F (175 degrees C).', 37);
INSERT INTO tb_step (name, id_recipe) VALUES ('Cook and stir ground beef in
a large skillet over medium heat until no longer pink and completely
browned, 7 to 10 minutes; season with salt and black pepper. Stir cream of
mushroom soup into the cooked ground beef; pour the mixture into a 9x13-
inch baking dish. Layer tater tots evenly over the ground beef mixture; top
with Cheddar cheese.', 37);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake until tater tots are
golden brown and hot, 30 to 45 minutes.', 37);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bring a medium saucepan of
water to boil. Boil rice vermicelli 3 to 5 minutes, or until al dente, and
drain.', 38);
INSERT INTO tb_step (name, id_recipe) VALUES ('Fill a large bowl with warm
water. Dip one wrapper into the hot water for 1 second to soften. Lay
wrapper flat. In a row across the center, place 2 shrimp halves, a handful
of vermicelli, basil, mint, cilantro and lettuce, leaving about 2 inches
uncovered on each side. Fold uncovered sides inward, then tightly roll the
wrapper, beginning at the end with the lettuce. Repeat with remaining
ingredients.', 38);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a small bowl, mix the
fish sauce, water, lime juice, garlic, sugar and chili sauce.', 38);
INSERT INTO tb_step (name, id_recipe) VALUES ('In another small bowl, mix
the hoisin sauce and peanuts.', 38);
INSERT INTO tb_step (name, id_recipe) VALUES ('Serve rolled spring rolls
with the fish sauce and hoisin sauce mixtures.', 38);
INSERT INTO tb_step (name, id_recipe) VALUES ('Stir the mayonnaise, relish,
mustard, and lemon juice together in a bowl.', 39);
INSERT INTO tb_step (name, id_recipe) VALUES ('Cook and stir ground beef,
onion, garlic powder, and oregano in a large skillet over medium heat until
onion is tender and beef is browned, about 10 minutes. Add tomato sauce and
sugar; simmer until sauce is heated through, about 10 minutes.', 40);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bring a large pot of lightly
salted water to a boil. Cook lasagna in the boiling water, stirring
occasionally until cooked through but firm to the bite, 8 to 10 minutes.
Drain.', 40);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 375 degrees
F (190 degrees C). Grease a 9x13-inch casserole dish.', 40);
INSERT INTO tb_step (name, id_recipe) VALUES ('Mix ricotta cheese, egg,
parsley, and 3/4 cup Parmesan cheese together in a bowl.', 40);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place a lasagna noodle on a
work surface. Spoon one layer of ricotta cheese mixture, one layer meat
sauce, and one layer mozzarella cheese atop the lasagna noodle; top with
another lasagna noodle. Roll up the stuffed lasagna noodles in the jelly-
```

roll style; place in the prepared casserole dish. Repeat with remaining lasagna noodles, ricotta cheese mixture, meat sauce, and mozzarella cheese. Spread a spoonful of meat sauce atop each lasagna roll; top with remaining mozzarella cheese and 1/4 cup Parmesan cheese.', 40);

INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in the preheated oven until cheese is melted and bubbling, 30 to 35 minutes.', 40);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat an oven to 350 degrees F (175 degrees C). Line a non insulated cookie sheet with parchment paper.', 41);

INSERT INTO tb_step (name, id_recipe) VALUES ('With a knife or kitchen shears carefully remove the leaves from the thick stems and tear into bite size pieces. Wash and thoroughly dry kale with a salad spinner. Drizzle kale with olive oil and sprinkle with seasoning salt.', 41);

INSERT INTO tb_step (name, id_recipe) VALUES ('Bake until the edges brown but are not burnt, 10 to 15 minutes.', 41);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 350 degrees F (175 degrees C).', 42);

INSERT INTO tb_step (name, id_recipe) VALUES ('Crush garlic with rosemary, salt and pepper, making a paste. Pierce meat with a sharp knife in several places and press the garlic paste into the openings. Rub the meat with the remaining garlic mixture and olive oil.', 42);

INSERT INTO tb_step (name, id_recipe) VALUES ('Place pork loin into oven, turning and basting with pan liquids. Cook until the pork is no longer pink in the center, about 1 hour. An instant-read thermometer inserted into the center should read 145 degrees F (63 degrees C). Remove roast to a platter. Heat the wine in the pan and stir to loosen browned bits of food on the bottom. Serve with pan juices.', 42);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a large bowl, whip cream until stiff peaks are just about to form. Beat in vanilla and sugar until peaks form. Make sure not to over-beat, cream will then become lumpy and butter-like.', 43);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat the oven to 325 degrees F (165 degrees C).', 44);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a large bowl, cream together the butter, brown sugar, and white sugar until smooth. Beat in eggs one at a time, then stir in vanilla. Combine the flour, baking soda, and salt; stir into the creamed mixture until just blended. Mix in the quick oats, walnuts, and chocolate chips. Drop by heaping spoonfuls onto ungreased baking sheets.', 44);

INSERT INTO tb_step (name, id_recipe) VALUES ('Bake for 12 minutes in the preheated oven. Allow cookies to cool on baking sheet for 5 minutes before transferring to a wire rack to cool completely.', 44);

INSERT INTO tb_step (name, id_recipe) VALUES ('Combine flour, white sugar, baking powder and salt. In a separate bowl, mix together egg, milk, vegetable oil and bananas.', 45);

INSERT INTO tb_step (name, id_recipe) VALUES ('Stir flour mixture into banana mixture; batter will be slightly lumpy.', 45);

INSERT INTO tb_step (name, id_recipe) VALUES ('Heat a lightly oiled griddle or frying pan over medium high heat. Pour or scoop the batter onto the griddle, using approximately 1/4 cup for each pancake. Cook until pancakes are golden brown on both sides; serve hot.', 45);

INSERT INTO tb_step (name, id_recipe) VALUES ('To Marinate: Mix 2 cups wine, tarragon, parsley and oil in a nonporous glass dish or bowl and. Add chicken, and toss to coat. Cover dish or bowl, and refrigerate to marinate


```
for at least 4 hours.', 46);
INSERT INTO tb_step (name, id_recipe) VALUES ('Remove chicken from
marinade, and pour marinade into a large skillet over medium high heat. Cut
chicken breasts in half vertically and quickly flatten each piece to 1/2
inch thickness with a meat mallet. Layer each piece a slice of cheese,
slice of ham, and a sprinkle of brown sugar. Roll and secure with
toothpicks, then brown in skillet with marinade.', 46);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 325 degrees
F (165 degrees C).', 46);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place browned rollups in a
9x13 inch baking dish and pour a small amount of marinade over chicken,
reserving at least 3 tablespoons in the skillet. Sprinkle chicken with salt
and pepper to taste and a small amount of brown sugar.', 46);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake chicken rollups in
preheated oven for about 30 minutes, or until cooked through and chicken
juices run clear.', 46);
INSERT INTO tb_step (name, id_recipe) VALUES ('To Make Sauce: Meanwhile,
add flour to skillet with reserved marinade. Add 2 cups wine, stirring
constantly, letting sauce thicken. Then stir in mustard, honey, a bit of
brown sugar and horseradish. Season with salt and pepper to taste, heat
through and serve with chicken rollups.', 46);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place steaks side by side in
large casserole dish. Add orange juice, cider vinegar, and Worcestershire
sauce. Refrigerate, uncovered, for 45 minutes.', 47);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat the oven to 425
degrees F (220 degrees C).', 47);
INSERT INTO tb_step (name, id_recipe) VALUES ('Remove casserole dish from
refrigerator. Cover steaks with plastic wrap and let reach room
temperature, at least 15 minutes.', 47);
INSERT INTO tb_step (name, id_recipe) VALUES ('Heat olive oil in a cast-
iron skillet over high heat.', 47);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place steaks on a clean work
surface and generously rub with steak seasoning and black pepper.', 47);
INSERT INTO tb_step (name, id_recipe) VALUES ('Cook steaks in the hot
skillet until lightly browned on the bottom, 2 1/2 minutes. Flip and cook
until browned on the other side and red in the center, about 2 minutes
more. Place skillet, with steaks, into the oven.', 47);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in the preheated oven
until steaks are firm and reddish-pink to lightly pink in the center, 8 to
10 minutes. An instant-read thermometer inserted into the center should
read from 130 degrees F (54 degrees C) to 140 degrees F (60 degrees C).',
47);
INSERT INTO tb_step (name, id_recipe) VALUES ('Remove steaks from oven;
season with salt. Let sit for 5 minutes before serving.', 47);
INSERT INTO tb_step (name, id_recipe) VALUES ('Combine the hot sauce,
butter, vinegar, Worcestershire sauce, cayenne pepper, garlic powder, and
salt in a pot and place over medium heat. Bring to a simmer while stirring
with a whisk. As soon as the liquid begins to bubble on the sides of the
pot, remove from heat, stir with the whisk, and set aside for use.', 48);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bring 1 1/2 cups water to a
boil in a saucepan; stir rice into boiling water. Reduce heat to low,
cover, and simmer for 20 minutes.', 49);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a clean saucepan, combine
1 1/2 cups cooked rice, 1 1/2 cups milk, sugar and salt. Cook over medium
```

heat until thick and creamy, 15 to 20 minutes. Stir in remaining 1/2 cup milk, beaten egg, and raisins; cook 2 minutes more, stirring constantly. Remove from heat and stir in butter and vanilla.', 49);

INSERT INTO tb_step (name, id_recipe) VALUES ('Heat the oil in a deep-fryer to 365 degrees F (185 degrees C).', 50);

INSERT INTO tb_step (name, id_recipe) VALUES ('Separate the onion slices into rings, and set aside. In a small bowl, stir together the flour, baking powder and salt.', 50);

INSERT INTO tb_step (name, id_recipe) VALUES ('Dip the onion slices into the flour mixture until they are all coated; set aside. Whisk the egg and milk into the flour mixture using a fork. Dip the floured rings into the batter to coat, then place on a wire rack to drain until the batter stops dripping. The wire rack may be placed over a sheet of aluminum foil for easier clean up. Spread the bread crumbs out on a plate or shallow dish. Place rings one at a time into the crumbs, and scoop the crumbs up over the ring to coat. Give it a hard tap as you remove it from the crumbs. The coating should cling very well. Repeat with remaining rings.', 50);

INSERT INTO tb_step (name, id_recipe) VALUES ('Deep fry the rings a few at a time for 2 to 3 minutes, or until golden brown. Remove to paper towels to drain. Season with seasoning salt, and serve.', 50);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a large pot of salted boiling water, cook pasta until al dente, rinse under cold water and drain.', 51);

INSERT INTO tb_step (name, id_recipe) VALUES ('Whisk together the salad spice mix and Italian dressing.', 51);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a salad bowl, combine the pasta, cherry tomatoes, bell peppers and olives. Pour dressing over salad; toss and refrigerate overnight.', 51);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a small saucepan, combine sugar and 1 cup water. Bring to boil and stir to dissolve sugar. Allow to cool to room temperature, then cover and refrigerate until chilled.', 52);

INSERT INTO tb_step (name, id_recipe) VALUES ('Remove seeds from lemon juice, but leave pulp. In pitcher, stir together chilled syrup, lemon juice and remaining 7 cups water.', 52);

INSERT INTO tb_step (name, id_recipe) VALUES ('Heat a large nonstick skillet over medium-high heat. Cook and stir hamburger, bell pepper, and onion in the hot skillet until meat is browned and vegetables are soft, 5 to 7 minutes. Add garlic; cook until fragrant, about 30 seconds. Drain and discard grease.', 53);

INSERT INTO tb_step (name, id_recipe) VALUES ('Add condensed soup, vegetables, Cheddar cheese, water, Worcestershire sauce, soy sauce, garlic salt, chili powder, salt, and pepper. Cook, stirring occasionally, until vegetables are hot and cheese is melted, 10 to 15 minutes.', 53);

INSERT INTO tb_step (name, id_recipe) VALUES ('Serve stew over warm brown rice.', 53);

INSERT INTO tb_step (name, id_recipe) VALUES ('Soak Kaiser roll in a bowl of water for 10 minutes. Drain, squeezing out excess water, and crumble into a large bowl.', 54);

INSERT INTO tb_step (name, id_recipe) VALUES ('Mix crumbled roll with ground beef, ground pork, onion, parsley, egg, paprika, salt, and black pepper until well blended. Shape meat into large flattened meatballs.', 54);

INSERT INTO tb_step (name, id_recipe) VALUES ('Heat a large nonstick skillet over medium heat; fry meatballs until browned and no longer pink in


```
the center, about 5 minutes per side.', 54);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat the oven to 400
degrees F (200 degrees C).', 55);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place potatoes, garlic
powder, black pepper, celery seed, paprika, cayenne pepper, and salt into a
zip-top bag. Shake to coat evenly.', 55);
INSERT INTO tb_step (name, id_recipe) VALUES ('Pour entire contents of bag
onto a large baking sheet and spread evenly. Drizzle with olive oil.', 55);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in the preheated oven
until potatoes reach desired crispness, turning frequently to brown evenly,
40 to 45 minutes.', 55);
INSERT INTO tb_step (name, id_recipe) VALUES ('Remove from the oven. Let
cool slightly and pour into a serving dish.', 55);
INSERT INTO tb_step (name, id_recipe) VALUES ('Melt butter in a medium,
non-stick saucepan over medium heat. Add cream cheese and garlic powder,
stirring with wire whisk until smooth. Add milk, a little at a time,
whisking to smooth out lumps. Stir in Parmesan and pepper. Remove from heat
when sauce reaches desired consistency. Sauce will thicken rapidly, thin
with milk if cooked too long. Toss with hot pasta to serve.', 56);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 350 degrees
F (175 degrees C). Grease a 9x5 inch loaf pan.', 57);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a large bowl, stir
together the melted butter and sugar. Add the eggs and vanilla, mix well.
Combine the flour, baking soda and salt, stir into the butter mixture until
smooth. Finally, fold in the sour cream, walnuts and bananas. Spread evenly
into the prepared pan.', 57);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake at 350 degrees F (175
degrees C) for 60 minutes, or until a toothpick inserted into the center of
the loaf comes out clean. Cool loaf in the pan for 10 minutes before
removing to a wire rack to cool completely.', 57);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place ingredients in the pan
of the bread machine in the order recommended by the manufacturer. Select
dough cycle; press Start.', 58);
INSERT INTO tb_step (name, id_recipe) VALUES ('After the dough has doubled
in size turn it out onto a lightly floured surface, cover and let rest for
10 minutes. In a small bowl, combine brown sugar and cinnamon.', 58);
INSERT INTO tb_step (name, id_recipe) VALUES ('Roll dough into a 16x21-inch
rectangle. Spread dough with 1/3 cup butter and sprinkle evenly with
sugar/cinnamon mixture. Roll up dough and cut into 12 rolls. Place rolls in
a lightly greased 9x13 inch baking pan. Cover and let rise until nearly
doubled, about 30 minutes. Meanwhile, preheat oven to 400 degrees F (200
degrees C).', 58);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake rolls in preheated oven
until golden brown, about 15 minutes. While rolls are baking, beat together
cream cheese, 1/4 cup butter, confectioners' sugar, vanilla extract and
salt. Spread frosting on warm rolls before serving.', 58);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bring a large pot of salted
water to a boil. Peel potatoes and add to pot. Cook until tender but still
firm, about 15 minutes. Drain, cool and mash with a fork or potato
masher.', 59);
INSERT INTO tb_step (name, id_recipe) VALUES ('Combine 1 cup mashed potato,
flour and egg in a large bowl. Knead until dough forms a ball. Shape small
portions of the dough into long "snakes". On a floured surface, cut snakes
into half-inch pieces.', 59);
```

```
INSERT INTO tb_step (name, id_recipe) VALUES ('Bring a large pot of lightly salted water to a boil. Drop in gnocchi and cook for 3 to 5 minutes or until gnocchi have risen to the top; drain and serve.', 59);
INSERT INTO tb_step (name, id_recipe) VALUES ('Melt butter with olive oil in an 8 quart stock pot on medium heat. Add onions and continually stir until tender and translucent. Do not brown the onions.', 60);
INSERT INTO tb_step (name, id_recipe) VALUES ('Add beef broth, sherry and thyme. Season with salt and pepper, and simmer for 30 minutes.', 60);
INSERT INTO tb_step (name, id_recipe) VALUES ('Heat the oven broiler.', 60);
INSERT INTO tb_step (name, id_recipe) VALUES ('Ladle soup into oven safe serving bowls and place one slice of bread on top of each (bread may be broken into pieces if you prefer). Layer each slice of bread with a slice of provolone, 1/2 slice diced Swiss and 1 tablespoon Parmesan cheese. Place bowls on cookie sheet and broil in the preheated oven until cheese bubbles and browns slightly.', 60);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a large bowl, mix together 1/3 cup condensed French onion soup with ground beef, bread crumbs, egg, salt and black pepper. Shape into 6 oval patties.', 61);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a large skillet over medium-high heat, brown both sides of patties. Pour off excess fat.', 61);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a small bowl, blend flour and remaining soup until smooth. Mix in ketchup, water, Worcestershire sauce and mustard powder. Pour over meat in skillet. Cover, and cook for 20 minutes, stirring occasionally.', 61);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 425 degrees F (220 degrees C).', 62);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a bowl, mix the mayonnaise, Parmesan cheese, and garlic powder. Place bread crumbs in a separate bowl. Dip chicken into the mayonnaise mixture, then into the bread crumbs to coat. Arrange coated chicken on a baking sheet.', 62);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake 20 minutes in the preheated oven, or until chicken juices run clear and coating is golden brown.', 62);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 400 degrees F (200 degrees C).', 63);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place 2 tablespoons butter in a microwave-safe bowl; melt in microwave on high, about 30 seconds. Stir buttery round crackers into melted butter.', 63);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place remaining 2 tablespoons butter in a 7x11-inch baking dish. Melt in the preheated oven, 1 to 3 minutes. Remove dish from oven.', 63);
INSERT INTO tb_step (name, id_recipe) VALUES ('Coat both sides of cod in melted butter in the baking dish.', 63);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake cod in the preheated oven for 10 minutes. Remove from oven; top with lemon juice, wine, and cracker mixture. Place back in oven and bake until fish is opaque and flakes easily with a fork, about 10 more minutes.', 63);
INSERT INTO tb_step (name, id_recipe) VALUES ('Garnish baked cod with parsley and green onion. Serve with lemon wedges.', 63);
INSERT INTO tb_step (name, id_recipe) VALUES ('Pour the simple syrup, water, and bitters into a whiskey glass. Stir to combine, then place the ice cubes in the glass. Pour bourbon over the ice and garnish with the orange slice and maraschino cherry.', 64);
```

```
INSERT INTO tb_step (name, id_recipe) VALUES ('Bring water and salt to a
boil in a large saucepan; pour polenta slowly into boiling water, whisking
constantly until all polenta is stirred in and there are no lumps.', 65);
INSERT INTO tb_step (name, id_recipe) VALUES ('Reduce heat to low and
simmer, whisking often, until polenta starts to thicken, about 5 minutes.
Polenta mixture should still be slightly loose. Cover and cook for 30
minutes, whisking every 5 to 6 minutes. When polenta is too thick to whisk,
stir with a wooden spoon. Polenta is done when texture is creamy and the
individual grains are tender.', 65);
INSERT INTO tb_step (name, id_recipe) VALUES ('Turn off heat and gently
stir 2 tablespoons butter into polenta until butter partially melts; mix
1/2 cup Parmigiano-Reggiano cheese into polenta until cheese has melted.
Cover and let stand 5 minutes to thicken; stir and taste for salt before
transferring to a serving bowl. Top polenta with remaining 1 tablespoon
butter and about 1 tablespoon freshly grated Parmigiano-Reggiano cheese for
garnish.', 65);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 400 degrees
F (200 degrees C). Grease sides and bottom of a casserole dish.', 66);
INSERT INTO tb_step (name, id_recipe) VALUES ('Stir chicken, water, rice,
cream of chicken soup, cream of celery soup, and cream of mushroom soup
together in the prepared casserole dish; season with salt and pepper.
Arrange butter evenly over the top of the chicken mixture.', 66);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in preheated oven until
the rice is tender and the chicken is cooked through, 1 hour to 75 minutes.
Cool 15 minutes before serving.', 66);
INSERT INTO tb_step (name, id_recipe) VALUES ('Sprinkle the chicken breasts
with 2 teaspoons salt.', 67);
INSERT INTO tb_step (name, id_recipe) VALUES ('Heat the oil in a large
skillet over high heat; partially cook the chicken in the hot oil in
batches until completely browned. Transfer the browned chicken breasts to a
plate and set aside.', 67);
INSERT INTO tb_step (name, id_recipe) VALUES ('Reduce the heat under the
skillet to medium-high; add the onion, garlic, and ginger to the oil
remaining in the skillet and cook and stir until the onion turns
translucent, about 8 minutes. Stir the curry powder, cumin, turmeric,
coriander, cayenne, and 1 tablespoon of water into the onion mixture; allow
to heat together for about 1 minute while stirring. Mix the tomatoes,
yogurt, 1 tablespoon chopped cilantro, and 1 teaspoon salt into the
mixture. Return the chicken breast to the skillet along with any juices on
the plate. Pour 1/2 cup water into the mixture; bring to a boil, turning
the chicken to coat with the sauce. Sprinkle the garam masala and 1
tablespoon cilantro over the chicken.', 67);
INSERT INTO tb_step (name, id_recipe) VALUES ('Cover the skillet and simmer
until the chicken breasts are no longer pink in the center and the juices
run clear, about 20 minutes. An instant-read thermometer inserted into the
center should read at least 165 degrees F (74 degrees C). Sprinkle with
lemon juice to serve.', 67);
INSERT INTO tb_step (name, id_recipe) VALUES ('Combine cooked rice, 1 1/2
cups milk, and salt in a saucepan over medium heat; cook and stir until
thick and creamy, 15 to 20 minutes. Stir remaining 1/2 cup milk, golden
raisins, beaten egg, and white sugar into the rice mixture; stirring
continually. Continue cooking until egg is set, 2 to 3 minutes. Remove
saucepan from heat; stir butter and vanilla extract into the pudding.',
68);
```

```
INSERT INTO tb_step (name, id_recipe) VALUES ('Bring a large pot of lightly salted water to a boil. Cook spaghetti in the boiling water, stirring occasionally until cooked through but firm to the bite, about 12 minutes. Drain and transfer to a pasta bowl.', 69);
INSERT INTO tb_step (name, id_recipe) VALUES ('Combine garlic and olive oil in a cold skillet. Cook over medium heat to slowly toast garlic, about 10 minutes. Reduce heat to medium-low when olive oil begins to bubble. Cook and stir until garlic is golden brown, about another 5 minutes. Remove from heat.', 69);
INSERT INTO tb_step (name, id_recipe) VALUES ('Stir red pepper flakes, black pepper, and salt into the pasta. Pour in olive oil and garlic, and sprinkle on Italian parsley and half of the Parmigiano-Reggiano cheese; stir until combined.', 69);
INSERT INTO tb_step (name, id_recipe) VALUES ('Serve pasta topped with the remaining Parmigiano-Reggiano cheese.', 69);
INSERT INTO tb_step (name, id_recipe) VALUES ('Combine eggs, milk, bread crumbs, onion, salt, sage, and mushrooms in a large bowl. Crumble ground beef over mixture and stir well to combine. Shape into a round loaf; place in a 5-quart slow cooker. Cover and cook on Low until a meat thermometer reads 160 degrees F (71 degrees C), 5 to 6 hours.', 70);
INSERT INTO tb_step (name, id_recipe) VALUES ('Whisk ketchup, brown sugar, mustard, and Worcestershire sauce in a small bowl; spoon sauce over meat loaf. Return to slow cooker and cook on Low until heated through, about 15 minutes. Let stand 10 minutes before cutting.', 70);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 350 degrees F (175 degrees C).', 71);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake potatoes in preheated oven for 1 hour.', 71);
INSERT INTO tb_step (name, id_recipe) VALUES ('Meanwhile, place bacon in a large, deep skillet. Cook over medium high heat until evenly brown. Drain, crumble and set aside.', 71);
INSERT INTO tb_step (name, id_recipe) VALUES ('When potatoes are done allow them to cool for 10 minutes. Slice potatoes in half lengthwise and scoop the flesh into a large bowl; save skins. To the potato flesh add sour cream, milk, butter, salt, pepper, 1/2 cup cheese and 1/2 the green onions. Mix with a hand mixer until well blended and creamy. Spoon the mixture into the potato skins. Top each with remaining cheese, green onions and bacon.', 71);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake for another 15 minutes.', 71);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 350 degrees F (175 degrees C). Line baking sheets with parchment paper.', 72);
INSERT INTO tb_step (name, id_recipe) VALUES ('Combine the peanut butter, white sugar and egg. Mix until smooth.', 72);
INSERT INTO tb_step (name, id_recipe) VALUES ('Drop spoonfuls of dough onto the prepared baking sheet. Bake at 350 degrees F (175 degrees C) for 6 to 8 minutes. Do not overbake! These cookies are best when they are still soft and just barely brown on the bottoms.', 72);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place almonds in a frying pan. Toast over medium-high heat, shaking frequently. Watch carefully, as they burn easily.', 73);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a medium bowl, mix together mayonnaise, lemon juice, and pepper. Toss with chicken, almonds, and celery.', 73);
```

```
INSERT INTO tb_step (name, id_recipe) VALUES ('In a bowl, toss together the
tomatoes, basil, Parmesan cheese, and garlic. Mix in the balsamic vinegar,
olive oil, kosher salt, and pepper. Serve on toasted bread slices.', 74);
INSERT INTO tb_step (name, id_recipe) VALUES ('Rinse shredded potatoes
until water is clear, then drain and squeeze dry. Place shreds in a bowl,
and mix in the onion, flour and egg until evenly distributed.', 75);
INSERT INTO tb_step (name, id_recipe) VALUES ('Heat about 1/4 inch of oil
in a large heavy skillet over medium-high heat. When oil is sizzling hot,
place potatoes into the pan in a 1/2 inch thick layer. Cover the whole
bottom of the pan, or make separate piles like pancakes. Cook until nicely
browned on the bottom, then flip over and brown on the other side. It
should take at least 5 minutes per side. If you are cooking them in one big
piece, it can be cut into quarters for easier flipping.', 75);
INSERT INTO tb_step (name, id_recipe) VALUES ('Remove from pan, and drain
on paper towels. Season with salt and pepper and serve immediately.', 75);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place carrots, onions,
tomatoes, cabbage, green beans, peppers, and celery in a large pot. Add
onion soup mix, tomato juice, beef broth, and enough water to cover
vegetables. Simmer until vegetables are tender. May be stored in the
refrigerator for several days.', 76);
INSERT INTO tb_step (name, id_recipe) VALUES ('Season the tuna steaks with
salt and cayenne pepper.', 77);
INSERT INTO tb_step (name, id_recipe) VALUES ('Melt the butter with the
olive oil in a skillet over medium-high heat. Cook the peppercorns in the
mixture until they soften and pop, about 5 minutes. Gently place the
seasoned tuna in the skillet and cook to desired doneness, 1 1/2 minutes
per side for rare.', 77);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bring a large pot of lightly
salted water to a boil. Add ziti pasta, and cook until al dente, about 8
minutes; drain.', 78);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a large skillet, brown
onion and ground beef over medium heat. Add spaghetti sauce, and simmer 15
minutes.', 78);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat the oven to 350
degrees F (175 degrees C). Butter a 9x13 inch baking dish. Layer as
follows: 1/2 of the ziti, Provolone cheese, sour cream, 1/2 sauce mixture,
remaining ziti, mozzarella cheese and remaining sauce mixture. Top with
grated Parmesan cheese.', 78);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake for 30 minutes in the
preheated oven, or until cheeses are melted.', 78);
INSERT INTO tb_step (name, id_recipe) VALUES ('Gently rinse liver slices
under cold water, and place in a medium bowl. Pour in enough milk to cover.
Let stand while preparing onions. (I like to soak up to an hour or two -
whatever you have time for.) This step is SO important in taking the bitter
taste of the liver out.', 79);
INSERT INTO tb_step (name, id_recipe) VALUES ('Melt 2 tablespoons of butter
in a large skillet over medium heat. Separate onion rings, and saute them
in butter until soft. Remove onions, and melt remaining butter in the
skillet. Season the flour with salt and pepper, and put it in a shallow
dish or on a plate. Drain milk from liver, and coat slices in the flour
mixture.', 79);
INSERT INTO tb_step (name, id_recipe) VALUES ('When the butter has melted,
turn the heat up to medium-high, and place the coated liver slices in the
pan. Cook until nice and brown on the bottom. Turn, and cook on the other
```


side until browned. Add onions, and reduce heat to medium. Cook a bit longer to taste. Our family prefers the liver to just barely retain a pinkness on the inside when you cut to check. Enjoy!', 79);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat grill for high heat.', 80);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a large bowl, mix the ground beef, egg, bread crumbs, evaporated milk, Worcestershire sauce, cayenne pepper, and garlic using your hands. Form the mixture into 8 hamburger patties.', 80);

INSERT INTO tb_step (name, id_recipe) VALUES ('Lightly oil the grill grate. Grill patties 5 minutes per side, or until well done.', 80);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 425 degrees F (220 degrees C). Lightly oil a large roasting pan.', 81);

INSERT INTO tb_step (name, id_recipe) VALUES ('Place chicken pieces in large bowl. Season with salt, oregano, pepper, rosemary, and cayenne pepper. Add fresh lemon juice, olive oil, and garlic. Place potatoes in bowl with the chicken; stir together until chicken and potatoes are evenly coated with marinade.', 81);

INSERT INTO tb_step (name, id_recipe) VALUES ('Transfer chicken pieces, skin side up, to prepared roasting pan, reserving marinade. Distribute potato pieces among chicken thighs. Drizzle with 2/3 cup chicken broth. Spoon remainder of marinade over chicken and potatoes.', 81);

INSERT INTO tb_step (name, id_recipe) VALUES ('Place in preheated oven. Bake in the preheated oven for 20 minutes. Toss chicken and potatoes, keeping chicken skin side up; continue baking until chicken is browned and cooked through, about 25 minutes more. An instant-read thermometer inserted near the bone should read 165 degrees F (74 degrees C). Transfer chicken to serving platter and keep warm.', 81);

INSERT INTO tb_step (name, id_recipe) VALUES ('Set oven to broil or highest heat setting. Toss potatoes once again in pan juices. Place pan under broiler and broil until potatoes are caramelized, about 3 minutes. Transfer potatoes to serving platter with chicken.', 81);

INSERT INTO tb_step (name, id_recipe) VALUES ('Place roasting pan on stove over medium heat. Add a splash of broth and stir up browned bits from the bottom of the pan. Strain; spoon juices over chicken and potatoes. Top with chopped oregano.', 81);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a medium saucepan combine the stock, chicken, peas, celery and carrots. Bring to a boil.', 82);

INSERT INTO tb_step (name, id_recipe) VALUES ('Mix cornstarch with milk and stir into stock mixture. Cook stirring constantly for 5 minutes. Remove from heat and let cool for 1 hour.', 82);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 325 degrees F (175 degrees C).', 82);

INSERT INTO tb_step (name, id_recipe) VALUES ('Stir cheese into filling mixture and pour into a 9 inch pie crust. Top with second crust, seal edges and cut slits in top crust. Place on a cookie sheet and bake for 35 to 40 minutes or until top crust is golden brown.', 82);

INSERT INTO tb_step (name, id_recipe) VALUES ('Mix mashed potatoes, flour, onion, egg, black pepper, and salt together in a bowl until batter consistency.', 83);

INSERT INTO tb_step (name, id_recipe) VALUES ('Heat vegetable oil in a skillet over medium heat. Drop 4-inch circles of batter into hot oil. Cook until golden brown, about 5 minutes per side. Remove with a slotted spoon and drain on paper towels. Repeat with remaining batter.', 83);

```
INSERT INTO tb_step (name, id_recipe) VALUES ('Place rib roast on a plate and bring to room temperature, about 4 hours.', 84);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat an oven to 500 degrees F (260 degrees C).', 84);
INSERT INTO tb_step (name, id_recipe) VALUES ('Combine butter, pepper, and herbes de Provence in a bowl; mix until well blended. Spread butter mixture evenly over entire roast. Season roast generously with kosher salt.', 84);
INSERT INTO tb_step (name, id_recipe) VALUES ('Roast the 4-pound prime rib (see footnote if using a larger and smaller roast) in the preheated oven for 20 minutes. Turn the oven off and, leaving the roast in the oven with the door closed, let the roast sit in the oven for 2 hours. Remove roast from the oven, slice, and serve.', 84);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 350 degrees F (175 degrees C). Grease a 9x13-inch baking dish.', 85);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a bowl, mix together butter, Dijon mustard, Worcestershire sauce, poppy seeds, and dried onion. Separate the tops from bottoms of the rolls, and place the bottom pieces into the prepared baking dish. Layer about half the ham onto the rolls. Arrange the Swiss cheese over the ham, and top with remaining ham slices in a layer. Place the tops of the rolls onto the sandwiches. Pour the mustard mixture evenly over the rolls.', 85);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in the preheated oven until the rolls are lightly browned and the cheese has melted, about 20 minutes. Slice into individual rolls through the ham and cheese layers to serve.', 85);
INSERT INTO tb_step (name, id_recipe) VALUES ('Melt butter in a large skillet over medium-high heat. Stir in garlic, and cook for a few seconds until fragrant. Add scallops, and cook for several minutes on one side, then turn over, and continue cooking until firm and opaque.', 86);
INSERT INTO tb_step (name, id_recipe) VALUES ('Remove scallops to a platter, then whisk salt, pepper, and lemon juice into butter. Pour sauce over scallops to serve.', 86);
INSERT INTO tb_step (name, id_recipe) VALUES ('Melt butter in a large skillet over medium heat. Stir in flour; cook for 1 minute. Whisk in chicken broth; cook and stir until sauce is smooth and thickened, 2 to 3 minutes.', 87);
INSERT INTO tb_step (name, id_recipe) VALUES ('Stir green chiles, olives, salt, oregano, and chipotle chile powder into the sauce. Add chicken breasts and bring to a simmer. Reduce heat to low, cover, and cook until chicken is no longer pink in the center and the juices run clear, about 15 minutes. An instant-read thermometer inserted into the center should read at least 165 degrees F (74 degrees C).', 87);
INSERT INTO tb_step (name, id_recipe) VALUES ('Remove chicken from the skillet, leaving heat on low. Place chicken on a plate; shred into bite-size pieces.', 87);
INSERT INTO tb_step (name, id_recipe) VALUES ('Stir sour cream into the sauce. Return chicken to the skillet; add tortilla pieces. Stir until combined and top with Colby-Jack cheese. Cover and cook until bubbly and melted, 5 to 8 minutes.', 87);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 400 degrees F (200 degrees C). Line a baking sheet with aluminum foil.', 88);
INSERT INTO tb_step (name, id_recipe) VALUES ('Mix cream cheese and Cheddar cheese together in a bowl until evenly blended. Fill each jalapeno half with the cheese mixture. Put halves back together and wrap each stuffed
```



```
pepper with a slice of bacon. Arrange bacon-wrapped peppers on the prepared
baking sheet.', 88);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in the preheated oven
until bacon is crispy, about 15 minutes.', 88);
INSERT INTO tb_step (name, id_recipe) VALUES ('Shred potatoes into a large
bowl filled with cold water. Stir until water is cloudy, drain, and cover
potatoes again with fresh cold water. Stir again to dissolve excess starch.
Drain potatoes well, pat dry with paper towels, and squeeze out any excess
moisture.', 89);
INSERT INTO tb_step (name, id_recipe) VALUES ('Heat clarified butter in a
large non-stick pan over medium heat. Sprinkle shredded potatoes into the
hot butter and season with salt, black pepper, cayenne pepper, and
paprika.', 89);
INSERT INTO tb_step (name, id_recipe) VALUES ('Cook potatoes until a brown
crust forms on the bottom, about 5 minutes. Continue to cook and stir until
potatoes are browned all over, about 5 more minutes.', 89);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a medium bowl, combine
grated carrots and brown sugar. Set aside for 60 minutes, then stir in
raisins.', 90);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 350 degrees
F (175 degrees C). Grease and flour two 10 inch cake pans.', 90);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a large bowl, beat eggs
until light. Gradually beat in the white sugar, oil and vanilla. Stir in
the pineapple. Combine the flour, baking soda, salt and cinnamon, stir into
the wet mixture until absorbed. Finally stir in the carrot mixture and the
walnuts. Pour evenly into the prepared pans.', 90);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake for 45 to 50 minutes in
the preheated oven, until cake tests done with a toothpick. Cool for 10
minutes before removing from pan. When completely cooled, frost with cream
cheese frosting.', 90);
INSERT INTO tb_step (name, id_recipe) VALUES ('Cook pasta in a large pot of
boiling water until done. Drain.', 91);
INSERT INTO tb_step (name, id_recipe) VALUES ('Meanwhile, heat the oil in a
frying pan over medium low heat. Add pesto, onion, and salt and pepper.
Cook about five minutes, or until onions are soft.', 91);
INSERT INTO tb_step (name, id_recipe) VALUES ('In a large bowl, mix pesto
mixture into pasta. Stir in grated cheese. Serve.', 91);
INSERT INTO tb_step (name, id_recipe) VALUES ('Place the bacon in a large
stockpot and cook over medium-high heat until crispy, about 10 minutes. Add
the onion and garlic; cook and stir until the onion caramelizes; about 10
minutes. Immediately stir in the cabbage and continue to cook and stir
another 10 minutes. Season with salt, pepper, onion powder, garlic powder,
and paprika. Reduce heat to low, cover, and simmer, stirring occasionally,
about 30 minutes more.', 92);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat the oven to 400
degrees F (200 degrees C). Lightly grease the bottom of a deep-dish pie
plate.', 93);
INSERT INTO tb_step (name, id_recipe) VALUES ('Beat butter, sugar, and egg
in a bowl until creamy. Blend in flour to form a dough, using your hands to
knead it together at the end.', 93);
INSERT INTO tb_step (name, id_recipe) VALUES ('Roll pastry out on a lightly
floured surface and place into the prepared pie plate so it covers the
bottom and the sides.', 93);
INSERT INTO tb_step (name, id_recipe) VALUES ('Beat eggs and sugar in a
```

bowl using an electric mixer. Beat in vanilla extract. Gradually stir in cold milk until fully incorporated. Pour custard mixture over the pastry base and sprinkle with nutmeg.', 93);

INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in the preheated oven until custard is set and a sharp knife inserted near the centre comes out clean, about 45 minutes. Remove from the oven and cool completely before serving, about 1 hour.', 93);

INSERT INTO tb_step (name, id_recipe) VALUES ('Season pork chops with salt, pepper, and garlic salt to taste.', 94);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a large skillet, brown the chops over medium-high heat. Add the onion and mushrooms, and saute for one minute. Pour cream of mushroom soup over chops. Cover skillet, and reduce temperature to medium-low. Simmer 20 to 30 minutes, or until chops are cooked through.', 94);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 450 degrees F (230 degrees C). Move oven rack to the center position.', 95);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a large bowl, combine bread crumbs, garlic, rosemary, 1 teaspoon salt and 1/4 teaspoon pepper. Toss in 2 tablespoons olive oil to moisten mixture. Set aside.', 95);

INSERT INTO tb_step (name, id_recipe) VALUES ('Season the rack all over with salt and pepper. Heat 2 tablespoons olive oil in a large heavy oven proof skillet over high heat. Sear rack of lamb for 1 to 2 minutes on all sides. Set aside for a few minutes. Brush rack of lamb with the mustard. Roll in the bread crumb mixture until evenly coated. Cover the ends of the bones with foil to prevent charring.', 95);

INSERT INTO tb_step (name, id_recipe) VALUES ('Arrange the rack bone side down in the skillet. Roast the lamb in preheated oven for 12 to 18 minutes, depending on the degree of doneness you want. With a meat thermometer, take a reading in the center of the meat after 10 to 12 minutes and remove the meat, or let it cook longer, to your taste. Let it rest for 5 to 7 minutes, loosely covered, before carving between the ribs.', 95);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 400 degrees F (200 degrees C). Lightly grease a baking sheet.', 96);

INSERT INTO tb_step (name, id_recipe) VALUES ('In a large bowl, combine flour, sugar, baking powder, and salt. Cut in butter. Mix the egg and milk in a small bowl, and stir into flour mixture until moistened.', 96);

INSERT INTO tb_step (name, id_recipe) VALUES ('Turn dough out onto a lightly floured surface, and knead briefly. Roll dough out into a 1/2 inch thick round. Cut into 8 wedges, and place on the prepared baking sheet.', 96);

INSERT INTO tb_step (name, id_recipe) VALUES ('Bake 15 minutes in the preheated oven, or until golden brown.', 96);

INSERT INTO tb_step (name, id_recipe) VALUES ('Peel and mash avocados in a medium serving bowl. Stir in onion, garlic, tomato, lime juice, salt and pepper. Season with remaining lime juice and salt and pepper to taste. Chill for half an hour to blend flavors.', 97);

INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat oven to 325 degrees F (165 degrees C). Spray a 9x13-inch glass baking dish with cooking spray.', 98);

INSERT INTO tb_step (name, id_recipe) VALUES ('Unroll crescent rolls into the prepared dish, pinching the seams together.', 98);

INSERT INTO tb_step (name, id_recipe) VALUES ('Beat cream cheese, white sugar, and vanilla extract together in a bowl; spread over crescent roll dough. Sprinkle brown sugar and 1 teaspoon cinnamon over cream cheese

```

mixture layer.', 98);
INSERT INTO tb_step (name, id_recipe) VALUES ('Pour cherry pie filling over
brown sugar layer. Sprinkle yellow cake mix over cherry pie filling.
Arrange butter slices over cake mix and top with remaining 1 teaspoon
cinnamon. Wrap a piece of aluminum foil under baking dish to help prevent
rolls from burning.', 98);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in the preheated oven
until cooked through, about 1 hour. Cool for 10 to 15 minutes before
serving.', 98);
INSERT INTO tb_step (name, id_recipe) VALUES ('Whisk together the flour,
milk, water, baking powder, and salt in a bowl until smooth.', 99);
INSERT INTO tb_step (name, id_recipe) VALUES ('Preheat the oven to 350
degrees F (175 degrees C).', 100);
INSERT INTO tb_step (name, id_recipe) VALUES ('Mix cream cheese with 2 cups
salsa and 2 chopped green onions in a bowl until thoroughly combined;
lightly stir 2 cups shredded Cheddar and 2 cups Monterey Jack cheese into
cream cheese mixture. Spoon a scant 1/2 cup of cheese filling in a line
down the center of each tortilla and roll tortilla into a log around the
filling. Repeat with remaining tortillas and cheese filling. Place rolled
tortillas into a 9x13-inch baking dish.', 100);
INSERT INTO tb_step (name, id_recipe) VALUES ('Spread top of enchiladas
with remaining 1 cup salsa. Lightly mix remaining 1/2 cup Cheddar cheese
and 1/2 cup Monterey Jack cheese in a bowl and spread over the salsa.
Sprinkle with remaining green onions. Cover dish with aluminum foil.',
100);
INSERT INTO tb_step (name, id_recipe) VALUES ('Bake in preheated oven until
cheese is melted and bubbly, about 20 minutes.', 100);

```

```

INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (1,893,3,978.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (1,699,1,748.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (2,1031,4,674.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (2,33,1,285.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (2,184,3,223.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (2,1027,1,569.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (2,1144,4,980.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (2,43,2,39.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (2,56,3,478.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (2,346,5,596.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (2,200,4,949.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (3,1014,3,484.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,

```

```
quantity) VALUES (3,441,2,50.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (3,938,2,861.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (3,802,2,721.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (4,901,4,182.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (4,260,5,961.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (4,588,2,722.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (4,904,3,323.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (4,544,5,180.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (4,604,3,272.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (4,1059,2,870.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (4,489,1,794.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (4,416,1,930.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (4,852,3,11.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (5,909,1,645.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (5,231,3,366.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (6,662,2,360.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (6,119,2,144.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (6,107,1,437.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (6,1137,4,176.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (6,172,5,300.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (6,35,4,142.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (6,63,5,754.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (6,343,5,681.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (6,440,4,962.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (7,18,4,749.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (7,836,1,782.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (7,1092,2,134.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```
quantity) VALUES (7,987,1,336.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (7,1100,3,385.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (7,390,1,152.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (7,578,1,614.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (7,1032,2,840.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (7,264,1,958.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (8,941,2,226.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (8,966,2,770.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (8,1040,4,355.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (8,214,3,606.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (8,456,5,760.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (8,1107,2,40.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (8,684,1,516.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (9,90,1,809.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (9,404,5,62.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (10,1129,3,878.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (10,504,1,372.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (10,965,5,258.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (10,183,4,186.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (10,843,2,257.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (10,1012,4,159.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (11,384,3,261.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (11,239,2,756.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (11,254,5,518.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (11,962,4,387.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (11,473,4,160.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (11,1108,1,945.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```



```
quantity) VALUES (11,842,4,807.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (12,77,3,736.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (12,847,2,295.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (12,927,3,790.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (13,922,2,284.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (13,745,5,70.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (13,1051,5,339.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (13,783,2,875.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (13,414,2,330.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (13,15,4,544.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (13,462,5,453.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (13,484,5,264.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (14,1069,5,923.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (14,1046,4,290.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (14,240,4,861.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (14,185,2,585.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (14,360,3,72.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (14,865,2,880.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (14,1119,2,506.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (15,328,2,891.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (15,232,2,19.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (15,1040,1,922.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (15,1127,2,583.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (15,1120,2,881.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (15,551,4,30.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (15,228,5,914.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (16,799,3,135.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```



```
quantity) VALUES (16,837,1,943.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (16,420,5,743.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (16,674,3,75.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (16,646,5,839.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (16,1124,2,897.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (16,203,4,14.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (17,849,1,101.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (17,423,4,210.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (17,667,4,271.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (17,112,2,137.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (17,1071,3,187.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (18,390,1,430.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (18,1104,2,249.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (18,774,4,766.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (18,662,3,971.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (18,1116,5,349.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (18,200,1,293.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (19,617,4,76.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (19,871,2,464.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (19,679,3,518.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (19,569,4,791.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (19,583,5,819.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (19,504,5,145.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (19,552,1,931.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (19,436,5,223.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (19,254,5,133.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (19,429,1,459.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```
quantity) VALUES (20,1019,2,115.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (20,157,5,268.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (20,781,2,341.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (20,928,1,723.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (20,342,1,61.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (20,190,1,20.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (21,66,1,364.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (21,296,3,261.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (21,468,3,886.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (21,359,2,78.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (22,190,2,568.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (22,126,3,68.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (22,463,2,634.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (22,767,1,471.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (22,326,4,244.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (22,411,3,214.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (23,823,1,988.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (23,963,4,925.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (23,511,1,999.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (23,356,5,42.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (23,1023,5,758.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (23,886,4,22.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (23,379,5,224.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (24,487,5,512.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (24,852,1,17.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (24,506,4,776.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (24,317,3,35.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```

quantity) VALUES (24,685,1,516.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (24,1080,1,965.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (24,625,3,714.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (24,306,1,998.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (24,814,3,28.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (24,1126,4,558.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (25,834,5,239.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (25,1143,2,428.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (25,1108,5,697.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (25,175,3,843.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (25,463,2,791.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (26,32,2,66.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (26,557,3,460.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (27,289,5,581.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (27,938,5,229.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (28,647,2,487.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (28,45,5,924.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (29,652,4,213.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (29,304,4,519.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (29,373,1,96.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (29,589,4,718.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (29,1109,1,567.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (30,563,3,468.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (30,788,2,525.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (30,429,1,908.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (30,336,2,827.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (30,921,5,110.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,

```

```
quantity) VALUES (30,924,1,0.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (30,1004,5,181.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (30,671,1,503.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (30,66,1,730.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (31,451,3,424.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (31,609,5,905.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (31,835,3,837.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (31,1126,3,238.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (32,354,4,58.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (32,44,4,859.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (32,758,4,523.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (32,832,4,626.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (32,178,4,154.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (32,272,3,835.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (32,526,4,316.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (33,337,2,454.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (33,866,5,585.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (33,665,5,872.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (33,562,5,954.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (33,725,2,853.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (33,103,1,512.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (33,24,4,81.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (33,542,2,400.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (33,909,1,240.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (33,430,2,527.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (34,1114,2,338.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (34,15,3,113.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```
quantity) VALUES (34,65,4,227.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (34,859,3,902.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (34,617,5,325.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (34,778,1,183.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (35,886,2,576.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (35,284,1,350.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (35,132,5,293.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (35,811,2,238.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (35,54,2,985.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (35,657,5,816.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (35,1091,3,635.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (35,380,2,311.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (35,57,3,916.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (35,962,5,120.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (36,412,1,644.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (36,1129,3,916.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (36,96,2,73.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (36,769,3,255.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (36,840,4,564.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (36,177,3,721.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (36,273,2,14.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (37,172,4,188.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (37,703,4,588.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (37,540,1,75.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (37,764,4,961.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (38,225,5,504.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (38,382,1,658.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```
quantity) VALUES (39,290,2,819.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (39,203,1,261.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (39,443,3,12.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (39,344,5,337.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (39,372,4,764.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (40,856,3,113.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (40,1054,1,991.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (40,5,5,175.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (40,776,4,59.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (40,688,4,905.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (40,1138,2,697.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (41,379,1,68.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (41,962,3,291.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (41,882,4,565.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (41,338,3,207.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (41,411,3,789.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (41,1087,4,329.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (41,883,2,802.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (41,159,3,523.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (42,585,5,816.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (42,749,4,541.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (42,46,3,776.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (42,1036,5,113.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (43,287,3,215.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (43,943,3,986.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (43,669,4,352.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (43,412,5,54.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```



```
quantity) VALUES (43,1050,5,499.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (43,15,1,919.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (43,777,4,780.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (44,103,2,873.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (44,467,4,247.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (44,1035,5,511.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (44,663,2,14.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (44,576,4,212.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (44,946,5,481.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (44,507,1,760.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (44,1013,2,107.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (44,130,2,423.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (45,121,5,628.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (45,663,1,748.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (45,467,4,475.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (45,397,5,866.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (46,1113,5,970.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (46,39,5,156.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (46,76,1,541.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (46,968,2,347.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (46,787,5,287.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (47,90,3,752.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (47,102,5,683.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (47,1073,3,767.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (47,809,5,136.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (48,613,3,628.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (48,206,4,881.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```
quantity) VALUES (48,50,4,73.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (48,335,5,281.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (49,1018,5,545.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (49,422,2,806.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (49,54,3,95.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (49,576,5,99.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (49,870,4,25.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (49,1126,3,361.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (49,871,2,892.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (49,568,3,21.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (49,114,5,648.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (50,1100,1,208.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (50,365,2,236.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (50,955,5,834.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (50,222,5,352.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (50,69,1,606.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (50,454,3,633.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (50,523,3,246.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (51,367,3,916.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (51,1054,3,853.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (51,755,2,985.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (51,306,5,299.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (52,91,4,945.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (52,1005,4,685.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (52,609,1,154.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (52,458,3,182.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (52,86,1,203.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```
quantity) VALUES (52,373,5,953.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (52,518,2,191.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (53,584,2,567.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (53,905,2,134.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (53,200,4,853.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (53,284,1,268.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (53,697,5,957.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (54,915,4,621.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (54,955,3,388.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (54,272,3,185.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (54,283,3,563.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (54,784,5,211.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (54,483,2,743.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (54,363,3,378.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (54,126,3,516.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (55,1103,2,417.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (55,988,2,326.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (55,466,1,743.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (55,743,4,875.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (55,883,4,399.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (55,644,2,720.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (55,781,1,767.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (55,795,4,537.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (55,847,1,8.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (56,974,1,230.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (56,781,4,942.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (56,1005,3,771.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```
quantity) VALUES (56,790,3,426.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (56,644,1,695.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (56,118,3,744.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (56,1105,5,885.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (56,454,2,515.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (56,424,5,14.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (56,112,5,86.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (57,133,1,811.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (57,711,4,817.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (57,923,3,929.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (58,111,1,828.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (58,638,3,943.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (58,660,4,290.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (58,562,4,442.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (58,476,1,472.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (58,1035,2,627.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (58,228,3,737.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (59,782,5,686.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (59,581,5,462.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (59,503,2,864.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (59,391,2,658.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (59,290,3,220.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (59,2,2,240.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (60,1037,2,950.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (60,587,4,968.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (60,1152,1,177.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (60,1112,5,814.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```

quantity) VALUES (60,534,3,362.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (60,392,2,765.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (60,376,3,588.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (61,784,3,476.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (61,43,1,761.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (61,75,1,191.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (61,982,2,122.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (62,396,3,696.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (62,511,2,273.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (63,173,5,230.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (63,303,2,837.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (63,1122,3,677.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (63,673,3,463.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (63,65,5,833.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (63,245,5,670.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (63,26,3,506.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (63,425,5,464.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (63,1073,2,836.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (64,321,5,919.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (64,918,3,48.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (64,1156,5,963.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (65,342,1,175.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (65,304,4,971.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (65,610,2,865.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (65,200,3,836.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (65,334,2,385.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (66,1022,5,668.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,

```

```
quantity) VALUES (66,665,2,881.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (66,719,5,519.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (66,67,2,252.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (66,1152,4,515.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (66,784,2,983.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (66,357,2,304.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (66,161,1,368.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (67,1099,1,932.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (67,510,3,690.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (67,1079,3,470.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (67,736,2,533.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (68,25,3,361.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (68,320,5,449.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (69,540,2,824.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (69,605,3,752.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (69,450,4,846.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (69,46,3,169.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (69,930,1,412.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (69,260,1,113.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (70,2,2,715.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (70,523,4,641.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (70,638,5,281.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (70,145,1,675.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (70,122,1,30.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (71,1092,1,238.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (71,39,3,245.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (71,335,5,263.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```



```
quantity) VALUES (71,827,5,582.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (72,290,3,957.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (72,664,3,839.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (72,616,2,541.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (72,604,1,537.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (72,736,3,783.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (72,563,3,364.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (73,16,4,76.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (73,187,2,490.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (73,787,1,443.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (73,311,2,80.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (74,118,2,535.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (74,1050,2,219.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (74,146,5,198.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (74,623,5,997.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (74,620,2,245.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (74,287,3,373.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (75,32,1,321.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (75,1080,1,410.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (75,496,2,985.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (75,152,4,95.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (75,173,4,281.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (75,720,5,871.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (75,673,4,1.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (75,693,1,292.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (75,967,5,414.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (76,1099,2,836.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```
quantity) VALUES (76,1155,3,570.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (76,509,5,393.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (76,128,1,592.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (76,1130,1,333.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (76,452,2,368.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (76,385,4,530.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (77,785,3,147.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (77,643,4,474.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (77,689,2,991.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (77,998,1,583.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (77,692,3,422.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (77,727,1,137.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (78,4,4,335.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (78,628,2,104.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (78,163,2,803.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (79,300,3,994.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (79,736,2,667.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (79,409,4,523.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (80,976,3,387.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (80,303,5,164.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (80,513,2,612.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (80,680,2,572.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (80,947,4,55.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (81,1069,4,477.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (81,532,4,652.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (81,629,1,884.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (81,254,3,221.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```
quantity) VALUES (81,342,3,833.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (81,850,2,210.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (81,1128,3,856.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (81,86,5,642.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (81,466,3,810.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (81,1070,3,260.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (82,292,2,238.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (82,154,4,635.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (82,172,1,345.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (82,843,5,715.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (82,109,5,405.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (82,514,2,479.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (82,812,5,79.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (82,1002,4,759.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (82,431,4,333.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (83,553,4,878.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (83,742,1,896.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (83,835,2,704.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (83,1121,2,775.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (83,191,2,484.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (84,961,4,941.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (84,1155,4,669.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (84,854,1,172.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (84,1149,1,875.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (84,746,2,498.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (84,712,4,347.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (84,200,5,157.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```
quantity) VALUES (84,1050,3,460.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (84,901,1,58.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (84,115,4,185.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (85,602,5,168.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (85,1029,3,689.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (85,804,4,137.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (85,864,4,352.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (85,456,5,661.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (85,260,5,871.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (85,34,2,631.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (85,243,1,964.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (85,97,4,501.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (85,781,1,857.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (86,55,2,660.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (86,94,3,31.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (86,355,2,684.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (86,186,1,651.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (86,521,2,973.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (86,404,2,34.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (86,156,3,975.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (86,10,3,803.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (87,1054,3,24.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (87,301,4,722.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (87,445,1,938.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (87,540,4,361.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (87,912,2,668.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (87,262,2,376.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```
quantity) VALUES (87,685,4,389.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (87,457,5,659.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (88,699,2,235.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (88,95,1,889.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (88,458,1,76.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (88,765,2,173.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (88,667,1,379.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (88,968,4,570.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (88,1141,1,227.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (89,1051,2,944.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (89,86,1,664.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (89,650,1,104.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (89,627,3,658.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (89,666,1,581.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (89,377,3,851.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (90,42,5,37.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (90,178,3,918.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (90,659,5,453.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (90,429,5,235.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (90,419,2,44.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (90,13,3,178.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (90,739,2,690.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (90,418,1,382.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (90,599,2,941.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (90,381,5,912.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (91,658,5,594.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (91,649,1,122.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```
quantity) VALUES (91,587,4,817.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (91,354,2,554.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (92,667,1,455.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (92,486,4,549.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (92,758,2,388.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (92,1150,1,633.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (92,434,4,257.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (92,392,1,855.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (92,845,5,408.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (92,560,2,776.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (92,642,2,806.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (92,4,4,22.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (93,737,1,260.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (93,754,3,988.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (93,1084,4,222.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (93,901,4,163.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (93,946,2,270.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (94,139,1,371.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (94,207,2,237.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (94,1007,4,536.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (94,683,5,659.3);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (94,700,1,296.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (94,30,2,792.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (94,793,5,708.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (95,555,4,684.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (95,1064,4,410.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (95,735,3,364.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```



```
quantity) VALUES (95,85,3,349.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (95,485,5,297.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (95,1152,4,580.0);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (95,62,2,997.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (95,280,4,698.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (95,1,1,219.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (96,1130,2,795.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (96,215,4,651.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (96,897,1,213.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (96,815,2,877.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (96,1003,2,384.5);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (96,453,3,338.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (96,518,3,824.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (97,826,2,328.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (97,681,2,462.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (97,990,3,614.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (98,483,4,144.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (98,296,4,557.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (98,358,5,666.7);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (98,1096,3,199.9);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (98,1020,2,143.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (98,495,3,668.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (98,1016,3,475.8);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (98,224,4,237.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (98,482,2,455.4);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (98,212,4,9.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (99,391,4,386.6);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
```

```

quantity) VALUES (99,841,4,446.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (99,790,3,270.1);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (99,673,5,243.2);
INSERT INTO tb_ingredient_recipe (id_recipe, id_ingredient, id_unit,
quantity) VALUES (99,604,3,960.3);

INSERT INTO tb_tag (name) VALUES ('American');
INSERT INTO tb_tag (name) VALUES ('Apple');
INSERT INTO tb_tag (name) VALUES ('Apples');
INSERT INTO tb_tag (name) VALUES ('Asian');
INSERT INTO tb_tag (name) VALUES ('Asparagus');
INSERT INTO tb_tag (name) VALUES ('Aubergine');
INSERT INTO tb_tag (name) VALUES ('Autumn');
INSERT INTO tb_tag (name) VALUES ('Avocado');
INSERT INTO tb_tag (name) VALUES ('BBQ');
INSERT INTO tb_tag (name) VALUES ('Baking');
INSERT INTO tb_tag (name) VALUES ('Baking with kids');
INSERT INTO tb_tag (name) VALUES ('Barley and quinoa');
INSERT INTO tb_tag (name) VALUES ('Bars and squares');
INSERT INTO tb_tag (name) VALUES ('Beef');
INSERT INTO tb_tag (name) VALUES ('Beetroot');
INSERT INTO tb_tag (name) VALUES ('Best recipes');
INSERT INTO tb_tag (name) VALUES ('Biscuit');
INSERT INTO tb_tag (name) VALUES ('Blackberry');
INSERT INTO tb_tag (name) VALUES ('Blueberry');
INSERT INTO tb_tag (name) VALUES ('Breads');
INSERT INTO tb_tag (name) VALUES ('Breakfast and brunch');
INSERT INTO tb_tag (name) VALUES ('British');
INSERT INTO tb_tag (name) VALUES ('Broccoli');
INSERT INTO tb_tag (name) VALUES ('Brownies');
INSERT INTO tb_tag (name) VALUES ('Cake');
INSERT INTO tb_tag (name) VALUES ('Cakes');
INSERT INTO tb_tag (name) VALUES ('Canapés and party food');
INSERT INTO tb_tag (name) VALUES ('Candies chocolates sweets and snacks');
INSERT INTO tb_tag (name) VALUES ('Chicken');
INSERT INTO tb_tag (name) VALUES ('Chocolate');
INSERT INTO tb_tag (name) VALUES ('Christmas');
INSERT INTO tb_tag (name) VALUES ('Cookies');
INSERT INTO tb_tag (name) VALUES ('Courgette');
INSERT INTO tb_tag (name) VALUES ('Couscous');
INSERT INTO tb_tag (name) VALUES ('Cranberries');
INSERT INTO tb_tag (name) VALUES ('Cream desserts mousses and meringues');
INSERT INTO tb_tag (name) VALUES ('Crepes and pancakes');
INSERT INTO tb_tag (name) VALUES ('Crisps and crumbles');
INSERT INTO tb_tag (name) VALUES ('Cupcakes');
INSERT INTO tb_tag (name) VALUES ('Dips and salty spreads');
INSERT INTO tb_tag (name) VALUES ('Dressings and mayonnaise');
INSERT INTO tb_tag (name) VALUES ('Drinks');
INSERT INTO tb_tag (name) VALUES ('Drinks and cocktails');
INSERT INTO tb_tag (name) VALUES ('Duck');
INSERT INTO tb_tag (name) VALUES ('Egg');
INSERT INTO tb_tag (name) VALUES ('Eggs');

```

```
INSERT INTO tb_tag (name) VALUES ('Fennel');
INSERT INTO tb_tag (name) VALUES ('Fish');
INSERT INTO tb_tag (name) VALUES ('Fish and seafood');
INSERT INTO tb_tag (name) VALUES ('Fish and shellfish');
INSERT INTO tb_tag (name) VALUES ('Fondue');
INSERT INTO tb_tag (name) VALUES ('French');
INSERT INTO tb_tag (name) VALUES ('Frozen desserts');
INSERT INTO tb_tag (name) VALUES ('Fruit');
INSERT INTO tb_tag (name) VALUES ('Game');
INSERT INTO tb_tag (name) VALUES ('Gluten-free');
INSERT INTO tb_tag (name) VALUES ('Goose guinea fowl and other poultry');
INSERT INTO tb_tag (name) VALUES ('Greek');
INSERT INTO tb_tag (name) VALUES ('Grilled');
INSERT INTO tb_tag (name) VALUES ('Grilling marinades');
INSERT INTO tb_tag (name) VALUES ('Healthy');
INSERT INTO tb_tag (name) VALUES ('Healthy eating');
INSERT INTO tb_tag (name) VALUES ('Hors d oeuvres');
INSERT INTO tb_tag (name) VALUES ('Ice cream and sorbet');
INSERT INTO tb_tag (name) VALUES ('Indian');
INSERT INTO tb_tag (name) VALUES ('Italian');
INSERT INTO tb_tag (name) VALUES ('Jam and sweet spreads');
INSERT INTO tb_tag (name) VALUES ('Japanese');
INSERT INTO tb_tag (name) VALUES ('Jar mixes and ketchups');
INSERT INTO tb_tag (name) VALUES ('Kale');
INSERT INTO tb_tag (name) VALUES ('Lamb');
INSERT INTO tb_tag (name) VALUES ('Leftovers');
INSERT INTO tb_tag (name) VALUES ('Legumes');
INSERT INTO tb_tag (name) VALUES ('Lunch ideas');
INSERT INTO tb_tag (name) VALUES ('Main courses');
INSERT INTO tb_tag (name) VALUES ('Meal salads');
INSERT INTO tb_tag (name) VALUES ('Mediterranean');
INSERT INTO tb_tag (name) VALUES ('Mexican');
INSERT INTO tb_tag (name) VALUES ('Middle Eastern');
INSERT INTO tb_tag (name) VALUES ('Muffins and dessert breads');
INSERT INTO tb_tag (name) VALUES ('Mushroom');
INSERT INTO tb_tag (name) VALUES ('Non alcoholic drinks mocktails');
INSERT INTO tb_tag (name) VALUES ('Pancake');
INSERT INTO tb_tag (name) VALUES ('Pasta');
INSERT INTO tb_tag (name) VALUES ('Pastries');
INSERT INTO tb_tag (name) VALUES ('Pies');
INSERT INTO tb_tag (name) VALUES ('Pizza');
INSERT INTO tb_tag (name) VALUES ('Pork');
INSERT INTO tb_tag (name) VALUES ('Potato');
INSERT INTO tb_tag (name) VALUES ('Preserves and sauces');
INSERT INTO tb_tag (name) VALUES ('Pudding and tapioca');
INSERT INTO tb_tag (name) VALUES ('Pumpkin');
INSERT INTO tb_tag (name) VALUES ('Quiches and savoury pies');
INSERT INTO tb_tag (name) VALUES ('Quick');
INSERT INTO tb_tag (name) VALUES ('Quick and easy');
INSERT INTO tb_tag (name) VALUES ('Quinoa');
INSERT INTO tb_tag (name) VALUES ('Raspberry');
INSERT INTO tb_tag (name) VALUES ('Recipes for one');
INSERT INTO tb_tag (name) VALUES ('Recipes for two');
INSERT INTO tb_tag (name) VALUES ('Rhubarb');
```

```

INSERT INTO tb_tag (name) VALUES ('Rice');
INSERT INTO tb_tag (name) VALUES ('Risotto');
INSERT INTO tb_tag (name) VALUES ('Salmon');
INSERT INTO tb_tag (name) VALUES ('Sandwiches');
INSERT INTO tb_tag (name) VALUES ('Sauces and condiments');
INSERT INTO tb_tag (name) VALUES ('Sauces butters and pestos');
INSERT INTO tb_tag (name) VALUES ('Savoury breads');
INSERT INTO tb_tag (name) VALUES ('Scandinavian');
INSERT INTO tb_tag (name) VALUES ('Scone');
INSERT INTO tb_tag (name) VALUES ('Seafood');
INSERT INTO tb_tag (name) VALUES ('Sides');
INSERT INTO tb_tag (name) VALUES ('Slow cooker');
INSERT INTO tb_tag (name) VALUES ('Snacks and light meals');
INSERT INTO tb_tag (name) VALUES ('Spanish');
INSERT INTO tb_tag (name) VALUES ('Spring');
INSERT INTO tb_tag (name) VALUES ('Starters');
INSERT INTO tb_tag (name) VALUES ('Strawberry');
INSERT INTO tb_tag (name) VALUES ('Summer');
INSERT INTO tb_tag (name) VALUES ('Sweet potato');
INSERT INTO tb_tag (name) VALUES ('Tart');
INSERT INTO tb_tag (name) VALUES ('Tofu');
INSERT INTO tb_tag (name) VALUES ('Tofu soy and co');
INSERT INTO tb_tag (name) VALUES ('Tomato');
INSERT INTO tb_tag (name) VALUES ('Tomatoes');
INSERT INTO tb_tag (name) VALUES ('Tuna');
INSERT INTO tb_tag (name) VALUES ('Turkey');
INSERT INTO tb_tag (name) VALUES ('Uncategorized');
INSERT INTO tb_tag (name) VALUES ('Veal');
INSERT INTO tb_tag (name) VALUES ('Vegan');
INSERT INTO tb_tag (name) VALUES ('Vegetables');
INSERT INTO tb_tag (name) VALUES ('Vegetables and gratinees');
INSERT INTO tb_tag (name) VALUES ('Vegetarian');
INSERT INTO tb_tag (name) VALUES ('Winter');
INSERT INTO tb_tag (name) VALUES ('Yogurt and cheese');

```

```

INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (1,67);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (16,87);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (5,34);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (5,53);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (62,79);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (58,67);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (52,14);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (87,48);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (93,41);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (52,86);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (6,39);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (73,52);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (21,32);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (55,60);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (26,82);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (90,14);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (6,58);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (120,59);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (99,72);

```

```
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (53,78);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (18,15);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (26,35);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (42,83);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (88,34);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (106,23);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (105,24);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (60,95);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (44,33);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (120,83);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (85,56);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (117,39);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (81,80);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (24,28);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (131,25);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (25,19);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (14,17);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (52,26);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (52,24);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (97,77);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (57,70);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (33,45);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (74,50);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (3,18);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (71,71);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (53,80);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (130,10);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (132,44);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (45,54);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (40,5);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (21,8);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (30,8);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (20,30);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (61,37);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (55,45);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (30,87);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (37,47);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (19,33);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (50,71);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (53,65);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (103,21);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (123,48);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (54,20);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (19,74);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (120,68);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (46,85);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (130,71);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (117,93);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (14,84);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (110,47);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (102,54);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (132,75);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (74,22);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (69,31);
```



```
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (100,84);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (124,86);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (40,56);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (124,51);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (102,31);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (96,29);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (41,81);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (81,63);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (116,99);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (15,71);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (24,46);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (58,40);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (114,11);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (27,73);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (70,20);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (85,48);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (119,73);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (17,94);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (79,13);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (80,80);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (73,71);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (79,34);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (2,11);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (4,43);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (120,96);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (27,24);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (127,70);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (71,57);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (19,82);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (94,83);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (65,54);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (65,25);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (101,8);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (62,22);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (65,53);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (94,60);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (100,80);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (121,40);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (76,98);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (129,4);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (30,63);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (123,41);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (20,13);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (84,37);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (79,46);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (126,29);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (8,19);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (107,83);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (96,55);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (115,61);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (90,69);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (103,95);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (87,3);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (51,95);
```



```
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (44,34);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (20,62);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (3,69);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (86,15);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (47,33);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (22,78);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (31,79);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (39,29);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (88,45);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (125,7);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (21,52);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (124,80);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (5,29);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (89,37);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (51,83);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (104,86);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (132,5);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (108,85);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (132,14);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (120,21);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (53,76);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (68,78);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (110,53);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (105,29);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (25,67);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (33,56);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (22,80);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (14,29);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (7,88);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (114,91);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (103,57);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (121,92);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (120,5);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (38,39);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (70,71);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (24,27);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (1,12);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (65,58);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (30,72);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (22,44);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (8,46);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (99,16);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (130,12);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (127,38);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (38,10);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (7,76);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (93,60);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (95,26);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (124,9);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (68,5);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (30,35);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (59,14);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (104,79);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (102,43);
```

```

INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (108,20);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (5,22);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (2,7);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (113,38);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (58,34);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (101,28);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (118,37);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (13,62);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (64,57);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (22,52);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (70,74);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (35,93);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (36,57);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (82,51);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (18,1);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (59,20);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (5,62);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (60,29);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (51,51);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (125,11);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (93,31);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (86,91);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (42,74);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (33,26);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (40,94);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (90,90);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (99,52);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (89,90);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (40,89);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (127,93);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (47,65);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (33,89);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (90,25);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (2,32);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (21,63);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (32,68);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (37,95);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (1,49);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (39,92);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (132,89);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (64,51);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (85,7);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (16,96);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (3,64);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (46,53);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (121,7);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (26,6);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (78,64);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (26,48);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (2,29);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (88,80);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (31,38);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (57,2);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (112,86);

```

```
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (123,27);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (62,19);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (74,59);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (107,45);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (38,4);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (55,21);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (17,57);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (128,66);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (24,92);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (85,33);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (104,50);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (83,27);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (51,34);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (6,98);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (18,28);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (96,79);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (30,6);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (74,16);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (89,36);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (17,22);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (6,22);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (15,73);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (98,47);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (27,13);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (14,36);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (93,99);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (32,33);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (105,20);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (67,32);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (38,55);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (2,15);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (21,60);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (46,12);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (51,15);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (63,51);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (45,86);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (93,12);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (88,12);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (39,31);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (14,8);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (65,69);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (53,40);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (21,51);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (39,95);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (73,64);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (130,44);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (85,6);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (129,80);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (20,35);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (24,54);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (49,87);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (103,58);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (116,30);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (6,42);
```

```
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (104,35);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (66,45);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (103,11);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (92,44);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (133,32);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (37,94);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (48,40);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (30,34);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (20,12);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (57,26);
INSERT INTO tb_tag_recipe (id_tag, id_recipe) VALUES (16,2);
```

```
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (49, 4);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (63, 111);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (70, 48);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (58, 109);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (64, 39);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (13, 116);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (20, 338);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (71, 25);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (48, 115);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (52, 332);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (12, 222);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (74, 58);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (38, 162);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (49, 240);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (18, 217);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (16, 158);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (59, 237);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (44, 95);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (73, 235);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (18, 24);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (28, 230);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (29, 126);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (41, 42);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (79, 141);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (10, 12);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (73, 131);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (61, 84);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (8, 217);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (28, 113);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (71, 303);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (44, 192);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (50, 230);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (32, 323);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (33, 19);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (43, 87);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (75, 300);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (30, 122);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (52, 194);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (71, 65);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (72, 86);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (17, 18);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (27, 90);
```



```
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (18, 5);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (75, 8);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (99, 325);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (93, 317);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (95, 168);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (55, 249);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (2, 329);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (70, 317);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (93, 128);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (35, 305);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (40, 50);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (69, 89);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (40, 174);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (84, 221);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (90, 50);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (99, 313);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (43, 118);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (84, 8);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (30, 257);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (94, 120);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (62, 220);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (70, 156);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (40, 290);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (89, 167);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (62, 41);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (32, 136);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (62, 293);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (3, 69);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (43, 111);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (86, 271);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (77, 62);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (8, 244);
INSERT INTO tb_favourite (id_recipe, id_member) VALUES (12, 245);
```

```
INSERT INTO tb_group_member (id_member, id_group) VALUES(31,1);
INSERT INTO tb_group_member (id_member, id_group) VALUES(179,2);
INSERT INTO tb_group_member (id_member, id_group) VALUES(300,3);
INSERT INTO tb_group_member (id_member, id_group) VALUES(57,4);
INSERT INTO tb_group_member (id_member, id_group) VALUES(220,5);
INSERT INTO tb_group_member (id_member, id_group) VALUES(37,6);
INSERT INTO tb_group_member (id_member, id_group) VALUES(27,7);
INSERT INTO tb_group_member (id_member, id_group) VALUES(297,8);
INSERT INTO tb_group_member (id_member, id_group) VALUES(70,9);
INSERT INTO tb_group_member (id_member, id_group) VALUES(144,10);
INSERT INTO tb_group_member (id_member, id_group) VALUES(83,11);
INSERT INTO tb_group_member (id_member, id_group) VALUES(63,12);
INSERT INTO tb_group_member (id_member, id_group) VALUES(198,13);
INSERT INTO tb_group_member (id_member, id_group) VALUES(159,14);
INSERT INTO tb_group_member (id_member, id_group) VALUES(109,15);
INSERT INTO tb_group_member (id_member, id_group) VALUES(307,16);
INSERT INTO tb_group_member (id_member, id_group) VALUES(22,17);
INSERT INTO tb_group_member (id_member, id_group) VALUES(118,18);
INSERT INTO tb_group_member (id_member, id_group) VALUES(248,19);
INSERT INTO tb_group_member (id_member, id_group) VALUES(197,20);
```

[illegible]


```
INSERT INTO tb_group_member (id_member, id_group) VALUES(115,3);
INSERT INTO tb_group_member (id_member, id_group) VALUES(84,4);
INSERT INTO tb_group_member (id_member, id_group) VALUES(79,5);
INSERT INTO tb_group_member (id_member, id_group) VALUES(132,6);
INSERT INTO tb_group_member (id_member, id_group) VALUES(123,7);
INSERT INTO tb_group_member (id_member, id_group) VALUES(245,8);
INSERT INTO tb_group_member (id_member, id_group) VALUES(246,9);
INSERT INTO tb_group_member (id_member, id_group) VALUES(149,10);
INSERT INTO tb_group_member (id_member, id_group) VALUES(226,11);
INSERT INTO tb_group_member (id_member, id_group) VALUES(171,12);
INSERT INTO tb_group_member (id_member, id_group) VALUES(232,13);
INSERT INTO tb_group_member (id_member, id_group) VALUES(324,14);
INSERT INTO tb_group_member (id_member, id_group) VALUES(301,15);
INSERT INTO tb_group_member (id_member, id_group) VALUES(59,16);
INSERT INTO tb_group_member (id_member, id_group) VALUES(16,17);
INSERT INTO tb_group_member (id_member, id_group) VALUES(332,18);
INSERT INTO tb_group_member (id_member, id_group) VALUES(264,19);
INSERT INTO tb_group_member (id_member, id_group) VALUES(274,20);
INSERT INTO tb_group_member (id_member, id_group) VALUES(193,21);
INSERT INTO tb_group_member (id_member, id_group) VALUES(20,22);
INSERT INTO tb_group_member (id_member, id_group) VALUES(225,23);
INSERT INTO tb_group_member (id_member, id_group) VALUES(85,24);
INSERT INTO tb_group_member (id_member, id_group) VALUES(74,25);
INSERT INTO tb_group_member (id_member, id_group) VALUES(28,26);
INSERT INTO tb_group_member (id_member, id_group) VALUES(188,27);
INSERT INTO tb_group_member (id_member, id_group) VALUES(227,28);
INSERT INTO tb_group_member (id_member, id_group) VALUES(127,29);
INSERT INTO tb_group_member (id_member, id_group) VALUES(321,30);
INSERT INTO tb_group_member (id_member, id_group) VALUES(341,31);
INSERT INTO tb_group_member (id_member, id_group) VALUES(184,32);
INSERT INTO tb_group_member (id_member, id_group) VALUES(313,33);
INSERT INTO tb_group_member (id_member, id_group) VALUES(165,34);
INSERT INTO tb_group_member (id_member, id_group) VALUES(238,35);
INSERT INTO tb_group_member (id_member, id_group) VALUES(195,36);
INSERT INTO tb_group_member (id_member, id_group) VALUES(140,37);
INSERT INTO tb_group_member (id_member, id_group) VALUES(135,38);
INSERT INTO tb_group_member (id_member, id_group) VALUES(61,39);
INSERT INTO tb_group_member (id_member, id_group) VALUES(93,40);
INSERT INTO tb_group_member (id_member, id_group) VALUES(215,41);
INSERT INTO tb_group_member (id_member, id_group) VALUES(145,42);
INSERT INTO tb_group_member (id_member, id_group) VALUES(343,43);
INSERT INTO tb_group_member (id_member, id_group) VALUES(87,44);
INSERT INTO tb_group_member (id_member, id_group) VALUES(270,45);
INSERT INTO tb_group_member (id_member, id_group) VALUES(92,46);
INSERT INTO tb_group_member (id_member, id_group) VALUES(60,47);
INSERT INTO tb_group_member (id_member, id_group) VALUES(312,48);
INSERT INTO tb_group_member (id_member, id_group) VALUES(266,49);
INSERT INTO tb_group_member (id_member, id_group) VALUES(275,50);
INSERT INTO tb_group_member (id_member, id_group) VALUES(253,51);
INSERT INTO tb_group_member (id_member, id_group) VALUES(311,52);
INSERT INTO tb_group_member (id_member, id_group) VALUES(94,53);
INSERT INTO tb_group_member (id_member, id_group) VALUES(154,54);
INSERT INTO tb_group_member (id_member, id_group) VALUES(75,55);
INSERT INTO tb_group_member (id_member, id_group) VALUES(315,56);
```

```
INSERT INTO tb_group_member (id_member, id_group) VALUES(298,57);
INSERT INTO tb_group_member (id_member, id_group) VALUES(310,58);
INSERT INTO tb_group_member (id_member, id_group) VALUES(256,59);
INSERT INTO tb_group_member (id_member, id_group) VALUES(339,60);
INSERT INTO tb_group_member (id_member, id_group) VALUES(262,61);
INSERT INTO tb_group_member (id_member, id_group) VALUES(308,62);
INSERT INTO tb_group_member (id_member, id_group) VALUES(242,63);
INSERT INTO tb_group_member (id_member, id_group) VALUES(202,64);
INSERT INTO tb_group_member (id_member, id_group) VALUES(208,65);
INSERT INTO tb_group_member (id_member, id_group) VALUES(278,66);
INSERT INTO tb_group_member (id_member, id_group) VALUES(103,67);
INSERT INTO tb_group_member (id_member, id_group) VALUES(292,68);
INSERT INTO tb_group_member (id_member, id_group) VALUES(117,69);
INSERT INTO tb_group_member (id_member, id_group) VALUES(302,70);
INSERT INTO tb_group_member (id_member, id_group) VALUES(143,71);
INSERT INTO tb_group_member (id_member, id_group) VALUES(319,72);
INSERT INTO tb_group_member (id_member, id_group) VALUES(163,1);
INSERT INTO tb_group_member (id_member, id_group) VALUES(271,2);
INSERT INTO tb_group_member (id_member, id_group) VALUES(169,3);
INSERT INTO tb_group_member (id_member, id_group) VALUES(250,4);
INSERT INTO tb_group_member (id_member, id_group) VALUES(157,5);
INSERT INTO tb_group_member (id_member, id_group) VALUES(210,6);
INSERT INTO tb_group_member (id_member, id_group) VALUES(162,7);
INSERT INTO tb_group_member (id_member, id_group) VALUES(6,8);
INSERT INTO tb_group_member (id_member, id_group) VALUES(269,9);
INSERT INTO tb_group_member (id_member, id_group) VALUES(80,10);
INSERT INTO tb_group_member (id_member, id_group) VALUES(51,11);
INSERT INTO tb_group_member (id_member, id_group) VALUES(56,12);
INSERT INTO tb_group_member (id_member, id_group) VALUES(294,13);
INSERT INTO tb_group_member (id_member, id_group) VALUES(99,14);
INSERT INTO tb_group_member (id_member, id_group) VALUES(290,15);
INSERT INTO tb_group_member (id_member, id_group) VALUES(54,16);
INSERT INTO tb_group_member (id_member, id_group) VALUES(299,17);
INSERT INTO tb_group_member (id_member, id_group) VALUES(303,18);
INSERT INTO tb_group_member (id_member, id_group) VALUES(244,19);
INSERT INTO tb_group_member (id_member, id_group) VALUES(251,20);
INSERT INTO tb_group_member (id_member, id_group) VALUES(102,21);
INSERT INTO tb_group_member (id_member, id_group) VALUES(76,22);
INSERT INTO tb_group_member (id_member, id_group) VALUES(19,23);
INSERT INTO tb_group_member (id_member, id_group) VALUES(12,24);
INSERT INTO tb_group_member (id_member, id_group) VALUES(281,25);
INSERT INTO tb_group_member (id_member, id_group) VALUES(15,26);
INSERT INTO tb_group_member (id_member, id_group) VALUES(42,27);
INSERT INTO tb_group_member (id_member, id_group) VALUES(175,28);
INSERT INTO tb_group_member (id_member, id_group) VALUES(44,29);
INSERT INTO tb_group_member (id_member, id_group) VALUES(153,30);
INSERT INTO tb_group_member (id_member, id_group) VALUES(177,31);
INSERT INTO tb_group_member (id_member, id_group) VALUES(124,32);
INSERT INTO tb_group_member (id_member, id_group) VALUES(213,33);
INSERT INTO tb_group_member (id_member, id_group) VALUES(283,34);
INSERT INTO tb_group_member (id_member, id_group) VALUES(325,35);
INSERT INTO tb_group_member (id_member, id_group) VALUES(285,36);
INSERT INTO tb_group_member (id_member, id_group) VALUES(3,37);
INSERT INTO tb_group_member (id_member, id_group) VALUES(150,38);
```

```
INSERT INTO tb_group_member (id_member, id_group) VALUES(112,39);
INSERT INTO tb_group_member (id_member, id_group) VALUES(119,40);
INSERT INTO tb_group_member (id_member, id_group) VALUES(236,41);
INSERT INTO tb_group_member (id_member, id_group) VALUES(212,42);
INSERT INTO tb_group_member (id_member, id_group) VALUES(322,43);
INSERT INTO tb_group_member (id_member, id_group) VALUES(34,44);
INSERT INTO tb_group_member (id_member, id_group) VALUES(43,45);
INSERT INTO tb_group_member (id_member, id_group) VALUES(21,46);
INSERT INTO tb_group_member (id_member, id_group) VALUES(97,47);
INSERT INTO tb_group_member (id_member, id_group) VALUES(267,48);
INSERT INTO tb_group_member (id_member, id_group) VALUES(243,49);
INSERT INTO tb_group_member (id_member, id_group) VALUES(4,50);
INSERT INTO tb_group_member (id_member, id_group) VALUES(71,51);
INSERT INTO tb_group_member (id_member, id_group) VALUES(247,52);
INSERT INTO tb_group_member (id_member, id_group) VALUES(229,53);
INSERT INTO tb_group_member (id_member, id_group) VALUES(335,54);
INSERT INTO tb_group_member (id_member, id_group) VALUES(317,55);
INSERT INTO tb_group_member (id_member, id_group) VALUES(201,56);
INSERT INTO tb_group_member (id_member, id_group) VALUES(234,57);
INSERT INTO tb_group_member (id_member, id_group) VALUES(73,58);
INSERT INTO tb_group_member (id_member, id_group) VALUES(55,59);
INSERT INTO tb_group_member (id_member, id_group) VALUES(276,60);
INSERT INTO tb_group_member (id_member, id_group) VALUES(136,61);
INSERT INTO tb_group_member (id_member, id_group) VALUES(323,62);
INSERT INTO tb_group_member (id_member, id_group) VALUES(152,63);
INSERT INTO tb_group_member (id_member, id_group) VALUES(33,64);
INSERT INTO tb_group_member (id_member, id_group) VALUES(174,65);
INSERT INTO tb_group_member (id_member, id_group) VALUES(316,66);
INSERT INTO tb_group_member (id_member, id_group) VALUES(23,67);
INSERT INTO tb_group_member (id_member, id_group) VALUES(156,68);
INSERT INTO tb_group_member (id_member, id_group) VALUES(77,69);
INSERT INTO tb_group_member (id_member, id_group) VALUES(342,70);
INSERT INTO tb_group_member (id_member, id_group) VALUES(148,71);
INSERT INTO tb_group_member (id_member, id_group) VALUES(45,72);
INSERT INTO tb_group_member (id_member, id_group) VALUES(17,1);
INSERT INTO tb_group_member (id_member, id_group) VALUES(286,2);
INSERT INTO tb_group_member (id_member, id_group) VALUES(280,3);
INSERT INTO tb_group_member (id_member, id_group) VALUES(114,4);
INSERT INTO tb_group_member (id_member, id_group) VALUES(78,5);
INSERT INTO tb_group_member (id_member, id_group) VALUES(58,6);
INSERT INTO tb_group_member (id_member, id_group) VALUES(204,7);
INSERT INTO tb_group_member (id_member, id_group) VALUES(218,8);
INSERT INTO tb_group_member (id_member, id_group) VALUES(72,9);
INSERT INTO tb_group_member (id_member, id_group) VALUES(25,10);
INSERT INTO tb_group_member (id_member, id_group) VALUES(263,11);
INSERT INTO tb_group_member (id_member, id_group) VALUES(189,12);
INSERT INTO tb_group_member (id_member, id_group) VALUES(46,13);
INSERT INTO tb_group_member (id_member, id_group) VALUES(230,14);
INSERT INTO tb_group_member (id_member, id_group) VALUES(314,15);
INSERT INTO tb_group_member (id_member, id_group) VALUES(327,16);
INSERT INTO tb_group_member (id_member, id_group) VALUES(81,17);
INSERT INTO tb_group_member (id_member, id_group) VALUES(164,18);
INSERT INTO tb_group_member (id_member, id_group) VALUES(331,19);
INSERT INTO tb_group_member (id_member, id_group) VALUES(53,20);
```

```
INSERT INTO tb_group_member (id_member, id_group) VALUES(333,21);
INSERT INTO tb_group_member (id_member, id_group) VALUES(91,22);
INSERT INTO tb_group_member (id_member, id_group) VALUES(166,23);
INSERT INTO tb_group_member (id_member, id_group) VALUES(277,24);
INSERT INTO tb_group_member (id_member, id_group) VALUES(178,25);
INSERT INTO tb_group_member (id_member, id_group) VALUES(158,26);
INSERT INTO tb_group_member (id_member, id_group) VALUES(326,27);
INSERT INTO tb_group_member (id_member, id_group) VALUES(30,28);
INSERT INTO tb_group_member (id_member, id_group) VALUES(139,29);
INSERT INTO tb_group_member (id_member, id_group) VALUES(191,30);
INSERT INTO tb_group_member (id_member, id_group) VALUES(255,31);
INSERT INTO tb_group_member (id_member, id_group) VALUES(296,32);
INSERT INTO tb_group_member (id_member, id_group) VALUES(304,33);
INSERT INTO tb_group_member (id_member, id_group) VALUES(305,34);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(31,1);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(179,2);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(300,3);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(57,4);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(220,5);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(37,6);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(27,7);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(297,8);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(70,9);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(144,10);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(83,11);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(63,12);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(198,13);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(159,14);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(109,15);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(307,16);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(22,17);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(118,18);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(248,19);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(197,20);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(107,21);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(258,22);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(330,23);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(345,24);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(183,25);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(334,26);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(128,27);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(214,28);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(252,29);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(233,30);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(219,31);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(284,32);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(295,33);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(282,34);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(113,35);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(273,36);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(291,37);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(13,38);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(161,39);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(138,40);
```



```
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(151,41);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(35,42);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(216,43);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(222,44);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(32,45);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(348,46);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(134,47);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(344,48);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(288,49);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(350,50);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(190,51);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(289,52);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(121,53);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(40,54);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(41,55);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(221,56);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(108,57);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(240,58);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(146,59);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(8,60);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(29,61);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(347,62);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(328,63);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(257,64);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(141,65);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(65,66);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(181,67);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(89,68);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(18,69);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(36,70);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(1,71);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(120,72);
INSERT INTO tb_group_moderator (id_member, id_group) VALUES(125,73);
INSERT INTO tb_group_request (id_member, id_group) VALUES(11,1);
INSERT INTO tb_group_request (id_member, id_group) VALUES(58,2);
INSERT INTO tb_group_request (id_member, id_group) VALUES(210,3);
INSERT INTO tb_group_request (id_member, id_group) VALUES(218,4);
INSERT INTO tb_group_request (id_member, id_group) VALUES(263,5);
INSERT INTO tb_group_request (id_member, id_group) VALUES(33,6);
INSERT INTO tb_group_request (id_member, id_group) VALUES(191,7);
INSERT INTO tb_group_request (id_member, id_group) VALUES(302,8);
INSERT INTO tb_group_request (id_member, id_group) VALUES(175,9);
INSERT INTO tb_group_request (id_member, id_group) VALUES(104,10);
INSERT INTO tb_group_request (id_member, id_group) VALUES(127,11);
INSERT INTO tb_group_request (id_member, id_group) VALUES(162,12);
INSERT INTO tb_group_request (id_member, id_group) VALUES(175,13);
INSERT INTO tb_group_request (id_member, id_group) VALUES(347,14);
INSERT INTO tb_group_request (id_member, id_group) VALUES(220,15);
INSERT INTO tb_group_request (id_member, id_group) VALUES(291,16);
INSERT INTO tb_group_request (id_member, id_group) VALUES(93,17);
INSERT INTO tb_group_request (id_member, id_group) VALUES(106,18);
INSERT INTO tb_group_request (id_member, id_group) VALUES(195,19);
INSERT INTO tb_group_request (id_member, id_group) VALUES(50,20);
INSERT INTO tb_group_request (id_member, id_group) VALUES(16,21);
```

```

INSERT INTO tb_group_request (id_member, id_group) VALUES(114,22);
INSERT INTO tb_group_request (id_member, id_group) VALUES(229,23);
INSERT INTO tb_group_request (id_member, id_group) VALUES(120,24);
INSERT INTO tb_group_request (id_member, id_group) VALUES(74,25);
INSERT INTO tb_group_request (id_member, id_group) VALUES(124,26);
INSERT INTO tb_group_request (id_member, id_group) VALUES(63,27);
INSERT INTO tb_group_request (id_member, id_group) VALUES(32,28);
INSERT INTO tb_group_request (id_member, id_group) VALUES(324,29);
INSERT INTO tb_group_request (id_member, id_group) VALUES(179,30);
INSERT INTO tb_group_request (id_member, id_group) VALUES(94,31);
INSERT INTO tb_group_request (id_member, id_group) VALUES(280,32);
INSERT INTO tb_group_request (id_member, id_group) VALUES(51,33);
INSERT INTO tb_group_request (id_member, id_group) VALUES(219,34);
INSERT INTO tb_group_request (id_member, id_group) VALUES(50,35);
INSERT INTO tb_group_request (id_member, id_group) VALUES(274,36);
INSERT INTO tb_group_request (id_member, id_group) VALUES(283,37);
INSERT INTO tb_group_request (id_member, id_group) VALUES(336,38);
INSERT INTO tb_group_request (id_member, id_group) VALUES(315,39);
INSERT INTO tb_group_request (id_member, id_group) VALUES(293,40);
INSERT INTO tb_group_request (id_member, id_group) VALUES(343,41);
INSERT INTO tb_group_request (id_member, id_group) VALUES(297,42);
INSERT INTO tb_group_request (id_member, id_group) VALUES(45,43);
INSERT INTO tb_group_request (id_member, id_group) VALUES(46,44);
INSERT INTO tb_group_request (id_member, id_group) VALUES(60,45);
INSERT INTO tb_group_request (id_member, id_group) VALUES(183,46);
INSERT INTO tb_group_request (id_member, id_group) VALUES(230,47);
INSERT INTO tb_group_request (id_member, id_group) VALUES(8,48);
INSERT INTO tb_group_request (id_member, id_group) VALUES(103,49);

```

```

INSERT INTO tb_admin (email, password, name, username) VALUES
('alex@github.io', 'ngV7WrRe66gR', 'Alexandre Abreu', 'a3brx');
INSERT INTO tb_admin (email, password, name, username) VALUES
('rafa@github.io', 'kcYNpe9nUENq', 'Rafael Cristino', 'rafaavc');
INSERT INTO tb_admin (email, password, name, username) VALUES
('2dukes@github.io', 'qkuC8zv9YQ9v', 'Rui Pinto', '2dukes');
INSERT INTO tb_admin (email, password, name, username) VALUES
('tiago@github.io', 'TD7gEHRAr', 'Tiago Gomes', 'TiagooGomess');

```

```

INSERT INTO tb_following (id_following, id_followed) VALUES (300,36);
INSERT INTO tb_following (id_following, id_followed) VALUES (62,273);
INSERT INTO tb_following (id_following, id_followed) VALUES (63,236);
INSERT INTO tb_following (id_following, id_followed) VALUES (207,50);
INSERT INTO tb_following (id_following, id_followed) VALUES (270,164);
INSERT INTO tb_following (id_following, id_followed) VALUES (259,100);
INSERT INTO tb_following (id_following, id_followed) VALUES (29,137);
INSERT INTO tb_following (id_following, id_followed) VALUES (19,32);
INSERT INTO tb_following (id_following, id_followed) VALUES (82,197);
INSERT INTO tb_following (id_following, id_followed) VALUES (115,317);
INSERT INTO tb_following (id_following, id_followed) VALUES (196,121);
INSERT INTO tb_following (id_following, id_followed) VALUES (344,311);
INSERT INTO tb_following (id_following, id_followed) VALUES (236,297);
INSERT INTO tb_following (id_following, id_followed) VALUES (304,184);
INSERT INTO tb_following (id_following, id_followed) VALUES (34,204);

```



```
INSERT INTO tb_following (id_following, id_followed) VALUES (132,65);
INSERT INTO tb_following (id_following, id_followed) VALUES (298,135);
INSERT INTO tb_following (id_following, id_followed) VALUES (49,50);
INSERT INTO tb_following (id_following, id_followed) VALUES (154,231);
INSERT INTO tb_following (id_following, id_followed) VALUES (130,28);
INSERT INTO tb_following (id_following, id_followed) VALUES (179,66);
INSERT INTO tb_following (id_following, id_followed) VALUES (89,19);
INSERT INTO tb_following (id_following, id_followed) VALUES (86,29);
INSERT INTO tb_following (id_following, id_followed) VALUES (283,103);
INSERT INTO tb_following (id_following, id_followed) VALUES (148,57);
INSERT INTO tb_following (id_following, id_followed) VALUES (280,329);
INSERT INTO tb_following (id_following, id_followed) VALUES (242,56);
INSERT INTO tb_following (id_following, id_followed) VALUES (40,244);
INSERT INTO tb_following (id_following, id_followed) VALUES (172,121);
INSERT INTO tb_following (id_following, id_followed) VALUES (307,222);
INSERT INTO tb_following (id_following, id_followed) VALUES (79,314);
INSERT INTO tb_following (id_following, id_followed) VALUES (161,87);
INSERT INTO tb_following (id_following, id_followed) VALUES (344,95);
INSERT INTO tb_following (id_following, id_followed) VALUES (65,181);
INSERT INTO tb_following (id_following, id_followed) VALUES (178,316);
INSERT INTO tb_following (id_following, id_followed) VALUES (203,108);
INSERT INTO tb_following (id_following, id_followed) VALUES (240,15);
INSERT INTO tb_following (id_following, id_followed) VALUES (207,80);
INSERT INTO tb_following (id_following, id_followed) VALUES (102,138);
INSERT INTO tb_following (id_following, id_followed) VALUES (275,246);
INSERT INTO tb_following (id_following, id_followed) VALUES (103,228);
INSERT INTO tb_following (id_following, id_followed) VALUES (14,340);
INSERT INTO tb_following (id_following, id_followed) VALUES (293,262);
INSERT INTO tb_following (id_following, id_followed) VALUES (280,7);
INSERT INTO tb_following (id_following, id_followed) VALUES (152,249);
INSERT INTO tb_following (id_following, id_followed) VALUES (198,337);
INSERT INTO tb_following (id_following, id_followed) VALUES (321,238);
INSERT INTO tb_following (id_following, id_followed) VALUES (65,82);
INSERT INTO tb_following (id_following, id_followed) VALUES (268,18);
INSERT INTO tb_following (id_following, id_followed) VALUES (185,345);
INSERT INTO tb_following (id_following, id_followed) VALUES (116,224);
INSERT INTO tb_following (id_following, id_followed) VALUES (331,130);
INSERT INTO tb_following (id_following, id_followed) VALUES (118,275);
INSERT INTO tb_following (id_following, id_followed) VALUES (291,245);
INSERT INTO tb_following (id_following, id_followed) VALUES (179,279);
INSERT INTO tb_following (id_following, id_followed) VALUES (179,196);
INSERT INTO tb_following (id_following, id_followed) VALUES (145,132);
INSERT INTO tb_following (id_following, id_followed) VALUES (95,209);
INSERT INTO tb_following (id_following, id_followed) VALUES (247,57);
INSERT INTO tb_following (id_following, id_followed) VALUES (300,90);
INSERT INTO tb_following (id_following, id_followed) VALUES (315,163);
INSERT INTO tb_following (id_following, id_followed) VALUES (101,31);
INSERT INTO tb_following (id_following, id_followed) VALUES (102,10);
INSERT INTO tb_following (id_following, id_followed) VALUES (71,250);
INSERT INTO tb_following (id_following, id_followed) VALUES (22,191);
INSERT INTO tb_following (id_following, id_followed) VALUES (313,183);
INSERT INTO tb_following (id_following, id_followed) VALUES (6,310);
INSERT INTO tb_following (id_following, id_followed) VALUES (164,265);
INSERT INTO tb_following (id_following, id_followed) VALUES (325,174);
```

```
INSERT INTO tb_following (id_following, id_followed) VALUES (119,150);
INSERT INTO tb_following (id_following, id_followed) VALUES (343,70);
INSERT INTO tb_following (id_following, id_followed) VALUES (15,185);
INSERT INTO tb_following (id_following, id_followed) VALUES (346,86);
INSERT INTO tb_following (id_following, id_followed) VALUES (198,225);
INSERT INTO tb_following (id_following, id_followed) VALUES (91,101);
INSERT INTO tb_following (id_following, id_followed) VALUES (241,92);
INSERT INTO tb_following (id_following, id_followed) VALUES (271,118);
INSERT INTO tb_following (id_following, id_followed) VALUES (204,177);
INSERT INTO tb_following (id_following, id_followed) VALUES (226,199);
INSERT INTO tb_following (id_following, id_followed) VALUES (142,212);
INSERT INTO tb_following (id_following, id_followed) VALUES (97,277);
INSERT INTO tb_following (id_following, id_followed) VALUES (204,108);
INSERT INTO tb_following (id_following, id_followed) VALUES (290,249);
INSERT INTO tb_following (id_following, id_followed) VALUES (327,271);
INSERT INTO tb_following (id_following, id_followed) VALUES (347,337);
INSERT INTO tb_following (id_following, id_followed) VALUES (46,292);
INSERT INTO tb_following (id_following, id_followed) VALUES (320,247);
INSERT INTO tb_following (id_following, id_followed) VALUES (191,293);
INSERT INTO tb_following (id_following, id_followed) VALUES (230,295);
INSERT INTO tb_following (id_following, id_followed) VALUES (142,328);
INSERT INTO tb_following (id_following, id_followed) VALUES (202,75);
INSERT INTO tb_following (id_following, id_followed) VALUES (77,340);
INSERT INTO tb_following (id_following, id_followed) VALUES (60,233);
INSERT INTO tb_following (id_following, id_followed) VALUES (138,32);
INSERT INTO tb_following (id_following, id_followed) VALUES (347,190);
INSERT INTO tb_following (id_following, id_followed) VALUES (229,249);
INSERT INTO tb_following (id_following, id_followed) VALUES (155,255);
INSERT INTO tb_following (id_following, id_followed) VALUES (151,278);
INSERT INTO tb_following (id_following, id_followed) VALUES (262,153);
INSERT INTO tb_following (id_following, id_followed) VALUES (66,142);
INSERT INTO tb_following (id_following, id_followed) VALUES (58,173);
INSERT INTO tb_following (id_following, id_followed) VALUES (149,226);
INSERT INTO tb_following (id_following, id_followed) VALUES (331,129);
INSERT INTO tb_following (id_following, id_followed) VALUES (279,183);
INSERT INTO tb_following (id_following, id_followed) VALUES (59,56);
INSERT INTO tb_following (id_following, id_followed) VALUES (300,25);
INSERT INTO tb_following (id_following, id_followed) VALUES (334,220);
INSERT INTO tb_following (id_following, id_followed) VALUES (269,236);
INSERT INTO tb_following (id_following, id_followed) VALUES (214,16);
INSERT INTO tb_following (id_following, id_followed) VALUES (152,43);
INSERT INTO tb_following (id_following, id_followed) VALUES (29,277);
INSERT INTO tb_following (id_following, id_followed) VALUES (219,332);
INSERT INTO tb_following (id_following, id_followed) VALUES (168,308);
INSERT INTO tb_following (id_following, id_followed) VALUES (304,251);
INSERT INTO tb_following (id_following, id_followed) VALUES (93,184);
INSERT INTO tb_following (id_following, id_followed) VALUES (327,122);
INSERT INTO tb_following (id_following, id_followed) VALUES (172,346);
INSERT INTO tb_following (id_following, id_followed) VALUES (238,205);
INSERT INTO tb_following (id_following, id_followed) VALUES (153,5);
INSERT INTO tb_following (id_following, id_followed) VALUES (334,176);
INSERT INTO tb_following (id_following, id_followed) VALUES (138,165);
INSERT INTO tb_following (id_following, id_followed) VALUES (71,11);
INSERT INTO tb_following (id_following, id_followed) VALUES (227,175);
```

```
INSERT INTO tb_following (id_following, id_followed) VALUES (327,145);
INSERT INTO tb_following (id_following, id_followed) VALUES (307,172);
INSERT INTO tb_following (id_following, id_followed) VALUES (86,325);
INSERT INTO tb_following (id_following, id_followed) VALUES (243,93);
INSERT INTO tb_following (id_following, id_followed) VALUES (318,34);
INSERT INTO tb_following (id_following, id_followed) VALUES (42,4);
INSERT INTO tb_following (id_following, id_followed) VALUES (123,172);
INSERT INTO tb_following (id_following, id_followed) VALUES (285,98);
INSERT INTO tb_following (id_following, id_followed) VALUES (129,346);
INSERT INTO tb_following (id_following, id_followed) VALUES (199,296);
INSERT INTO tb_following (id_following, id_followed) VALUES (90,86);
INSERT INTO tb_following (id_following, id_followed) VALUES (34,118);
INSERT INTO tb_following (id_following, id_followed) VALUES (81,64);
INSERT INTO tb_following (id_following, id_followed) VALUES (56,257);
INSERT INTO tb_following (id_following, id_followed) VALUES (168,121);
INSERT INTO tb_following (id_following, id_followed) VALUES (180,224);
INSERT INTO tb_following (id_following, id_followed) VALUES (152,15);
INSERT INTO tb_following (id_following, id_followed) VALUES (192,11);
INSERT INTO tb_following (id_following, id_followed) VALUES (344,203);
INSERT INTO tb_following (id_following, id_followed) VALUES (267,202);
INSERT INTO tb_following (id_following, id_followed) VALUES (12,319);
INSERT INTO tb_following (id_following, id_followed) VALUES (294,245);
INSERT INTO tb_following (id_following, id_followed) VALUES (274,231);
INSERT INTO tb_following (id_following, id_followed) VALUES (197,87);
INSERT INTO tb_following (id_following, id_followed) VALUES (137,126);
INSERT INTO tb_following (id_following, id_followed) VALUES (324,18);
INSERT INTO tb_following (id_following, id_followed) VALUES (132,306);
INSERT INTO tb_following (id_following, id_followed) VALUES (277,86);
INSERT INTO tb_following (id_following, id_followed) VALUES (78,34);
INSERT INTO tb_following (id_following, id_followed) VALUES (251,342);
INSERT INTO tb_following (id_following, id_followed) VALUES (305,337);
INSERT INTO tb_following (id_following, id_followed) VALUES (3,244);
INSERT INTO tb_following (id_following, id_followed) VALUES (63,153);
INSERT INTO tb_following (id_following, id_followed) VALUES (289,323);
INSERT INTO tb_following (id_following, id_followed) VALUES (6,318);
INSERT INTO tb_following (id_following, id_followed) VALUES (303,168);
INSERT INTO tb_following (id_following, id_followed) VALUES (329,327);
INSERT INTO tb_following (id_following, id_followed) VALUES (145,314);
INSERT INTO tb_following (id_following, id_followed) VALUES (328,312);
INSERT INTO tb_following (id_following, id_followed) VALUES (125,252);
INSERT INTO tb_following (id_following, id_followed) VALUES (235,301);
INSERT INTO tb_following (id_following, id_followed) VALUES (10,327);
INSERT INTO tb_following (id_following, id_followed) VALUES (302,118);
INSERT INTO tb_following (id_following, id_followed) VALUES (227,102);
INSERT INTO tb_following (id_following, id_followed) VALUES (185,186);
INSERT INTO tb_following (id_following, id_followed) VALUES (48,135);
INSERT INTO tb_following (id_following, id_followed) VALUES (62,295);
INSERT INTO tb_following (id_following, id_followed) VALUES (214,298);
INSERT INTO tb_following (id_following, id_followed) VALUES (39,192);
INSERT INTO tb_following (id_following, id_followed) VALUES (282,324);
INSERT INTO tb_following (id_following, id_followed) VALUES (340,230);
INSERT INTO tb_following (id_following, id_followed) VALUES (29,88);
INSERT INTO tb_following (id_following, id_followed) VALUES (238,87);
INSERT INTO tb_following (id_following, id_followed) VALUES (294,159);
```

```
INSERT INTO tb_following (id_following, id_followed) VALUES (150,26);
INSERT INTO tb_following (id_following, id_followed) VALUES (79,121);
INSERT INTO tb_following (id_following, id_followed) VALUES (43,63);
INSERT INTO tb_following (id_following, id_followed) VALUES (339,174);
INSERT INTO tb_following (id_following, id_followed) VALUES (71,57);
INSERT INTO tb_following (id_following, id_followed) VALUES (199,341);
INSERT INTO tb_following (id_following, id_followed) VALUES (158,133);
INSERT INTO tb_following (id_following, id_followed) VALUES (286,345);
INSERT INTO tb_following (id_following, id_followed) VALUES (123,225);
INSERT INTO tb_following (id_following, id_followed) VALUES (118,252);
INSERT INTO tb_following (id_following, id_followed) VALUES (325,128);
INSERT INTO tb_following (id_following, id_followed) VALUES (344,39);
INSERT INTO tb_following (id_following, id_followed) VALUES (72,290);
INSERT INTO tb_following (id_following, id_followed) VALUES (98,294);
INSERT INTO tb_following (id_following, id_followed) VALUES (101,155);
INSERT INTO tb_following (id_following, id_followed) VALUES (232,189);
INSERT INTO tb_following (id_following, id_followed) VALUES (278,306);
INSERT INTO tb_following (id_following, id_followed) VALUES (174,146);
INSERT INTO tb_following (id_following, id_followed) VALUES (159,226);
INSERT INTO tb_following (id_following, id_followed) VALUES (9,24);
INSERT INTO tb_following (id_following, id_followed) VALUES (33,91);
INSERT INTO tb_following (id_following, id_followed) VALUES (210,191);
INSERT INTO tb_following (id_following, id_followed) VALUES (73,20);
INSERT INTO tb_following (id_following, id_followed) VALUES (96,278);
INSERT INTO tb_following (id_following, id_followed) VALUES (208,176);
INSERT INTO tb_following (id_following, id_followed) VALUES (287,20);
INSERT INTO tb_following (id_following, id_followed) VALUES (284,68);
INSERT INTO tb_following (id_following, id_followed) VALUES (237,40);
INSERT INTO tb_following (id_following, id_followed) VALUES (73,130);
INSERT INTO tb_following (id_following, id_followed) VALUES (289,99);
INSERT INTO tb_following (id_following, id_followed) VALUES (50,58);
INSERT INTO tb_following (id_following, id_followed) VALUES (234,244);
INSERT INTO tb_following (id_following, id_followed) VALUES (150,24);
INSERT INTO tb_following (id_following, id_followed) VALUES (30,279);
INSERT INTO tb_following (id_following, id_followed) VALUES (97,18);
INSERT INTO tb_following (id_following, id_followed) VALUES (255,325);
INSERT INTO tb_following (id_following, id_followed) VALUES (14,341);
INSERT INTO tb_following (id_following, id_followed) VALUES (149,33);
INSERT INTO tb_following (id_following, id_followed) VALUES (106,53);
INSERT INTO tb_following (id_following, id_followed) VALUES (296,106);
INSERT INTO tb_following (id_following, id_followed) VALUES (175,61);
INSERT INTO tb_following (id_following, id_followed) VALUES (262,74);
INSERT INTO tb_following (id_following, id_followed) VALUES (309,222);
INSERT INTO tb_following (id_following, id_followed) VALUES (241,75);
INSERT INTO tb_following (id_following, id_followed) VALUES (168,211);
INSERT INTO tb_following (id_following, id_followed) VALUES (75,122);
INSERT INTO tb_following (id_following, id_followed) VALUES (7,246);
INSERT INTO tb_following (id_following, id_followed) VALUES (48,199);
INSERT INTO tb_following (id_following, id_followed) VALUES (71,10);
INSERT INTO tb_following (id_following, id_followed) VALUES (34,65);
INSERT INTO tb_following (id_following, id_followed) VALUES (64,283);
INSERT INTO tb_following (id_following, id_followed) VALUES (19,319);
INSERT INTO tb_following (id_following, id_followed) VALUES (202,268);
INSERT INTO tb_following (id_following, id_followed) VALUES (19,216);
```



```
INSERT INTO tb_following (id_following, id_followed) VALUES (156,72);
INSERT INTO tb_following (id_following, id_followed) VALUES (142,14);
INSERT INTO tb_following (id_following, id_followed) VALUES (260,65);
INSERT INTO tb_following (id_following, id_followed) VALUES (118,115);
INSERT INTO tb_following (id_following, id_followed) VALUES (155,39);
INSERT INTO tb_following (id_following, id_followed) VALUES (291,184);
INSERT INTO tb_following (id_following, id_followed) VALUES (144,240);
INSERT INTO tb_following (id_following, id_followed) VALUES (59,193);
INSERT INTO tb_following (id_following, id_followed) VALUES (349,130);
INSERT INTO tb_following (id_following, id_followed) VALUES (110,56);
INSERT INTO tb_following (id_following, id_followed) VALUES (267,163);
INSERT INTO tb_following (id_following, id_followed) VALUES (136,250);
INSERT INTO tb_following (id_following, id_followed) VALUES (219,214);
INSERT INTO tb_following (id_following, id_followed) VALUES (1,63);
INSERT INTO tb_following (id_following, id_followed) VALUES (254,166);
INSERT INTO tb_following (id_following, id_followed) VALUES (268,58);
INSERT INTO tb_following (id_following, id_followed) VALUES (36,103);
INSERT INTO tb_following (id_following, id_followed) VALUES (345,277);
INSERT INTO tb_following (id_following, id_followed) VALUES (102,247);
INSERT INTO tb_following (id_following, id_followed) VALUES (239,196);
INSERT INTO tb_following (id_following, id_followed) VALUES (326,12);
INSERT INTO tb_following (id_following, id_followed) VALUES (73,76);
INSERT INTO tb_following (id_following, id_followed) VALUES (238,328);
INSERT INTO tb_following (id_following, id_followed) VALUES (343,296);
INSERT INTO tb_following (id_following, id_followed) VALUES (239,260);
INSERT INTO tb_following (id_following, id_followed) VALUES (285,22);
INSERT INTO tb_following (id_following, id_followed) VALUES (316,194);
INSERT INTO tb_following (id_following, id_followed) VALUES (151,46);
INSERT INTO tb_following (id_following, id_followed) VALUES (181,144);
INSERT INTO tb_following (id_following, id_followed) VALUES (289,152);
INSERT INTO tb_following (id_following, id_followed) VALUES (143,54);
INSERT INTO tb_following (id_following, id_followed) VALUES (165,194);
INSERT INTO tb_following (id_following, id_followed) VALUES (305,288);
INSERT INTO tb_following (id_following, id_followed) VALUES (130,2);
INSERT INTO tb_following (id_following, id_followed) VALUES (131,176);
INSERT INTO tb_following (id_following, id_followed) VALUES (331,141);
INSERT INTO tb_following (id_following, id_followed) VALUES (88,256);
INSERT INTO tb_following (id_following, id_followed) VALUES (196,46);
INSERT INTO tb_following (id_following, id_followed) VALUES (282,335);
INSERT INTO tb_following (id_following, id_followed) VALUES (213,50);
INSERT INTO tb_following (id_following, id_followed) VALUES (250,61);
INSERT INTO tb_following (id_following, id_followed) VALUES (39,150);
INSERT INTO tb_following (id_following, id_followed) VALUES (29,196);
INSERT INTO tb_following (id_following, id_followed) VALUES (270,193);
INSERT INTO tb_following (id_following, id_followed) VALUES (28,214);
INSERT INTO tb_following (id_following, id_followed) VALUES (344,29);
INSERT INTO tb_following (id_following, id_followed) VALUES (33,150);
INSERT INTO tb_following (id_following, id_followed) VALUES (119,197);
INSERT INTO tb_following (id_following, id_followed) VALUES (129,59);
INSERT INTO tb_following (id_following, id_followed) VALUES (71,293);
INSERT INTO tb_following (id_following, id_followed) VALUES (206,87);
INSERT INTO tb_following (id_following, id_followed) VALUES (17,109);
INSERT INTO tb_following (id_following, id_followed) VALUES (260,12);
INSERT INTO tb_following (id_following, id_followed) VALUES (306,160);
```

```
INSERT INTO tb_following (id_following, id_followed) VALUES (293,17);
INSERT INTO tb_following (id_following, id_followed) VALUES (140,231);
INSERT INTO tb_following (id_following, id_followed) VALUES (240,78);
INSERT INTO tb_following (id_following, id_followed) VALUES (66,76);
INSERT INTO tb_following (id_following, id_followed) VALUES (263,210);
INSERT INTO tb_following (id_following, id_followed) VALUES (250,291);
INSERT INTO tb_following (id_following, id_followed) VALUES (183,163);
INSERT INTO tb_following (id_following, id_followed) VALUES (40,4);
INSERT INTO tb_following (id_following, id_followed) VALUES (172,115);
INSERT INTO tb_following (id_following, id_followed) VALUES (14,327);
INSERT INTO tb_following (id_following, id_followed) VALUES (262,253);
INSERT INTO tb_following (id_following, id_followed) VALUES (198,314);
INSERT INTO tb_following (id_following, id_followed) VALUES (180,34);
INSERT INTO tb_following (id_following, id_followed) VALUES (168,254);
INSERT INTO tb_following (id_following, id_followed) VALUES (334,203);
INSERT INTO tb_following (id_following, id_followed) VALUES (2,347);
INSERT INTO tb_following (id_following, id_followed) VALUES (291,109);
INSERT INTO tb_following (id_following, id_followed) VALUES (75,254);
INSERT INTO tb_following (id_following, id_followed) VALUES (30,31);
INSERT INTO tb_following (id_following, id_followed) VALUES (190,289);
INSERT INTO tb_following (id_following, id_followed) VALUES (349,261);
INSERT INTO tb_following (id_following, id_followed) VALUES (82,185);
INSERT INTO tb_following (id_following, id_followed) VALUES (22,63);
INSERT INTO tb_following (id_following, id_followed) VALUES (19,259);
INSERT INTO tb_following (id_following, id_followed) VALUES (145,97);
INSERT INTO tb_following (id_following, id_followed) VALUES (6,145);
INSERT INTO tb_following (id_following, id_followed) VALUES (123,77);
INSERT INTO tb_following (id_following, id_followed) VALUES (34,106);
INSERT INTO tb_following (id_following, id_followed) VALUES (225,22);
INSERT INTO tb_following (id_following, id_followed) VALUES (38,286);
INSERT INTO tb_following (id_following, id_followed) VALUES (204,235);
INSERT INTO tb_following (id_following, id_followed) VALUES (49,329);
INSERT INTO tb_following (id_following, id_followed) VALUES (88,179);
INSERT INTO tb_following (id_following, id_followed) VALUES (328,340);
INSERT INTO tb_following (id_following, id_followed) VALUES (100,205);
INSERT INTO tb_following (id_following, id_followed) VALUES (221,16);
INSERT INTO tb_following (id_following, id_followed) VALUES (188,160);
INSERT INTO tb_following (id_following, id_followed) VALUES (67,119);
INSERT INTO tb_following (id_following, id_followed) VALUES (53,227);
INSERT INTO tb_following (id_following, id_followed) VALUES (242,340);
INSERT INTO tb_following (id_following, id_followed) VALUES (315,53);
INSERT INTO tb_following (id_following, id_followed) VALUES (241,138);
INSERT INTO tb_following (id_following, id_followed) VALUES (173,112);
INSERT INTO tb_following (id_following, id_followed) VALUES (89,346);
INSERT INTO tb_following (id_following, id_followed) VALUES (2,61);
INSERT INTO tb_following (id_following, id_followed) VALUES (93,202);
INSERT INTO tb_following (id_following, id_followed) VALUES (270,10);
INSERT INTO tb_following (id_following, id_followed) VALUES (125,69);
INSERT INTO tb_following (id_following, id_followed) VALUES (156,210);
INSERT INTO tb_following (id_following, id_followed) VALUES (156,338);
INSERT INTO tb_following (id_following, id_followed) VALUES (54,309);
INSERT INTO tb_following (id_following, id_followed) VALUES (248,144);
INSERT INTO tb_following (id_following, id_followed) VALUES (210,223);
INSERT INTO tb_following (id_following, id_followed) VALUES (155,183);
```



```
INSERT INTO tb_following (id_following, id_followed) VALUES (105,127);
INSERT INTO tb_following (id_following, id_followed) VALUES (24,43);
INSERT INTO tb_following (id_following, id_followed) VALUES (117,174);
INSERT INTO tb_following (id_following, id_followed) VALUES (49,67);
INSERT INTO tb_following (id_following, id_followed) VALUES (97,343);
INSERT INTO tb_following (id_following, id_followed) VALUES (277,184);
INSERT INTO tb_following (id_following, id_followed) VALUES (9,346);
INSERT INTO tb_following (id_following, id_followed) VALUES (50,41);
INSERT INTO tb_following (id_following, id_followed) VALUES (28,35);
INSERT INTO tb_following (id_following, id_followed) VALUES (291,73);
INSERT INTO tb_following (id_following, id_followed) VALUES (312,201);
INSERT INTO tb_following (id_following, id_followed) VALUES (18,271);
INSERT INTO tb_following (id_following, id_followed) VALUES (146,53);
INSERT INTO tb_following (id_following, id_followed) VALUES (87,232);
INSERT INTO tb_following (id_following, id_followed) VALUES (87,10);
INSERT INTO tb_following (id_following, id_followed) VALUES (216,194);
INSERT INTO tb_following (id_following, id_followed) VALUES (261,104);
INSERT INTO tb_following (id_following, id_followed) VALUES (328,211);
INSERT INTO tb_following (id_following, id_followed) VALUES (136,36);
INSERT INTO tb_following (id_following, id_followed) VALUES (282,40);
INSERT INTO tb_following (id_following, id_followed) VALUES (133,255);
INSERT INTO tb_following (id_following, id_followed) VALUES (216,278);
INSERT INTO tb_following (id_following, id_followed) VALUES (296,179);
INSERT INTO tb_following (id_following, id_followed) VALUES (113,265);
INSERT INTO tb_following (id_following, id_followed) VALUES (112,329);
INSERT INTO tb_following (id_following, id_followed) VALUES (229,59);
INSERT INTO tb_following (id_following, id_followed) VALUES (295,75);
INSERT INTO tb_following (id_following, id_followed) VALUES (106,141);
INSERT INTO tb_following (id_following, id_followed) VALUES (179,194);
INSERT INTO tb_following (id_following, id_followed) VALUES (161,40);
INSERT INTO tb_following (id_following, id_followed) VALUES (229,245);
INSERT INTO tb_following (id_following, id_followed) VALUES (186,321);
INSERT INTO tb_following (id_following, id_followed) VALUES (163,295);
INSERT INTO tb_following (id_following, id_followed) VALUES (4,30);
INSERT INTO tb_following (id_following, id_followed) VALUES (48,150);
INSERT INTO tb_following (id_following, id_followed) VALUES (167,205);
INSERT INTO tb_following (id_following, id_followed) VALUES (337,346);
INSERT INTO tb_following (id_following, id_followed) VALUES (188,45);
INSERT INTO tb_following (id_following, id_followed) VALUES (108,36);
INSERT INTO tb_following (id_following, id_followed) VALUES (4,88);
INSERT INTO tb_following (id_following, id_followed) VALUES (305,28);
INSERT INTO tb_following (id_following, id_followed) VALUES (40,243);
INSERT INTO tb_following (id_following, id_followed) VALUES (343,106);
INSERT INTO tb_following (id_following, id_followed) VALUES (11,155);
INSERT INTO tb_following (id_following, id_followed) VALUES (14,343);
INSERT INTO tb_following (id_following, id_followed) VALUES (122,91);
INSERT INTO tb_following (id_following, id_followed) VALUES (225,293);
INSERT INTO tb_following (id_following, id_followed) VALUES (219,164);
INSERT INTO tb_following (id_following, id_followed) VALUES (282,228);
INSERT INTO tb_following (id_following, id_followed) VALUES (349,125);
INSERT INTO tb_following (id_following, id_followed) VALUES (70,254);
INSERT INTO tb_following (id_following, id_followed) VALUES (122,232);
INSERT INTO tb_following (id_following, id_followed) VALUES (234,75);
INSERT INTO tb_following (id_following, id_followed) VALUES (131,2);
```

```

INSERT INTO tb_following (id_following, id_followed) VALUES (244,103);
INSERT INTO tb_following (id_following, id_followed) VALUES (342,141);
INSERT INTO tb_following (id_following, id_followed) VALUES (159,255);
INSERT INTO tb_following (id_following, id_followed) VALUES (276,74);
INSERT INTO tb_following (id_following, id_followed) VALUES (231,313);
INSERT INTO tb_following (id_following, id_followed) VALUES (297,264);
INSERT INTO tb_following (id_following, id_followed) VALUES (241,156);
INSERT INTO tb_following (id_following, id_followed) VALUES (5,330);
INSERT INTO tb_following (id_following, id_followed) VALUES (5,208);
INSERT INTO tb_following (id_following, id_followed) VALUES (290,48);
INSERT INTO tb_following (id_following, id_followed) VALUES (3,195);
INSERT INTO tb_following (id_following, id_followed) VALUES (38,52);
INSERT INTO tb_following (id_following, id_followed) VALUES (239,200);
INSERT INTO tb_following (id_following, id_followed) VALUES (80,139);
INSERT INTO tb_following (id_following, id_followed) VALUES (338,43);
INSERT INTO tb_following (id_following, id_followed) VALUES (60,294);
INSERT INTO tb_following (id_following, id_followed) VALUES (315,21);
INSERT INTO tb_following (id_following, id_followed) VALUES (211,287);
INSERT INTO tb_following (id_following, id_followed) VALUES (66,21);
INSERT INTO tb_following (id_following, id_followed) VALUES (38,32);
INSERT INTO tb_following (id_following, id_followed) VALUES (289,311);
INSERT INTO tb_following (id_following, id_followed) VALUES (30,36);
INSERT INTO tb_following (id_following, id_followed) VALUES (59,237);
INSERT INTO tb_following (id_following, id_followed) VALUES (170,171);
INSERT INTO tb_following (id_following, id_followed) VALUES (30,255);
INSERT INTO tb_following (id_following, id_followed) VALUES (161,60);
INSERT INTO tb_following (id_following, id_followed) VALUES (81,280);
INSERT INTO tb_following (id_following, id_followed) VALUES (324,222);
INSERT INTO tb_following (id_following, id_followed) VALUES (277,296);
INSERT INTO tb_following (id_following, id_followed) VALUES (310,181);
INSERT INTO tb_following (id_following, id_followed) VALUES (91,341);
INSERT INTO tb_following (id_following, id_followed) VALUES (74,206);
INSERT INTO tb_following (id_following, id_followed) VALUES (182,109);
INSERT INTO tb_following (id_following, id_followed) VALUES (88,78);
INSERT INTO tb_following (id_following, id_followed) VALUES (93,227);
INSERT INTO tb_following (id_following, id_followed) VALUES (101,5);
INSERT INTO tb_following (id_following, id_followed) VALUES (63,270);
INSERT INTO tb_following (id_following, id_followed) VALUES (26,265);
INSERT INTO tb_following (id_following, id_followed) VALUES (305,158);
INSERT INTO tb_following (id_following, id_followed) VALUES (240,36);
INSERT INTO tb_following (id_following, id_followed) VALUES (11,5);
INSERT INTO tb_following (id_following, id_followed) VALUES (160,156);
INSERT INTO tb_following (id_following, id_followed) VALUES (324,131);
INSERT INTO tb_following (id_following, id_followed) VALUES (8,290);
INSERT INTO tb_following (id_following, id_followed) VALUES (236,218);
INSERT INTO tb_following (id_following, id_followed) VALUES (314,328);
INSERT INTO tb_following (id_following, id_followed) VALUES (48,62);
INSERT INTO tb_following (id_following, id_followed) VALUES (101,88);
INSERT INTO tb_following (id_following, id_followed) VALUES (48,36);
INSERT INTO tb_following (id_following, id_followed) VALUES (92,158);
INSERT INTO tb_following (id_following, id_followed) VALUES (147,29);
INSERT INTO tb_following (id_following, id_followed) VALUES (150,159);
INSERT INTO tb_following (id_following, id_followed) VALUES (323,11);
INSERT INTO tb_following (id_following, id_followed) VALUES (229,319);

```

```
INSERT INTO tb_following (id_following, id_followed) VALUES (50, 30);
INSERT INTO tb_following (id_following, id_followed) VALUES (14, 328);
INSERT INTO tb_following (id_following, id_followed) VALUES (189, 261);
INSERT INTO tb_following (id_following, id_followed) VALUES (264, 325);
INSERT INTO tb_following (id_following, id_followed) VALUES (48, 233);
INSERT INTO tb_following (id_following, id_followed) VALUES (192, 274);
INSERT INTO tb_following (id_following, id_followed) VALUES (294, 8);
INSERT INTO tb_following (id_following, id_followed) VALUES (130, 78);
INSERT INTO tb_following (id_following, id_followed) VALUES (149, 190);
INSERT INTO tb_following (id_following, id_followed) VALUES (153, 1);
INSERT INTO tb_following (id_following, id_followed) VALUES (208, 247);
INSERT INTO tb_following (id_following, id_followed) VALUES (146, 280);
INSERT INTO tb_following (id_following, id_followed) VALUES (279, 133);
INSERT INTO tb_following (id_following, id_followed) VALUES (67, 168);
INSERT INTO tb_following (id_following, id_followed) VALUES (261, 327);
INSERT INTO tb_following (id_following, id_followed) VALUES (58, 294);
INSERT INTO tb_following (id_following, id_followed) VALUES (313, 125);
INSERT INTO tb_following (id_following, id_followed) VALUES (85, 314);
INSERT INTO tb_following (id_following, id_followed) VALUES (274, 186);
INSERT INTO tb_following (id_following, id_followed) VALUES (252, 129);
INSERT INTO tb_following (id_following, id_followed) VALUES (256, 131);
INSERT INTO tb_following (id_following, id_followed) VALUES (315, 125);
INSERT INTO tb_following (id_following, id_followed) VALUES (181, 275);
INSERT INTO tb_following (id_following, id_followed) VALUES (97, 197);
INSERT INTO tb_following (id_following, id_followed) VALUES (94, 64);
INSERT INTO tb_following (id_following, id_followed) VALUES (313, 298);
INSERT INTO tb_following (id_following, id_followed) VALUES (59, 52);
INSERT INTO tb_following (id_following, id_followed) VALUES (190, 82);
INSERT INTO tb_following (id_following, id_followed) VALUES (67, 315);
INSERT INTO tb_following (id_following, id_followed) VALUES (152, 246);
INSERT INTO tb_following (id_following, id_followed) VALUES (250, 121);
INSERT INTO tb_following (id_following, id_followed) VALUES (261, 221);
INSERT INTO tb_following (id_following, id_followed) VALUES (88, 346);
INSERT INTO tb_following (id_following, id_followed) VALUES (211, 5);
INSERT INTO tb_following (id_following, id_followed) VALUES (1, 225);
INSERT INTO tb_following (id_following, id_followed) VALUES (59, 83);
INSERT INTO tb_following (id_following, id_followed) VALUES (280, 93);
INSERT INTO tb_following (id_following, id_followed) VALUES (64, 305);
INSERT INTO tb_following (id_following, id_followed) VALUES (232, 244);
INSERT INTO tb_following (id_following, id_followed) VALUES (107, 122);
INSERT INTO tb_following (id_following, id_followed) VALUES (50, 294);
INSERT INTO tb_following (id_following, id_followed) VALUES (244, 80);
INSERT INTO tb_following (id_following, id_followed) VALUES (312, 229);
INSERT INTO tb_following (id_following, id_followed) VALUES (150, 264);
INSERT INTO tb_following (id_following, id_followed) VALUES (47, 76);
INSERT INTO tb_following (id_following, id_followed) VALUES (274, 323);
INSERT INTO tb_following (id_following, id_followed) VALUES (311, 202);
INSERT INTO tb_following (id_following, id_followed) VALUES (241, 242);
INSERT INTO tb_following (id_following, id_followed) VALUES (79, 223);
INSERT INTO tb_following (id_following, id_followed) VALUES (227, 249);
INSERT INTO tb_following (id_following, id_followed) VALUES (319, 130);
INSERT INTO tb_following (id_following, id_followed) VALUES (209, 127);
INSERT INTO tb_following (id_following, id_followed) VALUES (265, 102);
INSERT INTO tb_following (id_following, id_followed) VALUES (236, 64);
```

```
INSERT INTO tb_following (id_following, id_followed) VALUES (332,192);
INSERT INTO tb_following (id_following, id_followed) VALUES (258,181);
INSERT INTO tb_following (id_following, id_followed) VALUES (66,146);
INSERT INTO tb_following (id_following, id_followed) VALUES (300,205);
INSERT INTO tb_following (id_following, id_followed) VALUES (294,334);
INSERT INTO tb_following (id_following, id_followed) VALUES (30,206);
INSERT INTO tb_following (id_following, id_followed) VALUES (124,277);
INSERT INTO tb_following (id_following, id_followed) VALUES (91,92);
INSERT INTO tb_following (id_following, id_followed) VALUES (207,134);
INSERT INTO tb_following (id_following, id_followed) VALUES (154,17);
INSERT INTO tb_following (id_following, id_followed) VALUES (334,100);
INSERT INTO tb_following (id_following, id_followed) VALUES (254,328);
INSERT INTO tb_following (id_following, id_followed) VALUES (303,200);
INSERT INTO tb_following (id_following, id_followed) VALUES (28,70);
INSERT INTO tb_following (id_following, id_followed) VALUES (12,93);
INSERT INTO tb_following (id_following, id_followed) VALUES (7,287);
INSERT INTO tb_following (id_following, id_followed) VALUES (166,69);
INSERT INTO tb_following (id_following, id_followed) VALUES (236,331);
INSERT INTO tb_following (id_following, id_followed) VALUES (94,107);
INSERT INTO tb_following (id_following, id_followed) VALUES (55,292);
INSERT INTO tb_following (id_following, id_followed) VALUES (152,232);
INSERT INTO tb_following (id_following, id_followed) VALUES (211,48);
INSERT INTO tb_following (id_following, id_followed) VALUES (263,99);
INSERT INTO tb_following (id_following, id_followed) VALUES (94,272);
INSERT INTO tb_following (id_following, id_followed) VALUES (123,14);
INSERT INTO tb_following (id_following, id_followed) VALUES (342,279);
INSERT INTO tb_following (id_following, id_followed) VALUES (98,53);
INSERT INTO tb_following (id_following, id_followed) VALUES (117,228);
INSERT INTO tb_following (id_following, id_followed) VALUES (38,220);
INSERT INTO tb_following (id_following, id_followed) VALUES (158,281);
INSERT INTO tb_following (id_following, id_followed) VALUES (7,208);
INSERT INTO tb_following (id_following, id_followed) VALUES (143,231);
INSERT INTO tb_following (id_following, id_followed) VALUES (168,265);
INSERT INTO tb_following (id_following, id_followed) VALUES (94,152);
INSERT INTO tb_following (id_following, id_followed) VALUES (241,208);
INSERT INTO tb_following (id_following, id_followed) VALUES (231,323);
INSERT INTO tb_following (id_following, id_followed) VALUES (84,200);
INSERT INTO tb_following (id_following, id_followed) VALUES (138,115);
INSERT INTO tb_following (id_following, id_followed) VALUES (271,51);
INSERT INTO tb_following (id_following, id_followed) VALUES (276,132);
INSERT INTO tb_following (id_following, id_followed) VALUES (1,314);
INSERT INTO tb_following (id_following, id_followed) VALUES (263,65);
INSERT INTO tb_following (id_following, id_followed) VALUES (266,68);
INSERT INTO tb_following (id_following, id_followed) VALUES (175,115);
INSERT INTO tb_following (id_following, id_followed) VALUES (86,155);
INSERT INTO tb_following (id_following, id_followed) VALUES (78,136);
INSERT INTO tb_following (id_following, id_followed) VALUES (248,310);
INSERT INTO tb_following (id_following, id_followed) VALUES (235,310);
INSERT INTO tb_following (id_following, id_followed) VALUES (272,270);
INSERT INTO tb_following (id_following, id_followed) VALUES (314,295);
INSERT INTO tb_following (id_following, id_followed) VALUES (243,141);
INSERT INTO tb_following (id_following, id_followed) VALUES (72,252);
INSERT INTO tb_following (id_following, id_followed) VALUES (277,106);
INSERT INTO tb_following (id_following, id_followed) VALUES (276,28);
```



```
INSERT INTO tb_following (id_following, id_followed) VALUES (294,112);
INSERT INTO tb_following (id_following, id_followed) VALUES (163,233);
INSERT INTO tb_following (id_following, id_followed) VALUES (180,141);
INSERT INTO tb_following (id_following, id_followed) VALUES (153,322);
INSERT INTO tb_following (id_following, id_followed) VALUES (27,259);
INSERT INTO tb_following (id_following, id_followed) VALUES (4,113);
INSERT INTO tb_following (id_following, id_followed) VALUES (189,259);
INSERT INTO tb_following (id_following, id_followed) VALUES (335,30);
INSERT INTO tb_following (id_following, id_followed) VALUES (204,197);
INSERT INTO tb_following (id_following, id_followed) VALUES (29,223);
INSERT INTO tb_following (id_following, id_followed) VALUES (53,334);
INSERT INTO tb_following (id_following, id_followed) VALUES (63,6);
INSERT INTO tb_following (id_following, id_followed) VALUES (252,84);
INSERT INTO tb_following (id_following, id_followed) VALUES (58,84);
INSERT INTO tb_following (id_following, id_followed) VALUES (61,65);
INSERT INTO tb_following (id_following, id_followed) VALUES (333,255);
INSERT INTO tb_following (id_following, id_followed) VALUES (98,130);
INSERT INTO tb_following (id_following, id_followed) VALUES (243,168);
INSERT INTO tb_following (id_following, id_followed) VALUES (339,294);
INSERT INTO tb_following (id_following, id_followed) VALUES (68,339);
INSERT INTO tb_following (id_following, id_followed) VALUES (13,338);
INSERT INTO tb_following (id_following, id_followed) VALUES (287,270);
INSERT INTO tb_following (id_following, id_followed) VALUES (347,22);
INSERT INTO tb_following (id_following, id_followed) VALUES (56,192);
INSERT INTO tb_following (id_following, id_followed) VALUES (145,343);
INSERT INTO tb_following (id_following, id_followed) VALUES (131,67);
INSERT INTO tb_following (id_following, id_followed) VALUES (243,306);
INSERT INTO tb_following (id_following, id_followed) VALUES (128,314);
INSERT INTO tb_following (id_following, id_followed) VALUES (55,238);
INSERT INTO tb_following (id_following, id_followed) VALUES (211,2);
INSERT INTO tb_following (id_following, id_followed) VALUES (104,9);
INSERT INTO tb_following (id_following, id_followed) VALUES (188,133);
INSERT INTO tb_following (id_following, id_followed) VALUES (4,31);
INSERT INTO tb_following (id_following, id_followed) VALUES (196,226);
INSERT INTO tb_following (id_following, id_followed) VALUES (322,228);
INSERT INTO tb_following (id_following, id_followed) VALUES (123,84);
INSERT INTO tb_following (id_following, id_followed) VALUES (55,280);
INSERT INTO tb_following (id_following, id_followed) VALUES (131,244);
INSERT INTO tb_following (id_following, id_followed) VALUES (237,282);
INSERT INTO tb_following (id_following, id_followed) VALUES (178,241);
INSERT INTO tb_following (id_following, id_followed) VALUES (233,60);
INSERT INTO tb_following (id_following, id_followed) VALUES (281,248);
INSERT INTO tb_following (id_following, id_followed) VALUES (148,181);
INSERT INTO tb_following (id_following, id_followed) VALUES (142,209);
INSERT INTO tb_following (id_following, id_followed) VALUES (27,164);
INSERT INTO tb_following (id_following, id_followed) VALUES (101,335);
INSERT INTO tb_following (id_following, id_followed) VALUES (186,73);
INSERT INTO tb_following (id_following, id_followed) VALUES (143,253);
INSERT INTO tb_following (id_following, id_followed) VALUES (192,326);
INSERT INTO tb_following (id_following, id_followed) VALUES (190,328);
INSERT INTO tb_following (id_following, id_followed) VALUES (193,8);
INSERT INTO tb_following (id_following, id_followed) VALUES (113,117);
INSERT INTO tb_following (id_following, id_followed) VALUES (209,288);
INSERT INTO tb_following (id_following, id_followed) VALUES (111,262);
```

```
INSERT INTO tb_following (id_following, id_followed) VALUES (163,122);
INSERT INTO tb_following (id_following, id_followed) VALUES (109,218);
INSERT INTO tb_following (id_following, id_followed) VALUES (69,63);
INSERT INTO tb_following (id_following, id_followed) VALUES (155,38);
INSERT INTO tb_following (id_following, id_followed) VALUES (10,253);
INSERT INTO tb_following (id_following, id_followed) VALUES (269,286);
INSERT INTO tb_following (id_following, id_followed) VALUES (45,91);
INSERT INTO tb_following (id_following, id_followed) VALUES (180,276);
INSERT INTO tb_following (id_following, id_followed) VALUES (220,301);
INSERT INTO tb_following (id_following, id_followed) VALUES (35,78);
INSERT INTO tb_following (id_following, id_followed) VALUES (51,168);
INSERT INTO tb_following (id_following, id_followed) VALUES (32,307);
INSERT INTO tb_following (id_following, id_followed) VALUES (26,302);
INSERT INTO tb_following (id_following, id_followed) VALUES (191,119);
INSERT INTO tb_following (id_following, id_followed) VALUES (105,315);
INSERT INTO tb_following (id_following, id_followed) VALUES (273,279);
INSERT INTO tb_following (id_following, id_followed) VALUES (303,180);
INSERT INTO tb_following (id_following, id_followed) VALUES (196,39);
INSERT INTO tb_following (id_following, id_followed) VALUES (92,29);
INSERT INTO tb_following (id_following, id_followed) VALUES (260,26);
INSERT INTO tb_following (id_following, id_followed) VALUES (16,190);
INSERT INTO tb_following (id_following, id_followed) VALUES (115,249);
INSERT INTO tb_following (id_following, id_followed) VALUES (188,286);
INSERT INTO tb_following (id_following, id_followed) VALUES (65,217);
INSERT INTO tb_following (id_following, id_followed) VALUES (21,74);
INSERT INTO tb_following (id_following, id_followed) VALUES (60,74);
INSERT INTO tb_following (id_following, id_followed) VALUES (169,260);
INSERT INTO tb_following (id_following, id_followed) VALUES (142,32);
INSERT INTO tb_following (id_following, id_followed) VALUES (109,143);
INSERT INTO tb_following (id_following, id_followed) VALUES (342,27);
INSERT INTO tb_following (id_following, id_followed) VALUES (257,54);
INSERT INTO tb_following (id_following, id_followed) VALUES (212,57);
INSERT INTO tb_following (id_following, id_followed) VALUES (220,309);
INSERT INTO tb_following (id_following, id_followed) VALUES (28,3);
INSERT INTO tb_following (id_following, id_followed) VALUES (57,156);
INSERT INTO tb_following (id_following, id_followed) VALUES (202,92);
INSERT INTO tb_following (id_following, id_followed) VALUES (18,51);
INSERT INTO tb_following (id_following, id_followed) VALUES (165,130);
INSERT INTO tb_following (id_following, id_followed) VALUES (153,197);
INSERT INTO tb_following (id_following, id_followed) VALUES (106,58);
INSERT INTO tb_following (id_following, id_followed) VALUES (102,198);
INSERT INTO tb_following (id_following, id_followed) VALUES (73,215);
INSERT INTO tb_following (id_following, id_followed) VALUES (343,269);
INSERT INTO tb_following (id_following, id_followed) VALUES (149,102);
INSERT INTO tb_following (id_following, id_followed) VALUES (40,120);
INSERT INTO tb_following (id_following, id_followed) VALUES (269,300);
INSERT INTO tb_following (id_following, id_followed) VALUES (339,215);
INSERT INTO tb_following (id_following, id_followed) VALUES (183,134);
INSERT INTO tb_following (id_following, id_followed) VALUES (30,280);
INSERT INTO tb_following (id_following, id_followed) VALUES (259,14);
INSERT INTO tb_following (id_following, id_followed) VALUES (64,24);
INSERT INTO tb_following (id_following, id_followed) VALUES (169,324);
INSERT INTO tb_following (id_following, id_followed) VALUES (308,205);
INSERT INTO tb_following (id_following, id_followed) VALUES (232,123);
```



```
INSERT INTO tb_following (id_following, id_followed) VALUES (268, 40);
INSERT INTO tb_following (id_following, id_followed) VALUES (129, 235);
INSERT INTO tb_following (id_following, id_followed) VALUES (244, 111);
INSERT INTO tb_following (id_following, id_followed) VALUES (17, 126);
INSERT INTO tb_following (id_following, id_followed) VALUES (274, 228);
INSERT INTO tb_following (id_following, id_followed) VALUES (126, 337);
INSERT INTO tb_following (id_following, id_followed) VALUES (202, 6);
INSERT INTO tb_following (id_following, id_followed) VALUES (95, 7);
INSERT INTO tb_following (id_following, id_followed) VALUES (284, 318);
INSERT INTO tb_following (id_following, id_followed) VALUES (171, 204);
INSERT INTO tb_following (id_following, id_followed) VALUES (226, 201);
INSERT INTO tb_following (id_following, id_followed) VALUES (240, 100);
INSERT INTO tb_following (id_following, id_followed) VALUES (36, 80);
INSERT INTO tb_following (id_following, id_followed) VALUES (116, 309);
INSERT INTO tb_following (id_following, id_followed) VALUES (315, 7);
INSERT INTO tb_following (id_following, id_followed) VALUES (179, 214);
INSERT INTO tb_following (id_following, id_followed) VALUES (14, 195);
INSERT INTO tb_following (id_following, id_followed) VALUES (218, 10);
INSERT INTO tb_following (id_following, id_followed) VALUES (279, 18);
INSERT INTO tb_following (id_following, id_followed) VALUES (321, 192);
INSERT INTO tb_following (id_following, id_followed) VALUES (227, 113);
INSERT INTO tb_following (id_following, id_followed) VALUES (214, 7);
INSERT INTO tb_following (id_following, id_followed) VALUES (26, 35);
INSERT INTO tb_following (id_following, id_followed) VALUES (104, 316);
INSERT INTO tb_following (id_following, id_followed) VALUES (282, 43);
INSERT INTO tb_following (id_following, id_followed) VALUES (58, 35);
INSERT INTO tb_following (id_following, id_followed) VALUES (235, 68);
INSERT INTO tb_following (id_following, id_followed) VALUES (9, 242);
INSERT INTO tb_following (id_following, id_followed) VALUES (176, 206);
INSERT INTO tb_following (id_following, id_followed) VALUES (34, 46);
INSERT INTO tb_following (id_following, id_followed) VALUES (308, 236);
INSERT INTO tb_following (id_following, id_followed) VALUES (287, 99);
INSERT INTO tb_following (id_following, id_followed) VALUES (334, 231);
INSERT INTO tb_following (id_following, id_followed) VALUES (79, 287);
INSERT INTO tb_following (id_following, id_followed) VALUES (164, 250);
INSERT INTO tb_following (id_following, id_followed) VALUES (237, 34);
INSERT INTO tb_following (id_following, id_followed) VALUES (182, 259);
INSERT INTO tb_following (id_following, id_followed) VALUES (121, 135);
INSERT INTO tb_following (id_following, id_followed) VALUES (28, 277);
INSERT INTO tb_following (id_following, id_followed) VALUES (174, 152);
INSERT INTO tb_following (id_following, id_followed) VALUES (347, 257);
INSERT INTO tb_following (id_following, id_followed) VALUES (286, 45);
INSERT INTO tb_following (id_following, id_followed) VALUES (152, 298);
INSERT INTO tb_following (id_following, id_followed) VALUES (270, 2);
INSERT INTO tb_following (id_following, id_followed) VALUES (98, 142);
INSERT INTO tb_following (id_following, id_followed) VALUES (29, 129);
INSERT INTO tb_following (id_following, id_followed) VALUES (308, 300);
INSERT INTO tb_following (id_following, id_followed) VALUES (312, 29);
INSERT INTO tb_following (id_following, id_followed) VALUES (219, 234);
INSERT INTO tb_following (id_following, id_followed) VALUES (153, 255);
INSERT INTO tb_following (id_following, id_followed) VALUES (323, 207);
INSERT INTO tb_following (id_following, id_followed) VALUES (193, 70);
INSERT INTO tb_following (id_following, id_followed) VALUES (227, 140);
INSERT INTO tb_following (id_following, id_followed) VALUES (327, 34);
```

```

INSERT INTO tb_following (id_following, id_followed) VALUES (92,260);
INSERT INTO tb_following (id_following, id_followed) VALUES (286,294);
INSERT INTO tb_following (id_following, id_followed) VALUES (15,316);
INSERT INTO tb_following (id_following, id_followed) VALUES (55,218);
INSERT INTO tb_following (id_following, id_followed) VALUES (194,294);
INSERT INTO tb_following (id_following, id_followed) VALUES (37,271);
INSERT INTO tb_following (id_following, id_followed) VALUES (277,126);
INSERT INTO tb_following (id_following, id_followed) VALUES (241,141);
INSERT INTO tb_following (id_following, id_followed) VALUES (271,29);
INSERT INTO tb_following (id_following, id_followed) VALUES (139,87);
INSERT INTO tb_following (id_following, id_followed) VALUES (312,104);
INSERT INTO tb_following (id_following, id_followed) VALUES (190,110);
INSERT INTO tb_following (id_following, id_followed) VALUES (40,165);
INSERT INTO tb_following (id_following, id_followed) VALUES (343,134);
INSERT INTO tb_following (id_following, id_followed) VALUES (180,199);
INSERT INTO tb_following (id_following, id_followed) VALUES (129,119);
INSERT INTO tb_following (id_following, id_followed) VALUES (237,182);
INSERT INTO tb_following (id_following, id_followed) VALUES (160,150);
INSERT INTO tb_following (id_following, id_followed) VALUES (23,102);
INSERT INTO tb_following (id_following, id_followed) VALUES (315,323);
INSERT INTO tb_following (id_following, id_followed) VALUES (5,152);
INSERT INTO tb_following (id_following, id_followed) VALUES (153,74);
INSERT INTO tb_following (id_following, id_followed) VALUES (189,257);
INSERT INTO tb_following (id_following, id_followed) VALUES (337,342);
INSERT INTO tb_following (id_following, id_followed) VALUES (185,258);
INSERT INTO tb_following (id_following, id_followed) VALUES (89,320);
INSERT INTO tb_following (id_following, id_followed) VALUES (36,70);
INSERT INTO tb_following (id_following, id_followed) VALUES (257,62);
INSERT INTO tb_following (id_following, id_followed) VALUES (20,302);
INSERT INTO tb_following (id_following, id_followed) VALUES (10,228);
INSERT INTO tb_following (id_following, id_followed) VALUES (48,89);
INSERT INTO tb_following (id_following, id_followed) VALUES (135,296);
INSERT INTO tb_following (id_following, id_followed) VALUES (222,262);
INSERT INTO tb_following (id_following, id_followed) VALUES (55,262);
INSERT INTO tb_following (id_following, id_followed) VALUES (338,127);
INSERT INTO tb_following (id_following, id_followed) VALUES (152,110);
INSERT INTO tb_following (id_following, id_followed) VALUES (45,14);
INSERT INTO tb_following (id_following, id_followed) VALUES (81,159);
INSERT INTO tb_following (id_following, id_followed) VALUES (166,327);
INSERT INTO tb_following (id_following, id_followed) VALUES (58,321);
INSERT INTO tb_following (id_following, id_followed) VALUES (261,58);
INSERT INTO tb_following (id_following, id_followed) VALUES (216,127);
INSERT INTO tb_following (id_following, id_followed) VALUES (108,59);
INSERT INTO tb_following (id_following, id_followed) VALUES (18,98);
INSERT INTO tb_following (id_following, id_followed) VALUES (201,69);
INSERT INTO tb_following (id_following, id_followed) VALUES (179,15);
INSERT INTO tb_following (id_following, id_followed) VALUES (151,200);
INSERT INTO tb_following (id_following, id_followed) VALUES (277,257);
INSERT INTO tb_following (id_following, id_followed) VALUES (162,90);
INSERT INTO tb_following (id_following, id_followed) VALUES (26,174);
INSERT INTO tb_following (id_following, id_followed) VALUES (138,250);
INSERT INTO tb_following (id_following, id_followed) VALUES (158,61);
INSERT INTO tb_following (id_following, id_followed) VALUES (114,71);
INSERT INTO tb_following (id_following, id_followed) VALUES (154,6);

```

```
INSERT INTO tb_following (id_following, id_followed) VALUES (291, 41);
INSERT INTO tb_following (id_following, id_followed) VALUES (132, 98);
INSERT INTO tb_following (id_following, id_followed) VALUES (145, 120);
INSERT INTO tb_following (id_following, id_followed) VALUES (129, 349);
INSERT INTO tb_following (id_following, id_followed) VALUES (318, 319);
INSERT INTO tb_following (id_following, id_followed) VALUES (154, 263);
INSERT INTO tb_following (id_following, id_followed) VALUES (194, 231);
INSERT INTO tb_following (id_following, id_followed) VALUES (117, 244);
INSERT INTO tb_following (id_following, id_followed) VALUES (117, 42);
INSERT INTO tb_following (id_following, id_followed) VALUES (226, 53);
INSERT INTO tb_following (id_following, id_followed) VALUES (4, 73);
INSERT INTO tb_following (id_following, id_followed) VALUES (66, 294);
INSERT INTO tb_following (id_following, id_followed) VALUES (62, 230);
INSERT INTO tb_following (id_following, id_followed) VALUES (174, 314);
INSERT INTO tb_following (id_following, id_followed) VALUES (67, 103);
INSERT INTO tb_following (id_following, id_followed) VALUES (45, 347);
INSERT INTO tb_following (id_following, id_followed) VALUES (103, 202);
INSERT INTO tb_following (id_following, id_followed) VALUES (86, 130);
INSERT INTO tb_following (id_following, id_followed) VALUES (107, 333);
INSERT INTO tb_following (id_following, id_followed) VALUES (243, 321);
INSERT INTO tb_following (id_following, id_followed) VALUES (120, 247);
INSERT INTO tb_following (id_following, id_followed) VALUES (83, 77);
INSERT INTO tb_following (id_following, id_followed) VALUES (300, 340);
INSERT INTO tb_following (id_following, id_followed) VALUES (199, 107);
INSERT INTO tb_following (id_following, id_followed) VALUES (257, 112);
INSERT INTO tb_following (id_following, id_followed) VALUES (217, 344);
INSERT INTO tb_following (id_following, id_followed) VALUES (136, 271);
INSERT INTO tb_following (id_following, id_followed) VALUES (143, 43);
INSERT INTO tb_following (id_following, id_followed) VALUES (117, 223);
INSERT INTO tb_following (id_following, id_followed) VALUES (203, 62);
INSERT INTO tb_following (id_following, id_followed) VALUES (69, 108);
INSERT INTO tb_following (id_following, id_followed) VALUES (280, 59);
INSERT INTO tb_following (id_following, id_followed) VALUES (148, 117);
INSERT INTO tb_following (id_following, id_followed) VALUES (20, 27);
INSERT INTO tb_following (id_following, id_followed) VALUES (43, 248);
INSERT INTO tb_following (id_following, id_followed) VALUES (236, 204);
INSERT INTO tb_following (id_following, id_followed) VALUES (163, 191);
INSERT INTO tb_following (id_following, id_followed) VALUES (264, 121);
INSERT INTO tb_following (id_following, id_followed) VALUES (211, 109);
INSERT INTO tb_following (id_following, id_followed) VALUES (72, 120);
INSERT INTO tb_following (id_following, id_followed) VALUES (137, 125);
INSERT INTO tb_following (id_following, id_followed) VALUES (26, 185);
INSERT INTO tb_following (id_following, id_followed) VALUES (173, 210);
INSERT INTO tb_following (id_following, id_followed) VALUES (47, 189);
INSERT INTO tb_following (id_following, id_followed) VALUES (181, 302);
INSERT INTO tb_following (id_following, id_followed) VALUES (342, 111);
INSERT INTO tb_following (id_following, id_followed) VALUES (275, 29);
INSERT INTO tb_following (id_following, id_followed) VALUES (287, 199);
INSERT INTO tb_following (id_following, id_followed) VALUES (56, 302);
INSERT INTO tb_following (id_following, id_followed) VALUES (53, 316);
INSERT INTO tb_following (id_following, id_followed) VALUES (220, 17);
INSERT INTO tb_following (id_following, id_followed) VALUES (272, 13);
INSERT INTO tb_following (id_following, id_followed) VALUES (224, 40);
INSERT INTO tb_following (id_following, id_followed) VALUES (73, 117);
```

```
INSERT INTO tb_following (id_following, id_followed) VALUES (2,106);
INSERT INTO tb_following (id_following, id_followed) VALUES (92,222);
INSERT INTO tb_following (id_following, id_followed) VALUES (21,254);
INSERT INTO tb_following (id_following, id_followed) VALUES (157,55);
INSERT INTO tb_following (id_following, id_followed) VALUES (208,221);
INSERT INTO tb_following (id_following, id_followed) VALUES (110,67);
INSERT INTO tb_following (id_following, id_followed) VALUES (254,58);
INSERT INTO tb_following (id_following, id_followed) VALUES (20,100);
INSERT INTO tb_following (id_following, id_followed) VALUES (28,60);
INSERT INTO tb_following (id_following, id_followed) VALUES (11,218);
INSERT INTO tb_following (id_following, id_followed) VALUES (230,256);
INSERT INTO tb_following (id_following, id_followed) VALUES (159,344);
INSERT INTO tb_following (id_following, id_followed) VALUES (323,47);
INSERT INTO tb_following (id_following, id_followed) VALUES (111,145);
INSERT INTO tb_following (id_following, id_followed) VALUES (314,45);
INSERT INTO tb_following (id_following, id_followed) VALUES (306,40);
INSERT INTO tb_following (id_following, id_followed) VALUES (272,81);
INSERT INTO tb_following (id_following, id_followed) VALUES (236,208);
INSERT INTO tb_following (id_following, id_followed) VALUES (63,97);
INSERT INTO tb_following (id_following, id_followed) VALUES (312,5);
INSERT INTO tb_following (id_following, id_followed) VALUES (128,169);
INSERT INTO tb_following (id_following, id_followed) VALUES (286,86);
INSERT INTO tb_following (id_following, id_followed) VALUES (156,346);
INSERT INTO tb_following (id_following, id_followed) VALUES (287,93);
INSERT INTO tb_following (id_following, id_followed) VALUES (145,47);
INSERT INTO tb_following (id_following, id_followed) VALUES (270,175);
INSERT INTO tb_following (id_following, id_followed) VALUES (223,196);
INSERT INTO tb_following (id_following, id_followed) VALUES (101,263);
INSERT INTO tb_following (id_following, id_followed) VALUES (168,184);
INSERT INTO tb_following (id_following, id_followed) VALUES (344,166);
INSERT INTO tb_following (id_following, id_followed) VALUES (160,329);
INSERT INTO tb_following (id_following, id_followed) VALUES (51,42);
INSERT INTO tb_following (id_following, id_followed) VALUES (212,63);
INSERT INTO tb_following (id_following, id_followed) VALUES (25,82);
INSERT INTO tb_following (id_following, id_followed) VALUES (268,304);
INSERT INTO tb_following (id_following, id_followed) VALUES (346,166);
INSERT INTO tb_following (id_following, id_followed) VALUES (130,9);
INSERT INTO tb_following (id_following, id_followed) VALUES (245,51);
INSERT INTO tb_following (id_following, id_followed) VALUES (109,53);
INSERT INTO tb_following (id_following, id_followed) VALUES (50,157);
INSERT INTO tb_following (id_following, id_followed) VALUES (34,323);
INSERT INTO tb_following (id_following, id_followed) VALUES (302,343);
INSERT INTO tb_following (id_following, id_followed) VALUES (58,202);
INSERT INTO tb_following (id_following, id_followed) VALUES (31,164);
INSERT INTO tb_following (id_following, id_followed) VALUES (303,115);
INSERT INTO tb_following (id_following, id_followed) VALUES (142,214);
INSERT INTO tb_following (id_following, id_followed) VALUES (349,101);
INSERT INTO tb_following (id_following, id_followed) VALUES (308,243);
INSERT INTO tb_following (id_following, id_followed) VALUES (97,215);
INSERT INTO tb_following (id_following, id_followed) VALUES (83,22);
INSERT INTO tb_following (id_following, id_followed) VALUES (246,297);
INSERT INTO tb_following (id_following, id_followed) VALUES (17,100);
INSERT INTO tb_following (id_following, id_followed) VALUES (30,133);
INSERT INTO tb_following (id_following, id_followed) VALUES (193,220);
```



```
INSERT INTO tb_following (id_following, id_followed) VALUES (135, 83);
INSERT INTO tb_following (id_following, id_followed) VALUES (164, 273);
INSERT INTO tb_following (id_following, id_followed) VALUES (214, 265);
INSERT INTO tb_following (id_following, id_followed) VALUES (65, 106);
INSERT INTO tb_following (id_following, id_followed) VALUES (336, 221);
INSERT INTO tb_following (id_following, id_followed) VALUES (207, 302);
INSERT INTO tb_following (id_following, id_followed) VALUES (73, 299);
INSERT INTO tb_following (id_following, id_followed) VALUES (327, 107);
INSERT INTO tb_following (id_following, id_followed) VALUES (128, 40);
INSERT INTO tb_following (id_following, id_followed) VALUES (284, 184);
INSERT INTO tb_following (id_following, id_followed) VALUES (187, 180);
INSERT INTO tb_following (id_following, id_followed) VALUES (271, 348);
INSERT INTO tb_following (id_following, id_followed) VALUES (101, 333);
INSERT INTO tb_following (id_following, id_followed) VALUES (135, 86);
INSERT INTO tb_following (id_following, id_followed) VALUES (207, 141);
INSERT INTO tb_following (id_following, id_followed) VALUES (18, 87);
INSERT INTO tb_following (id_following, id_followed) VALUES (312, 58);
INSERT INTO tb_following (id_following, id_followed) VALUES (38, 152);
INSERT INTO tb_following (id_following, id_followed) VALUES (134, 223);
INSERT INTO tb_following (id_following, id_followed) VALUES (169, 202);
INSERT INTO tb_following (id_following, id_followed) VALUES (110, 83);
INSERT INTO tb_following (id_following, id_followed) VALUES (177, 98);
INSERT INTO tb_following (id_following, id_followed) VALUES (238, 280);
INSERT INTO tb_following (id_following, id_followed) VALUES (67, 166);
INSERT INTO tb_following (id_following, id_followed) VALUES (26, 258);
INSERT INTO tb_following (id_following, id_followed) VALUES (13, 173);
INSERT INTO tb_following (id_following, id_followed) VALUES (211, 26);
INSERT INTO tb_following (id_following, id_followed) VALUES (322, 70);
INSERT INTO tb_following (id_following, id_followed) VALUES (294, 255);
INSERT INTO tb_following (id_following, id_followed) VALUES (34, 245);
INSERT INTO tb_following (id_following, id_followed) VALUES (7, 146);
INSERT INTO tb_following (id_following, id_followed) VALUES (297, 184);
INSERT INTO tb_following (id_following, id_followed) VALUES (306, 295);
INSERT INTO tb_following (id_following, id_followed) VALUES (226, 5);
INSERT INTO tb_following (id_following, id_followed) VALUES (43, 231);
INSERT INTO tb_following (id_following, id_followed) VALUES (32, 14);
INSERT INTO tb_following (id_following, id_followed) VALUES (178, 54);
INSERT INTO tb_following (id_following, id_followed) VALUES (95, 301);
INSERT INTO tb_following (id_following, id_followed) VALUES (93, 153);
INSERT INTO tb_following (id_following, id_followed) VALUES (226, 319);
INSERT INTO tb_following (id_following, id_followed) VALUES (54, 25);
INSERT INTO tb_following (id_following, id_followed) VALUES (105, 157);
INSERT INTO tb_following (id_following, id_followed) VALUES (117, 341);
INSERT INTO tb_following (id_following, id_followed) VALUES (74, 348);
INSERT INTO tb_following (id_following, id_followed) VALUES (176, 192);
INSERT INTO tb_following (id_following, id_followed) VALUES (266, 28);
INSERT INTO tb_following (id_following, id_followed) VALUES (337, 49);
INSERT INTO tb_following (id_following, id_followed) VALUES (280, 110);
INSERT INTO tb_following (id_following, id_followed) VALUES (299, 102);
INSERT INTO tb_following (id_following, id_followed) VALUES (179, 200);
INSERT INTO tb_following (id_following, id_followed) VALUES (222, 267);
INSERT INTO tb_following (id_following, id_followed) VALUES (206, 78);
INSERT INTO tb_following (id_following, id_followed) VALUES (9, 225);
INSERT INTO tb_following (id_following, id_followed) VALUES (84, 25);
```

```
INSERT INTO tb_following (id_following, id_followed) VALUES (5,27);
INSERT INTO tb_following (id_following, id_followed) VALUES (60,231);
INSERT INTO tb_following (id_following, id_followed) VALUES (166,21);
INSERT INTO tb_following (id_following, id_followed) VALUES (275,88);
INSERT INTO tb_following (id_following, id_followed) VALUES (322,196);
INSERT INTO tb_following (id_following, id_followed) VALUES (59,321);
INSERT INTO tb_following (id_following, id_followed) VALUES (33,194);
INSERT INTO tb_following (id_following, id_followed) VALUES (80,262);
INSERT INTO tb_following (id_following, id_followed) VALUES (303,161);
INSERT INTO tb_following (id_following, id_followed) VALUES (12,100);
INSERT INTO tb_following (id_following, id_followed) VALUES (331,19);
INSERT INTO tb_following (id_following, id_followed) VALUES (18,274);
INSERT INTO tb_following (id_following, id_followed) VALUES (133,332);
INSERT INTO tb_following (id_following, id_followed) VALUES (45,145);
INSERT INTO tb_following (id_following, id_followed) VALUES (275,83);
INSERT INTO tb_following (id_following, id_followed) VALUES (334,339);
INSERT INTO tb_following (id_following, id_followed) VALUES (210,184);
INSERT INTO tb_following (id_following, id_followed) VALUES (189,59);
INSERT INTO tb_following (id_following, id_followed) VALUES (44,7);
INSERT INTO tb_following (id_following, id_followed) VALUES (260,136);
INSERT INTO tb_following (id_following, id_followed) VALUES (291,148);
INSERT INTO tb_following (id_following, id_followed) VALUES (193,42);
INSERT INTO tb_following (id_following, id_followed) VALUES (153,33);
INSERT INTO tb_following (id_following, id_followed) VALUES (194,120);
INSERT INTO tb_following (id_following, id_followed) VALUES (24,199);
INSERT INTO tb_following (id_following, id_followed) VALUES (263,6);
INSERT INTO tb_following (id_following, id_followed) VALUES (191,182);
INSERT INTO tb_following (id_following, id_followed) VALUES (312,6);
INSERT INTO tb_following (id_following, id_followed) VALUES (48,2);
INSERT INTO tb_following (id_following, id_followed) VALUES (287,232);
INSERT INTO tb_following (id_following, id_followed) VALUES (171,25);
INSERT INTO tb_following (id_following, id_followed) VALUES (170,199);
INSERT INTO tb_following (id_following, id_followed) VALUES (28,39);
INSERT INTO tb_following (id_following, id_followed) VALUES (2,108);
INSERT INTO tb_following (id_following, id_followed) VALUES (96,211);
INSERT INTO tb_following (id_following, id_followed) VALUES (19,178);
INSERT INTO tb_following (id_following, id_followed) VALUES (287,8);
INSERT INTO tb_following (id_following, id_followed) VALUES (116,127);
INSERT INTO tb_following (id_following, id_followed) VALUES (251,158);
INSERT INTO tb_following (id_following, id_followed) VALUES (226,44);
INSERT INTO tb_following (id_following, id_followed) VALUES (132,8);
INSERT INTO tb_following (id_following, id_followed) VALUES (154,60);
INSERT INTO tb_following (id_following, id_followed) VALUES (337,179);
INSERT INTO tb_following (id_following, id_followed) VALUES (13,220);
INSERT INTO tb_following (id_following, id_followed) VALUES (241,258);
INSERT INTO tb_following (id_following, id_followed) VALUES (246,247);
INSERT INTO tb_following (id_following, id_followed) VALUES (191,21);
INSERT INTO tb_following (id_following, id_followed) VALUES (327,299);
INSERT INTO tb_following (id_following, id_followed) VALUES (183,175);
INSERT INTO tb_following (id_following, id_followed) VALUES (163,238);
INSERT INTO tb_following (id_following, id_followed) VALUES (150,268);
INSERT INTO tb_following (id_following, id_followed) VALUES (204,349);
INSERT INTO tb_following (id_following, id_followed) VALUES (328,103);
INSERT INTO tb_following (id_following, id_followed) VALUES (81,70);
```



```
INSERT INTO tb_following (id_following, id_followed) VALUES (19,258);
INSERT INTO tb_following (id_following, id_followed) VALUES (279,25);
INSERT INTO tb_following (id_following, id_followed) VALUES (206,167);
INSERT INTO tb_following (id_following, id_followed) VALUES (198,119);
INSERT INTO tb_following (id_following, id_followed) VALUES (90,2);
INSERT INTO tb_following (id_following, id_followed) VALUES (260,28);
INSERT INTO tb_following (id_following, id_followed) VALUES (254,348);
INSERT INTO tb_following (id_following, id_followed) VALUES (52,88);
INSERT INTO tb_following (id_following, id_followed) VALUES (197,201);
INSERT INTO tb_following (id_following, id_followed) VALUES (51,103);
INSERT INTO tb_following (id_following, id_followed) VALUES (306,13);
INSERT INTO tb_following (id_following, id_followed) VALUES (342,175);
INSERT INTO tb_following (id_following, id_followed) VALUES (322,335);
INSERT INTO tb_following (id_following, id_followed) VALUES (332,231);
INSERT INTO tb_following (id_following, id_followed) VALUES (244,102);
INSERT INTO tb_following (id_following, id_followed) VALUES (3,116);
INSERT INTO tb_following (id_following, id_followed) VALUES (303,57);
INSERT INTO tb_following (id_following, id_followed) VALUES (191,135);
INSERT INTO tb_following (id_following, id_followed) VALUES (253,143);
INSERT INTO tb_following (id_following, id_followed) VALUES (160,176);
INSERT INTO tb_following (id_following, id_followed) VALUES (232,192);
INSERT INTO tb_following (id_following, id_followed) VALUES (66,22);
INSERT INTO tb_following (id_following, id_followed) VALUES (313,53);
INSERT INTO tb_following (id_following, id_followed) VALUES (315,241);
INSERT INTO tb_following (id_following, id_followed) VALUES (79,262);
INSERT INTO tb_following (id_following, id_followed) VALUES (4,118);
INSERT INTO tb_following (id_following, id_followed) VALUES (209,20);
INSERT INTO tb_following (id_following, id_followed) VALUES (266,105);
INSERT INTO tb_following (id_following, id_followed) VALUES (229,35);
INSERT INTO tb_following (id_following, id_followed) VALUES (265,101);
INSERT INTO tb_following (id_following, id_followed) VALUES (57,130);
INSERT INTO tb_following (id_following, id_followed) VALUES (117,11);
INSERT INTO tb_following (id_following, id_followed) VALUES (86,12);
INSERT INTO tb_following (id_following, id_followed) VALUES (211,193);
INSERT INTO tb_following (id_following, id_followed) VALUES (333,24);
INSERT INTO tb_following (id_following, id_followed) VALUES (169,300);
INSERT INTO tb_following (id_following, id_followed) VALUES (245,142);
INSERT INTO tb_following (id_following, id_followed) VALUES (289,30);
INSERT INTO tb_following (id_following, id_followed) VALUES (251,128);
INSERT INTO tb_following (id_following, id_followed) VALUES (61,170);
INSERT INTO tb_following (id_following, id_followed) VALUES (273,278);
INSERT INTO tb_following (id_following, id_followed) VALUES (50,299);
INSERT INTO tb_following (id_following, id_followed) VALUES (57,78);
INSERT INTO tb_following (id_following, id_followed) VALUES (131,279);
INSERT INTO tb_following (id_following, id_followed) VALUES (279,309);
INSERT INTO tb_following (id_following, id_followed) VALUES (160,157);
INSERT INTO tb_following (id_following, id_followed) VALUES (212,148);
INSERT INTO tb_following (id_following, id_followed) VALUES (256,324);
INSERT INTO tb_following (id_following, id_followed) VALUES (341,267);
INSERT INTO tb_following (id_following, id_followed) VALUES (111,74);
INSERT INTO tb_following (id_following, id_followed) VALUES (12,278);
INSERT INTO tb_following (id_following, id_followed) VALUES (215,86);
INSERT INTO tb_following (id_following, id_followed) VALUES (171,126);
INSERT INTO tb_following (id_following, id_followed) VALUES (105,119);
```

```

INSERT INTO tb_following (id_following, id_followed) VALUES (348,322);
INSERT INTO tb_following (id_following, id_followed) VALUES (158,168);
INSERT INTO tb_following (id_following, id_followed) VALUES (212,348);
INSERT INTO tb_following (id_following, id_followed) VALUES (205,139);
INSERT INTO tb_following (id_following, id_followed) VALUES (17,212);
INSERT INTO tb_following (id_following, id_followed) VALUES (42,308);
INSERT INTO tb_following (id_following, id_followed) VALUES (205,281);
INSERT INTO tb_following (id_following, id_followed) VALUES (155,337);
INSERT INTO tb_following (id_following, id_followed) VALUES (164,99);

INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2017-05-23 09:46:00',202,90);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He swore he just saw his sushi move.','2020-08-09 11:02:00',126,26);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He learned the hardest lesson of his life and had the scars, both
physical and mental, to prove it.','2018-09-10 12:47:00',175,130);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
currently have 4 windows open up... and I don't know why.','2020-02-16
02:18:00',162,312);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It caught him off guard that space smelled of seared steak.','2018-08-23
16:38:00',287,192);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The blue parrot drove by the hitchhiking mongoose.','2020-09-23
15:59:00',265,289);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('A
quiet house is nice until you are ordered to stay in it for months.','2018-
11-25 22:47:00',234,89);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The skeleton had skeletons of his own in the closet.','2020-05-28
23:56:00',58,323);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2018-07-27 10:35:00',273,124);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She hadn't had her cup of coffee, and that made things all the
worse.','2018-04-29 16:41:00',12,23);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The blue parrot drove by the hitchhiking mongoose.','2019-10-22
05:26:00',85,156);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.','2017-09-19
22:27:00',121,284);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Various sea birds are elegant, but nothing is as elegant as a gliding
pelican.','2020-10-26 16:42:00',229,122);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Everyone was curious about the large white blimp that appeared
overnight.','2020-04-02 11:21:00',206,43);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
currently have 4 windows open up... and I don't know why.','2017-07-15
01:34:00',216,27);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES

```

```

('She always had an interesting perspective on why the world must be
flat.','2018-12-07 17:51:00',186,35);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She saw no irony asking me to change but wanting me to accept her for who
she is.','2017-10-21 05:42:00',79,37);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There were three sphered rocks congregating in a cubed room.','2018-07-17
05:15:00',36,270);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2018-09-11
12:18:00',12,90);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The light that burns twice as bright burns half as long.','2020-09-08
01:33:00',167,210);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.','2019-03-14 02:18:00',19,173);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door swung open to reveal pink giraffes and red elephants.','2019-07-
29 14:13:00',5,238);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The crowd yells and screams for more memes.','2018-01-03
02:15:00',243,159);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sure the Devil created red sparkly glitter.','2019-01-13
06:47:00',22,318);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The light that burns twice as bright burns half as long.','2018-02-10
00:28:00',25,145);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Everybody should read Chaucer to improve their everyday
vocabulary.','2019-02-21 02:46:00',28,45);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He looked behind the door and didn't like what he saw.','2020-02-08
18:26:00',290,80);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Even though he thought the world was flat he didn't see the irony of
wanting to travel around the world.','2018-11-02 16:44:00',291,15);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2020-12-23 11:55:00',130,311);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He decided to live his life by the big beats manifesto.','2020-02-12
10:09:00',68,190);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2021-03-23 16:42:00',133,61);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He figured a few sticks of dynamite were easier than a fishing pole to
catch fish.','2017-10-09 14:21:00',204,172);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2018-03-08
09:12:00',332,148);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('After fighting off the alligator, Brian still had to face the

```

```
anaconda.', '2017-07-21 15:55:00', 241, 151);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Pantyhose and heels are an interesting choice of attire for the
beach.', '2019-09-14 21:15:00', 218, 226);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
think I will buy the red car, or I will lease the blue one.', '2018-08-03
00:02:00', 251, 246);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She says she has the ability to hear the soundtrack of your life.', '2021-
04-05 01:28:00', 260, 94);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When he encountered maize for the first time, he thought it incredibly
corny.', '2019-08-12 17:26:00', 164, 300);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.', '2017-08-10 07:05:00', 120, 278);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
currently have 4 windows open up... and I don't know why.', '2019-07-07
23:51:00', 91, 187);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.', '2018-01-20
07:00:00', 238, 249);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We need to rent a room for our party.', '2018-08-23 00:29:00', 29, 322);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They desperately needed another drummer since the current one only knew
how to play bongos.', '2018-10-19 18:45:00', 59, 201);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('This is the last random sentence I will be writing and I am going to stop
mid-sent', '2017-09-28 19:12:00', 130, 48);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.', '2019-03-30 14:03:00', 329, 291);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Thirty years later, she still thought it was okay to put the toilet paper
roll under rather than over.', '2020-03-10 15:55:00', 214, 12);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random
sentence.', '2020-12-06 21:48:00', 215, 283);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('A
song can make or ruin a person's day if they let it get to them.', '2021-02-
13 09:01:00', 1, 324);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
met an interesting turtle while the song on the radio blasted away.', '2020-
07-22 02:45:00', 342, 161);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('A
song can make or ruin a person's day if they let it get to them.', '2019-05-
05 06:36:00', 304, 28);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in
your head.', '2018-03-06 15:40:00', 265, 85);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Going from child, to childish, to childlike is only a matter of
time.', '2018-07-15 18:11:00', 80, 254);
```



```

INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('People generally approve of dogs eating cat food but not cats eating dog
food.','2021-03-20 23:18:00',322,187);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He knew it was going to be a bad day when he saw mountain lions roaming
the streets.','2020-09-26 18:19:00',61,280);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It was difficult for Mary to admit that most of her workout consisted of
exercising poor judgment.','2017-07-29 08:26:00',34,203);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.','2021-04-02
17:53:00',132,67);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2018-01-09 23:40:00',64,222);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Excitement replaced fear until the final moment.','2019-09-19
05:14:00',326,21);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
think I will buy the red car, or I will lease the blue one.','2017-07-09
22:12:00',328,308);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When I was little I had a car door slammed shut on my hand and I still
remember it quite vividly.','2017-09-19 22:20:00',179,35);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The light that burns twice as bright burns half as long.','2020-06-11
14:47:00',261,341);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2020-06-05 20:56:00',335,142);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The book is in front of the table.','2020-04-06 16:02:00',33,30);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had some amazing news to share but nobody to share it with.','2020-
07-26 07:34:00',225,231);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She hadn't had her cup of coffee, and that made things all the
worse.','2018-04-12 02:40:00',175,130);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The waitress was not amused when he ordered green eggs and ham.','2018-
11-23 12:30:00',3,261);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Most shark attacks occur about 10 feet from the beach since that's where
the people are.','2018-06-06 15:50:00',105,344);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
want to buy a onesie... but know it won't suit me.','2018-07-30
11:28:00',139,261);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her life in the confines of the house became her new normal.','2018-10-26
12:36:00',226,274);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His mind was blown that there was nothing in space except space
itself.','2017-05-10 21:43:00',86,223);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Most shark attacks occur about 10 feet from the beach since that's where
the people are.','2019-03-27 01:45:00',92,45);

```

```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Cats are good pets, for they are clean and are not noisy.','2020-04-13
11:47:00',10,249);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2018-05-14 03:28:00',221,238);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2019-06-28 22:37:00',152,111);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As the asteroid hurtled toward earth, Becky was upset her dentist
appointment had been canceled.','2017-11-02 08:12:00',36,341);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
come from a tribe of head-hunters, so I will never need a shrink.','2019-
04-17 10:47:00',188,110);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had a hidden stash underneath the floorboards in the back room of the
house.','2019-01-23 05:50:00',175,205);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She looked into the mirror and saw another person.','2017-11-10
05:45:00',38,51);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2018-01-24
03:55:00',239,75);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Most shark attacks occur about 10 feet from the beach since that's where
the people are.','2018-08-25 19:04:00',8,113);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('You can't compare apples and oranges, but what about bananas and
plantains?','2017-04-28 14:41:00',45,326);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
checked to make sure that he was still alive.','2019-11-18
08:28:00',229,155);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('You're good at English when you know the difference between a man eating
chicken and a man-eating chicken.','2019-06-13 22:15:00',257,250);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2019-02-21
03:39:00',286,184);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.','2018-03-29 22:38:00',267,86);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She was sad to hear that fireflies are facing extinction due to
artificial light, habitat loss, and pesticides.','2020-12-28
14:16:00',29,150);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('People generally approve of dogs eating cat food but not cats eating dog
food.','2019-03-02 18:04:00',150,336);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Pantyhose and heels are an interesting choice of attire for the
beach.','2021-02-24 07:31:00',227,87);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Pantyhose and heels are an interesting choice of attire for the
beach.','2018-07-20 06:33:00',293,284);
```



```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She hadn't had her cup of coffee, and that made things all the
worse.', '2019-02-18 14:17:00', 37, 137);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Jason lived his life by the motto, "Anything worth doing is worth doing
poorly.', '2020-07-09 22:14:00', 139, 57);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As the asteroid hurtled toward earth, Becky was upset her dentist
appointment had been canceled.', '2017-08-16 01:25:00', 17, 40);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.', '2018-02-25
03:16:00', 237, 333);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('In hopes of finding out the truth, he entered the one-room
library.', '2019-05-10 18:58:00', 243, 330);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
like to leave work after my eight-hour tea-break.', '2020-07-08
10:40:00', 273, 209);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She was too busy always talking about what she wanted to do to actually
do any of it.', '2019-03-23 06:53:00', 21, 345);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.', '2019-11-11
08:59:00', 173, 90);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Nothing is as cautiously cuddly as a pet porcupine.', '2019-12-29
06:39:00', 272, 280);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The ants enjoyed the barbecue more than the family.', '2017-09-07
16:32:00', 175, 6);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There aren't enough towels in the world to stop the sewage flowing from
his mouth.', '2017-11-26 16:38:00', 161, 129);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The blue parrot drove by the hitchhiking mongoose.', '2020-01-17
19:30:00', 99, 199);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.', '2018-10-17 16:22:00', 34, 285);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The Tsunami wave crashed against the raised houses and broke the pilings
as if they were toothpicks.', '2018-12-19 05:40:00', 197, 256);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was the type of guy who liked Christmas lights on his house in the
middle of July.', '2019-08-28 08:08:00', 5, 207);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.', '2020-02-17 10:19:00', 180, 26);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random
sentence.', '2017-10-20 05:42:00', 219, 243);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('In hopes of finding out the truth, he entered the one-room
library.', '2019-09-17 06:09:00', 318, 157);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
```

```

('While all her friends were positive that Mary had a sixth sense, she knew
she actually had a seventh sense.','2018-08-29 18:14:00',207,15);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sure the Devil created red sparkly glitter.','2019-08-24
04:06:00',110,224);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had a habit of taking showers in lemonade.','2018-08-01
11:05:00',248,254);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('I'd rather be a bird than a fish.','2021-02-04 23:35:00',68,97);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('My Mum tries to be cool by saying that she likes all the same things that
I do.','2018-01-28 13:20:00',302,90);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2019-01-02
06:33:00',121,134);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It caught him off guard that space smelled of seared steak.','2017-10-13
04:02:00',249,207);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His confidence would have bee admirable if it wasn't for his
stupidity.','2020-07-28 20:56:00',166,159);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Even with the snow falling outside, she felt it appropriate to wear her
bikini.','2019-12-19 23:36:00',194,271);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When money was tight, he'd get his lunch money from the local wishing
well.','2019-08-27 08:52:00',234,125);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He is good at eating pickles and telling women about his emotional
problems.','2019-01-13 23:36:00',232,244);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When transplanting seedlings, candied teapots will make the task
easier.','2019-11-14 09:42:00',297,64);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As time wore on, simple dog commands turned into full paragraphs
explaining why the dog couldn't do something.','2017-11-09
08:12:00',315,107);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He put heat on the wound to see what would grow.','2018-02-14
00:23:00',26,240);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fish dreamed of escaping the fishbowl and into the toilet where he
saw his friend go.','2019-12-06 16:09:00',247,301);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2018-11-22 14:26:00',215,79);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fifty mannequin heads floating in the pool kind of freaked them
out.','2018-02-15 14:25:00',54,99);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The mysterious diary records the voice.','2020-02-27 22:35:00',291,232);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As he waited for the shower to warm, he noticed that he could hear water

```

```

change temperature.','2020-01-30 12:51:00',5,243);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It caught him off guard that space smelled of seared steak.','2019-07-07
18:38:00',66,145);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2017-10-08
13:10:00',111,308);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.','2021-02-10 01:09:00',176,349);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had a habit of taking showers in lemonade.','2017-04-19
15:35:00',85,342);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2018-05-11
10:18:00',29,327);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He loved eating his bananas in hot dog buns.','2019-03-12
05:33:00',266,76);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
am happy to take your donation; any amount will be greatly
appreciated.','2020-06-18 23:19:00',144,164);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She hadn't had her cup of coffee, and that made things all the
worse.','2021-02-09 19:38:00',132,104);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2020-09-05
08:16:00',248,307);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The Tsunami wave crashed against the raised houses and broke the pilings
as if they were toothpicks.','2018-07-16 22:52:00',290,125);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Cats are good pets, for they are clean and are not noisy.','2020-01-03
22:47:00',13,254);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Of course, she loves her pink bunny slippers.','2019-09-08
08:07:00',212,281);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
caught my squirrel rustling through my gym bag.','2018-01-05
08:41:00',160,217);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.','2018-05-13
18:01:00',248,198);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As she walked along the street and looked in the gutter, she realized
facemasks had become the new cigarette butts.','2020-10-06
03:57:00',3,268);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
currently have 4 windows open up... and I don't know why.','2019-04-12
15:26:00',170,138);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They ran around the corner to find that they had traveled back in
time.','2021-03-08 06:28:00',63,336);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had some amazing news to share but nobody to share it with.','2020-

```

```

02-12 21:38:00',163,99));
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She opened up her third bottle of wine of the night.','2018-12-07
23:04:00',268,163);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Buried deep in the snow, he hoped his batteries were fresh in his
avalanche beacon.','2017-12-30 20:53:00',138,290);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2020-05-21 18:28:00',344,154);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They desperately needed another drummer since the current one only knew
how to play bongos.','2020-08-08 02:33:00',212,213);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2018-09-25
02:17:00',77,207);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It''s not possible to convince a monkey to give you a banana by promising
it infinite bananas when they die.','2020-04-14 14:56:00',228,156);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The Tsunami wave crashed against the raised houses and broke the pilings
as if they were toothpicks.','2019-10-20 20:15:00',159,283);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The blue parrot drove by the hitchhiking mongoose.','2020-04-21
11:50:00',326,102);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Nothing is as cautiously cuddly as a pet porcupine.','2021-04-01
14:20:00',285,317);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sure the Devil created red sparkly glitter.','2019-07-18
18:27:00',94,58);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Iron pyrite is the most foolish of all minerals.','2019-03-05
21:48:00',61,326);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in
your head.','2018-02-06 14:10:00',17,72);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2017-09-20
19:25:00',42,219);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2018-09-08
08:34:00',183,85);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Even with the snow falling outside, she felt it appropriate to wear her
bikini.','2020-11-27 13:27:00',13,206);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Going from child, to childish, to childlike is only a matter of
time.','2018-08-22 14:03:00',81,220);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The newly planted trees were held up by wooden frames in hopes they could
survive the next storm.','2018-03-03 15:36:00',312,217);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('This is the last random sentence I will be writing and I am going to stop

```

```
mid-sent','2019-05-31 11:05:00',257,135);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fish dreamed of escaping the fishbowl and into the toilet where he
saw his friend go.','2018-10-29 18:36:00',11,199);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Don''t piss in my garden and tell me you''re trying to help my plants
grow.','2020-08-26 17:44:00',44,258);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2019-08-22
18:15:00',180,293);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Pantyhose and heels are an interesting choice of attire for the
beach.','2020-11-24 01:34:00',204,165);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We need to rent a room for our party.','2019-01-25 11:20:00',238,223);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There aren''t enough towels in the world to stop the sewage flowing from
his mouth.','2017-07-28 14:26:00',324,336);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Buried deep in the snow, he hoped his batteries were fresh in his
avalanche beacon.','2017-07-24 11:23:00',335,344);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
like to leave work after my eight-hour tea-break.','2018-05-03
21:12:00',211,37);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They got there early, and they got really good seats.','2019-09-29
23:44:00',156,170);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Two seats were vacant.','2017-09-29 01:43:00',196,90);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We should play with legos at camp.','2020-09-16 03:57:00',255,232);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2021-01-22
14:19:00',322,334);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('For the 216th time, he said he would quit drinking soda after this last
Coke.','2020-08-16 04:53:00',108,188);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She is never happy until she finds something to be unhappy about; then,
she is overjoyed.','2017-08-09 00:39:00',176,77);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The group quickly understood that toxic waste was the most effective
barrier to use against the zombies.','2020-12-20 07:34:00',278,164);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fish dreamed of escaping the fishbowl and into the toilet where he
saw his friend go.','2017-12-27 19:18:00',303,51);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her scream silenced the rowdy teenagers.','2020-01-19 05:32:00',144,222);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door swung open to reveal pink giraffes and red elephants.','2018-04-
29 13:06:00',52,288);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2019-07-16 17:16:00',58,259);
```



```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
met an interesting turtle while the song on the radio blasted away.','2019-
08-21 03:00:00',212,71);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had a hidden stash underneath the floorboards in the back room of the
house.','2019-08-09 02:37:00',29,224);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They desperately needed another drummer since the current one only knew
how to play bongos.','2020-04-29 06:59:00',256,90);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Red is greener than purple, for sure.','2019-09-02 08:29:00',155,200);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He figured a few sticks of dynamite were easier than a fishing pole to
catch fish.','2021-02-07 01:33:00',118,324);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He swore he just saw his sushi move.','2020-12-30 01:45:00',166,331);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His mind was blown that there was nothing in space except space
itself.','2020-05-01 22:14:00',75,235);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2018-05-06
22:48:00',107,251);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
just wanted to tell you I could see the love you have for your child by the
way you look at her.','2019-10-18 15:03:00',252,293);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The ants enjoyed the barbecue more than the family.','2020-06-29
10:14:00',1,282);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
checked to make sure that he was still alive.','2019-04-22
14:33:00',191,283);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Jason lived his life by the motto, "Anything worth doing is worth doing
poorly.','2018-05-23 04:47:00',281,92);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His mind was blown that there was nothing in space except space
itself.','2019-08-02 21:13:00',96,110);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He would only survive if he kept the fire going and he could hear thunder
in the distance.','2017-12-12 19:14:00',67,264);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The quick brown fox jumps over the lazy dog.','2019-01-29
21:16:00',99,274);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
caught my squirrel rustling through my gym bag.','2018-03-10
21:30:00',239,161);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Jason lived his life by the motto, "Anything worth doing is worth doing
poorly.','2019-11-26 08:20:00',54,10);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random
sentence.','2020-11-09 20:44:00',72,171);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('My Mum tries to be cool by saying that she likes all the same things that
```



```
I do.','2020-09-09 22:24:00',300,335);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Everyone was curious about the large white blimp that appeared
overnight.','2020-06-12 12:09:00',314,209);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It was difficult for Mary to admit that most of her workout consisted of
exercising poor judgment.','2020-04-22 20:27:00',223,13);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.','2017-12-29 17:47:00',271,229);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('While all her friends were positive that Mary had a sixth sense, she knew
she actually had a seventh sense.','2017-12-28 14:43:00',206,146);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Even though he thought the world was flat he didn't see the irony of
wanting to travel around the world.','2018-08-27 17:32:00',314,204);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2019-06-26
06:30:00',292,117);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('People generally approve of dogs eating cat food but not cats eating dog
food.','2019-05-17 09:05:00',84,151);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Jason lived his life by the motto, Anything worth doing is worth doing
poorly.','2018-06-04 13:26:00',26,188);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2020-09-30 20:50:00',194,93);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Shingle color was not something the couple had ever talked about.','2018-
08-30 21:27:00',119,55);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sure the Devil created red sparkly glitter.','2019-12-05
10:41:00',268,271);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('I'd rather be a bird than a fish.','2017-04-23 14:52:00',72,306);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.','2017-07-07 13:20:00',320,231);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He knew it was going to be a bad day when he saw mountain lions roaming
the streets.','2018-02-06 06:54:00',3,116);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Thirty years later, she still thought it was okay to put the toilet paper
roll under rather than over.','2018-09-12 01:34:00',257,191);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Excitement replaced fear until the final moment.','2020-10-19
04:25:00',81,70);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He learned the hardest lesson of his life and had the scars, both
physical and mental, to prove it.','2021-02-14 19:25:00',152,11);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She saw no irony asking me to change but wanting me to accept her for who
she is.','2021-02-18 17:06:00',347,242);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
```

```
('We have a lot of rain in June.','2020-07-27 00:55:00',175,149);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It's difficult to understand the lengths he'd go to remain
short.','2019-04-29 02:10:00',326,134);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
want to buy a onesie... but know it won't suit me.','2017-08-24
23:45:00',7,1);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He drank life before spitting it out.','2019-02-15 01:47:00',185,13);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Cats are good pets, for they are clean and are not noisy.','2019-12-04
14:46:00',268,64);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As he waited for the shower to warm, he noticed that he could hear water
change temperature.','2019-07-04 04:40:00',195,178);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random
sentence.','2018-10-12 11:55:00',148,59);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We need to rent a room for our party.','2018-09-22 14:44:00',30,307);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2020-04-19 14:03:00',73,268);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Red is greener than purple, for sure.','2018-01-18 00:06:00',122,222);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2018-10-29
18:05:00',239,116);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.','2019-01-26
05:18:00',179,153);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The book is in front of the table.','2017-10-12 16:30:00',86,165);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Shingle color was not something the couple had ever talked about.','2020-
01-15 13:42:00',80,317);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Poison ivy grew through the fence they said was impenetrable.','2020-05-
02 00:18:00',63,346);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2018-10-12 23:56:00',132,263);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The tree fell unexpectedly short.','2018-05-23 12:01:00',98,211);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random
sentence.','2020-05-14 03:13:00',258,49);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2018-09-12
12:44:00',72,342);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Shingle color was not something the couple had ever talked about.','2018-
09-03 17:40:00',207,102);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had a habit of taking showers in lemonade.','2019-06-11
```

```
18:40:00',157,322);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The busker hoped that the people passing by would throw money, but they
threw tomatoes instead, so he exchanged his hat for a juicer.','2019-05-31
03:23:00',216,318);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2018-09-21 20:25:00',311,184);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We need to rent a room for our party.','2020-03-27 17:12:00',260,82);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Buried deep in the snow, he hoped his batteries were fresh in his
avalanche beacon.','2021-02-26 14:05:00',269,154);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Too many prisons have become early coffins.','2020-11-11
09:55:00',331,227);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He wore the surgical mask in public not to keep from catching a virus,
but to keep people away from him.','2017-11-16 22:15:00',62,291);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Bill ran from the giraffe toward the dolphin.','2018-06-10
05:40:00',282,86);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He wondered if she would appreciate his toenail collection.','2018-05-16
16:25:00',178,92);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Grape jelly was leaking out the hole in the roof.','2020-12-23
19:29:00',243,296);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
want more detailed information.','2018-10-22 00:09:00',345,144);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The bullet pierced the window shattering it before missing Danny's head
by mere millimeters.','2018-05-25 06:29:00',54,95);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As time wore on, simple dog commands turned into full paragraphs
explaining why the dog couldn't do something.','2019-08-30
19:20:00',99,41);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2017-09-14
13:45:00',205,87);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He is good at eating pickles and telling women about his emotional
problems.','2017-07-21 04:08:00',44,309);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('You're good at English when you know the difference between a man eating
chicken and a man-eating chicken.','2020-02-02 08:50:00',99,280);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She was too busy always talking about what she wanted to do to actually
do any of it.','2020-09-21 22:21:00',92,309);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in
your head.','2018-01-25 21:20:00',104,149);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He swore he just saw his sushi move.','2018-11-04 09:03:00',89,1);
```

```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He is good at eating pickles and telling women about his emotional
problems.','2020-10-14 15:48:00',4,323);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Truth in advertising and dinosaurs with skateboards have much in
common.','2019-04-29 18:52:00',154,273);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('You can''t compare apples and oranges, but what about bananas and
plantains?','2018-10-05 10:22:00',165,226);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The mysterious diary records the voice.','2019-07-31 06:23:00',267,142);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found his art never progressed when he literally used his sweat and
tears.','2018-12-02 12:42:00',161,252);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2019-09-18
01:40:00',318,150);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Don''t piss in my garden and tell me you're trying to help my plants
grow.','2020-03-02 08:53:00',297,20);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Nobody has encountered an explosive daisy and lived to tell the
tale.','2018-09-13 14:38:00',115,190);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He figured a few sticks of dynamite were easier than a fishing pole to
catch fish.','2020-04-22 10:30:00',212,66);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She saw no irony asking me to change but wanting me to accept her for who
she is.','2017-09-27 14:42:00',83,107);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As the asteroid hurtled toward earth, Becky was upset her dentist
appointment had been canceled.','2020-09-06 21:50:00',250,259);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('I''d rather be a bird than a fish.','2020-04-26 09:01:00',95,254);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Of course, she loves her pink bunny slippers.','2018-11-20
19:52:00',138,137);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As time wore on, simple dog commands turned into full paragraphs
explaining why the dog couldn't do something.','2020-08-25
05:32:00',223,93);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2017-10-25 14:57:00',21,121);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
am happy to take your donation; any amount will be greatly
appreciated.','2018-08-20 13:22:00',242,203);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Stop waiting for exceptional things to just happen.','2019-07-26
10:50:00',171,349);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
am happy to take your donation; any amount will be greatly
appreciated.','2018-07-05 07:44:00',25,244);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They ran around the corner to find that they had traveled back in
```

```

time.','2021-01-21 08:33:00',324,82);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He looked behind the door and didn't like what he saw.','2018-07-20
01:36:00',37,159);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Too many prisons have become early coffins.','2021-01-14
14:23:00',169,256);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door slammed on the watermelon.','2019-01-27 19:33:00',90,341);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The tree fell unexpectedly short.','2019-09-22 10:01:00',151,309);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Eating eggs on Thursday for choir practice was recommended.','2017-05-09
19:18:00',88,5);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('A
song can make or ruin a person's day if they let it get to them.','2020-01-
17 20:18:00',2,164);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We have a lot of rain in June.','2020-05-09 18:57:00',331,161);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She looked into the mirror and saw another person.','2017-09-20
21:15:00',6,345);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Every manager should be able to recite at least ten nursery rhymes
backward.','2017-10-16 03:29:00',65,339);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Every manager should be able to recite at least ten nursery rhymes
backward.','2017-08-25 09:57:00',330,75);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When he encountered maize for the first time, he thought it incredibly
corny.','2017-09-13 01:09:00',177,336);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Everybody should read Chaucer to improve their everyday
vocabulary.','2020-11-20 11:17:00',336,153);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There aren't enough towels in the world to stop the sewage flowing from
his mouth.','2017-07-27 16:54:00',330,296);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Poison ivy grew through the fence they said was impenetrable.','2017-04-
28 16:38:00',28,157);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She did a happy dance because all of the socks from the dryer
matched.','2018-04-26 03:33:00',258,41);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She is never happy until she finds something to be unhappy about; then,
she is overjoyed.','2020-10-16 00:44:00',148,203);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She hadn't had her cup of coffee, and that made things all the
worse.','2017-10-06 08:10:00',344,62);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She looked into the mirror and saw another person.','2019-04-06
17:02:00',76,60);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sure the Devil created red sparkly glitter.','2017-05-08

```



```

20:16:00',40,159);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2017-09-24 13:46:00',94,80);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As she walked along the street and looked in the gutter, she realized
facemasks had become the new cigarette butts.','2017-10-10
02:55:00',99,26);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2019-02-06
12:31:00',287,231);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2018-10-10
11:17:00',248,311);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('My Mum tries to be cool by saying that she likes all the same things that
I do.','2021-02-02 16:50:00',154,316);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Even with the snow falling outside, she felt it appropriate to wear her
bikini.','2019-03-30 23:55:00',326,239);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was the type of guy who liked Christmas lights on his house in the
middle of July.','2017-06-28 13:46:00',324,84);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He figured a few sticks of dynamite were easier than a fishing pole to
catch fish.','2019-12-29 14:44:00',321,230);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When money was tight, he'd get his lunch money from the local wishing
well.','2020-10-20 11:45:00',239,350);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
just wanted to tell you I could see the love you have for your child by the
way you look at her.','2021-03-07 08:50:00',333,221);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It was difficult for Mary to admit that most of her workout consisted of
exercising poor judgment.','2020-04-13 22:30:00',296,2);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2017-05-31
17:45:00',243,289);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He put heat on the wound to see what would grow.','2017-07-25
20:23:00',124,98);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her scream silenced the rowdy teenagers.','2020-07-26 16:25:00',173,24);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2018-11-16
09:46:00',155,343);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The complicated school homework left the parents trying to help their
kids quite confused.','2017-04-27 13:16:00',136,133);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The book is in front of the table.','2019-05-10 00:26:00',227,70);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('For the 216th time, he said he would quit drinking soda after this last
Coke.','2020-11-26 11:28:00',87,86);

```



```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Today arrived with a crash of my car through the garage door.','2018-02-
17 15:55:00',225,319);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2017-10-10
18:39:00',330,343);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fish dreamed of escaping the fishbowl and into the toilet where he
saw his friend go.','2020-07-02 17:07:00',106,337);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His mind was blown that there was nothing in space except space
itself.','2020-12-01 12:47:00',295,249);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Every manager should be able to recite at least ten nursery rhymes
backward.','2021-04-04 17:40:00',263,294);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As time wore on, simple dog commands turned into full paragraphs
explaining why the dog couldn't do something.','2018-11-10
19:28:00',129,242);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Eating eggs on Thursday for choir practice was recommended.','2019-01-24
12:03:00',70,260);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Buried deep in the snow, he hoped his batteries were fresh in his
avalanche beacon.','2021-04-02 16:51:00',255,12);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The tree fell unexpectedly short.','2017-06-07 21:43:00',40,64);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2017-10-03 02:44:00',288,75);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Buried deep in the snow, he hoped his batteries were fresh in his
avalanche beacon.','2020-02-02 03:50:00',90,30);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found his art never progressed when he literally used his sweat and
tears.','2017-12-17 17:52:00',47,277);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Two seats were vacant.','2018-02-09 07:11:00',299,262);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Today arrived with a crash of my car through the garage door.','2017-10-
03 05:12:00',40,131);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in
your head.','2018-02-15 04:35:00',146,315);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Excitement replaced fear until the final moment.','2017-10-09
09:40:00',97,168);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His mind was blown that there was nothing in space except space
itself.','2018-05-25 02:12:00',290,258);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He wondered if she would appreciate his toenail collection.','2020-02-09
20:14:00',165,285);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They looked up at the sky and saw a million stars.','2018-06-30
```

```

00:12:00',269,282);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Going from child, to childish, to childlike is only a matter of
time.','2018-09-05 18:55:00',73,133);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2018-07-05
14:46:00',191,1);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The light that burns twice as bright burns half as long.','2018-10-23
23:52:00',224,274);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Truth in advertising and dinosaurs with skateboards have much in
common.','2021-01-10 11:23:00',84,187);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random
sentence.','2019-03-11 20:56:00',101,18);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('My Mum tries to be cool by saying that she likes all the same things that
I do.','2018-10-11 13:32:00',256,12);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2018-07-27
04:59:00',300,153);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2017-05-14
11:32:00',171,308);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When he encountered maize for the first time, he thought it incredibly
corny.','2017-08-23 17:39:00',19,26);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We have a lot of rain in June.','2020-06-14 02:44:00',308,134);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Thirty years later, she still thought it was okay to put the toilet paper
roll under rather than over.','2018-08-31 10:44:00',320,219);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had a hidden stash underneath the floorboards in the back room of the
house.','2021-02-20 06:31:00',54,21);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He looked behind the door and didn't like what he saw.','2017-05-22
05:00:00',162,49);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His mind was blown that there was nothing in space except space
itself.','2021-01-23 13:34:00',115,5);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We need to rent a room for our party.','2019-03-06 06:56:00',93,203);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The complicated school homework left the parents trying to help their
kids quite confused.','2020-04-28 22:23:00',216,41);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had some amazing news to share but nobody to share it with.','2021-
01-25 07:13:00',326,192);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fish dreamed of escaping the fishbowl and into the toilet where he
saw his friend go.','2017-11-06 01:28:00',68,200);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES

```

```

('He was sure the Devil created red sparkly glitter.','2021-01-29
12:00:00',112,267);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Thirty years later, she still thought it was okay to put the toilet paper
roll under rather than over.','2019-08-21 15:00:00',162,94);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Too many prisons have become early coffins.','2017-12-06
08:25:00',82,238);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
want more detailed information.','2017-05-17 15:22:00',109,329);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They looked up at the sky and saw a million stars.','2018-07-30
20:03:00',103,78);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2018-01-13 22:09:00',26,316);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Everyone was curious about the large white blimp that appeared
overnight.','2018-01-27 19:47:00',245,28);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Nothing is as cautiously cuddly as a pet porcupine.','2018-03-04
01:11:00',196,191);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It''s not possible to convince a monkey to give you a banana by promising
it infinite bananas when they die.','2020-11-26 17:56:00',195,215);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She hadn''t had her cup of coffee, and that made things all the
worse.','2017-12-23 14:09:00',284,53);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2019-12-09
22:50:00',260,34);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Buried deep in the snow, he hoped his batteries were fresh in his
avalanche beacon.','2020-05-04 05:29:00',148,112);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The mysterious diary records the voice.','2017-08-27 16:47:00',343,319);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As she walked along the street and looked in the gutter, she realized
facemasks had become the new cigarette butts.','2017-06-23
17:44:00',323,82);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in
your head.','2018-05-29 05:11:00',200,32);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She was sad to hear that fireflies are facing extinction due to
artificial light, habitat loss, and pesticides.','2018-09-19
09:20:00',255,139);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It caught him off guard that space smelled of seared steak.','2020-05-24
09:16:00',61,65);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('David proudly graduated from high school top of his class at age
97.','2018-12-08 16:52:00',313,70);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Thirty years later, she still thought it was okay to put the toilet paper

```

```
roll under rather than over.', '2019-09-20 01:35:00', 131, 95);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
want more detailed information.', '2018-11-18 23:35:00', 10, 168);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Green should have smelled more tranquil, but somehow it just tasted
rotten.', '2019-12-30 10:46:00', 192, 315);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Flesh-colored yoga pants were far worse than even he feared.', '2020-08-09
09:42:00', 310, 287);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Shingle color was not something the couple had ever talked about.', '2019-
05-05 07:41:00', 218, 91);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('This is the last random sentence I will be writing and I am going to stop
mid-sent', '2021-04-03 23:45:00', 193, 225);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.', '2018-05-10
09:45:00', 325, 224);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He decided to live his life by the big beats manifesto.', '2018-12-12
22:32:00', 153, 193);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('A
quiet house is nice until you are ordered to stay in it for months.', '2018-
12-11 05:59:00', 61, 154);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He swore he just saw his sushi move.', '2020-02-02 18:17:00', 199, 283);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.', '2020-04-16 17:16:00', 282, 9);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He invested some skill points in Charisma and Strength.', '2019-07-04
10:32:00', 114, 173);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Going from child, to childish, to childlike is only a matter of
time.', '2019-07-07 02:58:00', 123, 195);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She was sad to hear that fireflies are facing extinction due to
artificial light, habitat loss, and pesticides.', '2017-12-20
20:13:00', 136, 125);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Of course, she loves her pink bunny slippers.', '2017-05-30
02:18:00', 286, 148);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They got there early, and they got really good seats.', '2021-02-08
00:22:00', 252, 30);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The ants enjoyed the barbecue more than the family.', '2019-01-17
04:48:00', 321, 304);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The ants enjoyed the barbecue more than the family.', '2017-08-10
19:33:00', 287, 184);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As she walked along the street and looked in the gutter, she realized
facemasks had become the new cigarette butts.', '2019-02-26
```

```

10:51:00',25,202);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We have a lot of rain in June.','2017-05-08 13:12:00',217,38);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They desperately needed another drummer since the current one only knew
how to play bongos.','2020-05-09 14:47:00',325,135);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The quick brown fox jumps over the lazy dog.','2020-05-06
19:08:00',328,250);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When I was little I had a car door slammed shut on my hand and I still
remember it quite vividly.','2018-06-05 13:00:00',225,249);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in
your head.','2019-09-03 00:49:00',192,194);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
am happy to take your donation; any amount will be greatly
appreciated.','2021-01-15 18:39:00',174,119);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His confidence would have bee admirable if it wasn't for his
stupidity.','2020-06-09 16:27:00',48,342);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Today arrived with a crash of my car through the garage door.','2020-11-
06 07:10:00',128,136);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Wisdom is easily acquired when hiding under the bed with a saucepan on
your head.','2020-03-07 10:29:00',223,73);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Dolores wouldn't have eaten the meal if she had known what it actually
was.','2018-05-06 08:27:00',61,314);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He went on a whiskey diet and immediately lost three days.','2020-03-10
19:55:00',128,207);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The light that burns twice as bright burns half as long.','2020-04-19
04:49:00',290,64);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2019-05-08 16:48:00',228,317);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He invested some skill points in Charisma and Strength.','2020-09-21
21:29:00',27,84);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The view from the lighthouse excited even the most seasoned
traveler.','2019-06-20 16:22:00',145,86);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
met an interesting turtle while the song on the radio blasted away.','2019-
05-25 03:00:00',155,134);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There were three sphered rocks congregating in a cubed room.','2019-05-30
00:01:00',174,142);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The book is in front of the table.','2019-04-03 07:23:00',328,240);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES

```



```

('Poison ivy grew through the fence they said was impenetrable.','2019-09-18 22:26:00',242,213);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It caught him off guard that space smelled of seared steak.','2019-06-18 20:30:00',140,70);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She is never happy until she finds something to be unhappy about; then, she is overjoyed.','2019-12-11 20:50:00',315,165);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The book is in front of the table.','2017-10-27 15:23:00',24,171);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fish dreamed of escaping the fishbowl and into the toilet where he saw his friend go.','2021-02-10 10:37:00',268,269);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('This is the last random sentence I will be writing and I am going to stop mid-sent','2021-03-08 01:34:00',311,245);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2017-05-22 05:16:00',289,335);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They looked up at the sky and saw a million stars.','2021-01-17 04:14:00',61,270);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random sentence.','2017-09-29 18:48:00',91,121);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in your head.','2018-11-04 16:16:00',289,340);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2018-05-16 23:16:00',155,314);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He decided to live his life by the big beats manifesto.','2020-07-06 11:37:00',182,234);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2019-12-26 15:13:00',153,226);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Nothing is as cautiously cuddly as a pet porcupine.','2020-05-12 02:32:00',228,305);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Hang on, my kittens are scratching at the bathtub and they'll upset by the lack of biscuits.','2021-03-30 21:31:00',167,341);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had reached the point where he was paranoid about being paranoid.','2020-11-21 10:24:00',106,131);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Hang on, my kittens are scratching at the bathtub and they'll upset by the lack of biscuits.','2019-02-17 05:54:00',140,138);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2020-07-05 23:50:00',320,1);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('You can't compare apples and oranges, but what about bananas and plantains?','2018-11-23 00:52:00',61,181);

```



```

INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He stomped on his fruit loops and thus became a cereal killer.','2019-11-30 00:43:00',136,89);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('While all her friends were positive that Mary had a sixth sense, she knew she actually had a seventh sense.','2018-12-12 00:19:00',121,173);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had some amazing news to share but nobody to share it with.','2020-05-05 14:57:00',323,322);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As he waited for the shower to warm, he noticed that he could hear water change temperature.','2018-11-08 01:34:00',55,344);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She could hear him in the shower singing with a joy she hoped he'd retain after she delivered the news.','2020-02-12 00:24:00',266,121);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I just wanted to tell you I could see the love you have for your child by the way you look at her.','2019-09-16 02:24:00',108,234);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He knew it was going to be a bad day when he saw mountain lions roaming the streets.','2018-10-18 15:56:00',289,226);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2018-02-23 21:50:00',141,75);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The crowd yells and screams for more memes.','2020-11-04 06:40:00',319,54);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Wisdom is easily acquired when hiding under the bed with a saucepan on your head.','2021-01-08 14:24:00',282,281);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The bullet pierced the window shattering it before missing Danny's head by mere millimeters.','2017-12-12 11:42:00',32,323);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He figured a few sticks of dynamite were easier than a fishing pole to catch fish.','2018-12-29 04:03:00',178,153);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The waitress was not amused when he ordered green eggs and ham.','2017-10-22 21:12:00',237,3);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He wore the surgical mask in public not to keep from catching a virus, but to keep people away from him.','2019-05-14 23:13:00',272,184);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('You're good at English when you know the difference between a man eating chicken and a man-eating chicken.','2020-06-07 17:59:00',143,290);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Two seats were vacant.','2018-05-17 10:43:00',324,166);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She advised him to come back at once.','2019-11-23 10:51:00',148,309);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door swung open to reveal pink giraffes and red elephants.','2019-10-09 19:56:00',104,9);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I come from a tribe of head-hunters, so I will never need a shrink.','2020-

```

```

11-12 09:41:00',67,342);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('For the 216th time, he said he would quit drinking soda after this last
Coke.','2019-11-27 03:47:00',154,268);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sitting in a trash can with high street class.','2020-03-11
01:53:00',321,149);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
come from a tribe of head-hunters, so I will never need a shrink.','2019-
08-15 06:34:00',108,37);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Nothing is as cautiously cuddly as a pet porcupine.','2018-08-28
21:53:00',168,141);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The ants enjoyed the barbecue more than the family.','2018-06-21
18:04:00',137,333);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Truth in advertising and dinosaurs with skateboards have much in
common.','2018-01-19 21:58:00',248,322);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found a leprechaun in his walnut shell.','2017-04-29
17:17:00',261,146);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2018-12-08
06:22:00',56,60);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She hadn''t had her cup of coffee, and that made things all the
worse.','2018-01-12 15:32:00',113,219);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It took him a month to finish the meal.','2018-07-21 16:01:00',99,51);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2020-08-22
04:00:00',315,295);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.','2017-07-20 16:45:00',248,142);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He figured a few sticks of dynamite were easier than a fishing pole to
catch fish.','2017-11-17 13:28:00',209,288);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('David proudly graduated from high school top of his class at age
97.','2019-08-10 18:17:00',339,4);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
like to leave work after my eight-hour tea-break.','2020-03-26
19:12:00',224,342);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Grape jelly was leaking out the hole in the roof.','2019-01-03
10:00:00',82,24);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Panty hose and heels are an interesting choice of attire for the
beach.','2018-03-04 11:03:00',10,133);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Buried deep in the snow, he hoped his batteries were fresh in his
avalanche beacon.','2019-07-23 08:05:00',48,308);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES

```

```

('The door swung open to reveal pink giraffes and red elephants.','2017-05-29 12:46:00',164,235);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It caught him off guard that space smelled of seared steak.','2017-12-07 08:52:00',219,249);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Everyone was curious about the large white blimp that appeared overnight.','2019-02-22 06:58:00',53,18);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The tree fell unexpectedly short.','2020-06-16 07:08:00',47,3);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.','2020-10-12 11:03:00',311,53);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fifty mannequin heads floating in the pool kind of freaked them out.','2018-07-02 15:30:00',101,349);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found a leprechaun in his walnut shell.','2018-09-28 10:09:00',77,332);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He played the game as if his life depended on it and the truth was that it did.','2019-11-26 17:45:00',298,327);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Love is not like pizza.','2017-10-16 00:11:00',121,323);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It took him a month to finish the meal.','2020-07-10 19:13:00',72,68);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They looked up at the sky and saw a million stars.','2017-06-13 18:03:00',246,175);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Shingle color was not something the couple had ever talked about.','2017-04-26 08:46:00',92,71);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The mysterious diary records the voice.','2020-05-15 14:45:00',287,1);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The tree fell unexpectedly short.','2021-03-07 02:51:00',237,102);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They got there early, and they got really good seats.','2020-06-29 13:54:00',145,36);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He played the game as if his life depended on it and the truth was that it did.','2018-10-28 13:41:00',258,56);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As the asteroid hurtled toward earth, Becky was upset her dentist appointment had been canceled.','2019-03-13 17:38:00',144,73);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The bullet pierced the window shattering it before missing Danny's head by mere millimeters.','2019-07-13 21:28:00',297,218);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('For the 216th time, he said he would quit drinking soda after this last Coke.','2019-01-04 16:17:00',146,246);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2017-06-27 19:38:00',21,86);

```

```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her scream silenced the rowdy teenagers.','2019-11-19 04:56:00',335,92);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The waitress was not amused when he ordered green eggs and ham.','2017-
08-18 00:15:00',91,263);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It''s not possible to convince a monkey to give you a banana by promising
it infinite bananas when they die.','2017-07-16 23:30:00',190,300);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2018-01-27
11:24:00',346,221);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He is good at eating pickles and telling women about his emotional
problems.','2018-06-20 05:40:00',186,86);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He is good at eating pickles and telling women about his emotional
problems.','2021-02-13 18:57:00',27,6);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
come from a tribe of head-hunters, so I will never need a shrink.','2020-
05-16 18:09:00',15,267);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2017-11-28 16:01:00',134,308);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
met an interesting turtle while the song on the radio blasted away.','2018-
08-14 08:42:00',261,284);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The busker hoped that the people passing by would throw money, but they
threw tomatoes instead, so he exchanged his hat for a juicer.','2021-04-06
12:34:00',51,8);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2020-08-20
00:45:00',200,134);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His mind was blown that there was nothing in space except space
itself.','2019-01-26 11:04:00',214,151);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Dolores wouldn''t have eaten the meal if she had known what it actually
was.','2018-02-12 01:42:00',274,261);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Green should have smelled more tranquil, but somehow it just tasted
rotten.','2017-11-21 03:38:00',254,5);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He decided to live his life by the big beats manifesto.','2018-09-17
02:23:00',144,202);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Everybody should read Chaucer to improve their everyday
vocabulary.','2020-05-10 13:01:00',209,240);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Green should have smelled more tranquil, but somehow it just tasted
rotten.','2019-08-16 17:03:00',128,47);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.','2018-05-04 20:14:00',10,316);
```

```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They ran around the corner to find that they had traveled back in
time.','2018-01-27 04:41:00',231,124);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Nothing is as cautiously cuddly as a pet porcupine.','2018-09-25
11:18:00',75,30);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.','2020-04-27 04:22:00',239,129);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found his art never progressed when he literally used his sweat and
tears.','2020-06-02 19:25:00',225,146);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
caught my squirrel rustling through my gym bag.','2017-09-10
01:58:00',92,41);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He swore he just saw his sushi move.','2019-01-10 05:26:00',185,7);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She saw no irony asking me to change but wanting me to accept her for who
she is.','2017-12-09 09:05:00',259,53);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It''s not possible to convince a monkey to give you a banana by promising
it infinite bananas when they die.','2019-06-25 09:07:00',46,31);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He figured a few sticks of dynamite were easier than a fishing pole to
catch fish.','2017-11-04 06:35:00',279,348);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It''s difficult to understand the lengths he''d go to remain
short.','2018-11-04 01:05:00',324,242);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was the type of guy who liked Christmas lights on his house in the
middle of July.','2019-05-14 14:08:00',16,103);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Two seats were vacant.','2017-05-23 22:40:00',160,269);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There were three sphered rocks congregating in a cubed room.','2018-11-20
09:03:00',95,318);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2020-07-26 05:58:00',175,66);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found a leprechaun in his walnut shell.','2021-03-30
22:48:00',328,101);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Jason lived his life by the motto, Anything worth doing is worth doing
poorly.','2019-01-25 18:34:00',196,49);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
checked to make sure that he was still alive.','2017-08-10
07:18:00',153,181);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Hang on, my kittens are scratching at the bathtub and they'll upset by
the lack of biscuits.','2019-07-08 14:09:00',107,116);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('David proudly graduated from high school top of his class at age
```



```
97.', '2017-11-03 07:31:00', 212, 33);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
want to buy a onesie... but know it won't suit me.', '2017-07-21
19:40:00', 160, 54);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The waitress was not amused when he ordered green eggs and ham.', '2018-
12-14 10:27:00', 5, 96);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('David proudly graduated from high school top of his class at age
97.', '2018-02-06 03:20:00', 328, 330);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.', '2017-08-02 01:37:00', 347, 167);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Shingle color was not something the couple had ever talked about.', '2020-
09-19 10:01:00', 196, 349);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door swung open to reveal pink giraffes and red elephants.', '2019-02-
22 04:23:00', 309, 319);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They desperately needed another drummer since the current one only knew
how to play bongos.', '2018-08-13 03:51:00', 84, 279);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He knew it was going to be a bad day when he saw mountain lions roaming
the streets.', '2020-12-25 03:38:00', 115, 214);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had unknowingly taken up sleepwalking as a nighttime hobby.', '2018-03-
14 08:36:00', 271, 319);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The ants enjoyed the barbecue more than the family.', '2019-01-13
01:18:00', 39, 177);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had a habit of taking showers in lemonade.', '2018-06-26
13:42:00', 138, 286);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He went on a whiskey diet and immediately lost three days.', '2020-10-25
07:57:00', 273, 86);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.', '2017-04-26
14:29:00', 288, 228);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She saw no irony asking me to change but wanting me to accept her for who
she is.', '2020-08-09 10:29:00', 323, 108);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Today arrived with a crash of my car through the garage door.', '2018-01-
09 22:31:00', 206, 141);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He invested some skill points in Charisma and Strength.', '2020-03-16
19:10:00', 1, 232);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He wore the surgical mask in public not to keep from catching a virus,
but to keep people away from him.', '2021-01-19 01:27:00', 173, 11);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('I'd rather be a bird than a fish.', '2018-07-02 14:14:00', 96, 102);
```



```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The busker hoped that the people passing by would throw money, but they
threw tomatoes instead, so he exchanged his hat for a juicer.','2019-06-23
21:45:00',119,304);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The view from the lighthouse excited even the most seasoned
traveler.','2017-10-27 02:10:00',45,282);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He is good at eating pickles and telling women about his emotional
problems.','2020-02-29 07:03:00',332,163);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His mind was blown that there was nothing in space except space
itself.','2020-07-21 10:52:00',335,302);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He decided to live his life by the big beats manifesto.','2020-10-08
20:17:00',150,61);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He put heat on the wound to see what would grow.','2019-10-04
03:29:00',145,113);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It dawned on her that others could make her happier, but only she could
make herself happy.','2019-04-20 18:16:00',134,129);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2020-11-19 06:03:00',85,217);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had a hidden stash underneath the floorboards in the back room of the
house.','2019-06-30 19:54:00',222,97);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2017-06-13
17:44:00',74,246);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Panty hose and heels are an interesting choice of attire for the
beach.','2019-12-07 19:38:00',274,295);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He decided to live his life by the big beats manifesto.','2019-02-03
07:30:00',98,80);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The group quickly understood that toxic waste was the most effective
barrier to use against the zombies.','2019-12-03 07:46:00',316,271);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.','2021-03-25 13:20:00',115,182);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2019-06-09 14:16:00',222,265);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There aren't enough towels in the world to stop the sewage flowing from
his mouth.','2018-01-14 14:39:00',166,273);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The clouds formed beautiful animals in the sky that eventually created a
tornado to wreak havoc.','2020-04-21 10:15:00',126,292);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She hadn't had her cup of coffee, and that made things all the
```

```

worse.','2020-11-12 07:24:00',217,105);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She did a happy dance because all of the socks from the dryer
matched.','2017-09-12 15:40:00',312,140);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They ran around the corner to find that they had traveled back in
time.','2020-02-05 16:32:00',27,181);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The waitress was not amused when he ordered green eggs and ham.','2017-
07-07 15:55:00',26,8);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was the type of guy who liked Christmas lights on his house in the
middle of July.','2019-07-03 23:42:00',266,298);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sitting in a trash can with high street class.','2018-08-19
18:00:00',310,15);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Don't piss in my garden and tell me you're trying to help my plants
grow.','2020-01-07 15:41:00',18,5);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When money was tight, he'd get his lunch money from the local wishing
well.','2018-03-23 12:05:00',279,6);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She saw no irony asking me to change but wanting me to accept her for who
she is.','2018-10-16 06:45:00',169,236);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.','2019-11-14 16:10:00',349,152);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She opened up her third bottle of wine of the night.','2021-03-07
15:04:00',106,268);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Excitement replaced fear until the final moment.','2019-09-07
10:16:00',178,151);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It's difficult to understand the lengths he'd go to remain
short.','2020-01-22 12:50:00',165,210);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had some amazing news to share but nobody to share it with.','2020-
08-04 12:02:00',165,2);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('You're good at English when you know the difference between a man eating
chicken and a man-eating chicken.','2019-09-26 03:55:00',262,13);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Even with the snow falling outside, she felt it appropriate to wear her
bikini.','2019-08-12 19:12:00',302,40);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Truth in advertising and dinosaurs with skateboards have much in
common.','2019-07-11 05:10:00',33,67);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Excitement replaced fear until the final moment.','2021-03-15
00:19:00',171,310);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Everybody should read Chaucer to improve their everyday

```

```

vocabulary.', '2021-03-02 09:35:00', 135, 110);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Thirty years later, she still thought it was okay to put the toilet paper
roll under rather than over.', '2021-02-14 20:36:00', 40, 66);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Bill ran from the giraffe toward the dolphin.', '2019-01-18
09:33:00', 120, 304);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He wore the surgical mask in public not to keep from catching a virus,
but to keep people away from him.', '2020-11-03 16:20:00', 167, 177);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They desperately needed another drummer since the current one only knew
how to play bongos.', '2020-09-13 14:14:00', 303, 71);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The Tsunami wave crashed against the raised houses and broke the pilings
as if they were toothpicks.', '2020-05-10 02:02:00', 52, 72);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Don't piss in my garden and tell me you're trying to help my plants
grow.', '2020-12-16 22:58:00', 309, 288);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Peanut butter and jelly caused the elderly lady to think about her
past.', '2017-11-14 18:22:00', 337, 203);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The light that burns twice as bright burns half as long.', '2018-09-22
22:50:00', 195, 142);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His confidence would have bee admirable if it wasn't for his
stupidity.', '2018-02-15 13:57:00', 109, 275);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.', '2021-04-02
23:11:00', 278, 117);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As the asteroid hurtled toward earth, Becky was upset her dentist
appointment had been canceled.', '2021-01-17 21:09:00', 239, 287);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Two seats were vacant.', '2021-03-26 18:46:00', 329, 216);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The mysterious diary records the voice.', '2019-03-12 03:44:00', 127, 6);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sitting in a trash can with high street class.', '2018-10-18
02:25:00', 131, 89);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.', '2020-07-31
07:21:00', 283, 73);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She opened up her third bottle of wine of the night.', '2019-11-27
17:19:00', 207, 169);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She was sad to hear that fireflies are facing extinction due to
artificial light, habitat loss, and pesticides.', '2019-10-10
08:06:00', 119, 6);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.', '2018-04-19
18:55:00', 11, 305);

```

```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The bullet pierced the window shattering it before missing Danny's head
by mere millimeters.', '2018-09-13 22:52:00', 26, 220);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Even with the snow falling outside, she felt it appropriate to wear her
bikini.', '2021-03-04 00:29:00', 66, 323);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.', '2019-01-04 18:12:00', 200, 344);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had reached the point where he was paranoid about being
paranoid.', '2019-05-22 02:37:00', 249, 204);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door slammed on the watermelon.', '2019-07-10 21:15:00', 280, 165);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('People generally approve of dogs eating cat food but not cats eating dog
food.', '2018-01-14 06:43:00', 312, 252);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.', '2018-10-07 12:04:00', 74, 283);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Cats are good pets, for they are clean and are not noisy.', '2019-10-03
08:25:00', 151, 228);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It's not possible to convince a monkey to give you a banana by promising
it infinite bananas when they die.', '2020-11-24 20:55:00', 102, 289);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As time wore on, simple dog commands turned into full paragraphs
explaining why the dog couldn't do something.', '2020-03-22
00:26:00', 123, 218);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The view from the lighthouse excited even the most seasoned
traveler.', '2017-08-08 13:33:00', 112, 20);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tomorrow will bring something new, so leave today as a memory.', '2021-01-
20 17:56:00', 73, 42);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Stop waiting for exceptional things to just happen.', '2018-08-09
20:34:00', 170, 158);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found a leprechaun in his walnut shell.', '2018-06-13 12:46:00', 19, 50);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door slammed on the watermelon.', '2018-10-14 05:56:00', 315, 3);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('David proudly graduated from high school top of his class at age
97.', '2018-04-11 01:16:00', 328, 80);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Peanut butter and jelly caused the elderly lady to think about her
past.', '2021-01-17 19:20:00', 120, 305);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She did a happy dance because all of the socks from the dryer
matched.', '2017-06-06 15:50:00', 167, 125);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Karen realized the only way she was getting into heaven was to
cheat.', '2018-09-09 09:50:00', 114, 256);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
```

```
('She advised him to come back at once.','2020-11-08 02:09:00',180,60);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2017-11-16 00:48:00',282,68);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She was sad to hear that fireflies are facing extinction due to
artificial light, habitat loss, and pesticides.','2017-05-27
16:21:00',244,185);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She says she has the ability to hear the soundtrack of your life.','2019-
12-06 18:58:00',67,141);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
like to leave work after my eight-hour tea-break.','2017-05-30
18:09:00',342,39);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There aren't enough towels in the world to stop the sewage flowing from
his mouth.','2020-07-20 16:03:00',1,80);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Cats are good pets, for they are clean and are not noisy.','2020-07-06
21:28:00',86,150);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tomorrow will bring something new, so leave today as a memory.','2019-05-
09 19:06:00',66,172);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She looked into the mirror and saw another person.','2019-06-07
22:08:00',88,337);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He stomped on his fruit loops and thus became a cereal killer.','2020-02-
25 10:31:00',153,204);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Excitement replaced fear until the final moment.','2019-02-02
18:56:00',210,269);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He is good at eating pickles and telling women about his emotional
problems.','2021-02-07 01:38:00',185,320);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Dolores wouldn't have eaten the meal if she had known what it actually
was.','2020-07-19 13:32:00',78,199);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The lake is a long way from here.','2019-10-29 16:37:00',218,1);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was the type of guy who liked Christmas lights on his house in the
middle of July.','2019-11-26 21:10:00',59,139);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Most shark attacks occur about 10 feet from the beach since that's where
the people are.','2020-03-05 04:39:00',174,285);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The crowd yells and screams for more memes.','2017-11-17
13:01:00',143,231);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There aren't enough towels in the world to stop the sewage flowing from
his mouth.','2020-02-02 07:07:00',236,10);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He looked behind the door and didn't like what he saw.','2020-08-03
```



```
06:50:00',110,127);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Eating eggs on Thursday for choir practice was recommended.','2021-02-25
20:09:00',19,122);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
met an interesting turtle while the song on the radio blasted away.','2019-
12-05 17:04:00',263,125);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Nothing is as cautiously cuddly as a pet porcupine.','2017-10-27
16:59:00',224,137);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fifty mannequin heads floating in the pool kind of freaked them
out.','2018-07-20 05:59:00',262,137);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It's not possible to convince a monkey to give you a banana by promising
it infinite bananas when they die.','2018-02-15 03:34:00',77,149);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It's difficult to understand the lengths he'd go to remain
short.','2018-03-26 04:40:00',306,157);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When transplanting seedlings, candied teapots will make the task
easier.','2020-01-06 12:32:00',181,245);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She was too busy always talking about what she wanted to do to actually
do any of it.','2018-10-30 19:11:00',31,89);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Dolores wouldn't have eaten the meal if she had known what it actually
was.','2019-06-30 04:43:00',13,55);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Bill ran from the giraffe toward the dolphin.','2017-07-11
03:42:00',293,260);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Dolores wouldn't have eaten the meal if she had known what it actually
was.','2019-12-28 06:45:00',158,226);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Nobody has encountered an explosive daisy and lived to tell the
tale.','2021-03-22 11:53:00',24,82);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
think I will buy the red car, or I will lease the blue one.','2019-03-13
17:39:00',302,108);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When he encountered maize for the first time, he thought it incredibly
corny.','2020-09-08 08:50:00',251,240);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Peanuts don't grow on trees, but cashews do.','2019-08-18
17:00:00',243,137);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had unknowingly taken up sleepwalking as a nighttime hobby.','2019-12-
24 18:03:00',65,328);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
like to leave work after my eight-hour tea-break.','2017-08-17
03:51:00',12,232);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random
```



```

sentence.','2017-06-05 22:19:00',211,98);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Bill ran from the giraffe toward the dolphin.','2020-12-13
21:07:00',71,51);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The clouds formed beautiful animals in the sky that eventually created a
tornado to wreak havoc.','2018-06-17 21:17:00',112,47);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2018-02-28
18:56:00',58,143);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He played the game as if his life depended on it and the truth was that
it did.','2020-06-30 06:13:00',53,265);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When transplanting seedlings, candied teapots will make the task
easier.','2017-09-10 00:46:00',184,28);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Cats are good pets, for they are clean and are not noisy.','2021-02-04
17:11:00',74,288);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Most shark attacks occur about 10 feet from the beach since that's where
the people are.','2019-03-19 08:51:00',2,190);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The group quickly understood that toxic waste was the most effective
barrier to use against the zombies.','2020-07-03 07:03:00',231,102);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She did a happy dance because all of the socks from the dryer
matched.','2020-03-15 01:57:00',47,227);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He looked behind the door and didn't like what he saw.','2017-06-13
19:21:00',126,265);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They got there early, and they got really good seats.','2020-11-30
01:04:00',311,210);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They desperately needed another drummer since the current one only knew
how to play bongos.','2020-10-09 21:12:00',18,301);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The Tsunami wave crashed against the raised houses and broke the pilings
as if they were toothpicks.','2020-07-10 07:32:00',344,48);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2020-06-22
02:18:00',73,190);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He drank life before spitting it out.','2021-03-23 19:57:00',181,203);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in
your head.','2019-02-07 15:30:00',109,22);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Iron pyrite is the most foolish of all minerals.','2018-05-03
01:17:00',17,128);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.','2017-07-20 11:20:00',230,267);

```

```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They looked up at the sky and saw a million stars.','2018-12-24
04:35:00',134,23);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fish dreamed of escaping the fishbowl and into the toilet where he
saw his friend go.','2018-04-19 07:47:00',323,276);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2017-12-23
12:04:00',6,140);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Don''t piss in my garden and tell me you're trying to help my plants
grow.','2017-05-02 00:03:00',32,197);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2018-07-31 20:55:00',254,288);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Various sea birds are elegant, but nothing is as elegant as a gliding
pelican.','2017-09-26 12:01:00',248,137);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Green should have smelled more tranquil, but somehow it just tasted
rotten.','2018-08-05 05:52:00',226,243);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The group quickly understood that toxic waste was the most effective
barrier to use against the zombies.','2020-10-17 12:27:00',279,13);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2020-02-28
23:05:00',235,228);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Today arrived with a crash of my car through the garage door.','2018-01-
17 19:41:00',98,256);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sure the Devil created red sparkly glitter.','2021-01-05
18:18:00',26,336);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Eating eggs on Thursday for choir practice was recommended.','2020-03-26
22:35:00',224,128);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She looked into the mirror and saw another person.','2019-09-03
05:38:00',40,340);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She could hear him in the shower singing with a joy she hoped he'd
retain after she delivered the news.','2017-06-27 19:32:00',91,86);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The crowd yells and screams for more memes.','2018-05-18
01:06:00',197,84);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sitting in a trash can with high street class.','2019-01-21
16:06:00',109,271);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He figured a few sticks of dynamite were easier than a fishing pole to
catch fish.','2020-11-03 08:19:00',74,7);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Even with the snow falling outside, she felt it appropriate to wear her
bikini.','2020-12-23 19:51:00',105,324);
```

```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('This is the last random sentence I will be writing and I am going to stop
mid-sent','2019-04-19 03:02:00',52,47);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fifty mannequin heads floating in the pool kind of freaked them
out.','2020-08-17 22:11:00',256,233);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The busker hoped that the people passing by would throw money, but they
threw tomatoes instead, so he exchanged his hat for a juicer.','2017-11-10
07:12:00',168,232);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2018-02-10
08:04:00',76,321);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2018-05-11 05:00:00',70,96);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.','2018-08-20 03:04:00',26,116);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It took him a month to finish the meal.','2020-10-13 22:40:00',207,63);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She says she has the ability to hear the soundtrack of your life.','2018-
06-13 13:40:00',170,175);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2018-10-01 04:12:00',18,339);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
want more detailed information.','2020-04-05 14:58:00',27,340);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It dawned on her that others could make her happier, but only she could
make herself happy.','2020-12-07 11:41:00',234,336);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Everybody should read Chaucer to improve their everyday
vocabulary.','2019-04-04 15:29:00',300,332);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sitting in a trash can with high street class.','2019-10-30
05:15:00',261,300);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2018-06-11 04:04:00',224,6);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had some amazing news to share but nobody to share it with.','2018-
09-27 10:52:00',207,350);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Poison ivy grew through the fence they said was impenetrable.','2018-11-
28 02:10:00',126,30);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They got there early, and they got really good seats.','2020-08-01
04:09:00',136,235);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Wisdom is easily acquired when hiding under the bed with a saucepan on
your head.','2017-07-26 07:03:00',298,132);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The sky is clear; the stars are twinkling.','2017-12-11
```

```

02:01:00',109,303);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There aren't enough towels in the world to stop the sewage flowing from
his mouth.','2018-12-31 08:00:00',22,151);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The clouds formed beautiful animals in the sky that eventually created a
tornado to wreak havoc.','2017-09-26 07:39:00',12,347);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There were three sphered rocks congregating in a cubed room.','2017-08-02
15:48:00',14,165);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
want to buy a onesie... but know it won't suit me.','2020-04-05
06:19:00',251,257);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
am happy to take your donation; any amount will be greatly
appreciated.','2018-05-09 22:42:00',288,95);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sure the Devil created red sparkly glitter.','2018-06-17
18:01:00',69,211);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2018-12-06 04:10:00',280,18);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He knew it was going to be a bad day when he saw mountain lions roaming
the streets.','2018-08-11 09:48:00',107,269);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When he encountered maize for the first time, he thought it incredibly
corny.','2019-04-28 23:03:00',298,13);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.','2020-02-25 14:17:00',221,86);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The light that burns twice as bright burns half as long.','2017-07-28
04:58:00',206,150);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in
your head.','2017-06-09 02:22:00',34,318);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He loved eating his bananas in hot dog buns.','2019-07-02
07:38:00',130,53);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Iron pyrite is the most foolish of all minerals.','2017-06-12
04:20:00',138,208);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The crowd yells and screams for more memes.','2021-01-16
18:31:00',236,240);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She could hear him in the shower singing with a joy she hoped he'd
retain after she delivered the news.','2017-11-11 15:47:00',179,325);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Iron pyrite is the most foolish of all minerals.','2018-02-08
22:30:00',125,52);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2019-07-08 10:27:00',190,125);

```

```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The quick brown fox jumps over the lazy dog.', '2020-12-24
04:39:00', 47, 340);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
liked their first two albums but changed my mind after that charity
gig.', '2018-05-06 09:04:00', 155, 149);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Don''t piss in my garden and tell me you're trying to help my plants
grow.', '2017-06-07 21:03:00', 135, 16);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The view from the lighthouse excited even the most seasoned
traveler.', '2017-04-17 15:18:00', 253, 317);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It was difficult for Mary to admit that most of her workout consisted of
exercising poor judgment.', '2020-02-25 03:42:00', 58, 192);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When transplanting seedlings, candied teapots will make the task
easier.', '2020-04-14 03:27:00', 114, 345);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The tree fell unexpectedly short.', '2020-02-13 04:31:00', 74, 264);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.', '2020-06-06
09:59:00', 95, 193);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Cats are good pets, for they are clean and are not noisy.', '2018-08-04
05:57:00', 285, 336);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.', '2020-10-09
00:44:00', 168, 190);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.', '2019-01-26 23:37:00', 270, 157);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As she walked along the street and looked in the gutter, she realized
facemasks had become the new cigarette butts.', '2017-06-25
16:26:00', 213, 223);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As she walked along the street and looked in the gutter, she realized
facemasks had become the new cigarette butts.', '2018-03-04
21:50:00', 215, 243);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sure the Devil created red sparkly glitter.', '2018-11-09
22:38:00', 299, 224);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
just wanted to tell you I could see the love you have for your child by the
way you look at her.', '2020-11-05 03:43:00', 116, 152);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As he waited for the shower to warm, he noticed that he could hear water
change temperature.', '2018-11-10 03:16:00', 105, 347);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When transplanting seedlings, candied teapots will make the task
easier.', '2019-11-29 09:57:00', 55, 29);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.', '2019-04-15
```



```

11:55:00',284,2);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Jason lived his life by the motto, Anything worth doing is worth doing
poorly.','2020-10-04 10:46:00',305,13);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The view from the lighthouse excited even the most seasoned
traveler.','2017-06-30 16:20:00',171,106);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The clouds formed beautiful animals in the sky that eventually created a
tornado to wreak havoc.','2021-03-14 19:02:00',2,95);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It was a slippery slope and he was willing to slide all the way to the
deepest depths.','2018-06-07 04:27:00',231,335);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He figured a few sticks of dynamite were easier than a fishing pole to
catch fish.','2017-12-07 15:48:00',266,138);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
liked their first two albums but changed my mind after that charity
gig.','2019-07-30 01:45:00',146,327);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Karen realized the only way she was getting into heaven was to
cheat.','2017-11-02 20:53:00',99,270);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Most shark attacks occur about 10 feet from the beach since that's where
the people are.','2017-06-22 18:31:00',219,313);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Red is greener than purple, for sure.','2019-03-22 15:37:00',61,316);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Truth in advertising and dinosaurs with skateboards have much in
common.','2021-04-02 16:22:00',237,193);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
am happy to take your donation; any amount will be greatly
appreciated.','2018-09-17 22:33:00',115,217);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Flesh-colored yoga pants were far worse than even he feared.','2018-06-16
18:51:00',83,240);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
come from a tribe of head-hunters, so I will never need a shrink.','2019-
07-21 16:29:00',195,168);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('This is the last random sentence I will be writing and I am going to stop
mid-sent','2019-03-26 13:00:00',236,16);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Green should have smelled more tranquil, but somehow it just tasted
rotten.','2019-03-07 07:42:00',224,244);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('My Mum tries to be cool by saying that she likes all the same things that
I do.','2019-12-09 01:55:00',34,192);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His confidence would have bee admirable if it wasn't for his
stupidity.','2017-05-29 04:34:00',226,32);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Peanuts don't grow on trees, but cashews do.','2018-03-06
02:59:00',271,269);

```



```

INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It took him a month to finish the meal.', '2021-01-20 06:13:00', 18, 140);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She advised him to come back at once.', '2019-03-12 04:53:00', 29, 234);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The sky is clear; the stars are twinkling.', '2020-07-28
12:50:00', 66, 291);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As the asteroid hurtled toward earth, Becky was upset her dentist
appointment had been canceled.', '2019-02-10 00:16:00', 91, 127);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Eating eggs on Thursday for choir practice was recommended.', '2018-09-21
03:38:00', 289, 286);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random
sentence.', '2017-07-11 09:56:00', 290, 268);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.', '2019-10-27 08:42:00', 200, 267);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It was difficult for Mary to admit that most of her workout consisted of
exercising poor judgment.', '2017-10-21 07:59:00', 107, 129);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The mysterious diary records the voice.', '2018-12-22 01:50:00', 26, 297);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
come from a tribe of head-hunters, so I will never need a shrink.', '2017-
11-23 13:12:00', 74, 200);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She hadn't had her cup of coffee, and that made things all the
worse.', '2018-11-02 07:57:00', 95, 11);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Eating eggs on Thursday for choir practice was recommended.', '2020-12-24
23:21:00', 257, 131);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The busker hoped that the people passing by would throw money, but they
threw tomatoes instead, so he exchanged his hat for a juicer.', '2018-01-16
15:23:00', 15, 303);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.', '2021-03-01 19:49:00', 347, 116);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They ran around the corner to find that they had traveled back in
time.', '2018-09-09 22:06:00', 127, 5);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We need to rent a room for our party.', '2019-02-23 03:16:00', 162, 79);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Poison ivy grew through the fence they said was impenetrable.', '2020-12-
05 14:14:00', 25, 109);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He loved eating his bananas in hot dog buns.', '2018-03-16
19:22:00', 256, 321);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.', '2020-06-08
12:17:00', 227, 323);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES

```

```

('Excitement replaced fear until the final moment.','2017-09-30
06:03:00',97,250);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in
your head.','2020-12-10 19:00:00',324,122);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She did a happy dance because all of the socks from the dryer
matched.','2018-10-09 08:03:00',211,138);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She looked into the mirror and saw another person.','2018-04-12
22:36:00',243,280);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She opened up her third bottle of wine of the night.','2018-12-31
19:22:00',340,261);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He wondered if she would appreciate his toenail collection.','2019-11-06
20:42:00',41,189);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Grape jelly was leaking out the hole in the roof.','2019-11-08
19:07:00',179,293);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Everyone was curious about the large white blimp that appeared
overnight.','2018-01-30 20:59:00',69,285);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She was too busy always talking about what she wanted to do to actually
do any of it.','2018-06-30 16:17:00',322,347);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They desperately needed another drummer since the current one only knew
how to play bongos.','2018-01-07 23:07:00',346,224);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Poison ivy grew through the fence they said was impenetrable.','2020-10-
10 14:31:00',22,92);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They ran around the corner to find that they had traveled back in
time.','2018-02-13 02:08:00',220,33);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
think I will buy the red car, or I will lease the blue one.','2018-07-30
22:44:00',313,111);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She says she has the ability to hear the soundtrack of your life.','2019-
11-12 21:32:00',131,2);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was the type of guy who liked Christmas lights on his house in the
middle of July.','2020-07-18 05:08:00',129,9);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2020-07-29 12:39:00',81,140);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had a hidden stash underneath the floorboards in the back room of the
house.','2018-10-17 16:40:00',338,23);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had some amazing news to share but nobody to share it with.','2020-
02-05 14:46:00',40,31);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('A

```

```
quiet house is nice until you are ordered to stay in it for months.','2019-06-03 19:38:00',194,243);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('He is good at eating pickles and telling women about his emotional problems.','2020-10-18 22:17:00',1,238);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('The skeleton had skeletons of his own in the closet.','2017-10-09 20:21:00',140,270);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I caught my squirrel rustling through my gym bag.','2021-03-26 10:47:00',89,14);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('He wondered if she would appreciate his toenail collection.','2019-10-20 00:47:00',241,282);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('Karen realized the only way she was getting into heaven was to cheat.','2019-06-19 19:26:00',217,77);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('Joyce enjoyed eating pancakes with ketchup.','2017-09-13 07:30:00',13,156);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('Wisdom is easily acquired when hiding under the bed with a saucepan on your head.','2019-04-25 18:51:00',10,123);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('He hated that he loved what she hated about hate.','2018-08-22 17:48:00',252,44);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('She had a habit of taking showers in lemonade.','2020-05-21 00:03:00',242,182);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('They were excited to see their first sloth.','2021-01-12 02:50:00',249,295);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('When transplanting seedlings, candied teapots will make the task easier.','2017-05-28 00:11:00',204,97);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('Cats are good pets, for they are clean and are not noisy.','2017-11-02 05:33:00',131,157);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('She hadn't had her cup of coffee, and that made things all the worse.','2020-02-15 04:10:00',182,127);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('The ants enjoyed the barbecue more than the family.','2019-10-11 22:38:00',149,227);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('He loved eating his bananas in hot dog buns.','2018-05-28 15:25:00',160,275);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('She was too busy always talking about what she wanted to do to actually do any of it.','2020-10-05 19:38:00',211,162);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('He would only survive if he kept the fire going and he could hear thunder in the distance.','2018-06-27 04:15:00',76,141);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
```

```

('The mysterious diary records the voice.','2020-09-06 14:40:00',279,183);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('While all her friends were positive that Mary had a sixth sense, she knew
she actually had a seventh sense.','2020-06-28 07:53:00',175,251);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The complicated school homework left the parents trying to help their
kids quite confused.','2020-02-12 07:16:00',145,237);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They desperately needed another drummer since the current one only knew
how to play bongos.','2019-07-14 13:23:00',205,167);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random
sentence.','2017-07-14 20:55:00',107,102);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She saw no irony asking me to change but wanting me to accept her for who
she is.','2019-11-13 21:02:00',130,205);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
just wanted to tell you I could see the love you have for your child by the
way you look at her.','2017-05-03 21:01:00',250,106);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
think I will buy the red car, or I will lease the blue one.','2019-05-02
12:05:00',141,29);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Even though he thought the world was flat he didn't see the irony of
wanting to travel around the world.','2018-03-31 07:57:00',69,296);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Iron pyrite is the most foolish of all minerals.','2019-01-19
22:55:00',313,122);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They desperately needed another drummer since the current one only knew
how to play bongos.','2019-06-22 17:26:00',315,322);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fifty mannequin heads floating in the pool kind of freaked them
out.','2020-08-29 14:45:00',68,231);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Buried deep in the snow, he hoped his batteries were fresh in his
avalanche beacon.','2018-01-11 04:16:00',45,126);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.','2019-11-23 08:42:00',251,255);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She could hear him in the shower singing with a joy she hoped he'd
retain after she delivered the news.','2017-07-28 16:30:00',139,274);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He loved eating his bananas in hot dog buns.','2019-04-22
06:14:00',193,78);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Going from child, to childish, to childlike is only a matter of
time.','2019-11-15 23:46:00',190,188);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As he waited for the shower to warm, he noticed that he could hear water
change temperature.','2019-02-13 05:05:00',233,276);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Even with the snow falling outside, she felt it appropriate to wear her

```

```
bikini.', '2020-08-10 01:34:00', 56, 177);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random
sentence.', '2018-11-03 19:22:00', 185, 100);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Stop waiting for exceptional things to just happen.', '2018-04-17
20:22:00', 295, 195);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He is good at eating pickles and telling women about his emotional
problems.', '2017-08-10 23:32:00', 339, 123);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Too many prisons have become early coffins.', '2019-08-15
23:54:00', 212, 126);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
checked to make sure that he was still alive.', '2020-05-01
22:53:00', 317, 334);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('A
song can make or ruin a person's day if they let it get to them.', '2019-11-
23 04:58:00', 124, 323);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The book is in front of the table.', '2019-08-31 18:02:00', 73, 188);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
like to leave work after my eight-hour tea-break.', '2018-12-23
02:18:00', 260, 344);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Don't piss in my garden and tell me you're trying to help my plants
grow.', '2020-11-04 06:02:00', 115, 90);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The Tsunami wave crashed against the raised houses and broke the pilings
as if they were toothpicks.', '2019-12-26 12:49:00', 43, 168);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The group quickly understood that toxic waste was the most effective
barrier to use against the zombies.', '2021-03-16 02:47:00', 46, 48);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She advised him to come back at once.', '2018-12-04 01:37:00', 125, 46);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As she walked along the street and looked in the gutter, she realized
facemasks had become the new cigarette butts.', '2020-04-13
16:29:00', 32, 177);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Iron pyrite is the most foolish of all minerals.', '2021-02-27
01:20:00', 205, 187);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.', '2020-12-13
20:16:00', 319, 174);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('In hopes of finding out the truth, he entered the one-room
library.', '2017-11-02 15:41:00', 116, 137);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Various sea birds are elegant, but nothing is as elegant as a gliding
pelican.', '2018-11-16 07:19:00', 227, 327);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
come from a tribe of head-hunters, so I will never need a shrink.', '2021-
02-27 15:53:00', 221, 108);
```



```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('You can''t compare apples and oranges, but what about bananas and
plantains?','2020-05-03 09:07:00',301,100);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
come from a tribe of head-hunters, so I will never need a shrink.','2019-
09-11 07:50:00',311,339);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As he waited for the shower to warm, he noticed that he could hear water
change temperature.','2017-11-08 09:41:00',305,79);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Excitement replaced fear until the final moment.','2020-04-21
01:52:00',140,6);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her life in the confines of the house became her new normal.','2019-08-04
04:12:00',195,240);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Various sea birds are elegant, but nothing is as elegant as a gliding
pelican.','2020-01-28 14:10:00',228,337);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Shingle color was not something the couple had ever talked about.','2019-
09-10 04:01:00',12,229);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The view from the lighthouse excited even the most seasoned
traveler.','2020-06-23 01:38:00',195,169);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Thirty years later, she still thought it was okay to put the toilet paper
roll under rather than over.','2018-03-09 22:11:00',234,280);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When money was tight, he''d get his lunch money from the local wishing
well.','2021-01-20 13:35:00',27,194);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
currently have 4 windows open up... and I don't know why.','2017-04-27
03:55:00',131,219);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('I''d rather be a bird than a fish.','2020-08-17 09:18:00',22,245);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('A
song can make or ruin a person's day if they let it get to them.','2018-04-
30 11:55:00',167,98);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It took him a month to finish the meal.','2017-07-21 10:56:00',215,2);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He swore he just saw his sushi move.','2019-02-01 16:36:00',40,323);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Nothing is as cautiously cuddly as a pet porcupine.','2017-06-29
14:04:00',207,276);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had a habit of taking showers in lemonade.','2018-01-14
12:26:00',34,288);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The light that burns twice as bright burns half as long.','2018-07-31
02:42:00',62,72);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found a leprechaun in his walnut shell.','2017-04-28
01:06:00',272,311);
```



```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It dawned on her that others could make her happier, but only she could
make herself happy.','2020-05-25 02:28:00',9,189);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The group quickly understood that toxic waste was the most effective
barrier to use against the zombies.','2017-11-18 07:43:00',34,150);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2020-09-03
07:31:00',125,145);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
currently have 4 windows open up... and I don't know why.','2020-02-21
02:42:00',45,63);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Truth in advertising and dinosaurs with skateboards have much in
common.','2020-11-08 06:44:00',82,321);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
like to leave work after my eight-hour tea-break.','2019-03-06
21:09:00',177,2);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2019-07-26 19:35:00',280,180);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The blue parrot drove by the hitchhiking mongoose.','2018-06-13
19:38:00',109,344);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her scream silenced the rowdy teenagers.','2020-04-19 03:48:00',347,162);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Panty hose and heels are an interesting choice of attire for the
beach.','2017-10-01 04:02:00',134,251);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('My Mum tries to be cool by saying that she likes all the same things that
I do.','2021-01-01 21:02:00',200,275);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('In hopes of finding out the truth, he entered the one-room
library.','2021-03-11 13:07:00',312,51);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.','2019-11-15 20:13:00',145,152);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Flesh-colored yoga pants were far worse than even he feared.','2019-08-25
02:30:00',125,329);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.','2019-06-28
09:37:00',268,335);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2017-05-14
19:50:00',296,291);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The quick brown fox jumps over the lazy dog.','2021-02-13
17:50:00',284,64);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2020-09-12 02:08:00',66,341);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The clouds formed beautiful animals in the sky that eventually created a
tornado to wreak havoc.','2017-09-08 20:35:00',232,187);
```

```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Going from child, to childish, to childlike is only a matter of
time.','2020-08-05 01:59:00',169,344);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When he encountered maize for the first time, he thought it incredibly
corny.','2018-09-10 11:43:00',275,331);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He loved eating his bananas in hot dog buns.','2021-01-12
12:43:00',185,143);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had reached the point where he was paranoid about being
paranoid.','2018-04-18 03:27:00',344,22);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We need to rent a room for our party.','2018-07-18 02:40:00',327,164);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It caught him off guard that space smelled of seared steak.','2020-12-29
21:43:00',261,222);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The tree fell unexpectedly short.','2018-12-21 13:03:00',36,248);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('My Mum tries to be cool by saying that she likes all the same things that
I do.','2019-03-23 10:02:00',220,26);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He is good at eating pickles and telling women about his emotional
problems.','2017-05-08 21:58:00',325,239);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Of course, she loves her pink bunny slippers.','2018-09-11
21:18:00',246,107);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It's difficult to understand the lengths he'd go to remain
short.','2018-07-29 21:36:00',234,311);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
checked to make sure that he was still alive.','2020-01-11
07:58:00',17,208);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.','2018-07-28 23:00:00',207,293);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The view from the lighthouse excited even the most seasoned
traveler.','2021-03-26 00:23:00',66,251);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door swung open to reveal pink giraffes and red elephants.','2020-07-
26 23:18:00',37,218);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We should play with legos at camp.','2020-04-23 13:16:00',324,196);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2018-11-25
12:25:00',83,246);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Grape jelly was leaking out the hole in the roof.','2017-11-10
19:51:00',285,159);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The tree fell unexpectedly short.','2018-02-01 20:32:00',345,255);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2019-06-17
```

```

02:01:00',15,111);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They ran around the corner to find that they had traveled back in
time.','2021-03-18 21:50:00',216,337);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found his art never progressed when he literally used his sweat and
tears.','2019-05-23 03:38:00',109,214);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2018-05-24 21:51:00',228,281);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The group quickly understood that toxic waste was the most effective
barrier to use against the zombies.','2020-09-16 20:06:00',199,123);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The view from the lighthouse excited even the most seasoned
traveler.','2018-04-21 06:14:00',77,239);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.','2020-03-15 07:10:00',52,28);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Most shark attacks occur about 10 feet from the beach since that's where
the people are.','2020-03-30 06:35:00',338,55);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
just wanted to tell you I could see the love you have for your child by the
way you look at her.','2021-02-12 06:14:00',152,46);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Wisdom is easily acquired when hiding under the bed with a saucepan on
your head.','2019-10-04 03:34:00',91,175);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It's not possible to convince a monkey to give you a banana by promising
it infinite bananas when they die.','2020-01-23 02:14:00',74,125);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had a hidden stash underneath the floorboards in the back room of the
house.','2018-11-07 09:20:00',343,271);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He wore the surgical mask in public not to keep from catching a virus,
but to keep people away from him.','2018-02-16 10:11:00',195,267);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He looked behind the door and didn't like what he saw.','2019-02-15
19:39:00',309,6);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Red is greener than purple, for sure.','2018-05-20 04:55:00',251,76);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
caught my squirrel rustling through my gym bag.','2018-12-27
05:14:00',291,11);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had a hidden stash underneath the floorboards in the back room of the
house.','2019-02-25 06:13:00',189,58);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It dawned on her that others could make her happier, but only she could
make herself happy.','2018-01-20 04:15:00',201,72);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Too many prisons have become early coffins.','2021-03-25
13:21:00',174,81);

```

```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He knew it was going to be a bad day when he saw mountain lions roaming
the streets.','2020-05-03 05:15:00',150,203);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.','2017-08-24
06:22:00',317,58);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Poison ivy grew through the fence they said was impenetrable.','2018-11-
26 04:18:00',234,173);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2017-07-18
10:32:00',106,299);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Wisdom is easily acquired when hiding under the bed with a saucepan on
your head.','2021-01-30 15:18:00',86,138);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The book is in front of the table.','2018-10-13 19:31:00',77,203);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The tree fell unexpectedly short.','2017-12-02 06:05:00',216,133);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
just wanted to tell you I could see the love you have for your child by the
way you look at her.','2019-09-09 14:36:00',55,84);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The quick brown fox jumps over the lazy dog.','2017-08-22
00:08:00',60,121);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Dolores wouldn't have eaten the meal if she had known what it actually
was.','2018-05-22 08:51:00',29,308);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Buried deep in the snow, he hoped his batteries were fresh in his
avalanche beacon.','2017-11-07 22:37:00',139,40);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('While all her friends were positive that Mary had a sixth sense, she knew
she actually had a seventh sense.','2018-07-06 17:42:00',31,164);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sure the Devil created red sparkly glitter.','2020-12-17
07:40:00',52,286);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Two seats were vacant.','2019-08-30 21:27:00',70,242);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The skeleton had skeletons of his own in the closet.','2019-10-23
21:12:00',5,13);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Wisdom is easily acquired when hiding under the bed with a saucepan on
your head.','2019-06-12 03:38:00',331,343);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Every manager should be able to recite at least ten nursery rhymes
backward.','2020-02-25 19:02:00',325,199);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She advised him to come back at once.','2020-06-02 13:44:00',291,170);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in
your head.','2018-04-17 12:33:00',156,20);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
```

```
('In hopes of finding out the truth, he entered the one-room
library.','2019-07-12 08:00:00',161,208);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2019-05-23
05:34:00',61,13);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He stomped on his fruit loops and thus became a cereal killer.','2017-11-
18 17:38:00',329,256);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
caught my squirrel rustling through my gym bag.','2019-11-25
10:58:00',115,54);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2018-11-30
13:11:00',283,229);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She did a happy dance because all of the socks from the dryer
matched.','2018-12-03 16:29:00',87,114);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2020-10-03 08:03:00',321,219);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The busker hoped that the people passing by would throw money, but they
threw tomatoes instead, so he exchanged his hat for a juicer.','2017-08-04
08:42:00',88,10);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2018-12-10
09:18:00',163,346);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('In hopes of finding out the truth, he entered the one-room
library.','2018-07-29 14:04:00',74,182);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The book is in front of the table.','2021-04-03 22:40:00',343,269);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2018-04-28
00:29:00',171,165);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Even with the snow falling outside, she felt it appropriate to wear her
bikini.','2020-12-18 15:35:00',184,102);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When money was tight, he''d get his lunch money from the local wishing
well.','2017-07-19 10:06:00',26,342);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We need to rent a room for our party.','2021-03-30 06:06:00',132,86);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He would only survive if he kept the fire going and he could hear thunder
in the distance.','2021-01-03 09:22:00',264,8);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Hang on, my kittens are scratching at the bathtub and they''ll upset by
the lack of biscuits.','2019-12-16 12:18:00',137,56);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('This is the last random sentence I will be writing and I am going to stop
mid-sent','2017-11-08 09:38:00',154,76);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Flesh-colored yoga pants were far worse than even he feared.','2020-11-12
```



```
11:45:00',168,322);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The lake is a long way from here.','2018-04-05 04:14:00',76,326);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As he waited for the shower to warm, he noticed that he could hear water
change temperature.','2017-09-25 04:27:00',240,243);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Flesh-colored yoga pants were far worse than even he feared.','2019-10-23
21:47:00',209,170);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2018-06-22
18:08:00',270,21);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Dolores wouldn't have eaten the meal if she had known what it actually
was.','2017-06-03 15:11:00',168,322);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2019-08-24 00:27:00',217,339);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2018-11-23
15:36:00',118,130);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When I was little I had a car door slammed shut on my hand and I still
remember it quite vividly.','2019-08-29 10:50:00',88,153);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('David proudly graduated from high school top of his class at age
97.','2018-08-18 02:25:00',34,166);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sitting in a trash can with high street class.','2018-01-11
00:00:00',64,162);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It's not possible to convince a monkey to give you a banana by promising
it infinite bananas when they die.','2017-04-22 12:28:00',295,139);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The busker hoped that the people passing by would throw money, but they
threw tomatoes instead, so he exchanged his hat for a juicer.','2017-09-13
03:50:00',218,349);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Stop waiting for exceptional things to just happen.','2017-07-11
12:42:00',334,108);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had reached the point where he was paranoid about being
paranoid.','2018-04-07 07:42:00',225,296);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The newly planted trees were held up by wooden frames in hopes they could
survive the next storm.','2018-12-19 19:10:00',129,19);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('People generally approve of dogs eating cat food but not cats eating dog
food.','2020-10-17 22:34:00',168,130);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Buried deep in the snow, he hoped his batteries were fresh in his
avalanche beacon.','2017-12-12 03:03:00',283,99);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He looked behind the door and didn't like what he saw.','2017-10-08
12:15:00',249,232);
```

```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Thirty years later, she still thought it was okay to put the toilet paper
roll under rather than over.', '2018-08-23 07:56:00', 198, 312);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It dawned on her that others could make her happier, but only she could
make herself happy.', '2020-05-14 14:30:00', 157, 304);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The crowd yells and screams for more memes.', '2019-10-24
08:12:00', 265, 188);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.', '2021-01-08
09:55:00', 11, 310);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('You're good at English when you know the difference between a man eating
chicken and a man-eating chicken.', '2017-07-07 20:23:00', 310, 43);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When I was little I had a car door slammed shut on my hand and I still
remember it quite vividly.', '2020-11-08 08:11:00', 322, 169);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The busker hoped that the people passing by would throw money, but they
threw tomatoes instead, so he exchanged his hat for a juicer.', '2019-09-04
22:00:00', 319, 237);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.', '2018-01-18 13:29:00', 234, 171);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Peanuts don't grow on trees, but cashews do.', '2018-03-23
06:51:00', 1, 61);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He played the game as if his life depended on it and the truth was that
it did.', '2017-08-15 10:59:00', 57, 321);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('For the 216th time, he said he would quit drinking soda after this last
Coke.', '2018-03-23 10:04:00', 60, 346);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There aren't enough towels in the world to stop the sewage flowing from
his mouth.', '2019-12-12 08:55:00', 321, 244);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Iron pyrite is the most foolish of all minerals.', '2020-08-14
03:45:00', 47, 334);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
want to buy a onesie... but know it won't suit me.', '2017-11-16
19:54:00', 154, 222);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The crowd yells and screams for more memes.', '2018-02-13
22:20:00', 72, 306);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.', '2020-11-08
08:41:00', 58, 47);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.', '2018-11-05 11:27:00', 338, 167);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Love is not like pizza.', '2019-12-17 18:06:00', 3, 316);
```

```

INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Love is not like pizza.', '2017-05-12 01:37:00', 342, 70);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had unknowingly taken up sleepwalking as a nighttime hobby.', '2017-09-26 04:12:00', 15, 284);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in your head.', '2019-02-22 13:30:00', 176, 8);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As she walked along the street and looked in the gutter, she realized facemasks had become the new cigarette butts.', '2020-04-19 17:40:00', 42, 172);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He wondered if she would appreciate his toenail collection.', '2019-11-04 23:34:00', 234, 226);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He wore the surgical mask in public not to keep from catching a virus, but to keep people away from him.', '2019-05-03 09:05:00', 192, 119);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had a habit of taking showers in lemonade.', '2021-03-09 18:20:00', 120, 89);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The newly planted trees were held up by wooden frames in hopes they could survive the next storm.', '2020-10-14 17:12:00', 331, 202);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fifty mannequin heads floating in the pool kind of freaked them out.', '2017-04-24 11:14:00', 128, 47);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Even though he thought the world was flat he didn't see the irony of wanting to travel around the world.', '2019-10-21 12:47:00', 213, 159);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As time wore on, simple dog commands turned into full paragraphs explaining why the dog couldn't do something.', '2018-05-29 00:11:00', 233, 58);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Every manager should be able to recite at least ten nursery rhymes backward.', '2019-08-04 10:47:00', 342, 232);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We should play with legos at camp.', '2018-08-30 16:19:00', 229, 194);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It dawned on her that others could make her happier, but only she could make herself happy.', '2019-04-07 12:38:00', 306, 150);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When transplanting seedlings, candied teapots will make the task easier.', '2019-03-31 20:45:00', 319, 145);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with her.', '2019-09-17 21:02:00', 221, 281);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fifty mannequin heads floating in the pool kind of freaked them out.', '2017-05-31 10:54:00', 343, 118);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The book is in front of the table.', '2021-02-18 16:00:00', 324, 48);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES

```

```

('8% of 25 is the same as 25% of 8 and one of them is much easier to do in
your head.','2021-02-16 10:57:00',200,313);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As time wore on, simple dog commands turned into full paragraphs
explaining why the dog couldn't do something.','2020-12-15
18:06:00',74,21);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Shingle color was not something the couple had ever talked about.','2021-
01-14 15:31:00',256,71);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Various sea birds are elegant, but nothing is as elegant as a gliding
pelican.','2019-12-08 07:23:00',101,206);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He looked behind the door and didn't like what he saw.','2018-05-22
03:26:00',222,286);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We need to rent a room for our party.','2020-08-27 20:58:00',253,29);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2018-12-24
03:55:00',181,133);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('People generally approve of dogs eating cat food but not cats eating dog
food.','2019-11-16 13:35:00',301,233);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random
sentence.','2018-10-01 18:55:00',288,308);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
caught my squirrel rustling through my gym bag.','2018-05-22
13:20:00',42,343);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('After fighting off the alligator, Brian still had to face the
anaconda.','2020-03-14 00:52:00',270,240);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Poison ivy grew through the fence they said was impenetrable.','2017-09-
26 05:01:00',158,219);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2019-12-09 11:36:00',74,178);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sitting in a trash can with high street class.','2017-05-06
07:11:00',275,203);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('After fighting off the alligator, Brian still had to face the
anaconda.','2020-11-25 16:15:00',330,22);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.','2019-08-30 17:54:00',275,65);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tomorrow will bring something new, so leave today as a memory.','2021-02-
24 07:20:00',6,77);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It's difficult to understand the lengths he'd go to remain
short.','2020-03-19 12:24:00',249,304);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The quick brown fox jumps over the lazy dog.','2019-02-09

```

```

19:48:00',202,77);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We need to rent a room for our party.','2021-01-31 00:45:00',173,331);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.','2017-05-31 06:22:00',241,121);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Jason lived his life by the motto, Anything worth doing is worth doing
poorly.','2019-07-10 09:54:00',242,53);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her life in the confines of the house became her new normal.','2018-10-07
16:39:00',255,45);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2020-10-17 08:16:00',290,236);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His mind was blown that there was nothing in space except space
itself.','2019-06-26 08:42:00',85,175);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
currently have 4 windows open up... and I don't know why.','2021-04-09
10:46:00',65,103);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The blue parrot drove by the hitchhiking mongoose.','2020-02-20
13:07:00',220,224);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He would only survive if he kept the fire going and he could hear thunder
in the distance.','2020-06-02 08:34:00',300,268);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Hang on, my kittens are scratching at the bathtub and they'll upset by
the lack of biscuits.','2018-03-23 16:16:00',125,289);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Every manager should be able to recite at least ten nursery rhymes
backward.','2018-05-20 01:33:00',219,178);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The complicated school homework left the parents trying to help their
kids quite confused.','2019-01-05 15:57:00',224,159);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found a leprechaun in his walnut shell.','2019-05-31
02:43:00',196,121);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The tree fell unexpectedly short.','2020-05-21 10:26:00',193,132);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He invested some skill points in Charisma and Strength.','2018-11-09
16:57:00',152,339);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('After fighting off the alligator, Brian still had to face the
anaconda.','2019-06-03 11:53:00',32,63);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had some amazing news to share but nobody to share it with.','2018-
01-13 05:47:00',18,209);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He wondered if she would appreciate his toenail collection.','2019-10-27
10:04:00',248,165);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Dolores wouldn't have eaten the meal if she had known what it actually

```



```
was.', '2017-08-26 23:42:00', 311, 205);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.', '2019-12-13 01:38:00', 67, 262);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He drank life before spitting it out.', '2017-08-19 04:01:00', 297, 156);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The sky is clear; the stars are twinkling.', '2018-10-07
07:56:00', 197, 227);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
think I will buy the red car, or I will lease the blue one.', '2018-12-19
17:28:00', 93, 166);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.', '2018-04-23 05:41:00', 277, 350);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As time wore on, simple dog commands turned into full paragraphs
explaining why the dog couldn't do something.', '2021-01-26
08:16:00', 278, 261);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As the asteroid hurtled toward earth, Becky was upset her dentist
appointment had been canceled.', '2018-03-05 18:52:00', 142, 56);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Buried deep in the snow, he hoped his batteries were fresh in his
avalanche beacon.', '2017-11-11 17:26:00', 66, 209);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.', '2019-02-10
04:39:00', 70, 38);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her scream silenced the rowdy teenagers.', '2018-10-07 15:47:00', 199, 345);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Iron pyrite is the most foolish of all minerals.', '2017-09-02
00:39:00', 291, 65);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('This is the last random sentence I will be writing and I am going to stop
mid-sent', '2019-07-05 21:00:00', 304, 323);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They looked up at the sky and saw a million stars.', '2021-03-19
14:51:00', 132, 78);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He drank life before spitting it out.', '2020-03-10 14:27:00', 164, 198);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He would only survive if he kept the fire going and he could hear thunder
in the distance.', '2020-01-31 12:06:00', 24, 240);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fifty mannequin heads floating in the pool kind of freaked them
out.', '2019-01-22 01:47:00', 25, 153);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door swung open to reveal pink giraffes and red elephants.', '2018-10-
09 07:42:00', 205, 166);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Jason lived his life by the motto, Anything worth doing is worth doing
poorly.', '2018-12-14 23:03:00', 284, 239);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
```

```

('The tree fell unexpectedly short.','2019-12-18 04:10:00',230,167);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He swore he just saw his sushi move.','2018-01-21 18:16:00',232,308);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.','2017-07-02
00:05:00',178,19);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.','2018-09-04 14:49:00',34,295);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The teens wondered what was kept in the red shed on the far edge of the
school grounds.','2020-04-20 14:33:00',105,19);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Cats are good pets, for they are clean and are not noisy.','2020-07-21
01:44:00',238,230);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The clouds formed beautiful animals in the sky that eventually created a
tornado to wreak havoc.','2019-03-11 08:07:00',159,8);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He set out for a short walk, but now all he could see were mangroves and
water were for miles.','2017-07-09 07:49:00',107,192);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2018-10-28
16:09:00',36,281);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The lake is a long way from here.','2020-01-15 21:39:00',48,135);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He looked behind the door and didn't like what he saw.','2017-05-21
12:06:00',32,315);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The teens wondered what was kept in the red shed on the far edge of the
school grounds.','2019-03-18 01:11:00',212,197);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door swung open to reveal pink giraffes and red elephants.','2020-11-
27 08:25:00',209,251);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2020-04-21
21:54:00',289,128);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had some amazing news to share but nobody to share it with.','2018-
08-04 10:07:00',279,45);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The fifty mannequin heads floating in the pool kind of freaked them
out.','2019-06-07 04:53:00',165,12);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Grape jelly was leaking out the hole in the roof.','2018-09-24
20:38:00',52,34);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2019-05-11
12:49:00',103,258);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His mind was blown that there was nothing in space except space
itself.','2018-07-07 09:51:00',1,232);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Shingle color was not something the couple had ever talked about.','2018-

```

```

04-20 19:42:00',145,211));
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She was sad to hear that fireflies are facing extinction due to
artificial light, habitat loss, and pesticides.','2020-04-13
06:06:00',87,256);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.','2018-05-06 18:49:00',193,276);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He set out for a short walk, but now all he could see were mangroves and
water were for miles.','2017-11-18 16:22:00',262,311);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Thirty years later, she still thought it was okay to put the toilet paper
roll under rather than over.','2018-10-26 08:14:00',61,344);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Grape jelly was leaking out the hole in the roof.','2019-08-07
05:43:00',53,76);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There aren't enough towels in the world to stop the sewage flowing from
his mouth.','2021-01-03 06:24:00',294,52);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('You're good at English when you know the difference between a man eating
chicken and a man-eating chicken.','2020-04-11 19:37:00',178,328);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Grape jelly was leaking out the hole in the roof.','2017-06-15
16:03:00',212,40);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.','2018-02-20 03:07:00',141,202);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('I'd rather be a bird than a fish.','2018-08-11 18:26:00',70,17);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her scream silenced the rowdy teenagers.','2018-10-16 18:22:00',215,236);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2019-03-09
07:49:00',68,272);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Cats are good pets, for they are clean and are not noisy.','2020-12-12
22:19:00',267,247);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It dawned on her that others could make her happier, but only she could
make herself happy.','2020-03-18 18:32:00',48,349);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Various sea birds are elegant, but nothing is as elegant as a gliding
pelican.','2020-08-20 17:28:00',237,8);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.','2018-03-02 14:17:00',112,161);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2019-11-09
03:45:00',303,74);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
just wanted to tell you I could see the love you have for your child by the
way you look at her.','2018-05-03 08:22:00',17,130);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES

```

```

('The complicated school homework left the parents trying to help their
kids quite confused.','2018-07-27 07:28:00',166,322);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
come from a tribe of head-hunters, so I will never need a shrink.','2017-
08-10 09:38:00',127,174);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
liked their first two albums but changed my mind after that charity
gig.','2020-11-18 15:31:00',241,304);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He hated that he loved what she hated about hate.','2019-03-08
12:06:00',41,318);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The bullet pierced the window shattering it before missing Danny's head
by mere millimeters.','2017-08-17 08:48:00',20,342);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2019-03-19
22:32:00',334,260);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It was difficult for Mary to admit that most of her workout consisted of
exercising poor judgment.','2019-02-01 02:36:00',122,262);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.','2020-05-23 05:11:00',252,68);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('I'd rather be a bird than a fish.','2021-02-12 11:05:00',87,171);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We have a lot of rain in June.','2020-12-03 05:20:00',197,169);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had a hidden stash underneath the floorboards in the back room of the
house.','2017-10-31 05:47:00',66,176);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Bill ran from the giraffe toward the dolphin.','2018-01-18
18:35:00',261,246);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The book is in front of the table.','2019-05-11 14:08:00',298,319);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Going from child, to childish, to childlike is only a matter of
time.','2020-02-27 05:33:00',178,155);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2019-02-19 17:29:00',346,224);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('After fighting off the alligator, Brian still had to face the
anaconda.','2018-11-04 07:11:00',20,92);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It was a slippery slope and he was willing to slide all the way to the
deepest depths.','2018-08-03 09:58:00',149,140);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2020-07-25 22:44:00',254,167);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He is good at eating pickles and telling women about his emotional
problems.','2018-06-04 02:23:00',108,243);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES

```

```

('She saw no irony asking me to change but wanting me to accept her for who
she is.','2017-07-20 08:39:00',291,109);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It took him a month to finish the meal.','2017-07-25 10:13:00',76,152);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random
sentence.','2021-03-24 20:42:00',62,337);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As she walked along the street and looked in the gutter, she realized
facemasks had become the new cigarette butts.','2017-06-24
05:28:00',82,328);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her life in the confines of the house became her new normal.','2020-07-19
08:28:00',339,166);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2019-01-09
15:13:00',63,149);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
am happy to take your donation; any amount will be greatly
appreciated.','2019-12-30 19:25:00',280,110);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
think I will buy the red car, or I will lease the blue one.','2019-07-13
02:19:00',129,347);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The quick brown fox jumps over the lazy dog.','2020-01-09
19:46:00',312,241);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
checked to make sure that he was still alive.','2018-05-04
04:35:00',217,47);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He put heat on the wound to see what would grow.','2018-05-14
12:38:00',273,346);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He loved eating his bananas in hot dog buns.','2018-01-24
09:06:00',53,109);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Buried deep in the snow, he hoped his batteries were fresh in his
avalanche beacon.','2017-12-10 01:48:00',161,258);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
want more detailed information.','2019-02-16 10:55:00',126,101);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had a habit of taking showers in lemonade.','2018-03-12
19:26:00',91,338);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had reached the point where he was paranoid about being
paranoid.','2020-11-11 02:35:00',103,253);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The sky is clear; the stars are twinkling.','2019-12-11
21:35:00',86,237);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2019-02-04 19:52:00',322,187);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Nobody has encountered an explosive daisy and lived to tell the

```



```
tale.','2018-03-24 15:02:00',53,124);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was the type of guy who liked Christmas lights on his house in the
middle of July.','2021-01-21 04:11:00',114,170);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They desperately needed another drummer since the current one only knew
how to play bongos.','2018-06-15 10:01:00',213,225);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Even with the snow falling outside, she felt it appropriate to wear her
bikini.','2018-02-23 19:50:00',30,203);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He had unknowingly taken up sleepwalking as a nighttime hobby.','2021-03-
05 05:02:00',247,228);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
come from a tribe of head-hunters, so I will never need a shrink.','2020-
01-02 21:27:00',342,66);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2020-02-28 04:00:00',257,341);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His mind was blown that there was nothing in space except space
itself.','2019-07-16 20:55:00',192,43);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Various sea birds are elegant, but nothing is as elegant as a gliding
pelican.','2018-11-23 19:59:00',110,37);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He went on a whiskey diet and immediately lost three days.','2018-05-03
03:15:00',331,271);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He knew it was going to be a bad day when he saw mountain lions roaming
the streets.','2017-08-29 17:15:00',100,48);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('For the 216th time, he said he would quit drinking soda after this last
Coke.','2017-10-10 09:46:00',347,92);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He loved eating his bananas in hot dog buns.','2019-01-24
12:44:00',179,265);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He drank life before spitting it out.','2019-07-31 08:05:00',155,256);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Most shark attacks occur about 10 feet from the beach since that's where
the people are.','2020-12-10 20:08:00',174,105);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The lake is a long way from here.','2019-07-18 02:48:00',121,251);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He played the game as if his life depended on it and the truth was that
it did.','2019-02-04 07:31:00',326,295);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Sixty-Four comes asking for bread.','2019-06-22 05:25:00',173,35);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The busker hoped that the people passing by would throw money, but they
threw tomatoes instead, so he exchanged his hat for a juicer.','2017-04-22
16:10:00',135,241);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
```

```

('She saw no irony asking me to change but wanting me to accept her for who
she is.','2020-09-16 14:01:00',109,169);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When money was tight, he'd get his lunch money from the local wishing
well.','2021-02-05 21:27:00',204,338);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The newly planted trees were held up by wooden frames in hopes they could
survive the next storm.','2021-03-22 18:59:00',328,100);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Poison ivy grew through the fence they said was impenetrable.','2021-03-
28 17:51:00',331,7);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Eating eggs on Thursday for choir practice was recommended.','2018-11-20
12:58:00',141,348);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It caught him off guard that space smelled of seared steak.','2019-06-16
09:42:00',99,79);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It's not possible to convince a monkey to give you a banana by promising
it infinite bananas when they die.','2020-09-16 02:34:00',298,42);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He figured a few sticks of dynamite were easier than a fishing pole to
catch fish.','2020-10-10 12:22:00',8,314);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It dawned on her that others could make her happier, but only she could
make herself happy.','2017-05-06 18:45:00',225,155);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('In hopes of finding out the truth, he entered the one-room
library.','2018-04-20 06:15:00',297,248);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She saw no irony asking me to change but wanting me to accept her for who
she is.','2019-05-23 08:45:00',317,291);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Of course, she loves her pink bunny slippers.','2019-08-12
16:18:00',327,134);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The group quickly understood that toxic waste was the most effective
barrier to use against the zombies.','2020-02-03 10:57:00',82,60);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.','2020-07-30 18:15:00',64,293);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She says she has the ability to hear the soundtrack of your life.','2019-
07-15 21:33:00',196,93);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
am happy to take your donation; any amount will be greatly
appreciated.','2021-03-07 02:13:00',269,194);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Peanuts don't grow on trees, but cashews do.','2020-06-09
05:37:00',299,162);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Everybody should read Chaucer to improve their everyday
vocabulary.','2019-05-25 00:40:00',323,202);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2021-02-18

```

```
20:55:00',252,239);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
like to leave work after my eight-hour tea-break.','2018-09-01
00:51:00',109,163);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It''s difficult to understand the lengths he''d go to remain
short.','2017-12-08 11:04:00',31,44);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('You''re good at English when you know the difference between a man eating
chicken and a man-eating chicken.','2020-03-09 17:49:00',163,320);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As he waited for the shower to warm, he noticed that he could hear water
change temperature.','2020-01-12 13:19:00',88,305);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Of course, she loves her pink bunny slippers.','2018-11-04
09:24:00',303,333);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He decided to live his life by the big beats manifesto.','2017-05-26
15:42:00',118,215);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They desperately needed another drummer since the current one only knew
how to play bongos.','2017-10-11 13:55:00',97,263);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.','2017-08-10
04:44:00',106,324);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('People generally approve of dogs eating cat food but not cats eating dog
food.','2020-08-31 17:52:00',110,204);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('David proudly graduated from high school top of his class at age
97.','2019-05-01 17:19:00',68,39);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He wondered if she would appreciate his toenail collection.','2020-02-02
14:18:00',154,126);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door swung open to reveal pink giraffes and red elephants.','2019-10-
25 16:35:00',219,341);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.','2018-07-22 21:24:00',173,83);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As she walked along the street and looked in the gutter, she realized
facemasks had become the new cigarette butts.','2018-03-15
03:50:00',342,154);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We have a lot of rain in June.','2017-10-18 01:13:00',21,63);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2018-01-13
14:31:00',222,264);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
currently have 4 windows open up... and I don't know why.','2018-08-19
16:03:00',248,65);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Grape jelly was leaking out the hole in the roof.','2021-02-03
```

```

03:37:00',47,18);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tomorrow will bring something new, so leave today as a memory.','2017-12-
11 07:23:00',30,228);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He learned the hardest lesson of his life and had the scars, both
physical and mental, to prove it.','2020-06-23 21:07:00',180,204);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The clouds formed beautiful animals in the sky that eventually created a
tornado to wreak havoc.','2018-02-26 20:38:00',147,238);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in
your head.','2020-02-03 10:07:00',203,258);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2020-11-16
17:19:00',44,346);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tomorrow will bring something new, so leave today as a memory.','2018-01-
21 21:38:00',339,123);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The mysterious diary records the voice.','2017-12-31 01:59:00',177,280);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Eating eggs on Thursday for choir practice was recommended.','2019-04-02
09:36:00',138,50);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2019-01-23
08:19:00',216,125);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The tree fell unexpectedly short.','2018-03-09 22:34:00',336,213);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2018-02-10
16:28:00',326,181);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He set out for a short walk, but now all he could see were mangroves and
water were for miles.','2020-05-19 15:03:00',237,170);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When transplanting seedlings, candied teapots will make the task
easier.','2018-05-03 02:00:00',103,250);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Panty hose and heels are an interesting choice of attire for the
beach.','2018-09-30 16:12:00',12,263);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Nothing is as cautiously cuddly as a pet porcupine.','2020-10-09
20:01:00',19,204);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Red is greener than purple, for sure.','2020-09-21 20:04:00',65,241);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She says she has the ability to hear the soundtrack of your life.','2020-
04-10 08:07:00',299,97);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2017-09-23
01:25:00',34,31);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Cats are good pets, for they are clean and are not noisy.','2018-06-13

```

```

12:11:00',303,259);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We need to rent a room for our party.','2018-02-15 22:15:00',170,67);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('After fighting off the alligator, Brian still had to face the
anaconda.','2020-09-11 13:20:00',110,144);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
want to buy a onesie... but know it won't suit me.','2020-09-25
19:20:00',121,300);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The complicated school homework left the parents trying to help their
kids quite confused.','2019-01-04 17:11:00',146,342);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Iron pyrite is the most foolish of all minerals.','2019-08-26
21:11:00',342,239);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The sky is clear; the stars are twinkling.','2020-03-03
17:05:00',160,149);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Peanuts don't grow on trees, but cashews do.','2018-10-31
23:04:00',273,230);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The teens wondered what was kept in the red shed on the far edge of the
school grounds.','2019-01-09 16:23:00',195,94);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She advised him to come back at once.','2019-04-06 08:46:00',347,317);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('A
song can make or ruin a person's day if they let it get to them.','2018-01-
04 02:41:00',61,39);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Iron pyrite is the most foolish of all minerals.','2017-10-18
14:08:00',144,67);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Cats are good pets, for they are clean and are not noisy.','2021-03-05
06:22:00',76,330);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The mysterious diary records the voice.','2021-04-02 22:16:00',243,285);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Panty hose and heels are an interesting choice of attire for the
beach.','2018-02-10 22:50:00',339,173);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.','2018-03-27 15:38:00',97,211);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('In hopes of finding out the truth, he entered the one-room
library.','2020-11-22 02:02:00',73,1);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('8% of 25 is the same as 25% of 8 and one of them is much easier to do in
your head.','2019-01-06 12:20:00',178,284);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It dawned on her that others could make her happier, but only she could
make herself happy.','2020-09-19 05:36:00',104,143);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
think I will buy the red car, or I will lease the blue one.','2018-10-09

```



```

07:15:00',183,253);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('When transplanting seedlings, candied teapots will make the task
easier.','2019-12-02 18:29:00',100,107);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He looked behind the door and didn't like what he saw.','2019-09-03
14:57:00',314,333);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The bullet pierced the window shattering it before missing Danny's head
by mere millimeters.','2020-12-10 13:05:00',282,193);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('You can't compare apples and oranges, but what about bananas and
plantains?','2019-08-23 16:05:00',226,281);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He would only survive if he kept the fire going and he could hear thunder
in the distance.','2020-02-07 06:50:00',192,279);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The busker hoped that the people passing by would throw money, but they
threw tomatoes instead, so he exchanged his hat for a juicer.','2019-05-16
11:29:00',148,163);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He played the game as if his life depended on it and the truth was that
it did.','2019-11-07 23:19:00',304,210);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He stomped on his fruit loops and thus became a cereal killer.','2018-04-
20 11:46:00',280,123);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sure the Devil created red sparkly glitter.','2019-06-27
20:18:00',211,64);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He set out for a short walk, but now all he could see were mangroves and
water were for miles.','2019-12-20 16:51:00',118,150);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.','2018-04-02 10:02:00',341,336);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As he waited for the shower to warm, he noticed that he could hear water
change temperature.','2017-07-20 02:27:00',147,5);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
checked to make sure that he was still alive.','2020-02-06
01:14:00',144,245);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found his art never progressed when he literally used his sweat and
tears.','2021-03-02 06:37:00',243,297);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2017-09-24
04:43:00',54,228);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They looked up at the sky and saw a million stars.','2019-07-03
16:59:00',167,191);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She is never happy until she finds something to be unhappy about; then,
she is overjoyed.','2020-12-06 03:41:00',263,171);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES

```

```
('If any cop asks you where you were, just say you were visiting
Kansas.','2020-05-28 14:32:00',169,138);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The crowd yells and screams for more memes.','2018-11-24 09:13:00',57,1);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Poison ivy grew through the fence they said was impenetrable.','2020-12-
01 05:57:00',319,123);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Dolores wouldn't have eaten the meal if she had known what it actually
was.','2019-08-25 08:27:00',147,56);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Karen realized the only way she was getting into heaven was to
cheat.','2021-01-15 17:01:00',14,100);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He knew it was going to be a bad day when he saw mountain lions roaming
the streets.','2017-11-28 06:25:00',348,68);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He swore he just saw his sushi move.','2018-01-05 14:10:00',156,167);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He would only survive if he kept the fire going and he could hear thunder
in the distance.','2019-06-27 23:50:00',236,336);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She looked into the mirror and saw another person.','2018-04-03
23:02:00',92,57);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It took him a month to finish the meal.','2017-09-21 21:14:00',12,29);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Truth in advertising and dinosaurs with skateboards have much in
common.','2017-05-13 00:25:00',147,235);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found a leprechaun in his walnut shell.','2019-04-16
05:52:00',344,297);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Thirty years later, she still thought it was okay to put the toilet paper
roll under rather than over.','2019-02-27 02:24:00',317,41);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her scream silenced the rowdy teenagers.','2018-01-08 04:26:00',117,97);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He loved eating his bananas in hot dog buns.','2021-03-19
01:19:00',226,28);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2018-04-10 15:18:00',62,224);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The lake is a long way from here.','2018-03-14 05:04:00',13,226);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The lake is a long way from here.','2021-03-30 00:43:00',89,83);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Eating eggs on Thursday for choir practice was recommended.','2018-07-18
15:45:00',138,268);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2018-08-09
09:59:00',15,234);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
```

```
('You're good at English when you know the difference between a man eating
chicken and a man-eating chicken.','2017-11-26 15:16:00',248,327);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
think I will buy the red car, or I will lease the blue one.','2019-08-21
10:29:00',222,170);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found his art never progressed when he literally used his sweat and
tears.','2019-01-30 17:44:00',156,53);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Wisdom is easily acquired when hiding under the bed with a saucepan on
your head.','2017-11-10 08:29:00',171,30);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('I'd rather be a bird than a fish.','2020-12-02 12:14:00',46,15);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Peanut butter and jelly caused the elderly lady to think about her
past.','2019-11-22 03:14:00',235,185);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He found a leprechaun in his walnut shell.','2017-07-03
18:49:00',126,305);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As the asteroid hurtled toward earth, Becky was upset her dentist
appointment had been canceled.','2019-08-10 09:07:00',167,92);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Excitement replaced fear until the final moment.','2019-10-17
00:31:00',15,32);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Truth in advertising and dinosaurs with skateboards have much in
common.','2020-07-29 12:11:00',174,70);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2017-05-07
10:37:00',127,316);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tomorrow will bring something new, so leave today as a memory.','2018-01-
11 16:44:00',203,237);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He invested some skill points in Charisma and Strength.','2018-09-28
14:18:00',322,297);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2020-05-02 23:17:00',10,337);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The mysterious diary records the voice.','2018-06-27 13:15:00',331,340);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Cats are good pets, for they are clean and are not noisy.','2021-02-13
01:14:00',136,220);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The book is in front of the table.','2017-11-30 20:45:00',141,12);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The view from the lighthouse excited even the most seasoned
traveler.','2020-04-23 19:02:00',258,301);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2020-01-22
20:46:00',101,187);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
```

```

('He invested some skill points in Charisma and Strength.','2020-10-20
10:24:00',144,142);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.','2017-12-09 01:12:00',37,68);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2017-05-30
00:08:00',83,301);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('While all her friends were positive that Mary had a sixth sense, she knew
she actually had a seventh sense.','2020-12-04 04:12:00',303,89);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2020-01-19 01:59:00',221,263);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His mind was blown that there was nothing in space except space
itself.','2018-02-27 16:13:00',260,264);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Two seats were vacant.','2018-06-24 12:21:00',319,346);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We need to rent a room for our party.','2019-09-10 04:18:00',141,335);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
am happy to take your donation; any amount will be greatly
appreciated.','2020-10-10 23:43:00',110,43);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The sky is clear; the stars are twinkling.','2018-12-22
21:42:00',313,240);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2018-02-07
19:04:00',74,188);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The newly planted trees were held up by wooden frames in hopes they could
survive the next storm.','2019-01-31 08:12:00',123,214);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('David proudly graduated from high school top of his class at age
97.','2019-11-19 17:21:00',14,206);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
like to leave work after my eight-hour tea-break.','2018-09-10
12:14:00',334,281);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Panty hose and heels are an interesting choice of attire for the
beach.','2018-06-03 14:46:00',271,12);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She opened up her third bottle of wine of the night.','2020-02-04
11:54:00',274,106);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Two seats were vacant.','2017-05-03 18:16:00',331,58);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She was too busy always talking about what she wanted to do to actually
do any of it.','2019-01-13 06:17:00',297,101);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Iron pyrite is the most foolish of all minerals.','2021-04-04
21:44:00',280,94);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random

```

```
sentence.','2019-07-15 01:18:00',324,231));
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Pantyhose and heels are an interesting choice of attire for the
beach.','2018-03-08 18:12:00',94,104);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('As she walked along the street and looked in the gutter, she realized
facemasks had become the new cigarette butts.','2019-12-26
20:05:00',28,182);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('A
quiet house is nice until you are ordered to stay in it for months.','2018-
09-04 20:38:00',17,126);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Jason lived his life by the motto, Anything worth doing is worth doing
poorly.','2019-12-22 10:59:00',188,98);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Nothing is as cautiously cuddly as a pet porcupine.','2020-09-06
05:02:00',114,201);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Excitement replaced fear until the final moment.','2020-07-16
21:57:00',84,272);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('There were three sphered rocks congregating in a cubed room.','2017-11-29
15:53:00',2,318);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She is never happy until she finds something to be unhappy about; then,
she is overjoyed.','2018-06-10 07:18:00',136,246);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2020-02-09 21:12:00',43,82);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He went on a whiskey diet and immediately lost three days.','2018-08-31
09:24:00',161,78);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He went on a whiskey diet and immediately lost three days.','2017-06-11
20:59:00',263,160);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2018-09-23 02:05:00',350,267);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.','2021-03-21 03:10:00',329,218);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.','2017-06-10
04:52:00',55,209);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She had a habit of taking showers in lemonade.','2020-05-22
21:46:00',35,346);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The light that burns twice as bright burns half as long.','2020-05-25
01:04:00',30,48);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2019-05-23 13:46:00',27,217);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
```



```

('The blue parrot drove by the hitchhiking mongoose.','2017-10-02
15:58:00',265,48);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The book is in front of the table.','2021-03-27 07:42:00',78,83);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He looked behind the door and didn't like what he saw.','2017-06-16
08:07:00',16,41);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I
just wanted to tell you I could see the love you have for your child by the
way you look at her.','2020-10-21 00:58:00',265,341);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Too many prisons have become early coffins.','2017-11-04
22:58:00',184,51);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It's not possible to convince a monkey to give you a banana by promising
it infinite bananas when they die.','2019-11-12 11:31:00',62,166);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He would only survive if he kept the fire going and he could hear thunder
in the distance.','2018-02-25 06:53:00',232,102);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Beach-combing replaced wine tasting as his new obsession.','2020-11-02
16:51:00',137,15);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They ran around the corner to find that they had traveled back in
time.','2020-05-07 07:40:00',35,225);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He is good at eating pickles and telling women about his emotional
problems.','2017-05-16 09:31:00',90,200);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Shingle color was not something the couple had ever talked about.','2020-
01-15 14:12:00',349,182);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He went on a whiskey diet and immediately lost three days.','2017-09-06
10:14:00',26,205);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Thirty years later, she still thought it was okay to put the toilet paper
roll under rather than over.','2017-10-25 08:52:00',79,162);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The skeleton had skeletons of his own in the closet.','2019-02-07
20:39:00',122,265);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door slammed on the watermelon.','2018-07-22 13:59:00',325,283);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He would only survive if he kept the fire going and he could hear thunder
in the distance.','2017-08-08 06:18:00',102,183);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.','2018-02-19
20:53:00',241,313);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The group quickly understood that toxic waste was the most effective
barrier to use against the zombies.','2017-04-13 07:28:00',318,55);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Every manager should be able to recite at least ten nursery rhymes
backward.','2021-03-20 04:50:00',103,40);

```

```
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('People generally approve of dogs eating cat food but not cats eating dog
food.','2018-06-04 11:48:00',291,78);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('If any cop asks you where you were, just say you were visiting
Kansas.','2019-04-24 15:02:00',74,327);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They were excited to see their first sloth.','2018-11-09
00:04:00',76,124);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She always had an interesting perspective on why the world must be
flat.','2018-07-31 10:09:00',271,262);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Grape jelly was leaking out the hole in the roof.','2018-05-30
10:13:00',84,214);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was willing to find the depths of the rabbit hole in order to be with
her.','2020-07-21 09:48:00',57,312);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.','2020-05-24
19:41:00',224,142);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('For the 216th time, he said he would quit drinking soda after this last
Coke.','2021-03-01 12:23:00',232,253);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It''s difficult to understand the lengths he''d go to remain
short.','2017-09-28 00:06:00',164,305);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The clouds formed beautiful animals in the sky that eventually created a
tornado to wreak havoc.','2020-10-03 10:07:00',109,308);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('This is the last random sentence I will be writing and I am going to stop
mid-sent','2019-01-31 23:39:00',261,266);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The skeleton had skeletons of his own in the closet.','2018-05-07
23:23:00',175,279);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Iron pyrite is the most foolish of all minerals.','2020-04-30
03:51:00',263,139);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The view from the lighthouse excited even the most seasoned
traveler.','2021-01-11 10:04:00',151,87);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Thirty years later, she still thought it was okay to put the toilet paper
roll under rather than over.','2018-02-10 03:38:00',34,75);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We have a lot of rain in June.','2019-07-06 00:35:00',67,138);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Flesh-colored yoga pants were far worse than even he feared.','2017-07-23
01:37:00',24,327);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('A
song can make or ruin a person's day if they let it get to them.','2019-01-
08 18:16:00',29,50);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
```

```
('She had some amazing news to share but nobody to share it with.','2020-03-13 23:43:00',50,39);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He was sure the Devil created red sparkly glitter.','2018-01-06 21:48:00',114,35);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Stop waiting for exceptional things to just happen.','2018-12-15 05:30:00',335,300);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Tom got a small piece of pie.','2019-06-29 03:35:00',304,288);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The random sentence generator generated a random sentence about a random sentence.','2019-02-19 17:25:00',71,321);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('After fighting off the alligator, Brian still had to face the anaconda.','2017-08-11 06:35:00',12,349);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They ran around the corner to find that they had traveled back in time.','2017-04-11 05:44:00',91,131);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The group quickly understood that toxic waste was the most effective barrier to use against the zombies.','2018-11-29 09:02:00',238,330);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('His mind was blown that there was nothing in space except space itself.','2018-10-04 06:46:00',86,18);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('It took him a month to finish the meal.','2020-11-23 05:47:00',108,103);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The quick brown fox jumps over the lazy dog.','2017-06-30 19:14:00',172,256);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('They desperately needed another drummer since the current one only knew how to play bongos.','2020-09-02 18:13:00',141,259);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES ('I just wanted to tell you I could see the love you have for your child by the way you look at her.','2020-08-16 07:31:00',246,52);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He figured a few sticks of dynamite were easier than a fishing pole to catch fish.','2017-09-17 14:56:00',148,328);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Her hair was windswept as she rode in the black convertible.','2020-03-08 13:16:00',311,276);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('She advised him to come back at once.','2019-01-12 03:52:00',289,72);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Cats are good pets, for they are clean and are not noisy.','2018-10-01 21:09:00',326,79);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The swirled lollipop had issues with the pop rock candy.','2018-01-16 02:47:00',174,160);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door slammed on the watermelon.','2019-05-15 04:35:00',277,34);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Eating eggs on Thursday for choir practice was recommended.','2017-08-06
```

```

05:40:00',223,93);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('We have a lot of rain in June.','2021-02-08 00:09:00',193,211);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He learned the hardest lesson of his life and had the scars, both
physical and mental, to prove it.','2019-01-18 02:33:00',338,232);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The thunderous roar of the jet overhead confirmed her worst
fears.','2018-05-21 07:26:00',274,296);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He loved eating his bananas in hot dog buns.','2020-10-31
06:58:00',145,9);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He would only survive if he kept the fire going and he could hear thunder
in the distance.','2020-05-21 11:01:00',99,128);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The door slammed on the watermelon.','2018-03-05 06:08:00',182,313);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('He loved eating his bananas in hot dog buns.','2019-07-01
03:12:00',348,317);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('Joyce enjoyed eating pancakes with ketchup.','2017-04-15
05:32:00',175,202);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('While all her friends were positive that Mary had a sixth sense, she knew
she actually had a seventh sense.','2018-06-11 09:58:00',253,239);
INSERT INTO tb_message (text, timestamp, id_receiver, id_sender) VALUES
('The book is in front of the table.','2021-01-06 04:28:00',91,6);

INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The Tsunami wave crashed against the raised houses and broke
the pilings as if they were toothpicks.', '2019-07-10 02:57:00', '284',
'11');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He set out for a short walk, but now all he could see were
mangroves and water were for miles.', '2017-12-15 09:23:00', '151', '97');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Pair your designer cowboy hat with scuba gear for a
memorable occasion.', '2017-04-29 16:49:00', '64', '59');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The white water rafting trip was suddenly halted by the
unexpected brick wall.', '2017-12-16 15:47:00', '155', '91');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'Dont put peanut butter on the dogs nose.', '2020-11-09
16:51:00', '265', '5');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The minute she landed she understood the reason this was a
fly-over state.', '2018-12-17 12:50:00', '1', '40');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Lightning Paradise was the local hangout joint where the
group usually ended up spending the night.', '2021-03-27 11:32:00', '222',
'91');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He took one look at what was under the table and noped the

```

```

hell out of there.', '2020-07-22 16:25:00', '282', '2');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Its a skateboarding penguin with a sunhat!', '2019-08-03
00:00:00', '71', '82');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'The beauty of the African sunset disguised the danger lurking
nearby.', '2019-11-01 13:06:00', '340', '85');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'When transplanting seedlings, candied teapots will make the
task easier.', '2017-11-19 17:47:00', '248', '92');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'His thought process was on so many levels that he gave
himself a phobia of heights.', '2020-09-04 08:43:00', '79', '39');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The complicated school homework left the parents trying to
help their kids quite confused.', '2019-10-27 13:40:00', '245', '67');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Im confused: when people ask me whats up, and I point, they
groan.', '2020-01-13 07:13:00', '172', '64');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'She always speaks to him in a loud voice.', '2018-07-12
10:17:00', '6', '50');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'We should play with legos at camp.', '2019-08-25 18:42:00',
'309', '88');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Two seats were vacant.', '2017-12-03 09:09:00', '248',
'51');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The secret code they created made no sense, even to them.',
'2019-05-13 07:04:00', '25', '58');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Wisdom is easily acquired when hiding under the bed with a
saucepan on your head.', '2018-05-21 23:32:00', '249', '23');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'The three-year-old girl ran down the beach as the kite flew
behind her.', '2017-05-20 01:02:00', '113', '20');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The three-year-old girl ran down the beach as the kite flew
behind her.', '2017-05-20 01:02:00', '113', '20');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('21', '20');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Chocolate covered crickets were his favorite snack.', '2018-
06-06 18:38:00', '209', '57');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'When she didn't like a guy who was trying to pick her up,
she started using sign language.', '2017-06-24 04:15:00', '341', '52');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The clouds formed beautiful animals in the sky that
eventually created a tornado to wreak havoc.', '2018-09-16 08:03:00',
'206', '68');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'She did not cheat on the test, for it was not the right thing
to do.', '2020-06-12 23:53:00', '209', '46');

```



```

INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He decided water-skiing on a frozen lake wasn't a good
idea.', '2020-03-19 05:36:00', '84', '3');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'They got there early, and they got really good seats.',
'2021-04-07 22:46:00', '80', '43');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Today I heard something new and unmemorable.', '2018-09-19
15:26:00', '254', '33');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He uses onomatopoeia as a weapon of mental destruction.',
'2019-09-04 22:13:00', '173', '63');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', '8% of 25 is the same as 25% of 8 and one of them is much
easier to do in your head.', '2018-08-23 20:14:00', '28', '25');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Mary realized if her calculator had a history, it would be
more embarrassing than her computer browser history.', '2018-07-06
20:34:00', '244', '50');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She had a habit of taking showers in lemonade.', '2018-04-22
04:59:00', '173', '78');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He found a leprechaun in his walnut shell.', '2021-02-28
12:57:00', '14', '14');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I really want to go to work, but I am too sick to drive.',
'2017-12-22 19:28:00', '254', '87');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'His son quipped that power bars were nothing more than adult
candy bars.', '2018-10-11 02:40:00', '199', '4');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'When he encountered maize for the first time, he thought it
incredibly corny.', '2017-12-25 16:30:00', '72', '39');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'They throw cabbage that turns your brain into emotional
baggage.', '2019-11-07 06:13:00', '264', '64');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'A glittering gem is not enough.', '2018-01-09 19:50:00',
'11', '39');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The tart lemonade quenched her thirst, but not her
longing.', '2017-11-11 02:17:00', '326', '20');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'This book is sure to liquefy your brain.', '2019-08-11
22:30:00', '111', '45');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'This book is sure to liquefy your brain.', '2019-08-11
22:30:00', '111', '45');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('41', '40');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The newly planted trees were held up by wooden frames in
hopes they could survive the next storm.', '2021-03-09 02:03:00', '29',
'84');

```

```
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I would be delighted if the sea were full of cucumber
juice.', '2018-05-12 22:56:00', '201', '71');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The thunderous roar of the jet overhead confirmed her worst
fears.', '2018-04-11 21:01:00', '188', '14');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'Youre unsure whether or not to trust him, but very thankful
that you wore a turtle neck.', '2017-05-14 20:20:00', '74', '23');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Weather is not trivial - its especially important when youre
standing in it.', '2020-09-11 11:03:00', '110', '34');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The toy brought back fond memories of being lost in the rain
forest.', '2021-03-12 18:21:00', '282', '48');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Everybody should read Chaucer to improve their everyday
vocabulary.', '2019-02-11 09:01:00', '86', '73');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I thought red would have felt warmer in summer but I didnt
think about the equator.', '2020-01-09 08:08:00', '39', '28');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'She had convinced her kids that any mushroom found on the
ground would kill them if they touched it.', '2020-11-29 14:41:00', '210',
'88');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Theres an art to getting your way, and spitting olive pits
across the table isnt it.', '2017-04-29 12:16:00', '206', '75');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Sometimes I stare at a door or a wall and I wonder what is
this reality, why am I alive, and what is this all about?', '2018-05-14
18:58:00', '278', '70');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She had the gift of being able to paint songs.', '2017-06-06
23:41:00', '249', '13');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'If any cop asks you where you were, just say you were
visiting Kansas.', '2018-10-29 21:19:00', '198', '4');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'Its not often you find a soggy banana on the street.', '2017-
08-26 11:20:00', '348', '84');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The sunblock was handed to the girl before practice, but the
burned skin was proof she did not apply it.', '2019-10-08 19:45:00', '54',
'20');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Happiness can be found in the depths of chocolate pudding.',
'2017-10-29 13:45:00', '118', '95');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I was very proud of my nickname throughout high school but
today- I couldn't be any different to what my nickname was.', '2020-03-19
15:32:00', '295', '33');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She had a habit of taking showers in lemonade.', '2020-08-03
```

```

09:32:00', '43', '85');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'This is a Japanese doll.', '2017-05-15 20:12:00', '281',
'36');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'This is a Japanese doll.', '2017-05-15 20:12:00', '281',
'36');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('61', '60');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I want to buy a onesie... but know it won't suit me.', '2019-
06-03 16:35:00', '273', '1');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'When I was little I had a car door slammed shut on my hand
and I still remember it quite vividly.', '2020-04-26 05:03:00', '88',
'86');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'My Mum tries to be cool by saying that she likes all the
same things that I do.', '2019-12-05 13:30:00', '220', '38');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'You realize youre not alone as you sit in your bedroom
massaging your calves after a long day of playing tug-of-war with Grandpa
Joe in the hospital.', '2018-05-21 21:01:00', '190', '55');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I am happy to take your donation; any amount will be greatly
appreciated.', '2019-11-03 09:09:00', '65', '35');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'It was at that moment that he learned there are certain
parts of the body that you should never Nair.', '2020-01-30 16:03:00',
'242', '26');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She folded her handkerchief neatly.', '2019-07-29 04:58:00',
'231', '37');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She wanted a pet platypus but ended up getting a duck and a
ferret instead.', '2020-03-30 12:53:00', '308', '35');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'The thick foliage and intertwined vines made the hike nearly
impossible.', '2017-05-26 17:41:00', '179', '32');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'There was no ice cream in the freezer, nor did they have
money to go to the store.', '2020-06-19 13:19:00', '291', '29');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Peanut butter and jelly caused the elderly lady to think
about her past.', '2019-03-13 12:36:00', '267', '100');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She was sad to hear that fireflies are facing extinction due
to artificial light, habitat loss, and pesticides.', '2017-06-28 02:11:00',
'127', '79');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'There was no telling what thoughts would come from the
machine.', '2019-06-02 03:45:00', '214', '94');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'She was too short to see over the fence.', '2018-05-30
20:27:00', '295', '77');

```

```
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'This book is sure to liquefy your brain.', '2018-03-20
05:09:00', '160', '83');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The waitress was not amused when he ordered green eggs and
ham.', '2020-05-06 02:50:00', '185', '40');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I hear that Nancy is very pretty.', '2019-08-18 20:24:00',
'229', '50');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Peanuts dont grow on trees, but cashews do.', '2020-02-12
20:24:00', '13', '43');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'The tortoise jumped into the lake with dreams of becoming a
sea turtle.', '2019-10-28 17:06:00', '67', '43');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The tortoise jumped into the lake with dreams of becoming a
sea turtle.', '2019-10-28 17:06:00', '67', '43');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('81', '80');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The snow-covered path was no help in finding his way out of
the back-country.', '2018-03-01 13:53:00', '98', '9');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'There are no heroes in a punk rock band.', '2018-11-24
15:31:00', '58', '5');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The beauty of the sunset was obscured by the industrial
cranes.', '2017-05-25 08:01:00', '205', '50');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'Youre good at English when you know the difference between a
man eating chicken and a man-eating chicken.', '2018-09-21 17:17:00', '62',
'26');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Dolores wouldnt have eaten the meal if she had known what it
actually was.', '2018-08-11 22:58:00', '284', '14');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Going from child, to childish, to childlike is only a matter
of time.', '2020-10-11 05:32:00', '174', '19');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She borrowed the book from him many years ago and hasnt yet
returned it.', '2021-02-27 01:28:00', '306', '20');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She wore green lipstick like a fashion icon.', '2020-08-04
15:38:00', '77', '95');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'He picked up trash in his spare time to dump in his neighbors
yard.', '2017-07-01 16:56:00', '232', '65');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He had reached the point where he was paranoid about being
paranoid.', '2020-12-19 07:32:00', '27', '81');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I currently have 4 windows open up... and I don't know why.',
'2017-09-19 12:48:00', '213', '20');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
```

```
VALUES (NULL, 'All she wanted was the answer, but she had no idea how much
she would hate it.', '2018-12-12 14:09:00', '312', '17');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'There were three sphered rocks congregating in a cubed
room.', '2019-03-19 05:17:00', '344', '45');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'Its not possible to convince a monkey to give you a banana by
promising it infinite bananas when they die.', '2018-01-08 21:26:00',
'326', '10');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Everyone says they love nature until they realize how
dangerous she can be.', '2017-11-25 21:56:00', '93', '20');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Traveling became almost extinct during the pandemic.',
'2021-02-13 20:27:00', '141', '85');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'For the 216th time, he said he would quit drinking soda
after this last Coke.', '2017-11-05 00:36:00', '204', '68');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Even with the snow falling outside, she felt it appropriate
to wear her bikini.', '2020-09-26 12:09:00', '297', '47');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'Each person who knows you has a different perception of who
you are.', '2018-09-21 18:45:00', '23', '97');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Each person who knows you has a different perception of who
you are.', '2018-09-21 18:45:00', '23', '97');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('101', '100');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Stop waiting for exceptional things to just happen.', '2020-
10-15 11:04:00', '186', '78');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Martha came to the conclusion that shake weights are a great
gift for any occasion.', '2019-03-08 14:48:00', '149', '29');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He strives to keep the best lawn in the neighborhood.',
'2017-07-27 19:51:00', '185', '3');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'He was an introvert that extroverts seemed to love.', '2021-
03-18 15:26:00', '220', '63');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She was disgusted he couldn't tell the difference between
lemonade and limeade.', '2018-11-24 20:00:00', '300', '97');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She looked at the masterpiece hanging in the museum but all
she could think is that her five-year-old could do better.', '2017-12-26
03:25:00', '175', '66');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'It was the scarcity that fueled his creativity.', '2018-04-
24 15:04:00', '276', '61');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Garlic ice-cream was her favorite.', '2018-03-29 10:17:00',
'44', '89');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
```



```

VALUES ('5', 'Pink horses galloped across the sea.', '2020-07-01 00:16:00',
'75', '19');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The sky is clear; the stars are twinkling.', '2020-03-14
00:37:00', '58', '82');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He is no James Bond; his name is Roger Moore.', '2020-01-29
00:35:00', '5', '24');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Its a skateboarding penguin with a sunhat!', '2019-05-08
21:31:00', '150', '1');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She hadnt had her cup of coffee, and that made things all
the worse.', '2020-11-12 20:37:00', '318', '93');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'He found the end of the rainbow and was surprised at what he
found there.', '2018-03-12 08:59:00', '345', '42');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'It was obvious she was hot, sweaty, and tired.', '2017-08-16
22:54:00', '172', '6');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He dreamed of eating green apples with worms.', '2020-12-05
12:35:00', '48', '96');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He was sure the Devil created red sparkly glitter.', '2019-
11-16 21:31:00', '308', '97');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The door swung open to reveal pink giraffes and red
elephants.', '2018-11-20 08:35:00', '26', '92');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'She can live her life however she wants as long as she
listens to what I have to say.', '2020-10-06 08:49:00', '125', '20');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She can live her life however she wants as long as she
listens to what I have to say.', '2020-10-06 08:49:00', '125', '20');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('121', '120');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She works two jobs to make ends meet; at least, that was her
reason for not having time to join us.', '2017-11-16 23:20:00', '163',
'55');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The Great Dane looked more like a horse than a dog.', '2018-
11-23 20:53:00', '311', '99');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Today is the day Ill finally know what brick tastes like.',
'2021-01-05 04:08:00', '233', '42');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'When money was tight, hed get his lunch money from the local
wishing well.', '2017-12-13 11:20:00', '316', '48');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I often see the time 11:11 or 12:34 on clocks.', '2018-09-24
01:31:00', '179', '38');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Its difficult to understand the lengths hed go to remain

```

```

short.', '2018-06-20 23:51:00', '82', '18');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Nobody questions who built the pyramids in Mexico.', '2018-
02-28 19:10:00', '97', '78');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Please wait outside of the house.', '2019-05-14 19:19:00',
'208', '35');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'If eating three-egg omelets causes weight-gain, budgie eggs
are a good substitute.', '2020-03-29 23:01:00', '64', '63');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The tour bus was packed with teenage girls heading toward
their next adventure.', '2019-08-02 14:48:00', '201', '57');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'They looked up at the sky and saw a million stars.', '2020-
05-15 04:09:00', '35', '39');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He looked behind the door and didnt like what he saw.',
'2017-04-22 10:55:00', '173', '83');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The gloves protect my feet from excess work.', '2018-04-22
22:07:00', '310', '59');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'It didnt take long for Gary to detect the robbers were
amateurs.', '2019-10-23 12:03:00', '203', '16');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'It was getting dark, and we weren't there yet.', '2017-10-27
22:35:00', '158', '14');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'There should have been a time and a place, but this wasnt
it.', '2018-10-11 22:12:00', '123', '24');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The white water rafting trip was suddenly halted by the
unexpected brick wall.', '2019-11-03 05:02:00', '131', '23');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He excelled at firing people nicely.', '2019-11-28
20:50:00', '93', '55');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'Weather is not trivial - its especially important when youre
standing in it.', '2018-06-25 00:20:00', '292', '51');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Weather is not trivial - its especially important when youre
standing in it.', '2018-06-25 00:20:00', '292', '51');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('141', '140');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She felt that chill that makes the hairs on the back of your
neck when he walked into the room.', '2021-02-23 03:44:00', '268', '76');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He quietly entered the museum as the super bowl started.',
'2017-06-15 14:26:00', '232', '59');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Id rather be a bird than a fish.', '2020-07-01 00:11:00',
'40', '13');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)

```

```

VALUES ('3', 'They did nothing as the raccoon attacked the lady's bag of
food.', '2018-04-10 21:34:00', '325', '86');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Giving directions that the mountains are to the west only
works when you can see them.', '2018-09-18 07:02:00', '95', '20');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The thick foliage and intertwined vines made the hike nearly
impossible.', '2020-05-04 06:46:00', '246', '64');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'As the asteroid hurtled toward earth, Becky was upset her
dentist appointment had been canceled.', '2017-12-20 20:00:00', '325',
'87');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Dan took the deep dive down the rabbit hole.', '2019-02-08
02:33:00', '223', '53');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'Today we gathered moss for my uncles wedding.', '2017-10-16
14:59:00', '142', '23');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Hes in a boy band which doesnt make much sense for a
snake.', '2017-08-27 04:25:00', '274', '87');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The father died during childbirth.', '2019-05-26 23:27:00',
'321', '93');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The shark-infested South Pine channel was the only way in or
out.', '2019-05-28 10:54:00', '171', '100');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Im a great listener, really good with empathy vs sympathy
and all that, but I hate people.', '2020-08-12 16:16:00', '69', '57');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'The minute she landed she understood the reason this was a
fly-over state.', '2020-05-14 20:55:00', '194', '2');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The bullet pierced the window shattering it before missing
Dannys head by mere millimeters.', '2019-12-31 05:52:00', '201', '68');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He ended up burning his fingers poking someone elses fire.',
'2017-06-01 09:58:00', '287', '55');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Courage and stupidity were all he had.', '2018-12-28
00:37:00', '3', '76');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Tuesdays are free if you bring a gnome costume.', '2018-12-
03 23:38:00', '185', '32');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'The white water rafting trip was suddenly halted by the
unexpected brick wall.', '2020-03-19 14:18:00', '144', '48');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The white water rafting trip was suddenly halted by the
unexpected brick wall.', '2020-03-19 14:18:00', '144', '48');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('161', '160');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The tour bus was packed with teenage girls heading toward

```

```
their next adventure.', '2021-03-20 11:20:00', '226', '13');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'It didnt take long for Gary to detect the robbers were
amateurs.', '2019-07-28 11:49:00', '326', '27');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'As the years pass by, we all know owners look more and more
like their dogs.', '2018-09-14 10:56:00', '201', '14');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'She lived on Monkey Jungle Road and that seemed to explain
all of her strangeness.', '2018-02-09 23:04:00', '128', '43');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'David proudly graduated from high school top of his class at
age 97.', '2019-10-02 08:08:00', '88', '57');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'For the 216th time, he said he would quit drinking soda
after this last Coke.', '2020-12-06 12:36:00', '325', '30');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She wondered what his eyes were saying beneath his mirrored
sunglasses.', '2018-07-04 12:54:00', '316', '13');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Lets all be unique together until we realise we are all the
same.', '2019-02-10 01:36:00', '36', '70');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'I checked to make sure that he was still alive.', '2020-03-22
09:15:00', '200', '72');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The Great Dane looked more like a horse than a dog.', '2019-
07-01 22:02:00', '62', '86');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The old apple revels in its authority.', '2018-03-05
01:33:00', '20', '95');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He wasnt bitter that she had moved on but from the radish.',
'2018-12-17 05:45:00', '92', '90');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He decided that the time had come to be stronger than any of
the excuses hed used until then.', '2020-11-29 14:05:00', '341', '81');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'Her scream silenced the rowdy teenagers.', '2019-08-25
07:31:00', '13', '38');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He figured a few sticks of dynamite were easier than a
fishing pole to catch fish.', '2020-02-03 13:04:00', '259', '15');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Flesh-colored yoga pants were far worse than even he
feared.', '2018-12-04 02:41:00', '223', '71');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'All they could see was the blue water surrounding their
sailboat.', '2019-12-15 08:31:00', '112', '11');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'His mind was blown that there was nothing in space except
space itself.', '2019-02-17 10:51:00', '11', '85');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'The rain pelted the windshield as the darkness engulfed us.',
```

```
'2020-10-17 11:19:00', '86', '8');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The rain pelted the windshield as the darkness engulfed
us.', '2020-10-17 11:19:00', '86', '8');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('181', '180');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He found the end of the rainbow and was surprised at what he
found there.', '2020-11-18 22:14:00', '38', '72');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'His son quipped that power bars were nothing more than adult
candy bars.', '2020-07-18 18:29:00', '280', '57');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The fox in the tophat whispered into the ear of the
rabbit.', '2018-07-18 16:04:00', '265', '78');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'He went on a whiskey diet and immediately lost three days.',
'2017-05-25 05:30:00', '287', '37');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He drank life before spitting it out.', '2021-03-23
12:13:00', '200', '34');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Shingle color was not something the couple had ever talked
about.', '2019-09-30 02:07:00', '256', '46');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'It would have been a better night if the guys next to us
werent in the splash zone.', '2019-04-21 16:59:00', '294', '98');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He always wore his sunglasses at night.', '2019-11-02
05:50:00', '298', '19');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'He realized there had been several deaths on this road, but
his concern rose when he saw the exact number.', '2017-09-23 22:31:00',
'332', '35');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She folded her handkerchief neatly.', '2018-12-13 16:29:00',
'84', '6');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He had concluded that pigs must be able to fly in Hog
Heaven.', '2019-09-30 08:45:00', '216', '12');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Peanut butter and jelly caused the elderly lady to think
about her past.', '2019-07-22 01:19:00', '218', '64');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Iguanas were falling out of the trees.', '2020-09-11
10:44:00', '210', '59');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'Facing his greatest fear, he ate his first marshmallow.',
'2020-12-18 14:08:00', '157', '55');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She says she has the ability to hear the soundtrack of your
life.', '2020-08-16 05:09:00', '124', '82');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The three-year-old girl ran down the beach as the kite flew
behind her.', '2017-11-01 20:16:00', '229', '45');
```



```
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'If eating three-egg omelets causes weight-gain, budgie eggs
are a good substitute.', '2018-02-13 15:05:00', '137', '77');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'They wandered into a strange Tiki bar on the edge of the
small beach town.', '2019-03-23 09:39:00', '121', '42');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'There can never be too many cherries on an ice cream
sundae.', '2019-04-12 04:41:00', '137', '20');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'There can never be too many cherries on an ice cream
sundae.', '2019-04-12 04:41:00', '137', '20');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('201', '200');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She felt that chill that makes the hairs on the back of your
neck when he walked into the room.', '2018-09-23 07:10:00', '38', '85');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'If you dont like toenails, you probably shouldnt look at
your feet.', '2017-09-04 03:34:00', '333', '32');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Pair your designer cowboy hat with scuba gear for a
memorable occasion.', '2018-03-11 20:45:00', '127', '19');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'The gloves protect my feet from excess work.', '2018-11-16
10:02:00', '82', '77');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Nobody loves a pig wearing lipstick.', '2019-02-06
17:37:00', '133', '57');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The sunblock was handed to the girl before practice, but the
burned skin was proof she did not apply it.', '2017-04-23 08:07:00', '29',
'11');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The teens wondered what was kept in the red shed on the far
edge of the school grounds.', '2019-10-21 00:45:00', '23', '79');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Sometimes it is better to just walk away from things and go
back to them later when you're in a better frame of mind.', '2020-09-09
20:29:00', '168', '71');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'The pigs were insulted that they were named hamburgers.',
'2020-08-16 17:05:00', '156', '63');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'A kangaroo is really just a rabbit on steroids.', '2020-04-
08 23:37:00', '20', '87');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I'm working on a sweet potato farm.', '2019-04-04 12:44:00',
'309', '90');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Today I heard something new and unmemorable.', '2017-10-15
18:51:00', '140', '58');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He dreamed of eating green apples with worms.', '2018-07-11
19:54:00', '40', '11');
```

```
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'The lyrics of the song sounded like fingernails on a
chalkboard.', '2020-03-13 10:06:00', '151', '65');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Gary didnt understand why Doug went upstairs to get one
dollar bills when he invited him to go cow tipping.', '2017-11-26
13:45:00', '319', '94');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He is good at eating pickles and telling women about his
emotional problems.', '2018-11-29 14:02:00', '309', '83');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Behind the window was a reflection that only instilled
fear.', '2020-04-01 12:44:00', '26', '70');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The two walked down the slot canyon oblivious to the sound
of thunder in the distance.', '2019-07-20 01:59:00', '325', '56');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'I hear that Nancy is very pretty.', '2017-06-25 02:20:00',
'155', '11');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I hear that Nancy is very pretty.', '2017-06-25 02:20:00',
'155', '11');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('221', '220');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He hated that he loved what she hated about hate.', '2018-
09-08 16:00:00', '27', '27');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She was sad to hear that fireflies are facing extinction due
to artificial light, habitat loss, and pesticides.', '2020-05-12 22:32:00',
'338', '6');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'There arent enough towels in the world to stop the sewage
flowing from his mouth.', '2020-06-16 22:25:00', '215', '75');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'Truth in advertising and dinosaurs with skateboards have much
in common.', '2019-02-24 16:52:00', '263', '62');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Dan ate the clouds like cotton candy.', '2018-06-14
01:53:00', '191', '23');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He turned in the research paper on Friday; otherwise, he
would have not passed the class.', '2018-04-10 14:44:00', '290', '91');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'They got there early, and they got really good seats.',
'2019-12-03 04:49:00', '220', '31');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The pet shop stocks everything you need to keep your
anaconda happy.', '2019-05-08 11:20:00', '304', '16');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'He used to get confused between soldiers and shoulders, but
as a military man, he now soldiers responsibility.', '2019-02-01 16:43:00',
'315', '34');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, '8% of 25 is the same as 25% of 8 and one of them is much
```

```
easier to do in your head.', '2018-08-17 10:32:00', '45', '85');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He figured a few sticks of dynamite were easier than a
fishing pole to catch fish.', '2020-09-05 20:28:00', '116', '64');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She advised him to come back at once.', '2018-02-06
03:39:00', '321', '25');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The white water rafting trip was suddenly halted by the
unexpected brick wall.', '2018-06-18 06:40:00', '78', '51');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'He looked behind the door and didnt like what he saw.',
'2020-10-26 00:05:00', '259', '23');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The tour bus was packed with teenage girls heading toward
their next adventure.', '2019-06-04 03:36:00', '259', '61');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Car safety systems have come a long way, but he was out to
prove they could be outsmarted.', '2019-03-01 05:09:00', '290', '47');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The tattered work gloves speak of the many hours of hard
labor he endured throughout his life.', '2018-06-28 03:28:00', '268',
'48');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Check back tomorrow; I will see if the book has arrived.',
'2021-02-08 20:58:00', '58', '4');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'He realized there had been several deaths on this road, but
his concern rose when he saw the exact number.', '2021-03-18 04:49:00',
'65', '46');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He realized there had been several deaths on this road, but
his concern rose when he saw the exact number.', '2021-03-18 04:49:00',
'65', '46');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('241', '240');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'There were three sphered rocks congregating in a cubed
room.', '2018-02-27 14:39:00', '127', '40');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He picked up trash in his spare time to dump in his
neighbors yard.', '2018-12-25 05:56:00', '2', '62');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Malls are great places to shop; I can find everything I need
under one roof.', '2021-02-18 05:30:00', '182', '63');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'You cant compare apples and oranges, but what about bananas
and plantains?', '2019-10-16 11:45:00', '47', '72');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The blinking lights of the antenna tower came into focus
just as I heard a loud snap.', '2020-08-13 21:15:00', '334', '52');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Wisdom is easily acquired when hiding under the bed with a
saucepan on your head.', '2019-08-22 15:05:00', '73', '29');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
```

```

VALUES (NULL, 'I would have gotten the promotion, but my attendance wasn't
good enough.', '2019-04-21 11:14:00', '304', '72');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He kept telling himself that one day it would all somehow
make sense.', '2021-03-30 11:17:00', '325', '15');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'He wondered if it could be called a beach if there was no
sand.', '2019-12-25 18:17:00', '223', '24');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Most shark attacks occur about 10 feet from the beach since
thats where the people are.', '2018-03-27 10:24:00', '24', '14');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The toy brought back fond memories of being lost in the rain
forest.', '2018-08-31 04:29:00', '286', '51');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She wrote him a long letter, but he didnt read it.', '2017-
04-27 11:22:00', '195', '64');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He figured a few sticks of dynamite were easier than a
fishing pole to catch fish.', '2020-11-18 18:09:00', '343', '91');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'Check back tomorrow; I will see if the book has arrived.',
'2018-07-22 18:04:00', '24', '64');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Car safety systems have come a long way, but he was out to
prove they could be outsmarted.', '2020-12-24 23:36:00', '50', '14');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Iguanas were falling out of the trees.', '2018-10-01
17:02:00', '262', '42');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Andy loved to sleep on a bed of nails.', '2019-07-19
20:36:00', '340', '23');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He took one look at what was under the table and noped the
hell out of there.', '2019-06-02 11:55:00', '301', '48');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'Nobody loves a pig wearing lipstick.', '2019-05-04 13:02:00',
'164', '21');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Nobody loves a pig wearing lipstick.', '2019-05-04
13:02:00', '164', '21');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('261', '260');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He went on a whiskey diet and immediately lost three days.',
'2017-10-13 15:57:00', '156', '90');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The book is in front of the table.', '2019-05-11 21:55:00',
'293', '25');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Someone I know recently combined Maple Syrup & buttered
Popcorn thinking it would taste like caramel popcorn. It didn't and they
don't recommend anyone else do it either.', '2017-04-21 03:49:00', '187',
'57');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)

```

```

VALUES ('1', 'The waves were crashing on the shore; it was a lovely
sight.', '2020-05-22 21:16:00', '108', '61');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The random sentence generator generated a random sentence
about a random sentence.', '2017-04-17 23:26:00', '294', '59');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I am never at home on Sundays.', '2021-03-08 11:45:00',
'175', '83');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Mothers spend months of their lives waiting on their
children.', '2020-03-29 09:02:00', '156', '54');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Please wait outside of the house.', '2020-10-26 14:08:00',
'72', '91');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'A quiet house is nice until you are ordered to stay in it for
months.', '2019-05-14 10:01:00', '181', '15');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'When motorists sped in and out of traffic, all she could
think of was those in need of a transplant.', '2020-01-04 18:31:00', '35',
'40');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Charles ate the french fries knowing they would be his last
meal.', '2019-02-24 11:42:00', '253', '68');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Yeah, I think its a good environment for learning English.',
'2017-09-07 04:00:00', '271', '27');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Last Friday I saw a spotted striped blue worm shake hands
with a legless lizard.', '2020-01-02 11:00:00', '109', '95');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'He ran out of money, so he had to stop playing poker.',
'2021-01-09 22:56:00', '34', '84');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Everyone was busy, so I went to the movie alone.', '2017-09-
25 09:20:00', '126', '9');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Thigh-high in the water, the fisherman's hope for dinner
soon turned to despair.', '2018-09-14 04:37:00', '53', '4');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The old apple revels in its authority.', '2017-12-13
09:26:00', '251', '23');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Every manager should be able to recite at least ten nursery
rhymes backward.', '2020-04-18 09:21:00', '291', '63');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'She borrowed the book from him many years ago and hasnt yet
returned it.', '2021-03-20 02:35:00', '163', '8');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She borrowed the book from him many years ago and hasnt yet
returned it.', '2021-03-20 02:35:00', '163', '8');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('281', '280');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Im confused: when people ask me whats up, and I point, they

```



```
groan.', '2021-03-14 14:16:00', '212', '26');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'People who insist on picking their teeth with their elbows
are so annoying!', '2018-01-24 14:53:00', '3', '89');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He used to get confused between soldiers and shoulders, but
as a military man, he now soldiers responsibility.', '2019-05-13 09:40:00',
'50', '48');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'It must be five oclock somewhere.', '2017-06-29 11:06:00',
'10', '53');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He said he was not there yesterday; however, many people saw
him there.', '2020-08-12 21:21:00', '224', '46');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The sign said there was road work ahead so he decided to
speed up.', '2020-04-20 04:41:00', '196', '5');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The Tsunami wave crashed against the raised houses and broke
the pilings as if they were toothpicks.', '2019-01-02 03:57:00', '56',
'26');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'His ultimate dream fantasy consisted of being content and
sleeping eight hours in a row.', '2017-08-15 02:31:00', '62', '56');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'Hes in a boy band which doesnt make much sense for a snake.',
'2018-01-18 02:55:00', '243', '66');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'There was coal in his stocking and he was thrilled.', '2019-
07-16 20:32:00', '346', '36');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Of course, she loves her pink bunny slippers.', '2019-10-08
13:29:00', '302', '13');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The newly planted trees were held up by wooden frames in
hopes they could survive the next storm.', '2018-03-15 11:32:00', '265',
'95');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He wore the surgical mask in public not to keep from
catching a virus, but to keep people away from him.', '2017-10-05
02:16:00', '58', '100');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'The sudden rainstorm washed crocodiles into the ocean.',
'2019-01-17 23:29:00', '279', '69');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The shooter says goodbye to his love.', '2018-12-01
11:43:00', '131', '88');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Malls are great places to shop; I can find everything I need
under one roof.', '2018-07-03 16:07:00', '277', '33');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'People generally approve of dogs eating cat food but not
cats eating dog food.', '2021-03-17 03:18:00', '183', '37');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
```

```

VALUES (NULL, 'In hopes of finding out the truth, he entered the one-room
library.', '2020-04-05 15:33:00', '232', '12');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'My dentist tells me that chewing bricks is very bad for your
teeth.', '2019-07-25 05:48:00', '114', '49');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'My dentist tells me that chewing bricks is very bad for your
teeth.', '2019-07-25 05:48:00', '114', '49');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('301', '300');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'As you consider all the possible ways to improve yourself
and the world, you notice John Travolta seems fairly unhappy.', '2020-10-13
12:40:00', '270', '59');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Lucifer was surprised at the amount of life at Death
Valley.', '2019-12-07 13:22:00', '344', '64');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'His confidence would have bee admirable if it wasnt for his
stupidity.', '2017-05-13 08:32:00', '100', '95');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'Honestly, I didnt care much for the first season, so I didnt
bother with the second.', '2018-11-16 15:58:00', '308', '55');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Each person who knows you has a different perception of who
you are.', '2020-12-18 02:51:00', '267', '45');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Joe made the sugar cookies; Susan decorated them.', '2019-
09-24 09:36:00', '58', '26');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The newly planted trees were held up by wooden frames in
hopes they could survive the next storm.', '2018-02-10 07:23:00', '325',
'57');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He went back to the video to see what had been recorded and
was shocked at what he saw.', '2021-02-16 09:33:00', '95', '24');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'Its difficult to understand the lengths hed go to remain
short.', '2017-07-04 07:15:00', '205', '29');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I currently have 4 windows open up... and I don't know why.',
'2020-12-02 02:33:00', '287', '79');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'There were three sphered rocks congregating in a cubed
room.', '2018-03-17 11:46:00', '212', '76');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Her daily goal was to improve on yesterday.', '2018-04-11
02:57:00', '104', '72');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Nothing is as cautiously cuddly as a pet porcupine.', '2018-
04-16 05:23:00', '89', '24');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'As time wore on, simple dog commands turned into full
paragraphs explaining why the dog couldn't do something.', '2020-02-19
13:40:00', '322', '59');

```

```
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He embraced his new life as an eggplant.', '2019-07-25
20:22:00', '98', '91');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, '25 years later, she still regretted that specific moment.',
'2017-12-25 21:04:00', '176', '47');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Random words in front of other random words create a random
sentence.', '2019-09-28 09:57:00', '227', '24');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'They got there early, and they got really good seats.',
'2020-08-14 15:16:00', '322', '100');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'The group quickly understood that toxic waste was the most
effective barrier to use against the zombies.', '2018-04-11 10:39:00',
'218', '84');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The group quickly understood that toxic waste was the most
effective barrier to use against the zombies.', '2018-04-11 10:39:00',
'218', '84');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('321', '320');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Everyone was busy, so I went to the movie alone.', '2019-01-
28 17:16:00', '113', '49');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'There was coal in his stocking and he was thrilled.', '2017-
09-19 01:20:00', '202', '67');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He uses onomatopoeia as a weapon of mental destruction.',
'2021-01-08 19:02:00', '179', '68');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'Giving directions that the mountains are to the west only
works when you can see them.', '2018-08-02 06:22:00', '212', '98');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He invested some skill points in Charisma and Strength.',
'2018-10-26 20:30:00', '221', '53');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Last Friday I saw a spotted striped blue worm shake hands
with a legless lizard.', '2018-10-16 06:15:00', '103', '65');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The thick foliage and intertwined vines made the hike nearly
impossible.', '2020-01-18 03:38:00', '188', '81');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The external scars tell only part of the story.', '2019-12-
22 07:50:00', '335', '57');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'He waited for the stop sign to turn to a go sign.', '2018-04-
19 17:57:00', '183', '5');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'As he looked out the window, he saw a clown walk by.',
'2020-08-29 12:36:00', '33', '38');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Please wait outside of the house.', '2020-01-09 01:19:00',
'321', '10');
```

```
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He kept telling himself that one day it would all somehow
make sense.', '2019-11-08 02:15:00', '77', '98');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Art doesnt have to be intentional.', '2019-08-28 21:38:00',
'331', '98');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'He found the end of the rainbow and was surprised at what he
found there.', '2018-03-03 18:47:00', '126', '43');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Dont piss in my garden and tell me youre trying to help my
plants grow.', '2018-01-20 12:21:00', '223', '33');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'They ran around the corner to find that they had traveled
back in time.', '2019-06-05 11:32:00', '30', '50');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Im a great listener, really good with empathy vs sympathy
and all that, but I hate people.', '2017-05-10 16:31:00', '206', '39');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The efficiency we have at removing trash has made creating
trash more acceptable.', '2020-08-26 23:42:00', '132', '21');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'When he had to picnic on the beach, he purposely put sand in
other people's food.', '2020-07-21 15:01:00', '35', '90');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'When he had to picnic on the beach, he purposely put sand in
other people's food.', '2020-07-21 15:01:00', '35', '90');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('341', '340');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The shooter says goodbye to his love.', '2017-06-04
06:52:00', '259', '87');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He decided water-skiing on a frozen lake wasn't a good
idea.', '2020-05-22 20:45:00', '343', '49');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The mysterious diary records the voice.', '2020-05-06
00:54:00', '54', '45');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'The bees decided to have a mutiny against their queen.',
'2020-06-09 01:58:00', '98', '40');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'As he entered the church he could hear the soft voice of
someone whispering into a cell phone.', '2020-02-14 06:55:00', '37', '42');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'While all her friends were positive that Mary had a sixth
sense, she knew she actually had a seventh sense.', '2018-07-18 03:26:00',
'273', '45');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She tilted her head back and let whip cream stream into her
mouth while taking a bath.', '2017-06-07 05:02:00', '157', '99');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Stop waiting for exceptional things to just happen.', '2020-
08-16 06:28:00', '113', '56');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
```

```

VALUES ('2', 'Flesh-colored yoga pants were far worse than even he
feared.', '2020-03-31 06:11:00', '267', '37');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'They throw cabbage that turns your brain into emotional
baggage.', '2018-05-21 12:27:00', '255', '71');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'There should have been a time and a place, but this wasnt
it.', '2021-03-18 21:34:00', '5', '92');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She is never happy until she finds something to be unhappy
about; then, she is overjoyed.', '2018-11-21 03:00:00', '27', '49');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The white water rafting trip was suddenly halted by the
unexpected brick wall.', '2020-06-10 03:44:00', '200', '55');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'Shakespeare was a famous 17th-century diesel mechanic.',
'2018-10-23 08:01:00', '79', '30');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Fluffy pink unicorns are a popular status symbol among macho
men.', '2021-02-26 22:16:00', '342', '70');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'After fighting off the alligator, Brian still had to face
the anaconda.', '2019-07-05 02:11:00', '108', '16');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'It didnt make sense unless you had the power to eat
colors.', '2020-09-03 03:15:00', '15', '16');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'A quiet house is nice until you are ordered to stay in it
for months.', '2018-11-07 03:12:00', '165', '2');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'The urgent care center was flooded with patients after the
news of a new deadly virus was made public.', '2020-07-31 06:19:00', '1',
'13');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The urgent care center was flooded with patients after the
news of a new deadly virus was made public.', '2020-07-31 06:19:00', '1',
'13');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('361', '360');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'It didnt take long for Gary to detect the robbers were
amateurs.', '2018-03-03 18:57:00', '91', '97');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She saw no irony asking me to change but wanting me to
accept her for who she is.', '2019-12-30 05:54:00', '292', '48');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The tears of a clown make my lipstick run, but my shower cap
is still intact.', '2017-12-27 12:53:00', '183', '65');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'I come from a tribe of head-hunters, so I will never need a
shrink.', '2019-02-09 12:09:00', '131', '92');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The two walked down the slot canyon oblivious to the sound
of thunder in the distance.', '2021-02-24 21:33:00', '7', '85');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)

```



```

VALUES (NULL, 'We should play with legos at camp.', '2020-10-07 06:43:00',
'350', '85');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The opportunity of a lifetime passed before him as he tried
to decide between a cone or a cup.', '2017-06-14 04:37:00', '41', '94');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The hummingbirds wings blurred while it eagerly sipped the
sugar water from the feeder.', '2018-07-31 19:29:00', '119', '46');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'Erin accidentally created a new universe.', '2020-08-12
17:14:00', '4', '80');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She tilted her head back and let whip cream stream into her
mouth while taking a bath.', '2017-07-17 00:08:00', '98', '15');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, '8% of 25 is the same as 25% of 8 and one of them is much
easier to do in your head.', '2021-02-17 01:50:00', '168', '18');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'For the 216th time, he said he would quit drinking soda
after this last Coke.', '2019-01-06 20:38:00', '308', '68');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Wisdom is easily acquired when hiding under the bed with a
saucepan on your head.', '2021-01-18 16:13:00', '198', '10');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'The tree fell unexpectedly short.', '2020-04-14 20:45:00',
'8', '93');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'This book is sure to liquefy your brain.', '2019-08-01
15:03:00', '288', '40');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He didnt understand why the bird wanted to ride the
bicycle.', '2017-07-13 18:18:00', '181', '97');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He appeared to be confusingly perplexed.', '2020-07-20
01:43:00', '223', '85');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'A kangaroo is really just a rabbit on steroids.', '2017-04-
24 14:26:00', '150', '42');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'I would have gotten the promotion, but my attendance wasn't
good enough.', '2017-04-20 16:14:00', '167', '46');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I would have gotten the promotion, but my attendance wasn't
good enough.', '2017-04-20 16:14:00', '167', '46');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('381', '380');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'They did nothing as the raccoon attacked the lady's bag of
food.', '2020-07-01 23:00:00', '154', '73');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He excelled at firing people nicely.', '2017-08-08
01:08:00', '41', '65');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Charles ate the french fries knowing they would be his last
meal.', '2018-06-03 15:10:00', '89', '75');

```

```

INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'The blinking lights of the antenna tower came into focus just
as I heard a loud snap.', '2019-08-07 04:13:00', '136', '98');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Traveling became almost extinct during the pandemic.',
'2018-04-11 08:46:00', '56', '40');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'You bite up because of your lower jaw.', '2017-12-13
20:55:00', '296', '3');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She felt that chill that makes the hairs on the back of your
neck when he walked into the room.', '2018-04-10 16:58:00', '316', '77');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He learned the important lesson that a picnic at the beach
on a windy day is a bad idea.', '2018-11-04 02:03:00', '250', '1');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'The Great Dane looked more like a horse than a dog.', '2021-
02-10 09:59:00', '236', '96');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Yeah, I think its a good environment for learning English.',
'2020-03-31 08:04:00', '110', '92');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The shooter says goodbye to his love.', '2018-06-24
04:16:00', '110', '66');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'At that moment he wasnt listening to music, he was living an
experience.', '2020-06-05 02:47:00', '222', '13');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Harrold felt confident that nobody would ever suspect his
spy pigeon.', '2019-01-15 18:31:00', '262', '70');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'The irony of the situation wasnt lost on anyone in the
room.', '2019-01-23 10:42:00', '328', '30');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'It was obvious she was hot, sweaty, and tired.', '2019-04-25
09:39:00', '105', '21');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Of course, she loves her pink bunny slippers.', '2017-04-14
00:33:00', '268', '71');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The murder hornet was disappointed by the preconceived ideas
people had of him.', '2020-07-24 11:00:00', '54', '44');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Hes in a boy band which doesnt make much sense for a
snake.', '2020-01-29 16:02:00', '341', '94');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'Getting up at dawn is for the birds.', '2020-11-23 23:04:00',
'249', '76');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Getting up at dawn is for the birds.', '2020-11-23
23:04:00', '249', '76');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('401', '400');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'We will not allow you to bring your pet armadillo along.',

```

```

'2021-03-11 01:59:00', '7', '94');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She had that tint of craziness in her soul that made her
believe she could actually make a difference.', '2018-07-19 06:33:00',
'186', '20');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'If I don't like something, I'll stay away from it.', '2018-
01-11 16:03:00', '300', '29');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'The gruff old man sat in the back of the bait shop grumbling
to himself as he scooped out a handful of worms.', '2018-08-11 05:48:00',
'227', '96');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Martha came to the conclusion that shake weights are a great
gift for any occasion.', '2018-08-31 19:54:00', '26', '26');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The spa attendant applied the deep cleaning mask to the
gentleman's back.', '2017-08-16 01:46:00', '116', '83');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I caught my squirrel rustling through my gym bag.', '2018-
11-27 17:51:00', '250', '36');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Malls are great places to shop; I can find everything I need
under one roof.', '2018-05-22 15:46:00', '61', '87');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'The quick brown fox jumps over the lazy dog.', '2020-06-18
14:50:00', '80', '88');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The book is in front of the table.', '2017-06-19 09:13:00',
'73', '63');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The blinking lights of the antenna tower came into focus
just as I heard a loud snap.', '2020-04-19 13:37:00', '264', '13');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The pet shop stocks everything you need to keep your
anaconda happy.', '2019-02-18 09:23:00', '249', '5');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'It didnt make sense unless you had the power to eat
colors.', '2020-01-05 14:50:00', '270', '33');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'The three-year-old girl ran down the beach as the kite flew
behind her.', '2021-03-28 00:04:00', '42', '33');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Tom got a small piece of pie.', '2021-01-25 02:17:00',
'281', '98');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He decided that the time had come to be stronger than any of
the excuses hed used until then.', '2020-11-12 13:53:00', '182', '3');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I just wanted to tell you I could see the love you have for
your child by the way you look at her.', '2020-09-13 01:49:00', '188',
'25');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Grape jelly was leaking out the hole in the roof.', '2021-

```

```

02-06 19:21:00', '87', '66');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'In the end, he realized he could see sound and hear words.',
'2017-06-24 17:47:00', '347', '1');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'In the end, he realized he could see sound and hear words.',
'2017-06-24 17:47:00', '347', '1');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('421', '420');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She can live her life however she wants as long as she
listens to what I have to say.', '2018-11-10 12:33:00', '45', '14');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Joe made the sugar cookies; Susan decorated them.', '2020-
03-30 06:05:00', '234', '3');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He found the end of the rainbow and was surprised at what he
found there.', '2019-02-10 09:32:00', '46', '52');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'Dont piss in my garden and tell me youre trying to help my
plants grow.', '2018-02-06 20:23:00', '112', '41');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The tree fell unexpectedly short.', '2021-01-07 16:42:00',
'66', '34');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'This made him feel like an old-style rootbeer float
smells.', '2019-01-14 19:26:00', '346', '21');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Eating eggs on Thursday for choir practice was
recommended.', '2017-07-23 17:09:00', '345', '42');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He stepped gingerly onto the bridge knowing that enchantment
awaited on the other side.', '2019-02-14 11:19:00', '80', '59');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'She had a habit of taking showers in lemonade.', '2019-03-22
04:30:00', '225', '4');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Chocolate covered crickets were his favorite snack.', '2019-
12-09 13:03:00', '234', '82');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He embraced his new life as an eggplant.', '2017-09-07
16:50:00', '251', '83');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'A glittering gem is not enough.', '2020-02-13 11:23:00',
'21', '84');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I love bacon, beer, birds, and baboons.', '2020-09-05
12:11:00', '152', '66');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'He ran out of money, so he had to stop playing poker.',
'2019-05-13 07:39:00', '290', '68');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Before he moved to the inner city, he had always believed
that security complexes were psychological.', '2018-12-20 12:26:00', '229',
'62');

```

```
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The murder hornet was disappointed by the preconceived ideas
people had of him.', '2020-02-03 04:32:00', '303', '84');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Youll see the rainbow bridge after it rains cats and dogs.',
'2019-10-04 14:38:00', '9', '87');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'When he encountered maize for the first time, he thought it
incredibly corny.', '2020-08-17 19:32:00', '272', '74');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'The truth is that you pay for your lifestyle in hours.',
'2020-09-26 02:00:00', '257', '99');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The truth is that you pay for your lifestyle in hours.',
'2020-09-26 02:00:00', '257', '99');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('441', '440');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Most shark attacks occur about 10 feet from the beach since
thats where the people are.', '2017-09-29 12:45:00', '137', '16');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The teens wondered what was kept in the red shed on the far
edge of the school grounds.', '2018-05-10 23:08:00', '30', '34');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Dan ate the clouds like cotton candy.', '2019-06-03
10:57:00', '221', '20');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'She had some amazing news to share but nobody to share it
with.', '2017-06-13 21:15:00', '187', '42');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Pantyhose and heels are an interesting choice of attire for
the beach.', '2018-11-12 03:28:00', '11', '1');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Pat ordered a ghost pepper pie.', '2019-02-02 11:02:00',
'272', '72');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'They improved dramatically once the lead singer left.',
'2021-01-02 16:31:00', '60', '72');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I currently have 4 windows open up... and I don't know why.',
'2018-01-19 08:12:00', '81', '64');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'The fact that theres a stairway to heaven and a highway to
hell explains life well.', '2017-11-17 15:27:00', '50', '29');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Lets all be unique together until we realise we are all the
same.', '2017-09-29 14:57:00', '154', '5');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'There was no telling what thoughts would come from the
machine.', '2017-11-24 05:31:00', '337', '72');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'They were excited to see their first sloth.', '2018-12-27
19:50:00', '161', '39');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Hes in a boy band which doesnt make much sense for a
```



```

snake.', '2018-04-16 04:05:00', '167', '31');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'She cried diamonds.', '2017-06-27 09:47:00', '147', '34');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She thought there'd be sufficient time if she hid her
watch.', '2021-01-30 05:39:00', '117', '8');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Thigh-high in the water, the fisherman's hope for dinner
soon turned to despair.', '2018-01-07 12:58:00', '243', '18');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Everyone says they love nature until they realize how
dangerous she can be.', '2019-05-15 03:07:00', '261', '100');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'It was always dangerous to drive with him since he insisted
the safety cones were a slalom course.', '2018-02-18 11:54:00', '145',
'74');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'The rain pelted the windshield as the darkness engulfed us.',
'2018-04-01 18:22:00', '57', '3');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The rain pelted the windshield as the darkness engulfed
us.', '2018-04-01 18:22:00', '57', '3');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('461', '460');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She was sad to hear that fireflies are facing extinction due
to artificial light, habitat loss, and pesticides.', '2018-08-22 11:52:00',
'233', '1');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She always speaks to him in a loud voice.', '2021-03-09
10:58:00', '70', '18');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The stranger officiates the meal.', '2019-06-11 00:08:00',
'257', '75');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'He uses onomatopoeia as a weapon of mental destruction.',
'2018-12-18 10:51:00', '150', '63');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The lyrics of the song sounded like fingernails on a
chalkboard.', '2017-06-24 21:16:00', '99', '11');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Just go ahead and press that button.', '2019-12-04
22:29:00', '23', '89');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Sometimes you have to just give up and win by cheating.',
'2018-04-20 17:31:00', '171', '49');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The random sentence generator generated a random sentence
about a random sentence.', '2021-02-03 15:23:00', '252', '77');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'Toddlers feeding raccoons surprised even the seasoned park
ranger.', '2017-06-08 09:05:00', '215', '60');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'I often see the time 11:11 or 12:34 on clocks.', '2019-12-09
19:52:00', '66', '17');

```

```
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'A purple pig and a green donkey flew a kite in the middle of
the night and ended up sunburnt.', '2018-01-15 18:40:00', '56', '90');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He was the type of guy who liked Christmas lights on his
house in the middle of July.', '2017-10-28 16:19:00', '154', '86');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'It was a slippery slope and he was willing to slide all the
way to the deepest depths.', '2018-05-06 23:19:00', '176', '11');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('5', 'Writing a list of random sentences is harder than I initially
thought it would be.', '2017-07-27 09:44:00', '41', '37');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He decided to live his life by the big beats manifesto.',
'2018-01-10 02:58:00', '322', '80');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'She did a happy dance because all of the socks from the
dryer matched.', '2020-01-16 22:14:00', '177', '30');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The crowd yells and screams for more memes.', '2019-05-07
00:40:00', '190', '97');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He set out for a short walk, but now all he could see were
mangroves and water were for miles.', '2020-08-21 10:16:00', '103', '70');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('4', 'He dreamed of eating green apples with worms.', '2018-02-15
03:33:00', '282', '63');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He dreamed of eating green apples with worms.', '2018-02-15
03:33:00', '282', '63');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('481', '480');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Swim at your own risk was taken as a challenge for the group
of Kansas City college students.', '2019-12-25 17:25:00', '288', '4');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Stop waiting for exceptional things to just happen.', '2019-
12-21 10:29:00', '275', '88');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The fifty mannequin heads floating in the pool kind of
freaked them out.', '2019-07-03 05:23:00', '202', '99');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'At that moment he wasnt listening to music, he was living an
experience.', '2019-02-03 06:30:00', '253', '91');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The urgent care center was flooded with patients after the
news of a new deadly virus was made public.', '2020-11-28 09:04:00', '85',
'7');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Weather is not trivial - its especially important when youre
standing in it.', '2018-09-09 02:30:00', '31', '96');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'He ended up burning his fingers poking someone elses fire.',
'2017-04-14 04:01:00', '127', '17');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
```

```

VALUES (NULL, 'The Guinea fowl flies through the air with all the grace of
a turtle.', '2019-03-31 23:21:00', '221', '33');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('3', 'Before he moved to the inner city, he had always believed
that security complexes were psychological.', '2018-01-07 22:22:00', '127',
'17');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Various sea birds are elegant, but nothing is as elegant as
a gliding pelican.', '2017-05-19 01:15:00', '67', '99');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'We need to rent a room for our party.', '2019-01-13
06:42:00', '38', '82');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'For oil spots on the floor, nothing beats parking a
motorbike in the lounge.', '2019-05-31 20:44:00', '339', '76');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Had he known what was going to happen, he would have never
stepped into the shower.', '2020-07-13 11:59:00', '78', '3');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('1', 'They wandered into a strange Tiki bar on the edge of the
small beach town.', '2020-10-06 14:01:00', '197', '87');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'As she walked along the street and looked in the gutter, she
realized facemasks had become the new cigarette butts.', '2019-05-19
05:50:00', '258', '48');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Twin 4-month-olds slept in the shade of the palm tree while
the mother tanned in the sun.', '2018-07-12 12:28:00', '290', '55');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'The fox in the tophat whispered into the ear of the
rabbit.', '2019-12-14 22:09:00', '292', '55');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'his seven-layer cake only had six layers.', '2017-09-17
19:52:00', '267', '21');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES ('2', 'Facing his greatest fear, he ate his first marshmallow.',
'2021-04-03 12:45:00', '285', '95');
INSERT INTO tb_comment (rating, text, post_time, id_member, id_recipe)
VALUES (NULL, 'Facing his greatest fear, he ate his first marshmallow.',
'2021-04-03 12:45:00', '285', '95');
INSERT INTO tb_answer (id_comment, father_comment) VALUES ('501', '500');

INSERT INTO tb_comment_report (id_reporter, reason, active, id_comment)
VALUES (214, 'Streamlined discrete artificial intelligence', TRUE, 68);
INSERT INTO tb_comment_report (id_reporter, reason, active, id_comment)
VALUES (138, 'Advanced actuating knowledge user', TRUE, 91);
INSERT INTO tb_comment_report (id_reporter, reason, active, id_comment)
VALUES (217, 'Enhanced dynamic orchestration', TRUE, 61);
INSERT INTO tb_comment_report (id_reporter, reason, active, id_comment)
VALUES (284, 'Future-proofed multimedia application', TRUE, 34);
INSERT INTO tb_comment_report (id_reporter, reason, active, id_comment)
VALUES (20, 'Optimized explicit data-warehouse', TRUE, 66);
INSERT INTO tb_comment_report (id_reporter, reason, active, id_comment)
VALUES (213, 'Synergized intermediate product', TRUE, 58);

```

```

INSERT INTO tb_comment_report (id_reporter, reason, active, id_comment)
VALUES (299, 'Grass-roots logistical knowledge base', TRUE, 95);
INSERT INTO tb_comment_report (id_reporter, reason, active, id_comment)
VALUES (154, 'Triple-buffered contextually-based benchmark', TRUE, 15);
INSERT INTO tb_comment_report (id_reporter, reason, active, id_comment)
VALUES (282, 'Virtual explicit extranet', TRUE, 61);
INSERT INTO tb_comment_report (id_reporter, reason, active, id_comment)
VALUES (286, 'Cross-group coherent definition', TRUE, 87);

```

```

INSERT INTO tb_recipe_report (id_reporter, reason, active, id_recipe)
VALUES (338, 'Devolved well-modulated projection', TRUE, 47);
INSERT INTO tb_recipe_report (id_reporter, reason, active, id_recipe)
VALUES (331, 'Visionary multi-tasking complexity', TRUE, 46);
INSERT INTO tb_recipe_report (id_reporter, reason, active, id_recipe)
VALUES (117, 'Programmable high-level forecast', TRUE, 13);
INSERT INTO tb_recipe_report (id_reporter, reason, active, id_recipe)
VALUES (246, 'Persevering regional circuit', TRUE, 81);
INSERT INTO tb_recipe_report (id_reporter, reason, active, id_recipe)
VALUES (155, 'Monitored methodical Graphic Interface', TRUE, 42);
INSERT INTO tb_recipe_report (id_reporter, reason, active, id_recipe)
VALUES (283, 'Cloned full-range data-warehouse', TRUE, 83);
INSERT INTO tb_recipe_report (id_reporter, reason, active, id_recipe)
VALUES (308, 'Down-sized mobile contingency', TRUE, 23);
INSERT INTO tb_recipe_report (id_reporter, reason, active, id_recipe)
VALUES (299, 'Pre-emptive modular array', TRUE, 98);
INSERT INTO tb_recipe_report (id_reporter, reason, active, id_recipe)
VALUES (79, 'Fundamental disintermediate attitude', TRUE, 4);
INSERT INTO tb_recipe_report (id_reporter, reason, active, id_recipe)
VALUES (292, 'Monitored value-added encoding', TRUE, 29);

```

```

INSERT INTO tb_comment_notification (id_comment) VALUES ('1');
INSERT INTO tb_comment_notification (id_comment) VALUES ('2');
INSERT INTO tb_comment_notification (id_comment) VALUES ('3');
INSERT INTO tb_comment_notification (id_comment) VALUES ('4');
INSERT INTO tb_comment_notification (id_comment) VALUES ('5');
INSERT INTO tb_comment_notification (id_comment) VALUES ('6');
INSERT INTO tb_comment_notification (id_comment) VALUES ('7');
INSERT INTO tb_comment_notification (id_comment) VALUES ('8');
INSERT INTO tb_comment_notification (id_comment) VALUES ('9');
INSERT INTO tb_comment_notification (id_comment) VALUES ('10');
INSERT INTO tb_comment_notification (id_comment) VALUES ('11');
INSERT INTO tb_comment_notification (id_comment) VALUES ('12');
INSERT INTO tb_comment_notification (id_comment) VALUES ('13');
INSERT INTO tb_comment_notification (id_comment) VALUES ('14');
INSERT INTO tb_comment_notification (id_comment) VALUES ('15');
INSERT INTO tb_comment_notification (id_comment) VALUES ('16');
INSERT INTO tb_comment_notification (id_comment) VALUES ('17');
INSERT INTO tb_comment_notification (id_comment) VALUES ('18');
INSERT INTO tb_comment_notification (id_comment) VALUES ('19');
INSERT INTO tb_comment_notification (id_comment) VALUES ('20');
INSERT INTO tb_comment_notification (id_comment) VALUES ('21');
INSERT INTO tb_comment_notification (id_comment) VALUES ('22');
INSERT INTO tb_comment_notification (id_comment) VALUES ('23');
INSERT INTO tb_comment_notification (id_comment) VALUES ('24');

```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
INSERT INTO tb_delete_notification (id_receiver, name_recipe) VALUES
('2', 'Gourmet Mushroom');
INSERT INTO tb_delete_notification (id_receiver, name_recipe) VALUES
('52', 'Mushroom');
INSERT INTO tb_delete_notification (id_receiver, name_recipe) VALUES
('132', 'Gourmet');
INSERT INTO tb_delete_notification (id_receiver, name_recipe) VALUES
('132', 'Meatloft');
```

```
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (49,
4);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (63,
111);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (70,
48);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (58,
109);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (64,
39);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (13,
116);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (20,
338);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (71,
25);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (48,
115);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (52,
332);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (12,
222);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (74,
58);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (38,
162);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (49,
240);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (18,
217);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (16,
158);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (59,
237);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (44,
95);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (73,
235);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (18,
24);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (28,
230);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (29,
126);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (41,
42);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (79,
141);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (10,
12);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (73,
131);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (61,
```

```
84);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (8,
217);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (28,
113);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (71,
303);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (44,
192);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (50,
230);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (32,
323);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (33,
19);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (43,
87);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (75,
300);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (30,
122);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (52,
194);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (71,
65);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (72,
86);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (17,
18);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (27,
90);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (18,
5);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (75,
8);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (99,
325);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (93,
317);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (95,
168);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (55,
249);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (2,
329);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (70,
317);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (93,
128);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (35,
305);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (40,
50);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (69,
```



```

89);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (40,
174);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (84,
221);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (90,
50);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (99,
313);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (43,
118);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (84,
8);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (30,
257);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (94,
120);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (62,
220);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (70,
156);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (40,
290);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (89,
167);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (62,
41);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (32,
136);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (62,
293);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (3,
69);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (43,
111);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (86,
271);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (77,
62);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (8,
244);
INSERT INTO tb_favourite_notification (id_recipe, id_caused_by) VALUES (12,
245);

```

5.3. After Populate

```

-- Includes stuff to be executed after the execution of populate.pgsq1

-- Recipes FTS

DROP MATERIALIZED VIEW IF EXISTS recipes_fts_view;

```

```

CREATE MATERIALIZED VIEW recipes_fts_view AS
  SELECT tb_recipe.id AS recipe_id , tb_recipe.name AS recipe_name,
  tb_member.id AS member_id, tb_member.name AS member_name,
         tb_category.name AS category, string_agg(tb_tag.name, ' ') AS tag,
         (setweight(to_tsvector('english', tb_recipe.name), 'A') ||
          setweight(to_tsvector('english', tb_category.name), 'B') ||
          setweight(to_tsvector('english', string_agg(tb_tag.name, ' ')),
          'B') ||
          setweight(to_tsvector('simple', tb_member.name), 'C')) AS search
  FROM tb_recipe
  JOIN tb_member ON tb_recipe.id_member = tb_member.id
  JOIN tb_category ON tb_recipe.id_category = tb_category.id
  JOIN tb_tag_recipe ON tb_recipe.id = tb_tag_recipe.id_recipe
  JOIN tb_tag ON tb_tag_recipe.id_tag = tb_tag.id
  GROUP BY tb_recipe.id, tb_member.id, tb_category.name
  ORDER BY tb_recipe.id;

DROP INDEX IF EXISTS recipes_fts;
CREATE INDEX recipes_fts ON recipes_fts_view USING GIN(search);

DROP FUNCTION IF EXISTS recipes_fts_UDF() CASCADE;
CREATE OR REPLACE FUNCTION recipes_fts_UDF()
RETURNS void AS $$
BEGIN
  REFRESH MATERIALIZED VIEW recipes_fts_view;
END
$$ LANGUAGE plpgsql;

```

Revision history

No changes made after the first submission.

GROUP2135, 09/04/21

Alexandre Abreu, up201800168@fe.up.pt (Editor)

Rafael Cristino, up201806680@fe.up.pt

Rui Pinto, up201806441@fe.up.pt

Tiago Gomes, up201806658@fe.up.pt