

Event-Driven Programming



Mr. E. O. Tugbeh

AI Product Engineer, HWP Labs

About Me

- Bachelor's degree in Mathematics & Computer Science - 2014
- Master's degree in Computer Science-Software Engineering - 2021
- Over 12+ years of experience in Enterprise App Development & Training
- Healthcare, Core Banking, Education, and Digital Marketing
- Member of Computer Professionals (Registration Council of Nigeria) [CPN] - 2020
- Member of Google Developer Group (GDG) & Community Mentor - 2013
- Microsoft Certified Azure Developer Associate (AZ-204) & Community Mentor - 2024
- Claude Certified Solutions Architect & Community Mentor - 2026



Overview

0

**Role of
JavaScript**

1

**JavaScript
Fundamentals**

2

**BOM BOM
& DOM**

3

**Events Triggers
& Handlers**

4

**Coding Session
w/Northwind AI**

Prerequisites

- ☐ HTML Fundamentals
- ☐ CSS Fundamentals
- ☐ Charged Laptop
- ☐ Internet Connection



A large, white, serif capital letter 'O' is positioned on the left side of the slide. It is set against a solid orange background that features a fine, repeating pattern of small white dots.

Role of JavaScript

Webpage Interactivity

“

JavaScript is an **interpreted**,
high-level programming language
used to develop interactive webpages

Trivia

- ❑ **1995** - JavaScript was created by Brendan Eich (Netscape, *within 10 days*);
- ❑ **2009** - Node.js was created by Ryan Dahl as a JS runtime environment to execute JS outside web browsers;
- ❑ **2011** - React.js was created by Jordan Walke (Facebook) as an open-source JS library for building single-page applications (SPAs);




Application Areas

- ❑ Manipulating HTML & CSS (DOM Elements)
- ❑ Handling Webpage Interactions
- ❑ Building APIs/Web Services (Node.js)
- ❑ Building Desktop Apps (Electron)
- ❑ Building Mobile Apps (React Native)



Web App Architecture





Questions

1

JavaScript Fundamentals

Syntax & Semantics

- ❑ **Variables** – Named storage location in memory that can/cannot be changed after declaration (var, const);
- ❑ **Data Types** – Defines the type of value to be stored in memory, how much memory it consumes, and what type of operations can be performed on it;
- ❑ **Operators** – Symbols used to perform computations (+/-);



Questions

2

BOM BOM & DOM

Browser/Document Object Model



Questions

3

Events Triggers & Handlers



Questions

4

Coding Session

Northwind AI



Questions

Resources

1. Tugbeh, E. O. (2026). Event-Driven Programming:
<https://github.com/2gbeh/src/tree/main/event-driven-programming/slide.pdf>
2. Tugbeh, E. O. (2026). Source Code Repository:
<https://github.com/2gbeh/src/blob/main/event-driven-programming/lab.zip>
3. W3Schools – Introduction to Programming:
<https://w3schools.com/programming/index.php>
4. W3Schools – JavaScript Tutorial: <https://w3schools.com/js/default.asp>

Contact Info

- ❑ **Variables** – Named storage location in memory that can/cannot be changed after declaration (var, const);
- ❑ **Data Types** – Defines the type of value to be stored in memory, how much memory it consumes, and what type of operations can be performed on it;
- ❑ **Operators** – Symbols used to perform computations (+/-);