Pickup Booking API

Name	Туре	Required	Description
reference_no	String	True	This is the unique identification of pickup
		_	jobs created in the FarEye system
job_status	String	True	Sample values:
			Job Creation - Multiple
			Start Trip - Multiple
			At Pickup - Multiple
			Success / Failed - One time
			End Trip - One time Cancelled
job_desc	String	True	Description of the status
status_change_dt	DateTime (YYYY-MM-	True	Datetime of when the job status change,
Status_change_ut	DD HH:mm:ss)	liuc	linked to Job status event
 last_update_dt	DateTime (YYYY-MM-	True	This refers to the time stamp of the sync
last_upuate_ut	DD HH:mm:ss)	iiue	sent from rider's mobile app to the FarEye
	7111.111111.33)		server
job_type	String	True	Sample Values
J = 2_3/P =	g		WH Pickup
			2GO Store Pickup
			Exclusive Pickup
			Local Pickup
awb_list	ArrayList	Optional	
awb_no	String	Optional	Tracking No.
awb_created_dt	DateTime (YYYY-MM-	Optional	Tracking No. create date time
	DD HH:mm:ss)		
transaction_type	String	Optional	Transaction type - PX / DX
Item_desc	String	Optional	Item description declared by shipper - e.g.,
item_weight	Decimal(12,2)	Optional	watch, food, clothes, etc. item weight declared by shipper
	· · · · · ·	·	
item_height	Number	Optional	
item_length	Number		item length declared by shipper
item_width	Number	Optional	item width declared by shipper
actual_weight	Decimal(12,5)	Optional	actual weight in kg of item being shipped
chargeable_weight	Decimal(12,2)	Optional	chargeable weight in kg of item being shipped
cbm	Number (12,5)	Optional	volume in cubic meter of item being shipped
declared_value	Number(12,5)	Optional	value declared in PHP of item being shipped
paymode	String	Optional	mode of payment i.e., cash, cc, online transfer, electronic payment, etc.
overage_flag	String	Optional	Flag that indicates if the shipment is overage
overage_timestamp	DateTime (YYYY-MM- DD HH:mm:ss)	Optional	Timestamp on when the overage awb was scanned / picked up
store_id	String	Optional	If booking created in 2GO Outlet
merchant_code	String	Optional	Merchant Code of the pickup job
1			1

merchant_name	String	Optional	Shows end customer name provided at the time of encoding
merchant_type	String	Optional	
shipper_name	String	Optional	
shipper_contact_no	String	Optional	phone number of sender (critical for walk-in customers)
pickup_region	String	Optional	pickup address defined by shipper, so these can be mapped to the servicing inbound hub / first mile hub
pickup_province	String	Optional	pickup address defined by shipper, so these can be mapped to the servicing inbound hub / first mile hub
pickup_city	String	Optional	pickup address defined by shipper, so these can be mapped to the servicing inbound hub / first mile hub
pickup_address	String	Optional	pickup address defined by shipper, so these can be mapped to the servicing inbound hub / first mile hub
pickup_lat	Number(11,8)	Optional	Pickup job latitude based on address
pickup_long	Number(11,8)	Optional	Pickup job longitude based on address
pickup_loc_code	String	Optional	MerchantCode_originName combination for pickup job
pickup_signature	String	Optional	Signature capture during pickup success
pickup_confirmation	String	Optional	Picture captured during pickup success/failed
courier_code	String	Optional	Rider code
courier_name	String	Optional	Rider name
vehicle_type	String	Optional	corresponding asset used by courier in fulfilling the shipment request, whether a truck or MC
origin_address_line1	String	Optional	Address of the pickup location
origin_code	String	Optional	will be done/ Store ID also identified here but merged with store name Fareye to split (Cedrick to include in the documentation)
origin_depot_city	String	Optional	Pickup city
origin_depot_code	String	Optional	Pickup hub
rider_lat	Number(11,8)	Optional	
rider_long	Number(11,8)	Optional	
reason_failure	String	Optional	Failure reason captured during pickup failed
created_by	String	Optional	username of shipper if they booked online; if applicable for online booking
email	String	Optional	email of shipper if they booked online (critical for walk-in customers)
job_create_dt	DateTime	True	This is the job creation time of the pickup job

npr_reference_no	String (69)	True	New June 2024 This is the unique identification of pickup jobs created in the FarEye system
contact_person_name	String(100)	True	New June 2024 Name of the customers contact person during pickup
total_weight	Number	True	New June 2024 Estimated volume for pickup in kg. Sum amount of either item_weight or actual_weight (which one is available)
pending_job_type	String(69)	True	New June 2024 Default to "Pickup"
rc	String	True	New June 2024 Value is either Express or Forwarding

Containerization API

Name	Туре	Required	Description
container_id	String	True	Container ID
reference_id	String	True	NEW Reference ID
route_id	String	Optional	Route ID
booking_id	String	Optional	Booking ID
status_code	String	Optional	Status Code
status_desc	String	Optional	Status Description
status_date	Datetime (YYYY-MM- DD HH:mm:ss)	Optional	Timestamp of the status
status_loc	String	Optional	Location where activity happened
scanned_by	String	Optional	Scanned By
origin	String	Optional	Container Origin
destination	String	Optional	Container Destination
vessel_name	String	Optional	Name of the Vessel
voyage_number	String	Optional	Voyage Number
voyage_etd	String	Optional	Voyage Estimated Time of Departure
voyage_eta	String	Optional	Voyage Estimated Time of Arrival
pbl_number	String	Optional	PBL Numberd
bl_number	String	Optional	BL Number
serial_no1	String	Optional	Seal Number 1
serial_no2	String	Optional	Seal Number 2
serial_no3	String	Optional	Seal Number 3
truck_type	String	Optional	Truck Type where the container is loaded to CY
truck_plateNo	String	Optional	Truck Plate Number
trucker_name	String	Optional	Name of the trucker
vendor_name	String	Optional	Vendor of the Trucker
trip_category	String	Optional	Trip Category
remarks	String	Optional	Container Remarks
total_quantity	Number	Optional	Number of AWB inside the container
total_actual_weight	Number	Optional	Total actual weight of AWBs inside container
total_volumetric_weight	Number	Optional	Total volumetric weight of AWBs inside container
total_cbm	Number	Optional	Total CBM of AWBs inside container
itemList	ArrayList	TRUE	Array of Item details
port_sticker	String	Optional	DTMA Port Sticker
awb_number	String	Optional	AWB Number related to the Port Sticker

Bagging API

Name	Туре	Required	Description
reference_no	String	TRUE	Bag Reference Number
dispatch_dt	Datetime (YYYY-MM- DD HH:mm:ss)	Optional	Line Haul Dispatch Date
origin_port_code	String	Optional	Bag Origin Port Code
destination_port_code	String	Optional	Bag Destination Port Code
destination_city	String	Optional	Bag Destination City
destination_hub	String	Optional	Bag Destination Hub
quantity	Number	Optional	Number of AWB inside the bag
volumetric_weight	Number	Optional	Total Volumetric Weight of the Bag
actual_weight	Number	Optional	Total Actual Weight of the Bag
chargeable_weight	Number	Optional	Total Chargeable Weight of the Bag
total_declared_value	Number	Optional	Total Declared value of the Bag
total_cbm	Number	Optional	Total CBM of the Bag
bag_created_dt	Datetime (YYYY-MM- DD HH:mm:ss)	Optional	Date when the bag is created
transhipment_hub	String	Optional	NEW Mid-mile Hub. Data will be available during dispatch
courier_id	String	Optional	NEW Trucker System ID. Data will be available during dispatch
courier_name	String	Optional	NEW Trucker Name. Data will be available during dispatch
courier_vehicle_type	String	Optional	NEW Trucker Vehicle Type. Data will be available during dispatch
courier_plate_number	String	Optional	NEW Trucker Vehicle Plate Number. Data will be available during dispatch
status_code	String	Optional	NEW Activity Status
status_date	Datetime (YYYY-MM- DD HH:mm:ss)	Optional	NEW Datetime of when the activity is performed
scanned_at	String	Optional	NEW Hub where the bag is scanned
scanned_by	String	Optional	NEW User who scanned the bag
awb_list	ArrayList	True	AWB List
merchant_code	String	Optional	Merchant Code
awb_no	String	Optional	Unique Tracking No. Should only contain AWB Number
awb_type	String	Optional	Parcels (PX) / Documents (DX)
package_code	String	Optional	Shipment Packaging Code
shipper_name	String	Optional	Shipper Name
shipper_address	String	Optional	Shipper Address
consignee_name	String	Optional	Consignee Name
consignee_address	String	Optional	Consignee Address
rc_code	String	Optional	Revenue Center Code - BI to provide