Title:

Certificate of Analysis (CoA)



Date: 9/25/2026
Date Tested: 9/23/2026
Customer: TIDElwave Research Solutions
Testing material: Epithalon
Lot Number: 20260421-ET50-2BF2
Sample ID: BTL260811-012-014
Content/Potency: 50 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, black label, copper crimp, clear plastic cap.
Labeled as: Epithalon
Manufacturer: N/A
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.

Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	146.4 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Epithalon with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.6 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 50 mg	50.7 mg (101.4 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:0) to (1:10) for (peptide: excipients)	50.7 : 95.7 mg (1:1.9)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, BS
Scientist-II
BTLabs


Escarlet Cabrieles, BS
Scientist-II
BTLabs

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com


Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Epithalon Lot 20260421-ET50-2BF2



HPLC Purity and Potency Assay @ 220 nm: Epithalon Lot 20260421-ET50-2BF2



Epithalon Lot 20260421-ET50-2BF2 @ 220 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	1.567	7590.2

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com