Title:

Certificate of Analysis (CoA)



Date: 9/25/2026
Date Tested: 9/23/2026
Customer: TIDElwave Research Solutions
Testing material: Sermorelin
Lot Number: 20260420-SM10-1BF1
Sample ID: BTL260811-012-013
Content/Potency: 10 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, black label, silver crimp, red plastic cap.
Labeled as: Sermorelin
Manufacturer: N/A
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.

Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	66 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Sermorelin with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.8 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 10 mg	11.3 mg (113.4 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:0) to (1:10) for (peptide: excipients)	11.3 : 54.7 mg (1:4.8)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, BS
Scientist-II
BTLabs


Escarlet Cabrieles, BS
Scientist-II
BTLabs

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com


Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Sermorelin Lot 20260420-SM10-1BF1



HPLC Purity and Potency Assay @ 280 nm: Sermorelin Lot 20260420-SM10-1BF1



Sermorelin Lot 20260420-SM10-1BF1 @ 280 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	6.893	561.8

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com