

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Semax - 10mg

Tested for: TIDEIwave Research Solutions

COA #: COA-2026-UDF8TS
Lot Number: 20260507-XA10-2CF1
Labeled Content: 10mg

Analysis Date: 07/13/2026
Appearance: Good
Date Received: 06/29/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: P6GBEJES

Method: Purity & Quant (HPLC)

Identity

Semax

Peptide Purity

99.68%



Fentanyl
Free


Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	$\geq 95.0\%$	99.68%	%	PASS
Net Peptide Content	Report Only	10.31	mg	N/A
Identity (HPLC-RTM)	Semax	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Semax 10mg - 20260507-XA10-2CF1

HPLC Chromatogram



Semax 10mg - 20260507-XA10-2CF1: UV Chromatogram

Notes & Methodology

- Date Tested: 07/13/2026. Methods: Purity & Quant (HPLC).
- The sample was confirmed to be Semax by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/13/2026

COA #: COA-2026-UDF8TS
Access Code: P6GBEJES
Verify: lab.ils-lab.com
Issued: 7/13/2026