

Team: Alexa White and Justin Morgan

Example of how to run code:

to build plugin(s):

```
go build mr/mr.go
```

```
go build -buildmode=plugin wc.go
```

to compile:

```
go build main.go worker.go fmanager.go
```

to run:

```
./main input_files/pg-metamorphosis.txt wc.so
```

Output is stored in directory "output\_files"

Sample output:

```
Alexas-MacBook-Pro:569-lab2 Alexa$ ./main input_files/pg-metamorphosis.txt wc.so
Alexas-MacBook-Pro:569-lab2 Alexa$ more output_files/mr-out-000
ASCII 2
At 11
BE 1
BREACH 2
Be 1
Besides 1
DAMAGE 1
Didn 1
During 2
E 22
EXCEPT 1
Except 2
FOR 3
For 10
Franz 4
Girls 1
Good 1
Gregory 1
Grete 25
INCLUDING 1
Internal 1
It 42
Leave 1
METAMORPHOSIS 2
March 1
Metamorphosis 4
Nearly 1
Newby 1
Nor 1
OF 10
Of 1
On 5
PG 1
Public 1
See 2
Smears 1
Special 1
These 2
U 3
Updated 1
Vanilla 2
Alexas-MacBook-Pro:569-lab2 Alexa$ more output_files/mr-out-002
Alright 1
Arms 1
Below 1
C 3
Charlottenstrasse 1
Cheerio 1
Chief 1
City 1
Compliance 1
DISCLAIMER 1
END 1
End 1
GUTENBERG 4
Gutenberg 84
Had 2
Help 2
III 1
INCIDENTAL 1
LIABLE 1
Let 2
Many 1
Melan 1
Michael 2
Milk 1
Most 1
Mother 4
NO 2
NOT 2
No 7
Nothing 2
Oh 5
Perhaps 3
Professor 1
Redistribution 1
S 5
Should 1
Soon 1
THOSE 1
Through 1
Tonight 1
Was 3
```