

Date:

Aim:

To develop a Simple Android Application that makes use of Database.

Procedure:**Creating a New project:**

- Open Android Studio and then click on **File -> New -> New project**.
- Then type the Application name as **"exno4"** and click Next.
- Then **select the Minimum SDK** as shown below and click Next.
- Then **select the Empty Activity** and click Next.
- Finally click **Finish**.
- It will take some time to build and load the project.
- After completion it will look as given below.

Designing layout for the Android Application:

- Click on **app -> res -> layout -> activity_main.xml**.
- Now click on Text as shown below.
- Then delete the code which is there and type the code as given below.

Code for Activity_main.xml:

```
<?xml version="1.0" encoding="utf-8"?>
<AbsoluteLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent">
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_x="50dp"
    android:layout_y="20dp"
    android:text="Student Details"
    android:textSize="30sp" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_x="20dp"
    android:layout_y="110dp"
    android:text="Enter Rollno:"
    android:textSize="20sp" />
```

```
<EditText
    android:id="@+id/Rollno"
    android:layout_width="150dp"
    android:layout_height="wrap_content"
    android:layout_x="175dp"
    android:layout_y="100dp"
    android:inputType="number"
    android:textSize="20sp" />
```

```
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_x="20dp"
    android:layout_y="160dp"
    android:text="Enter Name:"
    android:textSize="20sp" />
```

```
<EditText
    android:id="@+id/Name"
    android:layout_width="150dp"
    android:layout_height="wrap_content"
    android:layout_x="175dp"
    android:layout_y="150dp"
    android:inputType="text"
    android:textSize="20sp" />
```

```
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_x="20dp"
    android:layout_y="210dp"
    android:text="Enter Marks:"
    android:textSize="20sp" />
```

```
<EditText
    android:id="@+id/Marks"
    android:layout_width="150dp"
    android:layout_height="wrap_content"
```

```
android:layout_x="175dp"
android:layout_y="200dp"
android:inputType="number"
android:textSize="20sp" />
```

<Button

```
android:id="@+id/Insert"
android:layout_width="150dp"
android:layout_height="wrap_content"
android:layout_x="25dp"
android:layout_y="300dp"
android:text="Insert"
android:textSize="30dp" />
```

<Button

```
android:id="@+id/Delete"
android:layout_width="150dp"
android:layout_height="wrap_content"
android:layout_x="200dp"
android:layout_y="300dp"
android:text="Delete"
android:textSize="30dp" />
```

<Button

```
android:id="@+id/Update"
android:layout_width="150dp"
android:layout_height="wrap_content"
android:layout_x="25dp"
android:layout_y="400dp"
android:text="Update"
android:textSize="30dp" />
```

<Button

```
android:id="@+id/View"
android:layout_width="150dp"
android:layout_height="wrap_content"
android:layout_x="200dp"
android:layout_y="400dp"
android:text="View"
```

```
android:textSize="30dp" />
```

```
<Button
```

```
    android:id="@+id/ViewAll"
```

```
    android:layout_width="200dp"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_x="100dp"
```

```
    android:layout_y="500dp"
```

```
    android:text="View All"
```

```
    android:textSize="30dp" />
```

```
</AbsoluteLayout>
```

- Now click on Design and your application will look as given below.
- So now the designing part is completed.

Java Coding for the Android Application:

- Click on **app -> java -> com.example.exno4 -> MainActivity**.
- Then delete the code which is there and type the code as given below.

Code for MainActivity.java:

```
package com.example.exno4;
```

```
import android.app.Activity;
```

```
import android.app.AlertDialog.Builder;
```

```
import android.content.Context;
```

```
import android.database.Cursor;
```

```
import android.database.sqlite.SQLiteDatabase;
```

```
import android.os.Bundle;
```

```
import android.view.View;
```

```
import android.view.View.OnClickListener;
```

```
import android.widget.Button;
```

```
import android.widget.EditText;
```

```
public class MainActivity extends Activity implements OnClickListener
```

```
{
```

```
    EditText Rollno, Name, Marks;
```

```
    Button Insert, Delete, Update, View, ViewAll;
```

```
    SQLiteDatabase db;
```

```
    /** Called when the activity is first created. */
```

```
    @Override
```

```
    public void onCreate(Bundle savedInstanceState)
```

```
    {
```

```
        super.onCreate(savedInstanceState);
```

```

setContentView(R.layout.activity_main);

Rollno=(EditText)findViewById(R.id.Rollno);
Name=(EditText)findViewById(R.id.Name);
Marks=(EditText)findViewById(R.id.Marks);
Insert=(Button)findViewById(R.id.Insert);
Delete=(Button)findViewById(R.id.Delete);
Update=(Button)findViewById(R.id.Update);
View=(Button)findViewById(R.id.View);
ViewAll=(Button)findViewById(R.id.ViewAll);

Insert.setOnClickListener(this);
Delete.setOnClickListener(this);
Update.setOnClickListener(this);
View.setOnClickListener(this);
ViewAll.setOnClickListener(this);

// Creating database and table
db=openOrCreateDatabase("StudentDB", Context.MODE_PRIVATE, null);
db.execSQL("CREATE TABLE IF NOT EXISTS student(rollNo VARCHAR,name VARCHAR,marks
VARCHAR);");
}
public void onClick(View view)
{
    // Inserting a record to the Student table
    if(view==Insert)
    {
        // Checking for empty fields
        if(Rollno.getText().toString().trim().length()==0||
            Name.getText().toString().trim().length()==0||
            Marks.getText().toString().trim().length()==0)
        {
            showMessage("Error", "Please enter all values");
            return;
        }
        db.execSQL("INSERT INTO student VALUES('"+Rollno.getText()+"','"+Name.getText()+"
            '"+Marks.getText()+"');");
        showMessage("Success", "Record added");
        clearText();
    }
    // Deleting a record from the Student table
    if(view==Delete)

```

```

{
    // Checking for empty roll number
    if(Rollno.getText().toString().trim().length()==0)
    {
        showMessage("Error", "Please enter Rollno");
        return;
    }
    Cursor c=db.rawQuery("SELECT * FROM student WHERE rollno='"+Rollno.getText()+"'", null);
    if(c.moveToFirst())
    {
        db.execSQL("DELETE FROM student WHERE rollno='"+Rollno.getText()+"'");
        showMessage("Success", "Record Deleted");
    }
    else
    {
        showMessage("Error", "Invalid Rollno");
    }
    clearText();
}
// Updating a record in the Student table
if(view==Update)
{
    // Checking for empty roll number
    if(Rollno.getText().toString().trim().length()==0)
    {
        showMessage("Error", "Please enter Rollno");
        return;
    }
    Cursor c=db.rawQuery("SELECT * FROM student WHERE rollno='"+Rollno.getText()+"'", null);
    if(c.moveToFirst()) {
        db.execSQL("UPDATE student SET name='"+ Name.getText() + "',marks='"+ Marks.getText() +
            "' WHERE rollno='"+Rollno.getText()+"'");
        showMessage("Success", "Record Modified");
    }
    else {
        showMessage("Error", "Invalid Rollno");
    }
    clearText();
}
// Display a record from the Student table
if(view==View)
{

```

```

// Checking for empty roll number
if(Rollno.getText().toString().trim().length()==0)
{
    showMessage("Error", "Please enter Rollno");
    return;
}
Cursor c=db.rawQuery("SELECT * FROM student WHERE rollno='"+Rollno.getText()+"'", null);
if(c.moveToFirst())
{
    Name.setText(c.getString(1));
    Marks.setText(c.getString(2));
}
else
{
    showMessage("Error", "Invalid Rollno");
    clearText();
}
}
// Displaying all the records
if(view==ViewAll)
{
    Cursor c=db.rawQuery("SELECT * FROM student", null);
    if(c.getCount()==0)
    {
        showMessage("Error", "No records found");
        return;
    }
    StringBuffer buffer=new StringBuffer();
    while(c.moveToNext())
    {
        buffer.append("Rollno: "+c.getString(0)+"\n");
        buffer.append("Name: "+c.getString(1)+"\n");
        buffer.append("Marks: "+c.getString(2)+"\n\n");
    }
    showMessage("Student Details", buffer.toString());
}
}
public void showMessage(String title,String message)
{
    Builder builder=new Builder(this);
    builder.setCancelable(true);
    builder.setTitle(title);

```




```







        builder.setMessage(message);
        builder.show();
    }
    public void clearText()
    {
        Rollno.setText("");
        Name.setText("");
        Marks.setText("");
        Rollno.requestFocus();
    }
}


```

- So now the Coding part is also completed.
- Now run the application to see the output.

Output:







Result:

Thus a Simple Android Application that makes use of Database is developed and executed successfully.