Schema dax-3.2.xsd

schema location: C:\Documents and Settings\voeckler\Desktop\schema\dax-3.2\dax-3.2.xsd

targetNamespace: http://pegasus.isi.edu/schema/DAX

Elements Complex types Simple types Attr. groups

adag AbstractJobType ArchitectureType SystemInformationGroup

<u>CatalogType</u> <u>FilenameSafePattern</u>

FilenameType FileType

PlainFilenameType LinkageType

<u>ProfileType</u> <u>NodeldentifierPattern</u>


<u>UsesType</u> <u>OSType</u>

ProfileNamespace

TransferType

VersionPattern

element adag




namespace http://pegasus.isi.edu/schema/DAX file executable transformation job dag dax adag child children element adag used by Name Туре Use Default Fixed attributes version VersionPattern required FilenameSafePattern name required 0 index xs:nonNegativeIntege optional r count xs:nonNegativeIntege optional 1

r

jobCount	xs:positiveInteger	optional
fileCount	xs:nonNegativeIntege r	optional
childCount	xs:nonNegativeIntege	optional

element adag/file




namespace http://pegasus.isi.edu/schema/DAX

type extension of CatalogType

children profile metadata pfn

	<u> </u>				
attributes	Name	Туре	Use	Default	Fixed
	name	xs:NMTOKEN	required		
	link	LinkageType	optional		
	optional	xs:boolean	optional	false	

element adag/executable



namespace http://pegasus.isi.edu/schema/DAX


type extension of **CatalogType**

children **profile** metadata pfn

attributes

Name	Туре	Use	Default	Fixed
name	xs:NMTOKEN	required		
namespace	xs:string	optional		
version	VersionPattern	optional		
arch	ArchitectureType	optional	x86	
os	OSType	optional	linux	
osrelease	xs:string	optional		
osversion	VersionPattern	optional		
glibc	VersionPattern	optional		

element adag/transformation




namespace	xs:string	optional
name	xs:NMTOKEN	required
version	VersionPattern	optional

element adag/transformation/uses

diagram	uses				
namespace	http://pegasus.isi.edu/so	hema/DAX			
type	<u>UsesType</u>				
attributes	Name	Туре	Use	Default	Fixed
	name	xs:string	required		
	link	LinkageType	optional		
	optional	xs:boolean	optional	false	
	register	xs:boolean	optional	true	
	transfer	TransferType	optional	true	
	namespace	xs:string	optional		
	version	VersionPattern	optional		
	exectuable	xs:boolean	optional	false	

element adag/job




namespace http://pegasus.isi.edu/schema/DAX

type extension of AbstractJobType

children <u>argument profile</u> <u>stdin</u> <u>stdout</u> <u>stderr uses</u> <u>invoke</u>

attributes	Name	Туре	Use	Default	Fixed
	name	xs:NMTOKEN	required		
	id	NodeldentifierPattern	required		
	node-label	xs:string	optional		
	namespace	xs:string	optional		
	version	VersionPattern	optional		

element adag/dag



namespace http://pegasus.isi.edu/schema/DAX

type AbstractJobType

node-label


children <u>argument profile stdin stdout stderr uses invoke</u>

xs:string

attributes	Name	Туре	Use	Default	Fixed
	name	xs:NMTOKEN	required		
	id	NodeldentifierPattern	required		

optional

element adag/dax




namespace http://pegasus.isi.edu/schema/DAX

type AbstractJobType


${\it children} \quad {\it \underline{argument\ profile\ stdin\ stdout\ stderr\ uses\ invoke}}$

attributes	Name	Туре	Use	Default	Fixed
	name	xs:NMTOKEN	required		
	id	NodeldentifierPattern	required		
	node-label	xs:string	optional		


element adag/child



element adag/child/parent




complexType AbstractJobType



namespace	http://pegasus.isi.edu/schema/DAX				
children	argument pro	argument profile stdin stdout stderr uses invoke			
used by	elements	adag/dag adag/dax adag/job			
attributes	Name	Туре	Use	Default	Fixed
	name	xs:NMTOKEN	required		
	id	NodeldentifierPattern	required		
	node-label	xs:string	optional		


element AbstractJobType/argument




element AbstractJobType/argument/file



element AbstractJobType/profile




element AbstractJobType/stdin




element AbstractJobType/stdout



element AbstractJobType/stderr




element AbstractJobType/uses




element AbstractJobType/invoke




complexType CatalogType



element CatalogType/profile




element CatalogType/metadata



key	xs:NMTOKEN	required	
type	xs:NMTOKEN	required	

element CatalogType/pfn



element CatalogType/pfn/profile



complexType FilenameType




attributes	Name	Туре	Use	Default	Fixed
	name	xs:string	required		
	link	LinkageType	optional		
	optional	xs:boolean	optional	false	
	register	xs:boolean	optional	true	
	transfer	TransferType	optional	true	

complexType PlainFilenameType



complexType ProfileType



complexType UsesType

diagram

attributes

UsesType

type for uses element refers either to data or to executables. Add "type" attribute yourself.

namespace http://pegasus.isi.edu/schema/DAX

type extension of FilenameType

used by elements <u>adag/transformation/uses</u> <u>AbstractJobType/uses</u>

xs:boolean

Use Default Name Type name xs:string required link LinkageType optional optional xs:boolean optional false register xs:boolean optional true transfer TransferType optional true namespace xs:string optional VersionPattern version optional

optional

false

Fixed

simpleType ArchitectureType

namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKENS

used by attribute **SystemInformationGroup/@arch**

facets enumeration x86

exectuable

enumeration x86_64

enumeration ppc

enumeration ppc_64

enumeration ia6

enumeration sparcv7

enumeration sparcv9 enumeration amd64

simpleType FilenameSafePattern

namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

used by attribute adag/@name

facets pattern [-.0-9a-zA-Z]+

simpleType FileType

namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

facets enumeration file

enumeration executable

enumeration pattern

simpleType LinkageType

http://pegasus.isi.edu/schema/DAX namespace restriction of xs:NMTOKEN type attributes adag/file/@link FilenameType/@link AbstractJobType/stdin/@link AbstractJobType/stdout/@link used by AbstractJobType/stderr/@link enumeration none facets enumeration input enumeration output enumeration

$simple Type \ \textbf{Nodel dentifier Pattern}$

```
namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

used by attributes AbstractJobType/@id adag/child/parent/@ref adag/child/@ref

facets pattern [-0-9a-zA-Z_]+
```

simpleType OSType

```
http://pegasus.isi.edu/schema/DAX
namespace
      type
            restriction of xs:NMTOKENS
                          SystemInformationGroup/@os
                attribute
   used by
                enumeration
                             aix
     facets
                enumeration
                              sunos
                enumeration
                             linux
                enumeration
                              darwin
                enumeration
                             windows
```

simpleType ProfileNamespace

```
namespace
             http://pegasus.isi.edu/schema/DAX
      type
             restriction of xs:NMTOKEN
                attribute
                          ProfileType/@namespace
   used by
                enumeration
                              pegasus
     facets
                enumeration
                              condor
                enumeration
                              dagman
                enumeration
                              env
                enumeration
                              hints
                              globus
                enumeration
                enumeration
                             selector
```

simpleType TransferType

http://pegasus.isi.edu/schema/DAX namespace

> restriction of xs:NMTOKEN type

FilenameType/@transfer attribute used by

enumeration false facets

> enumeration optional

true enumeration

simpleType VersionPattern

http://pegasus.isi.edu/schema/DAX namespace

> restriction of xs:string type

attributes SystemInformationGroup/@glibc SystemInformationGroup/@osversion adag/executable/@version used by

adag/transformation/@version adag/job/@version adag/@version UsesType/@version

[0-9]+(\.[0-9]+(\.[0-9]+)?)? facets

attributeGroup SystemInformationGroup

osversion

glibc

namespace	http://pegasus.isi.edu/schema/DAX				
used by	element	adag/executable			
attributes	Name	Туре	Use	Default	Fixed
	arch	ArchitectureType	optional	x86	
	os	OSType	optional	linux	
	osrelease	xs:string	optional		

optional

optional

VersionPattern

VersionPattern

XML Schema do	ocumentation gener	ated with XMLSPY	<u>/</u> Schema Editor <u>htt</u>	p://www.altova.com	ı/xmlspy