## Schema dax-3.2.xsd

schema location: C:\Documents and Settings\voeckler\Desktop\schema\dax-3.2\dax-3.2.xsd

targetNamespace: http://pegasus.isi.edu/schema/DAX

Elements Complex types Simple types Attr. groups

adag AbstractJobType ArchitectureType SystemInformationGroup

<u>CatalogType</u> <u>FilenameSafePattern</u>

<u>FilenameType</u> <u>LinkageType</u>

<u>InvokeType</u> <u>NodeldentifierPattern</u>


JobUsesType OSType

<u>PlainFilenameType</u> <u>ProfileNamespace</u>

<u>ProfileType</u> <u>TransferType</u>

<u>TransformationUsesType</u> <u>VersionPattern</u>

#### element adag



#### namespace http://pegasus.isi.edu/schema/DAX


children

attributes

#### file executable transformation job dag dax child

Name	Туре	Use	Default	Fixed
version	VersionPattern	required		
name	FilenameSafePattern	required		
index	xs:nonNegativeIntege r	optional	0	
count	xs:nonNegativeIntege	optional	1	

## element adag/file




type extension of CatalogType

profile metadata pfn children

Default Name Туре Use Fixed attributes

> required xs:string name

## element adag/executable



namespace http://pegasus.isi.edu/schema/DAX

> extension of CatalogType type


children profile metadata pfn

Default Fixed Name Туре Use attributes


> xs:string required name

namespace	xs:string	optional	
version	VersionPattern	optional	
installed	xs:boolean	optional	true
arch	ArchitectureType	optional	x86
os	OSType	optional	linux
osrelease	xs:string	optional	
osversion	VersionPattern	optional	
glibc	VersionPattern	optional	

## element adag/transformation




## element adag/transformation/uses



executable xs:boolean optional true

## element adag/job




http://pegasus.isi.edu/schema/DAX namespace

> extension of AbstractJobType type

children	argument profile stdin stdout stderr uses invoke				
attributes	Name	Туре	Use	Default	Fixed
	id	NodeldentifierPattern	required		
	node-label	xs:string	optional		
	name	xs:string	required		
	namespace	xs:string	optional		
	version	VersionPattern	optional		

## element adag/dag



namespace http://pegasus.isi.edu/schema/DAX


type extension of AbstractJobType

children argument profile stdin stdout stderr uses invoke

attribute	es Name	Туре	Use	Default	Fixed
	id	NodeldentifierPattern	required		
	node-label	xs:string	optional		

file xs:string required

#### element adag/dax



namespace http://pegasus.isi.edu/schema/DAX


type extension of AbstractJobType

children argument profile stdin stdout stderr uses invoke


attributes Name Type Use Default Fixed id NodeldentifierPattern required

node-label xs:string optional file xs:string required


## element adag/child



## element adag/child/parent




## complexType AbstractJobType




http://pegasus.isi.edu/schema/DAX namespace argument profile stdin stdout stderr uses invoke children adag/dag adag/dax adag/job elements used by Use Default Fixed Name Туре attributes NodeldentifierPattern id required node-label xs:string optional


## element AbstractJobType/argument




## element AbstractJobType/argument/file




## element AbstractJobType/profile




#### element AbstractJobType/stdin



## element AbstractJobType/stdout




## element AbstractJobType/stderr




link LinkageType optional output


## element AbstractJobType/uses



## element AbstractJobType/invoke




## complexType CatalogType



## element CatalogType/profile




## element CatalogType/metadata




key xs:NMTOKEN required type xs:NMTOKEN required


## element CatalogType/pfn



## element CatalogType/pfn/profile



## complexType FilenameType



used by	complexType	<u>JobUsesType</u>			
attributes	Name	Туре	Use	Default	Fixed
	name	xs:string	required		
	link	LinkageType	optional		
	optional	xs:boolean	optional	false	
	register	xs:boolean	optional	true	
	transfer	TransferType	optional	true	

## complexType InvokeType

diagram InvokeType

defines notifications. Notifications are currently NOT SUPPORTED.

namespace http://pegasus.isi.edu/schema/DAX

type extension of xs:string

used by element AbstractJobType/invoke

attributes Name Type Use Default Fixed

when xs:NMTOKEN required

## complexType JobUsesType

JobUsesType

type for job-like uses elements that refers either to data or to executables.

namespace http://pegasus.isi.edu/schema/DAX

type extension of FilenameType

used by element AbstractJobType/uses

attributes Name Type Use Default Fixed


name xs:string required

link LinkageType optional


optional xs:boolean optional false

register	xs:boolean	optional	true
transfer	TransferType	optional	true
namespace	xs:string	optional	
version	VersionPattern	optional	
executable	xs:boolean	optional	false

## complexType PlainFilenameType



## complexType ProfileType



# ${\tt complexType}~ \textbf{TransformationUsesType}$

diagram	Transformation type for transformat elements that refers	ion uses			
namespace	to executables.  http://pegasus.isi.ed	lu/schema/DAX			
type	type extension of <u>PlainFilenameType</u>				
used by	element <u>adag</u>	/transformation/uses			
attributes	Name	Туре	Use	Default	Fixed
	name	xs:string	required		
	namespace	xs:string	optional		
	version	VersionPattern	optional		
	executable	xs:boolean	optional	true	

# ${\it simple Type}~{\bf Architecture Type}$

namespace	http://pegasus.isi.edu/schema/DAX		
type	restriction of xs:NMTOKENS		
used by	attribute <u>SystemInformationGroup/@arch</u>		
facets	enumeration x86		
	enumeration x86_64		
	enumeration ppc		
	enumeration ppc_64		
	enumeration ia64		
	enumeration sparcv7 enumeration sparcv9		
	enumeration	amd64	

#### simpleType FilenameSafePattern

```
namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

used by attribute adag/@name

facets pattern [\-.0-9a-zA-Z_]+
```

## simpleType LinkageType

http://pegasus.isi.edu/schema/DAX namespace restriction of xs:NMTOKEN type FilenameType/@link AbstractJobType/stdin/@link AbstractJobType/stdout/@link attributes used by AbstractJobType/stderr/@link enumeration none facets enumeration input enumeration output enumeration

## simpleType NodeldentifierPattern

namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

used by attributes AbstractJobType/@id adag/child/parent/@ref adag/child/@ref

facets pattern [\-0-9a-zA-Z\_]+

## simpleType OSType

namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKENS

used by attribute SystemInformationGroup/@os

facets enumeration aix
enumeration sunos
enumeration linux
enumeration macosx

enumeration

windows

## simpleType ProfileNamespace

namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

used by attribute <a href="mailto:ProfileType/@namespace">ProfileType/@namespace</a>

facets enumeration pegasus

enumeration condor

enumeration dagman

enumeration env

enumeration hints

enumeration globus

enumeration selector

enumeration stat

## simpleType TransferType

namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

used by attribute <u>FilenameType/@transfer</u>

facets enumeration false

enumeration optional

enumeration true

## simpleType VersionPattern

http://pegasus.isi.edu/schema/DAX namespace

> restriction of xs:string type

 $\underline{SystemInformationGroup/@glibc} \ \underline{SystemInformationGroup/@osversion} \ \underline{adag/executable/@version} \ \underline{adag/executable/@version} \ \underline{adag/eversion} \ \underline{adag/eversion} \ \underline{adag/eversion} \ \underline{JobUsesType/@version} \ \underline{adag/eversion} \ \underline{a$ attributes used by

TransformationUsesType/@version

pattern [0-9]+(\.[0-9]+(\.[0-9]+)?)? facets

## attributeGroup SystemInformationGroup

namespace http://pegasus.isi.edu/schema/DAX					
used by	element	adag/executable			
attributes	Name	Туре	Use	Default	Fixed
	arch	ArchitectureType	optional	x86	
	os	OSType	optional	linux	
	osrelease	xs:string	optional		
	osversion	VersionPattern	optional		
	glibc	VersionPattern	optional		

XML Schema documentation generated with XMLSPY Schema Editor <a href="http://www.altova.com/xmlspy">http://www.altova.com/xmlspy</a>