Schema dax-3.3.xsd

schema location: C:\Documents and Settings\voeckler\Desktop\schema\dax-3.3\dax-3.3.xsd

targetNamespace: http://pegasus.isi.edu/schema/DAX

Elements Complex types Simple types Attr. groups

adag AbstractJobType ArchitectureType SystemInformationGroup

<u>CatalogType</u> <u>FilenameSafePattern</u>

FilenameType LinkageType

InvokeType NodeldentifierPattern


JobUsesType OSType

PlainFilenameType ProfileNamespace

<u>ProfileType</u> <u>TransferType</u>

<u>TransformationUsesType</u> <u>VersionPattern</u>

element adag




namespace http://pegasus.isi.edu/schema/DAX

attributes


children invoke file executable transformation job dag dax child

Name	Туре	Use	Default	Fixed
version	VersionPattern	required		
name	FilenameSafePattern	required		
index	xs:nonNegativeIntege r	optional	0	
count	xs:nonNegativeIntege	optional	1	


element adag/invoke



element adag/file



element adag/executable



namespace http://pegasus.isi.edu/schema/DAX


type extension of **CatalogType**

children profile metadata pfn

attributes

Name	Туре	Use	Default	Fixed
name	xs:string	required		
namespace	xs:string	optional		
version	VersionPattern	optional		
installed	xs:boolean	optional	true	
arch	ArchitectureType	optional	x86	
os	OSType	optional	linux	
osrelease	xs:string	optional		
osversion	VersionPattern	optional		
glibc	VersionPattern	optional		

element adag/transformation



namespace http://pegasus.isi.edu/schema/DAX


children <u>uses</u>

attributes	Name	Туре	Use	Default	Fixed
	name	xs:string	required		
	namespace	xs:string	optional		
	version	VersionPattern	optional		

element adag/transformation/uses

diagram	uses				
namespace	http://pegasus.isi.edu/	schema/DAX			
type	DE <u>TransformationUsesType</u>				
attributes	Name	Туре	Use	Default	Fixed
	name	xs:string	required		
	namespace	xs:string	optional		
	version	VersionPattern	optional		
	executable	xs:boolean	optional	true	

element adag/job




namespace http://pegasus.isi.edu/schema/DAX

type extension of AbstractJobType

children argument profile stdin stdout stderr uses invoke

attrib	outes	Name	Туре	Use	Default	Fixed
		id	NodeldentifierPattern	required		
		node-label	xs:string	optional		
		name	xs:string	required		
		namespace	xs:string	optional		
		version	VersionPattern	optional		

element adag/dag




namespace http://pegasus.isi.edu/schema/DAX

type extension of AbstractJobType

children argument profile stdin stdout stderr uses invoke

attributes	Name	Туре	Use	Default	Fixed
	id	NodeldentifierPattern	required		
	node-label	xs:string	optional		
	file	xs:string	required		

element adag/dax




namespace http://pegasus.isi.edu/schema/DAX

type extension of AbstractJobType


children argument profile stdin stdout stderr uses invoke

attribut	tes Name	Туре	Use	Default	Fixed
	id	NodeldentifierPattern	required		
	node-label	xs:string	optional		
	file	xs:string	required		


element adag/child



element adag/child/parent




complexType AbstractJobType



http://pegasus.isi.edu/schema/DAX namespace argument profile stdin stdout stderr uses invoke children elements adag/dag adag/dax adag/job used by Name Туре Use Default Fixed attributes id NodeldentifierPattern required node-label xs:string optional


element AbstractJobType/argument




element AbstractJobType/argument/file




element AbstractJobType/profile




element AbstractJobType/stdin



element AbstractJobType/stdout




element AbstractJobType/stderr




link LinkageType optional output


element AbstractJobType/uses




element AbstractJobType/invoke



complexType CatalogType



element CatalogType/profile




element CatalogType/metadata



key	xs:NMTOKEN	required
type	xs:NMTOKEN	required

element CatalogType/pfn



element CatalogType/pfn/profile



complexType FilenameType



used by	complexType	<u>JobUsesType</u>			
attributes	Name	Туре	Use	Default	Fixed
	name	xs:string	required		
	link	LinkageType	optional		
	optional	xs:boolean	optional	false	
	register	xs:boolean	optional	true	
	transfer	TransferType	optional	true	

complexType InvokeType

diagram InvokeType

defines notifications. Notifications are currently NOT SUPPORTED.

namespace http://pegasus.isi.edu/schema/DAX

type extension of xs:string

used by elements <u>adag/invoke</u> <u>AbstractJobType/invoke</u>

attributes Name Type Use Default Fixed

when xs:NMTOKEN required

complexType JobUsesType

JobUsesType

type for job-like uses elements that refers either to data or to executables.

namespace http://pegasus.isi.edu/schema/DAX

type extension of FilenameType

used by element AbstractJobType/uses

attributes Name Type Use Default Fixed


name xs:string required

link LinkageType optional


optional xs:boolean optional false

register	xs:boolean	optional	true
transfer	TransferType	optional	true
namespace	xs:string	optional	
version	VersionPattern	optional	
executable	xs:boolean	optional	false

complexType PlainFilenameType



complexType ProfileType



${\tt complexType}~ \textbf{TransformationUsesType}$

diagram	Transformation	UsesType			
	type for transformati elements that refers to executables.				
namespace	http://pegasus.isi.edu	ı/schema/DAX			
type	vpe extension of PlainFilenameType				
used by	element <u>adag/</u>	transformation/uses			
attributes	Name	Туре	Use	Default	Fixed
	name	xs:string	required		
	namespace	xs:string	optional		
	version	VersionPattern	optional		
	executable	xs:boolean	optional	true	

$simple Type \ {\bf Architecture Type}$

namespace	http://pegasus.isi.edu/schema/DAX		
type	restriction of xs:N	MTOKENS	
used by	attribute <u>Sy</u>	stemInformationGroup/@arch	
facets	enumeration	x86	
	enumeration	x86_64	
	enumeration	ррс	
	enumeration	ppc_64	
	enumeration	ia64	
	enumeration	sparcv7	
	enumeration	sparcv9	
	enumeration	amd64	

simpleType FilenameSafePattern

```
namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

used by attribute adag/@name

facets pattern [\-.0-9a-zA-Z_]+
```

simpleType LinkageType

```
http://pegasus.isi.edu/schema/DAX
namespace
             restriction of xs:NMTOKEN
      type
                attributes
                           FilenameType/@link AbstractJobType/stdont/@link AbstractJobType/stdout/@link
   used by
                            AbstractJobType/stderr/@link
                enumeration
                              none
     facets
                enumeration
                              input
                enumeration
                              output
                enumeration
                              inout
```

simpleType NodeldentifierPattern

```
namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

used by attributes AbstractJobType/@id adag/child/parent/@ref adag/child/@ref

facets pattern [\-0-9a-zA-Z_]+
```

simpleType OSType

```
namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKENS

attribute SystemInformationGroup/@os
```

facets

enumeration aix

enumeration sunos

enumeration linux

enumeration macosx

enumeration windows

simpleType ProfileNamespace

namespace http://pegasus.isi.edu/schema/DAX restriction of xs:NMTOKEN type attribute ProfileType/@namespace used by enumeration pegasus facets enumeration condor dagman enumeration enumeration env enumeration hints enumeration globus enumeration selector enumeration stat

simpleType TransferType

namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

used by attribute FilenameType/@transfer

enumeration false
enumeration optional
enumeration true

simpleType VersionPattern

namespace	http://pegasus.isi.edu/schema/DAX					
type	restriction of xs:string					
used by	attributes SystemInformationGroup/@glibc SystemInformationGroup/@osversion adag/executable/@version adag/transformation/@version adag/job/@version adag/@version JobUsesType/@version TransformationUsesType/@version					
facets	pattern [0-9]+(\.[0-9]+(\.[0-9]+)?)?					

attributeGroup SystemInformationGroup

namespace	http://pegasus.isi.edu/schema/DAX					
used by	element <u>adag/executable</u>					
attributes	Name	Туре	Use	Default	Fixed	
	arch	ArchitectureType	optional	x86		
	os	OSType	optional	linux		
	osrelease	xs:string	optional			
	osversion	VersionPattern	optional			
	glibc	VersionPattern	optional			

XML Schema documentation generated with **XMLSPY** Schema Editor **http://www.altova.com/xmlspy**