Schema dax-3.2.xsd

schema location: C:\Documents and Settings\voeckler\Desktop\schema\dax-3.2\dax-3.2.xsd

targetNamespace: http://pegasus.isi.edu/schema/DAX

Elements Complex types Simple types Attr. groups

adag AbstractJobType ArchitectureType SystemInformationGroup

<u>CatalogType</u> <u>FilenameSafePattern</u>

FilenameType LinkageType

InvokeType NodeldentifierPattern


<u>JobUsesType</u> <u>OSType</u>

<u>PlainFilenameType</u> <u>ProfileNamespace</u>

<u>ProfileType</u> <u>TransferType</u>

<u>TransformationUsesType</u> <u>VersionPattern</u>

element adag




namespace http://pegasus.isi.edu/schema/DAX

children

file executable transformation job dag dax child

attributes	Name	Туре	Use	Default	Fixed
	version	VersionPattern	required		
	name	FilenameSafePattern	required		
	index	xs:nonNegativeIntege r	optional	0	
	count	xs:nonNegativeIntege r	optional	1	

element adag/file




 $\ \ \, \text{type} \quad \, \text{extension of } \underline{\textbf{CatalogType}}$

children **profile** metadata pfn

attributes Name Type Use Default Fixed

name xs:string required

element adag/executable



namespace http://pegasus.isi.edu/schema/DAX

type extension of **CatalogType**


children **profile** metadata pfn

attributes Name Type Use Default Fixed


name xs:string required

namespace	xs:string	optional	
version	VersionPattern	optional	
installed	xs:boolean	optional	true
arch	ArchitectureType	optional	x86
os	OSType	optional	linux
osrelease	xs:string	optional	
osversion	VersionPattern	optional	
glibc	VersionPattern	optional	

element adag/transformation




element adag/transformation/uses



executable xs:boolean optional true

element adag/job




namespace http://pegasus.isi.edu/schema/DAX

> extension of AbstractJobType type

children

children	ren <u>argument profile stdin stdout stderr uses invoke</u>				
attributes	Name	Туре	Use	Default	Fixed
	id	NodeldentifierPattern	required		
	node-label	xs:string	optional		
	name	xs:string	required		
	namespace	xs:string	optional		
	version	VersionPattern	optional		

element adag/dag




namespace http://pegasus.isi.edu/schema/DAX

type extension of AbstractJobType

children <u>argument profile</u> <u>stdin</u> <u>stdout</u> <u>stderr uses</u> <u>invoke</u>

attributes	Name	Туре	Use	Default	Fixed
	id	NodeldentifierPattern	required		
	node-label	xs:string	optional		
	file	xs:string	required		

element adag/dax




namespace http://pegasus.isi.edu/schema/DAX

type extension of AbstractJobType


children <u>argument profile</u> <u>stdin</u> <u>stdout</u> <u>stderr uses</u> <u>invoke</u>

attributes	Name	Туре	Use	Default	Fixed
	id	NodeldentifierPattern	required		
	node-label	xs:string	optional		
	file	vs-string	required		


element adag/child



element adag/child/parent




complexType AbstractJobType




namespace	http://pegasus	http://pegasus.isi.edu/schema/DAX				
children	argument pro	argument profile stdin stdout stderr uses invoke				
used by	elements	adag/dag adag/dax adag/job				
attributes	Name	Туре	Use	Default	Fixed	
	id	NodeldentifierPattern	required			
	node-label	xs:string	optional			


element AbstractJobType/argument




element AbstractJobType/argument/file



element AbstractJobType/profile



element AbstractJobType/stdin



element AbstractJobType/stdout




element AbstractJobType/stderr




link LinkageType optional output


element AbstractJobType/uses



element AbstractJobType/invoke



complexType CatalogType



element CatalogType/profile



element CatalogType/metadata



key	xs:NMTOKEN	required
type	xs:NMTOKEN	required

element CatalogType/pfn



element CatalogType/pfn/profile



complexType FilenameType



used by	complexType	<u>JobUsesType</u>			
attributes	Name	Туре	Use	Default	Fixed
	name	xs:string	required		
	link	LinkageType	optional		
	optional	xs:boolean	optional	false	
	register	xs:boolean	optional	true	
	transfer	TransferType	optional	true	

complexType InvokeType

diagram InvokeType

defines notifications. Notifications are currently NOT SUPPORTED.

namespace http://pegasus.isi.edu/schema/DAX

type extension of xs:string

used by element AbstractJobType/invoke

attributes Name Type Use Default Fixed

when xs:NMTOKEN required

complexType JobUsesType

JobUsesType

type for job-like uses elements that refers either to data or to executables.

namespace http://pegasus.isi.edu/schema/DAX

type extension of FilenameType

used by element AbstractJobType/uses

attributes Name Type Use Default Fixed


name xs:string required

link LinkageType optional


optional xs:boolean optional false

register	xs:boolean	optional	true
transfer	TransferType	optional	true
namespace	xs:string	optional	
version	VersionPattern	optional	
executable	xs:boolean	optional	false

complexType PlainFilenameType



complexType ProfileType



complexType TransformationUsesType

diagram TransformationUsesType type for transformation uses elements that refers either to data or to executables. namespace http://pegasus.isi.edu/schema/DAX extension of PlainFilenameType type adag/transformation/uses element used by Туре Use Default Fixed Name attributes name xs:string required namespace xs:string optional VersionPattern optional version

optional

true

xs:boolean

simpleType ArchitectureType

executable

edu/schema/DAX	namespace	
MTOKENS	restriction of xs:N	type
stemInformationGroup/@arch	attribute <u>Sy</u>	used by
x86	enumeration	facets
x86_64	enumeration	
ррс	enumeration	
ppc_64	enumeration	
ia64	enumeration	
sparcv7	enumeration	
sparcv9	enumeration	
amd64	enumeration	

simpleType FilenameSafePattern

```
namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

used by attribute adag/@name

facets pattern [\-.0-9a-zA-Z]+
```

simpleType LinkageType

```
http://pegasus.isi.edu/schema/DAX
namespace
             restriction of xs:NMTOKEN
      type
                attributes
                           FilenameType/@link AbstractJobType/stdin/@link AbstractJobType/stdout/@link
   used by
                           AbstractJobType/stderr/@link
                enumeration
                             none
     facets
                enumeration
                              input
                enumeration
                              output
                enumeration
                              inout
```

simpleType NodeldentifierPattern

```
namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

used by attributes AbstractJobType/@id adag/child/parent/@ref adag/child/@ref

facets pattern [\-0-9a-zA-Z_]+
```

simpleType OSType

```
namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKENS

attribute SystemInformationGroup/@os
```

facets

enumeration aix

enumeration sunos

enumeration linux

enumeration darwin

enumeration windows

simpleType ProfileNamespace

namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

attribute ProfileType/@namespace

used by attribute Profile Lype/@names

facets enumeration pegasus

enumeration condor

enumeration dagman

enumeration env

enumeration hints

enumeration globus

enumeration selector

enumeration stat

simpleType TransferType

namespace http://pegasus.isi.edu/schema/DAX

type restriction of xs:NMTOKEN

used by attribute <u>FilenameType/@transfer</u>

facets enumeration false

enumeration optional

enumeration true

simpleType VersionPattern

namespace http://pegasus.isi.edu/schema/DAX restriction of xs:string type

 $\underline{SystemInformationGroup/@glibc\ SystemInformationGroup/@osversion\ adag/executable/@version\ adag/fransformation/@version\ adag/job/@version\ adag/@version\ \underline{JobUsesType/@version\ adag/executable/@version\ adag/executable/$ attributes used by

TransformationUsesType/@version

pattern [0-9]+(\.[0-9]+(\.[0-9]+)?)? facets

attributeGroup SystemInformationGroup

namespace	http://pegasus.isi.edu/schema/DAX				
used by	element <u>adag/executable</u>				
attributes	Name	Type	Use	Default	Fixed
	arch	ArchitectureType	optional	x86	
	os	OSType	optional	linux	
	osrelease	xs:string	optional		
	osversion	VersionPattern	optional		
	glibc	VersionPattern	optional		

XML Schema documentation generated with XMLSPY Schema Editor http://www.altova.com/xmlspy