Schema dax-3.2.xsd

schema location: C:\Documents and Setting s\voeckler\Desktop\schema\d ax-3.2\d ax-3.2\xsd

targetN amespace: http://pegasus.isi.edu/schema/DAX

Elements Complex types Simple types Attr. groups

AbstractJobType <u>ArchitectureType</u> ad ag SystemInformationGroup Catalog Type Filename Safe Pattern

FileType <u>FilenameType</u>

InvokeType Linkag eType Nod eld enti fi er Pattern


JobUsesType

PlainFilenameType **OSType**

ProfileType ProfileNamespace TransformationUsesType TransferType


VersionPattern

element adag




children	file executab	le executable transformation job dag dax child					
attributes	N ame version name index count	Type VersionPattern FilenameSafePattern xs: nonN egativeI nteger xs: nonN egativeI nteger	•	Default 0 1	Fixed		

element adag/file




element adag/executable




arch ArchitectureType of OSType osrelease xs: string osversion VersionPattern of gilbo VersionPattern of	x86 linux
--	--------------


element adag/transformation




element adag/transformation/uses




element adag/job




element adag/dag




element adag/dax




element adag/child




element adag/child/parent



complexType AbstractJobType




 $element \ \textbf{AbstractJobType/} \\ argument$




element AbstractJobType/argument/file




element AbstractJobType/profile




element AbstractJobType/stdin




element AbstractJobType/stdout



element AbstractJobType/stderr




element AbstractJobType/uses



element AbstractJobType/invoke

diagram	invoke very simple no	tifications.			
namespace	http://pegasus.is	si. edu/schema/DAX			
type	<u>InvokeType</u>				
attributes	N ame when	Type xs:NMTOKEN	Use required	Default	Fixed

complexType CatalogType




element Catalog Type/profile

	<u> </u>							
diagram	profile	[™] profile						
namespace	http://pegasus.isi.	edu/schema/DAX						
type	ProfileType							
attributes	N ame key namespace	Type xs: string ProfileN amespace	Use required e required	Default	Fixed			

element Catalog Type/metadata

diagram	≡ metadata				
namespace	http://pegasus.is	i. edu/schema/DAX	(
type	extension of xs:	string			
attributes	N ame key type	Type xs:NMTOKEN xs:NMTOKEN	•	Default	Fixed

element Catalog Type/pfn



attributes	N ame url	Type xs:anyURI	Use required	Default	Fixed
	site	xs:string	optional	local	

element Catalog Type/pfn/profile

diagram	profile					
namespace	http://pegasus.isi.	edu/schema/DAX				
type	ProfileType					
attributes	N ame key namespace	Type xs: string ProfileN amespace	Use required required	Default	Fixed	

complexType FilenameType

	be i nename type
diagram	FilenameType logical filename representation. Add "executable" attribute yourself.
namespace	http://pegasus.isi.edu/schema/DAX
type	extension of PlainFilenameType
used by	complexType <u>JobUsesType</u>
attributes	Name Type Use Default Fixed name xs: string required link LinkageType optional optional xs: boolean optional false register xs: boolean optional true transfer TransferType optional true

complexType InvokeType

diagram	InvokeTypo defines notifica Notifications at NOT SUPPOR	itions. re currently				
namespace	http://pegasus.i	http://pegasus.isi.edu/scheme/DAX				
used by	element Abstra	ctJobType/invok	<u>(e</u>			
attributes	N ame when	Type xs:NMTOKEN	Use required	Default	Fixed	


complexType~JobUsesType

diagram	type for job-l elements tha	JobUsesType type for job-like uses elements that refers either to data or to executables.						
namespace	http://pegasus	http://pegasus.isi.edu/schema/DAX						
type	extension of FilenameType							
used by	element Abstr	element AbstractJobType/uses						
attributes	N ame name link optional register transfer namespace version exectuable	xs:string	Use required optional optional optional optional optional optional optional	Default false true true	Fixed			

$complexType \ \textbf{PlainFilenameType}$

diagram	PlainFilenameType defines just a filename.
namespace	http://pegasus.isi.edu/schema/DAX
used by	elements AbstractJobType/argument/file AbstractJobType/stderr AbstractJobType/stdin AbstractJobType/stdout complexTypes FilenameType TransformationUsesType
attributes	Name Type Use Default Fixed name xs:string required

complexType ProfileType



complexType TransformationUsesType

diagram	TransformationUsesType type for transformation uses elements that refers either to data or to executables.
namespace	http://pegasus.isi.edu/schema/DAX

type	extension of PlainFilenameType					
used by	element ad ag /tr ansfor mati on/u ses					
attributes	N ame name namespace version exectuable	Type xs: string xs: string VersionPattern xs: boolean	Use required optional optional optional	Default true	Fixed	

$simple Type \ {\bf Architecture Type} \\$

namespace	http://pegasus.isi.edu/schema/DAX				
type	restriction of xs:NMTOKENS				
used by	attribute SystemInformationGroup/@arch				
facets	enumeration x86 enumeration x86_64 enumeration ppc enumeration ppc_64 enumeration ia64 enumeration sparcv7 enumeration sparcv9 enumeration amd64				

$simple Type \ \textbf{FilenameSafePattern}$

namespace	http://pegasus.isi.edu/schema/DAX			
type	restriction of xs:NMTOKEN			
used by	attributes ad ag /d ag /@file ad ag /d ax/@file ad ag /@name			
facets	pattem [0-9a-zA-Z]+			

$simple Type \ \textbf{File Type} \ \boldsymbol{e}$

namespace	http://pegasus.isi.edu/schema/DAX			
type	restriction of xs:NMTOKEN			
facets	enumeration file enumeration executable enumeration pattern			

simpleType LinkageType

	<u> </u>
namespace	http://pegasus.isi.edu/schema/DAX
type	restriction of xs:NMTOKEN
used by	attributes FilenameType/@link AbstractJobType/stdin/@link AbstractJobType/stdout/@link AbstractJobType/stderr/@link
facets	enumeration none enumeration input enumeration output enumeration inout

$simple Type \ \textbf{NodeIdentifierPattern}$

namespace	http://pegasus.isi.edu/scheme/DAX			
type	restriction of xs:NMTOKEN			
used by	attributes AbstractJobType/@id adag/child/parent/@refadag/child/@ref			
facets	pattem [-0-9a-zA-Z_]+			

$simple Type \ \textbf{OSType}$

namespace	http://pegasus.isi.edu/scheme/DAX				
type	restriction of xs:NMTOKENS				
used by	attribute SystemInformationGroupI@os				
facets	enumeration aix enumeration sunos enumeration linux enumeration darwin enumeration windows				

simpleType ProfileNamespace

namespace	http://pegasus.isi.edu/schema/DAX				
type	restriction of xs:NMTOKEN				
used by	attribute ProfileType/@namespace				
facets	enumeration pegasus enumeration condor enumeration dagman enumeration env enumeration hints enumeration globus enumeration selector enumeration stat				

simpleType **TransferType**

namespace	http://pegasus.isi.edu/schema/DAX			
type	restriction of xs:NMTOKEN			
used by	attribute FilenameType/@transfer			
facets	enumeration false enumeration optional enumeration true			

$simple Type \ \textbf{VersionPattern}$

namespace	http://pegasus.isi.edu/schema/DAX		
type	restriction of xs:string		

used by	attributes SystemInformationGroup/@glibc SystemInformationGroup/@osversion ad ag/executable/@version ad ag/iransformation/@version ad ag/job/@version ad ag/i/oversion JobUsesType/@version TransformationUsesType/@version
facets	pattem [0-9]+(\. [0-9]+(\. [0-9]+)?)?

attributeGroup SystemInformationGroup

	teer cap cystemmermation sup						
namespace	http://pegasus.isi.edu/scheme/DAX						
used by	element ad ag /executable						
attributes	N ame arch os osrelease osversion glibc	xs: string VersionPattern	Use optional optional optional optional	Default x86 linux	Fixed		

XM L Schema documentation generated with XMLSPY Schema Editor http://www.altova.com/xmlspy