### Let the Types Work for You

Klarna Konferense

Felix Mulder

August 2018

• Functional Programming

- Functional Programming
- Type systems

- Functional Programming
- Type systems
- FP + Types == amazing!

- Functional Programming
- Type systems
- FP + Types == amazing!
- Profit!

### Bio

• Felix Mulder

#### Bio

- Felix Mulder
- Software Engineer, IronBank

#### Bio

- Felix Mulder
- Software Engineer, IronBank
- Compiler Engineer, Scala 3 @ EPFL

"Do you know that feeling of having to hold too many things in your head at once?"

# Functional Programming gets rid of that by definition.

### **Referential Transparency**

• Equational reasoning

### **Referential Transparency**

- Equational reasoning
- Compositionality

Referential Transparency + Types

==

Refactor All The Things! (without fear)

### Game over, OO. Right?

### What about the downsides?

### What if you could negate those downsides?

• Smarter inference

### What if you could negate those downsides?

- Smarter inference
- Better compiler messages

@felixmulder 10 / 25

# What if we used the types to derive the implementation?







## Today we're exploring type-level induction and recursion

### What we're actually doing

Writing a compile-time serializer for data types - with no need for scary runtime reflection.

## **Coding time!**

# Why are we so obsessed with parametricity?

### Felix's Conjecture

"By being able to do anything, we can assume nothing"

"The purpose of abstraction is not to be vague, but to create a new semantic level in which one can be absolutely precise"

- Edsger W. Dijkstra

## Any ⇒ Unit

```
def foo(i: Int): Int = ???
```

**def** foo[A](a: A): A= ???

**def** foo[A](a: A): A = a

**def** id[A](a: A): A = a

### In Closing

• Type level recursion for fun and profit!

### In Closing

- Type level recursion for fun and profit!
- Built a type-level, compile-time JSON serializer

### In Closing

- Type level recursion for fun and profit!
- Built a type-level, compile-time JSON serializer
- You shouldn't work against the compiler, make it work for you!