



SUPPLEMENT GUIDE



Supplements Worth Considering

- ✓ A food first approach should always be taken
- ✓ Not every supplement is right for every athlete (highly dependent on current diet, lifestyle, medications, medical history, etc.)
- ✓ In general, supplements may be considered by older athletes, once the basics are locked in
- ✓ Always talk to your sports med doctor before starting anything new!

Supplements Worth Considering

Creatine Monohydrate	Nitrate	Probiotic
Dose: 3-5g daily Timing: Not super important. With carbs post-exercise may enhance uptake	Dose: 310-560 mg (i.e. 8 oz beetroot juice) Timing: 2-3 hours before activity	Dose: Dependent on the strain/units (CFU or AFU; some evidence-based strains are lactobacillus rhamnosus GG, bifidobacterium, saccharomyces boulardii, akkermansia) Timing: with meals
Benefits: Increased muscle mass, improved strength/power, improved single + repeat bouts of high intensity exercise, improved cognition	Benefits: Improved time to exhaustion, muscle endurance	Benefits: Improved nutrient metabolism, strengthening of gut lining and immune system, improved digestive function and recovery
Risks: Short term water weight gain	Risks: Change in urine color, may increase risk of kidney stones in those with family history	Risks: Stomach upset, GI issues (especially if overgrowth present and the wrong strain is used)

Supplements Worth Considering

Electrolyte Drinks	Vitamin D	Magnesium
Dose: will vary depending on sweat rate + diet Timing: leading up to exercise	Dose: will vary (labs recommended; 1,000-2,000IU as a typical starting point in the form of D3) Timing: With a fat containing meal; typically recommended fall-spring	Dose: will vary (200mg as a typical starting point, in the form of bisglycinate) Timing: do not take with antibiotics, diuretics, acid reflux drugs, very high doses of zinc
Benefits: improved performance, less cramping	Benefits: cardio-pulmonary, bone health, immune health, muscle growth/repair, antioxidant functions	Benefits: improved sleep, muscle recovery, cognitive function, heart health, Vit D metabolism
Risks: over-consumption of salt if diet already high in ultra-processed foods	Risks: too much can result in loss of appetite, nausea, fluid imbalance, itching, muscle weakness, joint pain, disorientation, etc.	Risks: too much can result in stomach issues, weakness/sleepiness, very low BP, shortness of breath

Supplements Worth Considering

Omega-3's (DHA + EPA)	Protein Powder/EAA's	Caffeine*
Dose: will vary (est. 1.5-2g EPA + DHA) Timing: meal with fat	Dose: 20-30g Timing: 1x daily recommended, will depend on unique needs	Dose: 100-200 mg Timing: 60 min before exercise
Benefits: Brain health, mood, preserve lean muscle, muscle recovery, heart/blood vessel health, joint health	Benefits: muscle building/maintenance, recovery, immune function	Benefits: improved endurance, time to exhaustion, power, sprint performance
Risks: heartburn, nausea, stomach upset, bad breath, rash	Risks: heavy metals (for protein powders)	Risks: jitters, insomnia, anxiety, heart palpitations

*Not everyone will metabolize caffeine the same way, and for some it may result in a decrease in performance. Recommended for older athletes only.

Food First


Creatine Monohydrate	Nitrate	Probiotic
Meat, Fish	Leafy greens, whole beets	Greek yogurt, cultured cottage cheese, kefir, miso, sauerkraut, pickles in the fridge section, kombucha

Food First

Electrolyte Drinks	Vitamin D	Magnesium
Potassium: avocado, potatoes, edamame, apricots, white/kidney beans, bananas Sodium: salted foods, dairy, trail mix, processed foods	Egg yolks, salmon, trout, UV fortified mushrooms, fortified foods	Pumpkin seeds, chia seeds, black beans, brown rice, spinach, cashews, dark chocolate, almonds

Food First

Omega-3's (DHA + EPA)	Protein Powder/EAA's	Caffeine
Salmon, mackerel, herring	Meat, fish, dairy products, tofu, edamame	Coffee, tea, dark chocolate



Special Considerations



**Be aware of anything you are deficient in
(after tested by a sports med doctor)**

Example:

IRON

- **Very common deficiency that should always be tested and monitored**
- **Do NOT take with a multivitamin, calcium, milk or caffeine**
- **Do take with Vit C upon waking**

