



# Production Test Report

**Final Test Status: PASSED**

Executed Test: HOT TEST SHORT

Engine Serial Number: 86111258

Test Number: 3

## Test Configuration

Engine Serial Number	86111258
Test Specification Number	95172
MODEL	ISB6.7E5250
MOD_TYPE	CM2880
TST_PAL	2
VOLTAGE	25.00
PROD_ID	BFR
SHUTOFF	3
E_ECMCOD	FX80025.08

## Test Information

Testbed: ZCK\_TC01

Operator: Cummins Operator

Test Date: 2022-02-25

Test Start: 09:17:08

Test End:

## Teststatus per Phase

Testpoint	Teststatus	Operator	PLC-Error	Meas.Err.	Mat. Review	ECM Error
SETUP	PASSED	0	0	0	0	0
COLD_CRANK	PASSED	0	0	0	0	0
COLD_CRANK_2	PASSED	0	0	0	0	0
ENGINE_START	PASSED	0	0	0	0	0
LOW_IDLE	PASSED	0	0	0	0	0
HIGH_IDLE	PASSED	0	0	0	0	0
RATED_HP	PASSED	0	0	0	0	0
TORQUE_PEAK	PASSED	0	0	0	0	0
LOW_IDLE_2	PASSED	0	0	0	0	0
ENGINE_SHUTDOWN	PASSED	0	0	0	0	0
FINAL_STATUS	PASSED	0	0	0	0	0



# Production Test Report

**Final Test Status: PASSED**

Engine Serial Number: 86111258  
Executed Test: HOT TEST SHORT  
Test Number: 3

**Reject Codes**

Code	Testpoint	Description	Type	Channel	Unit	Lower Limit	Value	Upper Limit
OVERRID	SETUP	Error on setting the parameter [SEND_OPERATION=r	ECM	-	-	0.00	0.00	0.00
OVERRID	ENGINE_START	Error on setting the parameter [SEND_OPERATION=r	ECM	-	-	0.00	0.00	0.00
OVERRID	ENGINE_START	Error on setting the parameter [T_Dual_Accelerator_E	ECM	-	-	0.00	0.00	0.00



# Production Test Report

**Final Test Status: PASSED**

Engine Serial Number: 86111258

Executed Test: HOT TEST SHORT

Test Number: 3

## ECM Fault Codes

Testpoint	Number	Description	Masked	Active
LOW_IDLE	249	OEM AMBIENT AIR TEMPERATURE HIGH ERROR	A	A
LOW_IDLE	428	WATER IN FUEL SENSOR CIRCUIT SHORTED HIGH ERROR	A	A
LOW_IDLE	584	STARTER RELAY CIRCUIT SHORTED LOW	A	A
LOW_IDLE	1669	Air-assisted) - Aftertreatment Diesel Exhaust Fluid Tank Level Sensor Circuit	A	A
LOW_IDLE	1678	(Air-assisted) - Aftertreatment Diesel Exhaust Fluid Tank Temperature Sens	A	A
LOW_IDLE	1683	1683,Aftertreatment Diesel Exhaust Fluid Tank Heater - Voltage Above Nor	A	A
LOW_IDLE	2182	ENG BRK DRIVE #1 LOW CONTROL ERROR	A	A
LOW_IDLE	2555	GHC LOW VOLTAGE ERROR #1	A	A
LOW_IDLE	2771	Aftertreatment Outlet NOx Sensor - Abnormal Update Rate	A	A
LOW_IDLE	3558	3558	A	A
LOW_IDLE	3565	Metering valve circuit voltage above normal (SCR)	A	A
LOW_IDLE	3572	DEF pressure sensor circuit voltage below normal (SCR)	A	A
LOW_IDLE	3577	Purge valve circuit voltage above normal (SCR)	A	A
LOW_IDLE	4173	Air pressure sensor circuit voltage below normal (SCR)	A	A
LOW_IDLE	4174	DEF Temperature sensor circuit voltage above normal (SCR)	A	A
LOW_IDLE	4177	Air pump valve circuit voltage below normal (SCR)	A	A
HIGH_IDLE	249	OEM AMBIENT AIR TEMPERATURE HIGH ERROR	A	A
HIGH_IDLE	428	WATER IN FUEL SENSOR CIRCUIT SHORTED HIGH ERROR	A	A
HIGH_IDLE	584	STARTER RELAY CIRCUIT SHORTED LOW	A	A
HIGH_IDLE	1669	Air-assisted) - Aftertreatment Diesel Exhaust Fluid Tank Level Sensor Circuit	A	A
HIGH_IDLE	1678	(Air-assisted) - Aftertreatment Diesel Exhaust Fluid Tank Temperature Sens	A	A
HIGH_IDLE	1683	1683,Aftertreatment Diesel Exhaust Fluid Tank Heater - Voltage Above Nor	A	A
HIGH_IDLE	2182	ENG BRK DRIVE #1 LOW CONTROL ERROR	A	A
HIGH_IDLE	2555	GHC LOW VOLTAGE ERROR #1	A	A
HIGH_IDLE	2771	Aftertreatment Outlet NOx Sensor - Abnormal Update Rate	A	A
HIGH_IDLE	3558	3558	A	A
HIGH_IDLE	3565	Metering valve circuit voltage above normal (SCR)	A	A
HIGH_IDLE	3572	DEF pressure sensor circuit voltage below normal (SCR)	A	A
HIGH_IDLE	3577	Purge valve circuit voltage above normal (SCR)	A	A
HIGH_IDLE	4173	Air pressure sensor circuit voltage below normal (SCR)	A	A
HIGH_IDLE	4174	DEF Temperature sensor circuit voltage above normal (SCR)	A	A
HIGH_IDLE	4177	Air pump valve circuit voltage below normal (SCR)	A	A
RATED_HP	249	OEM AMBIENT AIR TEMPERATURE HIGH ERROR	A	A
RATED_HP	428	WATER IN FUEL SENSOR CIRCUIT SHORTED HIGH ERROR	A	A
RATED_HP	584	STARTER RELAY CIRCUIT SHORTED LOW	A	A
RATED_HP	1669	Air-assisted) - Aftertreatment Diesel Exhaust Fluid Tank Level Sensor Circuit	A	A
RATED_HP	1678	(Air-assisted) - Aftertreatment Diesel Exhaust Fluid Tank Temperature Sens	A	A
RATED_HP	1683	1683,Aftertreatment Diesel Exhaust Fluid Tank Heater - Voltage Above Nor	A	A
RATED_HP	2182	ENG BRK DRIVE #1 LOW CONTROL ERROR	A	A
RATED_HP	2555	GHC LOW VOLTAGE ERROR #1	A	A
RATED_HP	2771	Aftertreatment Outlet NOx Sensor - Abnormal Update Rate	A	A
RATED_HP	3558	3558	A	A
RATED_HP	3565	Metering valve circuit voltage above normal (SCR)	A	A
RATED_HP	3572	DEF pressure sensor circuit voltage below normal (SCR)	A	A
RATED_HP	3577	Purge valve circuit voltage above normal (SCR)	A	A
RATED_HP	4173	Air pressure sensor circuit voltage below normal (SCR)	A	A
RATED_HP	4174	DEF Temperature sensor circuit voltage above normal (SCR)	A	A
RATED_HP	4177	Air pump valve circuit voltage below normal (SCR)	A	A
TORQUE_PEAK	249	OEM AMBIENT AIR TEMPERATURE HIGH ERROR	A	A
TORQUE_PEAK	428	WATER IN FUEL SENSOR CIRCUIT SHORTED HIGH ERROR	A	A
TORQUE_PEAK	584	STARTER RELAY CIRCUIT SHORTED LOW	A	A



# Production Test Report

**Final Test Status: PASSED**

Engine Serial Number: 86111258

Executed Test: HOT TEST SHORT

Test Number: 3

## ECM Fault Codes

Testpoint	Number	Description	Masked	Active
TORQUE_PEAK	1669	Air-assisted) - Aftertreatment Diesel Exhaust Fluid Tank Level Sensor Circuit	A	A
TORQUE_PEAK	1678	(Air-assisted) - Aftertreatment Diesel Exhaust Fluid Tank Temperature Sens	A	A
TORQUE_PEAK	1683	1683,Aftertreatment Diesel Exhaust Fluid Tank Heater - Voltage Above Nor	A	A
TORQUE_PEAK	2182	ENG BRK DRIVE #1 LOW CONTROL ERROR	A	A
TORQUE_PEAK	2555	GHC LOW VOLTAGE ERROR #1	A	A
TORQUE_PEAK	2771	Aftertreatment Outlet NOx Sensor - Abnormal Update Rate	A	A
TORQUE_PEAK	3558	3558	A	A
TORQUE_PEAK	3565	Metering valve circuit voltage above normal (SCR)	A	A
TORQUE_PEAK	3572	DEF pressure sensor circuit voltage below normal (SCR)	A	A
TORQUE_PEAK	3577	Purge valve circuit voltage above normal (SCR)	A	A
TORQUE_PEAK	4173	Air pressure sensor circuit voltage below normal (SCR)	A	A
TORQUE_PEAK	4174	DEF Temperature sensor circuit voltage above normal (SCR)	A	A
TORQUE_PEAK	4177	Air pump valve circuit voltage below normal (SCR)	A	A
LOW_IDLE_2	249	OEM AMBIENT AIR TEMPERATURE HIGH ERROR	A	A
LOW_IDLE_2	428	WATER IN FUEL SENSOR CIRCUIT SHORTED HIGH ERROR	A	A
LOW_IDLE_2	584	STARTER RELAY CIRCUIT SHORTED LOW	A	A
LOW_IDLE_2	1669	Air-assisted) - Aftertreatment Diesel Exhaust Fluid Tank Level Sensor Circuit	A	A
LOW_IDLE_2	1678	(Air-assisted) - Aftertreatment Diesel Exhaust Fluid Tank Temperature Sens	A	A
LOW_IDLE_2	1683	1683,Aftertreatment Diesel Exhaust Fluid Tank Heater - Voltage Above Nor	A	A
LOW_IDLE_2	2182	ENG BRK DRIVE #1 LOW CONTROL ERROR	A	A
LOW_IDLE_2	2555	GHC LOW VOLTAGE ERROR #1	A	A
LOW_IDLE_2	2771	Aftertreatment Outlet NOx Sensor - Abnormal Update Rate	A	A
LOW_IDLE_2	3558	3558	A	A
LOW_IDLE_2	3565	Metering valve circuit voltage above normal (SCR)	A	A
LOW_IDLE_2	3572	DEF pressure sensor circuit voltage below normal (SCR)	A	A
LOW_IDLE_2	3577	Purge valve circuit voltage above normal (SCR)	A	A
LOW_IDLE_2	4173	Air pressure sensor circuit voltage below normal (SCR)	A	A
LOW_IDLE_2	4174	DEF Temperature sensor circuit voltage above normal (SCR)	A	A
LOW_IDLE_2	4177	Air pump valve circuit voltage below normal (SCR)	A	A



# Production Test Report


**Final Test Status: PASSED**

Engine Serial Number: 86111258

Executed Test: HOT TEST SHORT

Test Number: 3

## Oil Pressure Check





# Production Test Report


**Final Test Status: PASSED**

Engine Serial Number: 86111258

Executed Test: HOT TEST SHORT

Test Number: 3

## Overall Recorder





# Production Test Report

**Final Test Status: PASSED**

Engine Serial Number: 86111258

Executed Test: HOT TEST SHORT

Test Number: 3

	Unit	Lower Limit	Value	Upper Limit	Status
<b>LOW_IDLE</b>					
SPEED	rpm	698.00	749.75	810.00	PASSED
P_OIL	kPa	75.00	179.54		PASSED
OPA_ANLG	-		4.87		
<b>HIGH_IDLE</b>					
SPEED	rpm	2500.00	2550.04	2600.00	PASSED
P_OIL	kPa		422.95		
<b>RATED_HP</b>					
SPEED	rpm	2498.00	2499.99	2502.00	PASSED
P	kW	167.00	185.55	200.00	PASSED
FB_RATE	kg/h	35.00	38.35	45.00	PASSED
P_INTAKE	kPa		152.30		
P_OIL	kPa	275.00	388.08		PASSED
BLOW_VAL	kPa	0.10	1.30	3.00	PASSED
OPA_ANLG	-	0.00	4.87	15.00	PASSED
T_FUEL	°C	38.00	39.10	45.00	PASSED
P_FUEL	kPa		*		
T_TUR_IN	-		*		
<b>TORQUE_PEAK</b>					
SPEED	rpm		1299.98		
TORQUE	Nm	850.00	962.22	998.00	PASSED
FB_RATE	kg/h	22.00	24.32	32.00	PASSED
BLOW_VAL	kPa	0.10	0.89	3.00	PASSED
OPA_ANLG	-	0.00	4.87	15.00	PASSED
T_FUEL	°C	38.00	39.10	45.00	PASSED
P_FUEL	kPa		*		
T_TUR_IN	-		*		
<b>LOW_IDLE_2</b>					
SPEED	rpm	600.00	749.95	800.00	PASSED
P_OIL	kPa	100.00	133.54		PASSED
OPA_ANLG	-		4.87		