SysAid Workflow Enhancement for Rebuild Requests

1. Purpose

This proposal outlines the addition of a new Rebuild category and an enhanced workflow within SysAid to streamline rebuild processing, capture essential device information at ticket creation, improve routing between student technicians and full-time staff, and ensure accurate software and hardware preparation.

2. Rebuild Category Creation

A ticket category labeled Rebuild will be created in SysAid. Any computer rebuild request will use this category immediately upon ticket creation.

3. Required Fields at Ticket Creation

The following fields will be required when a Rebuild ticket is created:

3.1 Device Disbursement Location. A required dropdown field indicating where the device is being assigned or deployed.

3.2 Device Type. A required dropdown menu with Laptop or Desktop.

3.3 Peripheral Needs. A checkbox list for requested peripherals (keyboard, mouse, monitor, etc.).

3.4 Applications Needed (Conditional). A Yes/No selector. If Yes is selected, a text field appears to list required applications.

4. Automatic Routing to [redacted]

Once the Rebuild category and required fields are completed, the ticket routes automatically to

[redacted]

5. Student Workflow

The following actions are performed by [redacted]

5.1 Set ticket status to New upon arrival.

5.2 Begin rebuilding and update status to In Progress.

5.3 Record Service Tag, MAC Ethernet, and MAC Wireless.

5.4 Install required applications if the "Apps Needed?" field was Yes.

6. Routing to [redacted] for MAB Assignment

[redacted] verifies MAC info and assigns the device to the appropriate MAB group.

7. Final Return to [redacted]

[redacted] returns the ticket for final checks, communication, and closure.

8. Benefits of Numbered Workflow

- Clear structured workflow for all staff.
- Easier auditing and tracking of rebuild steps.
- Improved consistency in ticket handling.

Hybrid Workflow Summary

1. Ticket creation.

2. Required fields entered (Location, Device Type, Peripherals, Apps Needed?).

3. Ticket auto-routed to [redacted]

4. Students rebuild actions:

4.1 Set to New.

4.2 Set to In Progress.

4.3 Image/Rebuild device.

4.4 Record device identifiers (Service Tag, Ethernet MAC, Wireless MAC).

4.5 Install required applications.

5. Ticket routed to [redacted]

6. MAB assignment performed by [redacted]

7. Ticket returned to [redacted]

8. Ticket closed after user communication.