

Unifolio — Information Security Policy

Document owner: Ahmed Al-Samak, CEO (security@unifolio.ca)

Effective date: 2026-05-13

Last reviewed: 2026-05-13

Review cadence: Annually, or upon material change to architecture, vendors, or regulatory requirements.

1. Purpose & Scope

This policy defines how **Unifolio Inc.** (operator of unifolio.ca and unifolio.pro, hereafter "Unifolio") identifies, mitigates, and monitors information-security risks. It applies to:

- All Unifolio production systems and the data they process.
- All personnel (currently: founder + occasional contractors) who interact with production systems.
- All third-party vendors that store, transmit, or process Unifolio user data.

Unifolio is a **read-only personal portfolio aggregator** for Canadian retail investors. It does not custody assets, execute trades, or transmit money. Its security posture is calibrated accordingly.

2. Roles & Responsibilities

Role	Person	Responsibility
CEO / Security Officer	Ahmed Al-Samak	Final accountability for information security, vendor risk, incident response, and policy review.
Engineering	Ahmed Al-Samak (with AI-assisted code review)	Implementation of security controls in code; vulnerability triage; deployment.
External counsel (on call)	Engaged ad hoc	Privacy law (PIPEDA, GDPR), incident notification obligations.

Security questions and incident reports go to **security@unifolio.ca** (monitored daily by Ahmed).

3. Risk Classification

Information Security Policy · Unifolio Inc. · Generated 2026-05-13 · Canonical version: github.com/2uay/unifolio
Unifolio classifies data by sensitivity:

Class	Examples	Handling
Class A — User financial data	Holdings, transactions, account balances, Plaid <code>access_token</code> , broker import files	Encrypted at rest (Supabase AES-256), encrypted in transit (TLS 1.2+), Postgres Row-Level Security enforced per-user, never logged in plaintext
Class B — User identity data	Email, name, profile photo, password hash	Same as Class A; passwords hashed by Supabase Auth (bcrypt) and never visible to Unifolio code
Class C — Operational data	Vendor API keys, Supabase service-role keys, database credentials	Stored only in environment-variable secret stores (Vercel encrypted env vars); never committed to source control
Class D — Public data	Marketing pages, blog, public documentation	No special protection beyond standard web hardening

4. Access Controls

4.1 User-facing access

- Authentication via **Supabase Auth** (email + password); password complexity ≥ 8 characters, breach-list checking enabled.
- Postgres **Row-Level Security (RLS)** policies on every table containing Class A or B data — confirmed enabled on `accounts`, `holdings`, `transactions`, `realized_positions`, `import_batches`, `user_profiles`, `plaid_items`, `custom_assets`. Each policy enforces `user_id = auth.uid()`.
- MFA via TOTP is on the roadmap (Q3 2026). Email verification is currently required before any account can be activated or connected to Plaid Link.

4.2 Administrative access

- Production console access (Vercel, Supabase, GitHub, GoDaddy, Microsoft 365 admin) is restricted to the CEO and protected by **multi-factor authentication on every provider**.
- Supabase **service-role keys** are only accessible to server-side code (Vercel serverless functions, Supabase Edge Functions). The browser only ever sees the public `anon` key, which is restricted by RLS.
- Production database direct access is only used for incident investigation; routine queries go through application code.
- **Principle of least privilege** is enforced per vendor: Vercel deploy hooks, Supabase API keys, and Plaid keys are scoped to the minimum permissions required.

4.3 Provisioning / de-provisioning

- New contractors (rare) are granted access only to the specific tools required for their scoped task and revoked at task completion.
 - Vendor API keys are rotated when (a) a contractor with access leaves, (b) a credential is suspected of exposure, (c) annually as a baseline.
-

5. Network & Infrastructure Security

- All traffic to Unifolio is served over **HTTPS with TLS 1.3** (Vercel-managed certificates from Let's Encrypt; HSTS enforced).
 - All Supabase API traffic uses TLS 1.2+ (Supabase enforces this server-side).
 - All Plaid API traffic uses TLS 1.2+ (Plaid enforces this).
 - Vercel + Supabase run in dedicated AWS regions with **AWS-level network isolation** and **AWS KMS-managed encryption at rest** (AES-256).
 - No self-hosted infrastructure: every system is a managed cloud service whose underlying patching, hardening, and physical security is handled by the vendor.
-

6. Data Lifecycle

6.1 Collection

Data is collected only via:

1. User-initiated account signup (email, name).
2. User-initiated CSV/Flex broker import (positions, transactions).
3. User-authorized Plaid Link connection (via Plaid's consent flow).

6.2 Processing

All Class A/B processing happens server-side in Vercel serverless functions or Supabase Postgres. No third-party analytics tracker has access to financial data.

6.3 Storage

Class A/B data is stored only in Supabase Postgres (Toronto / US East regions). Plaid `access_token` values are stored in the `plaid_items` table with RLS restricting access to the owning user.

6.4 Retention & deletion

Information Security Policy · Unifolio Inc. · Generated 2026-05-13 · Canonical version: github.com/2uay/unifolio

See companion document [DATA_RETENTION_POLICY.md](#).

6.5 Backups

Supabase performs nightly automated backups with point-in-time-recovery. Backup storage is encrypted by AWS KMS; access is restricted to Supabase staff under their SOC 2 controls.

7. Vulnerability Management

Practice	Tooling	Cadence
Dependency vulnerability scanning	GitHub Dependabot (<code>.github/dependabot.yml</code>) + <code>npm audit</code> at every build	Weekly (Dependabot) + per build
OS / runtime patching	Vercel + Supabase managed platforms	Continuous (vendor-managed)
Endpoint hardening (founder MacBook)	macOS automatic security updates, FileVault disk encryption, password-protected screen lock, automatic lock after 5 min idle	Continuous
Code review	Manual review on every PR + AI-assisted review (Claude Code)	Per change
Secrets scanning	GitHub native push-protection + manual review	Per push

Critical vulnerabilities (CVSS $\geq$ 9.0) are triaged within **48 hours**, patched within **7 days**. High-severity (CVSS 7.0–8.9) within **30 days**. Medium and below as part of the regular update cadence.

8. Incident Response

8.1 Definitions

A **security incident** is any event that compromises (or could compromise) the confidentiality, integrity, or availability of Class A/B data, or the proper functioning of authentication or authorization.

8.2 Reporting

Incidents are reported to **security@unifolio.ca** (Ahmed) by:

- Internal detection (logs, alerts, code review)
- Vendor notification (Supabase, Vercel, Plaid security teams)
- External report (user email, security researcher)

8.3 Process

1. **Acknowledge** within 4 hours of report.
2. **Triage** severity within 24 hours.
3. **Contain** immediately for any active exploitation (rotate keys, disable affected components).
4. **Notify** affected users within **72 hours** of confirmed Class A/B data exposure (PIPEDA compliance).
5. **Notify Plaid** within the timeline required by the Plaid Production Customer Agreement.
6. **Notify regulators** as required by applicable Canadian privacy law.
7. **Remediate** the root cause; document the timeline + mitigations in `docs/incidents/<date>-<slug>.md`.
8. **Post-mortem** internally within 30 days; share lessons learned externally if appropriate.

9. Vendor / Third-Party Risk

Vendor	Service	Data shared	Their security posture
Supabase	Postgres + Auth + Storage + Edge Functions	All Class A/B	SOC 2 Type II, GDPR/CCPA compliant, AES-256 at rest
Vercel	Hosting + DNS + serverless functions	App code, environment variables	SOC 2 Type II, ISO 27001
Plaid	Account aggregation API	User-authorized broker access tokens	SOC 2 Type II, ISO 27001, ISO 27018
Finnhub	Public market quote API	Ticker symbols only (no user data)	Standard commercial API
Microsoft 365 (via GoDaddy reseller)	Email	Internal correspondence	SOC 2 Type II, FedRAMP
GoDaddy	Domain registrar	Domain registration metadata only	Industry-standard registrar controls
Anthropic / OpenAI	AI assistance for development only	Code excerpts, no user data	SOC 2 Type II

Vendors are reviewed annually or upon material change to the relationship.

10. Privacy & Regulatory Compliance

- Unifolio complies with **PIPEDA** (Canada) for Canadian user data.
 - For users in the EU/UK, Unifolio acts as a data controller under **GDPR** principles: lawful basis (contract performance + consent), data minimization, user rights (access, rectification, deletion, portability).
 - Privacy disclosure: published at <https://unifolio.ca/privacy> and reviewed annually.
 - Plaid integration follows the Plaid Production Customer Agreement and Plaid's User Privacy Policy template.
-

11. Training & Awareness

- The CEO maintains current knowledge of OWASP Top 10, Plaid security best practices, and Canadian privacy law via ongoing self-study.
 - Any future contractors are required to acknowledge this policy and complete a 30-minute self-paced security review before being granted any production access.
-

12. Policy Review & Amendment

This policy is reviewed:

- **Annually** by the CEO at minimum.
- **On any material change** to architecture, vendors, regulatory environment, or following any security incident.

Material changes are version-controlled in the project Git repository ([docs/INFOSEC_POLICY.md](#)); the change log is the file's commit history.

Acknowledgement

By committing this document to the Unifolio repository, the CEO formally acknowledges and adopts this policy on behalf of Unifolio Inc.

— Ahmed Al-Samak, CEO, Unifolio Inc.

2026-05-13