This is a note for Golden Gate Association analysis

R. Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com. A quick review on the markdown cheatsheet here https://www.rstudio.com/wp-content/uploads/2015/02/rmarkdown-cheatsheet.pdf.

This project is led by Ms. Jacqui Marzec. Our objectives are to find any significant association between SNPs (Golden Gate SNP candidate pool) in RSV positivie patients.

Association analysis on disease severity against GoldenGate SNP panels with several potentional covariates.

In this analysis, we tried three different cases as following. Each setting will help to answer different hypothesis. The Analysis will be done with each case independently.

Table 1: Genotype case I

Disease-level	AA	AB	BB
Severe	SNPCnt	SNPCnt	SNPCnt
Mile	SNPCnt	SNPCnt	SNPCnt

Table 2: Genotype case II

Disease-level	AA	AB/BB
Severe	SNPCnt	SNPCnt
Mile	SNPCnt	SNPCnt

Table 3: Genotype case III

Disease-level	AA/AB	ВВ
Severe	SNPCnt	SNPCnt
Mile	SNPCnt	SNPCnt

Analysis set up and load necessary functions

suppressWarnings(library(HardyWeinberg))
suppressWarnings(library(XLConnect))
source("helperScripts/analysisFuncs.R")

Load up preprocessed data

```
## Phenotype data
dt <- read.table("data/RSV_cohort_data_ASCII.txt",header = TRUE, sep= "\t")

## ONLY use for RSV positive candidates
row2use <- which (dt[,5] == 1)

## This is for reading Excel file
## We need to set memeory at 24 GB
options(java.parameters = "-Xmx24g")

snpFiles <- "data/ASCII_genotype_data_GoldenGate_for_JYL_07122015.xlsx"

## There are five sheets of data
sheets <- c (seq (1,5))</pre>
```

Analysis results on disease severity – logistic regression model

```
sig.asso.SAT <- c(list())</pre>
results.logit <- logisticAnalysis(sig.asso.SAT, snpFiles, sheets,
    dt, 6, row2use)
results.logit
## $`Top Tier IRF7 to TLR4`
## $`Top Tier IRF7 to TLR4`$`Case-I`
                SNP
                          pval
## 1 seq.rs3806496 0.03249843
## 2 seq.rs2066843 0.03161207
## 3 seq.rs17244587 0.04618051
##
## $`Top Tier IRF7 to TLR4`$`Case-II`
                SNP
                          pval
## 1 seq.rs12987402 0.03525483
## 2 seq.rs469390 0.02409298
## 3 seq.rs3806265 0.03776518
## 4 seq.rs2066843 0.03371025
##
## $`Top Tier IRF7 to TLR4`$`Case-III`
                SNP
                          pval
## 1 seq.rs17189298 0.04594427
## 2 seq.rs2770146 0.01637843
##
##
## $`BPIIFA1(PLUNC) to MYD88`
## $`BPIIFA1(PLUNC) to MYD88`$`Case-I`
##
               SNP
## 1 seq.rs2252930 0.0123745940
## 2 seq.rs2243592 0.0005072162
## 3 seq.rs2257167 0.0016167643
## 4 seq.rs2243599 0.0006175882
## 5 seq.rs2254180 0.0054136510
```

```
## 6 seq.rs2254315 0.0042648958
## 7 seq.rs1474347 0.0233376514
## 8 seq.rs8193036 0.0138688712
## $`BPIIFA1(PLUNC) to MYD88`$`Case-II`
              SNP
                           pval
## 1 seq.rs2243592 0.003018021
## 2 seq.rs2257167 0.006062165
## 3 seq.rs2243599 0.006208847
## 4 seq.rs2254180 0.021865717
## 5 seq.rs2254315 0.015360578
## 6 seq.rs1800795 0.025821513
## 7 seq.rs2069832 0.012473056
## 8 seq.rs1474347 0.011935878
## 9 seq.rs1800893 0.048201983
## 10 seq.rs8193036 0.019022066
## $`BPIIFA1(PLUNC) to MYD88`$`Case-III`
               SNP
                           pval
## 1 seq.rs2280789 0.026207189
## 2 seq.rs2252930 0.010498389
## 3 seq.rs2243592 0.006836451
## 4 seq.rs2257167 0.011030534
## 5 seq.rs2243599 0.004429888
## 6 seq.rs2254180 0.019988072
## 7 seq.rs2254315 0.022174971
## 8 seq.rs9376268 0.042321508
## 9 seq.rs9376267 0.029287461
## 10 seq.rs369908 0.023580640
##
##
## $ OAS2 to TNFR
## $`OAS2 to TNFR`$`Case-I`
              SNP
## 1 seq.rs1293749 0.041542545
## 2 seq.rs15895 0.034259581
## 3 seq.rs7966314 0.030823898
## 4 seq.rs2072133 0.007942976
## 5 seq.rs1041981 0.024407218
##
## $ OAS2 to TNFR $ Case-II
              SNP
## 1 seq.rs7966314 0.02788702
## 2 seq.rs2072133 0.01039301
## $`OAS2 to TNFR`$`Case-III`
                SNP
## 1 seq.rs1293755 0.04087340
     seq.rs15895 0.04041382
## 3 seq.rs12693591 0.01505629
## 4 seq.rs3771300 0.03111144
## 5 seq.rs1800693 0.01013580
##
##
```

```
## $ Additional_CASP8 to VDR
## $`Additional_CASP8 to VDR`$`Case-I`
               SNP
                        pval
## 1 seq.rs3769823 0.0402697
## $`Additional_CASP8 to VDR`$`Case-II`
## NULL
##
## $`Additional_CASP8 to VDR`$`Case-III`
##
               SNP
                         pval
## 1 seq.rs3769823 0.01005097
## 2 seq.rs4844590 0.03257378
##
##
## $`Genotyped prior`
## $`Genotyped prior`$`Case-I`
           SNP
##
                     pval
## 1 rs3761624 0.02619375
## $`Genotyped prior`$`Case-II`
##
          SNP
                     pval
## 1 rs3761624 0.02858216
##
## $`Genotyped prior`$`Case-III`
## NULL
```

Analysis results on disease severity – logistic with gender as covariate

```
sig.asso.SAT \leftarrow c(list())
results.logit <- logisticAnalysisWCorrV(sig.asso.SAT, snpFiles,
    sheets, dt, 6, row2use, params$genStatus)
results.logit
## $`Top Tier IRF7 to TLR4`
## $`Top Tier IRF7 to TLR4`$`Case-I`
##
               SNP
                       pval
## 1 seq.rs3738447 0.03095243
## 2 seq.rs2806117 0.02231901
## $`Top Tier IRF7 to TLR4`$`Case-II`
               SNP
                         pval
## 1 seq.rs2806117 0.02550568
##
## $`Top Tier IRF7 to TLR4`$`Case-III`
##
               SNP
                         pval
## 1 seq.rs2066842 0.02627682
## 2 seq.rs2917666 0.04877192
##
##
## $`BPIIFA1(PLUNC) to MYD88`
## $`BPIIFA1(PLUNC) to MYD88`$`Case-I`
##
               SNP
                         pval
## 1 seq.rs2107538 0.01438484
```

```
## 2 seq.rs2280789 0.03260841
## 3 seq.rs3024492 0.02204524
## $`BPIIFA1(PLUNC) to MYD88`$`Case-II`
              SNP
                         pval
## 1 seq.rs2107538 0.01714037
## 2 seq.rs4845623 0.01818976
## 3 seq.rs4129267 0.02053515
## 4 seq.rs3024492 0.01755576
## 5 seq.rs3848722 0.02404389
## 6 seq.rs443099 0.04551007
## $`BPIIFA1(PLUNC) to MYD88`$`Case-III`
##
              SNP
                         pval
## 1 seq.rs2280789 0.04637065
## 2 seq.rs6694817 0.01024136
##
##
## $ OAS2 to TNFR
## $ OAS2 to TNFR $ Case-I
##
               SNP
                         pval
## 1 seq.rs1293749 0.04924504
## 2 seq.rs12367468 0.04644929
## 3 seq.rs6581568 0.01465038
##
## $`OAS2 to TNFR`$`Case-II`
              SNP
## 1 seq.rs1293749 0.0165843840
## 2 seq.rs15895 0.0482663324
## 3 seq.rs12367468 0.0022164286
## 4 seq.rs6581568 0.0009284449
##
## $`OAS2 to TNFR`$`Case-III`
## NULL
##
##
## $ Additional CASP8 to VDR
## $`Additional_CASP8 to VDR`$`Case-I`
                         pval
##
              SNP
## 1 seq.rs2229095 0.04752476
## $`Additional_CASP8 to VDR`$`Case-II`
## NULL
##
## $ Additional_CASP8 to VDR $ Case-III
## NULL
##
##
## $`Genotyped prior`
## $`Genotyped prior`$`Case-I`
##
      SNP
                     pval
## 1 rs6721961 0.04200231
##
## $`Genotyped prior`$`Case-II`
```

```
## SNP pval
## 1 rs2569190 0.04132563
##
## $`Genotyped prior`$`Case-III`
## NULL
```

Analysis results on disease severity – logistic with region as covariate

```
sig.asso.SAT <- c(list())</pre>
results.logit <- logisticAnalysisWCorrV(sig.asso.SAT, snpFiles,
    sheets, dt, 6, row2use, params$regStatus)
results.logit
## $`Top Tier IRF7 to TLR4`
## $`Top Tier IRF7 to TLR4`$`Case-I`
                SNP
## 1 seq.rs5743291 0.007589368
## 2 seq.rs17244587 0.029565288
## 3 seq.rs4986790 0.037814172
## 4 seq.rs10759930 0.024301793
##
## $`Top Tier IRF7 to TLR4`$`Case-II`
##
                SNP
## 1 seq.rs6722472 0.033356496
## 2 seq.rs3731612 0.023233536
## 3 seq.rs5743291 0.007166732
## 4 seg.rs17244587 0.024779377
## 5 seq.rs75059843 0.013924264
## 6 seq.rs4986790 0.037448234
## 7 seq.rs4986791 0.025379831
##
## $`Top Tier IRF7 to TLR4`$`Case-III`
               SNP
                         pval
## 1 seq.rs2917666 0.01499783
## 2 seq.rs3936292 0.01410505
## 3 seq.rs7022323 0.02726623
##
##
## $`BPIIFA1(PLUNC) to MYD88`
## $`BPIIFA1(PLUNC) to MYD88`$`Case-I`
                          pval
##
               SNP
## 1 seq.rs7296163 0.046356411
## 2 seq.rs9272346 0.033613178
## 3 seq.rs2252930 0.007116561
## 4 seq.rs2243592 0.018099573
## 5 seq.rs2243599 0.049535474
## 6 seq.rs6517154 0.029281023
## 7 seq.rs1554606 0.039698733
## $`BPIIFA1(PLUNC) to MYD88`$`Case-II`
##
                SNP
## 1 seq.rs13069802 0.048974384
## 2 seq.rs2252930 0.006260596
```

```
## 3 seq.rs2243592 0.006443205
## 4 seq.rs2243599 0.042282970
## 5 seq.rs6517154 0.021185432
## 6 seq.rs1554606 0.010554988
## $`BPIIFA1(PLUNC) to MYD88`$`Case-III`
                         pval
              SNP
## 1 seq.rs1046161 0.02513435
## 2 seq.rs9272346 0.03415691
## 3 seq.rs2250226 0.04812289
##
##
## $ OAS2 to TNFR
## $ OAS2 to TNFR $ Case-I
              SNP
## 1 seq.rs1293745 0.03445199
## 2 seq.rs1800630 0.04190544
## 3 seq.rs1041981 0.03180766
## $ OAS2 to TNFR $ Case-II
##
              SNP
                          pval
## 1 seq.rs2072137 0.007765022
## 2 seq.rs7953402 0.046495039
## 3 seq.rs1799964 0.044793060
## 4 seq.rs1800630 0.047761580
## 5 seq.rs1041981 0.045486371
## $`OAS2 to TNFR`$`Case-III`
              SNP
## 1 seq.rs1293745 0.04176694
## 2 seq.rs2280232 0.03598239
##
##
## $`Additional_CASP8 to VDR`
## $ Additional_CASP8 to VDR \ Case-I \
              SNP
                        pval
## 1 seq.rs3890733 0.007209354
##
## $`Additional_CASP8 to VDR`$`Case-II`
                SNP
## 1 seq.rs11208545 0.03722931
## 2 seq.rs6580642 0.04844294
## $ Additional_CASP8 to VDR $ Case-III
                SNP
## 1 seq.rs3890733 0.003656025
## 2 seq.rs11168293 0.004391315
## 3 seq.rs4516035 0.011011403
## 4 seq.rs7139166 0.004782714
##
##
## $`Genotyped prior`
## $`Genotyped prior`$`Case-I`
##
           SNP
                     pval
```

```
## 1 rs2569190 0.03129927
## 2 rs6721961 0.02408053
##
## $`Genotyped prior`$`Case-II`
## SNP pval
## 1 rs2569190 0.01943644
## 2 rs6721961 0.01451079
##
## $`Genotyped prior`$`Case-III`
## NULL
```

Analysis results on disease severity – logistic with social as covariate

```
sig.asso.SAT <- c(list())</pre>
results.logit <- logisticAnalysisWCorrV(sig.asso.SAT, snpFiles,
    sheets, dt, 6, row2use, params$sesStatus)
results.logit
## $`Top Tier IRF7 to TLR4`
## $`Top Tier IRF7 to TLR4`$`Case-I`
##
                SNP
## 1 seq.rs2193035 0.034177766
## 2 seq.rs5743291 0.004372155
## 3 seq.rs4986790 0.005361488
## 4 seq.rs4986791 0.027518773
## 5 seq.rs10759930 0.015191125
## $`Top Tier IRF7 to TLR4`$`Case-II`
##
                SNP
                           pval
## 1 seq.rs2193035 0.036090953
## 2 seq.rs5743291 0.003114019
## 3 seq.rs75059843 0.049610011
## 4 seq.rs1927911 0.017150741
## 5 seq.rs4986790 0.003999410
## 6 seq.rs4986791 0.006687538
##
## $`Top Tier IRF7 to TLR4`$`Case-III`
##
                SNP
                          pval
## 1 seq.rs3936292 0.02484239
## 2 seq.rs7022323 0.02953915
## 3 seq.rs10759930 0.02168704
##
##
## $`BPIIFA1(PLUNC) to MYD88`
## $`BPIIFA1(PLUNC) to MYD88`$`Case-I`
               SNP
## 1 seq.rs7296163 0.016802503
## 2 seq.rs2252930 0.009035721
## 3 seq.rs2243592 0.023568224
## 4 seq.rs2243599 0.038480553
## 5 seq.rs6517154 0.037488503
## 6 seq.rs3024496 0.045334709
##
```

```
## $`BPIIFA1(PLUNC) to MYD88`$`Case-II`
##
               SNP
                           pval
## 1 seq.rs7296163 0.021309670
## 2 seq.rs2252930 0.003443911
## 3 seq.rs2243592 0.019517942
## 4 seq.rs6517154 0.020560818
## 5 seq.rs10211925 0.043408749
## 6 seq.rs9376268 0.046019117
##
## $`BPIIFA1(PLUNC) to MYD88`$`Case-III`
                        pval
              SNP
## 1 seq.rs1046161 0.02900484
##
## $ OAS2 to TNFR
## $`OAS2 to TNFR`$`Case-I`
              SNP
## 1 seq.rs1800630 0.03458350
## 2 seq.rs1041981 0.01775615
## $`OAS2 to TNFR`$`Case-II`
             SNP
## 1 seq.rs2072137 0.03815757
## 2 seq.rs7953402 0.03677857
## 3 seq.rs1800630 0.03404981
## 4 seq.rs1041981 0.02103300
## $`OAS2 to TNFR`$`Case-III`
## NULL
##
##
## $`Additional_CASP8 to VDR`
## $`Additional_CASP8 to VDR`$`Case-I`
               SNP
                         pval
## 1 seq.rs11574663 0.04743326
## 2 seq.rs11208545 0.04210803
## 3 seq.rs3890733 0.00734571
## $`Additional_CASP8 to VDR`$`Case-II`
              SNP
## 1 seq.rs3769823 0.04331380
## 2 seq.rs11208545 0.01539316
## $ Additional_CASP8 to VDR $ Case-III
               SNP
## 1 seq.rs2734648 0.046999929
## 2 seq.rs3890733 0.008839898
## 3 seq.rs11168293 0.009520885
## 4 seq.rs4516035 0.012611197
## 5 seq.rs7139166 0.006271190
##
## $`Genotyped prior`
## $`Genotyped prior`$`Case-I`
```

```
## NULL
##
## $`Genotyped prior`$`Case-II`
## SNP pval
## 1 rs2569190 0.02675012
##
## $`Genotyped prior`$`Case-III`
## NULL
```

Analysis results on disease severity – logistic with breastfeeding as covariate

```
sig.asso.SAT <- c(list())</pre>
results.logit <- logisticAnalysisWCorrV(sig.asso.SAT, snpFiles,
    sheets, dt, 6, row2use, params$brfStatus)
results.logit
## $`Top Tier IRF7 to TLR4`
## $`Top Tier IRF7 to TLR4`$`Case-I`
##
               SNP
## 1 seq.rs4925659 0.04857201
## 2 seq.rs7502875 0.02966858
## 3 seq.rs5030725 0.03166908
##
## $`Top Tier IRF7 to TLR4`$`Case-II`
##
                SNP
                          pval
## 1 seq.rs11795343 0.03356908
## 2 seq.rs10813831 0.03897348
## 3 seq.rs7502875 0.04425052
## 4 seq.rs5030725 0.03166908
##
## $`Top Tier IRF7 to TLR4`$`Case-III`
              SNP
                        pval
## 1 seq.rs469012 0.02343009
## 2 seq.rs469390 0.01958672
##
##
## $`BPIIFA1(PLUNC) to MYD88`
## $`BPIIFA1(PLUNC) to MYD88`$`Case-I`
                SNP
                           pval
## 1 seq.rs11063084 0.045638507
## 2 seq.rs2107538 0.009151977
## 3 seq.rs2257167 0.017594107
## 4 seq.rs2275913 0.013270682
## 5
     seq.rs8193038 0.014041868
## 6
         seq.rs7744 0.026364135
##
## $`BPIIFA1(PLUNC) to MYD88`$`Case-II`
##
               SNP
                          pval
## 1 seq.rs2107538 0.018246758
## 2 seq.rs2275913 0.008774505
## 3 seq.rs8193038 0.006582946
## $`BPIIFA1(PLUNC) to MYD88`$`Case-III`
```

```
##
               SNP
                         pval
## 1 seq.rs2257167 0.02022729
## 2 seq.rs2250889 0.04664627
##
## $`OAS2 to TNFR`
## $ OAS2 to TNFR \ Case-I
                SNP
## 1 seq.rs16824035 0.005067530
## 2 seq.rs1800692 0.003280719
## $ OAS2 to TNFR $ Case-II
                           pval
                SNP
## 1 seq.rs10199181 0.042982420
## 2 seq.rs16824035 0.006314110
## 3 seq.rs1800692 0.009707555
##
## $ OAS2 to TNFR \ Case-III \
## NULL
##
##
## $`Additional_CASP8 to VDR`
## $`Additional_CASP8 to VDR`$`Case-I`
                SNP
##
                          pval
## 1 seq.rs11208545 0.03037701
## $`Additional_CASP8 to VDR`$`Case-II`
##
                SNP
                          pval
       seq.rs310202 0.01642526
## 1
## 2 seq.rs11208545 0.02557307
##
## $`Additional_CASP8 to VDR`$`Case-III`
                SNP
                          pval
## 1 seq.rs310247 0.03893488
## 2 seq.rs12743599 0.01310665
##
##
## $`Genotyped prior`
## $`Genotyped prior`$`Case-I`
## NULL
##
## $`Genotyped prior`$`Case-II`
## NULL
##
## $`Genotyped prior`$`Case-III`
## NULL
```

Analysis results on disease severity – chi-square test based model

```
sig.asso.SAT <- c(list())
results.chisqure <- AssoAnalysis(sig.asso.SAT, snpFiles, sheets,
    dt, 6, row2use)</pre>
```

results.chisqure

```
## $`Top Tier IRF7 to TLR4`
## $`Top Tier IRF7 to TLR4`$`Case-I`
               SNP
                        pval
## 1 seq.rs469390 0.03553412
## 2 seq.rs2770146 0.03031926
##
## $`Top Tier IRF7 to TLR4`$`Case-II`
                SNP
## 1 seq.rs12987402 0.04484957
## 2 seq.rs469390 0.03136834
## 3 seq.rs3806265 0.04864552
## 4 seq.rs2066843 0.04292077
## $`Top Tier IRF7 to TLR4`$`Case-III`
               SNP
                         pval
## 1 seq.rs2770146 0.02269727
##
##
## $`BPIIFA1(PLUNC) to MYD88`
## $`BPIIFA1(PLUNC) to MYD88`$`Case-I`
##
                SNP
                           pval
## 1 seq.rs2252930 0.032963115
## 2 seq.rs2243592 0.002065785
## 3 seq.rs2257167 0.004097110
## 4 seq.rs2243599 0.002391277
## 5 seq.rs2254180 0.016497081
## 6 seq.rs2254315 0.014203726
## 7 seq.rs2069832 0.026046287
## 8 seq.rs1474347 0.040922019
## 9 seq.rs8193036 0.046061333
## 10 seq.rs8193038 0.049507445
## $`BPIIFA1(PLUNC) to MYD88`$`Case-II`
               SNP
                          pval
## 1 seq.rs2243592 0.003973553
## 2 seq.rs2257167 0.007940527
## 3 seq.rs2243599 0.008163886
## 4 seq.rs2254180 0.028029801
## 5 seq.rs2254315 0.019873260
## 6 seq.rs1800795 0.033217808
## 7 seq.rs2069832 0.016223152
## 8 seq.rs1474347 0.015568224
## 9 seq.rs8193036 0.024515805
##
## $`BPIIFA1(PLUNC) to MYD88`$`Case-III`
                SNP
                           pval
## 1 seq.rs2280789 0.037358791
## 2 seq.rs2252930 0.013686847
## 3 seq.rs2243592 0.009214950
## 4 seq.rs2257167 0.014382366
## 5 seq.rs2243599 0.005967165
## 6 seq.rs2254180 0.027873558
```

```
## 7 seq.rs2254315 0.030957836
## 8 seq.rs9376268 0.033497757
## 9 seq.rs9376267 0.035090018
## 10 seq.rs369908 0.033457931
##
## $ OAS2 to TNFR
## $`OAS2 to TNFR`$`Case-I`
##
                SNP
                          pval
## 1 seq.rs2072133 0.02734773
## 2 seq.rs12693591 0.01358428
## 3 seq.rs361525 0.02179245
## 4 seq.rs1800693 0.01481453
## $`OAS2 to TNFR`$`Case-II`
##
               SNP
                         pval
## 1 seq.rs7966314 0.03569512
## 2 seq.rs2072133 0.01355917
## $ OAS2 to TNFR $ Case-III
##
                SNP
                          pval
## 1 seq.rs12693591 0.02004173
## 2 seq.rs3771300 0.03990646
      seq.rs361525 0.02179672
## 4 seq.rs1800693 0.01382160
##
## $`Additional_CASP8 to VDR`
## $ Additional_CASP8 to VDR \ Case-I \
               SNP
                         pval
## 1 seq.rs3769823 0.03369201
## $`Additional_CASP8 to VDR`$`Case-II`
## NULL
## $ Additional_CASP8 to VDR $ Case-III
               SNP
                         pval
## 1 seq.rs3769823 0.01319883
## 2 seq.rs4844590 0.04305651
##
##
## $`Genotyped prior`
## $`Genotyped prior`$`Case-I`
## NULL
## $`Genotyped prior`$`Case-II`
                     pval
##
           SNP
## 1 rs3761624 0.03637326
## $`Genotyped prior`$`Case-III`
## NULL
```