Assignment 3: Work Breakdown Agreement

- [ ] Implementation

Implementation

Task 8 LavaZone:

- Assignee: Matthew
- Completed by: 22/5/2022

Task 9 More Allies and Enemies:

- Assignee: James
- Completed by: 22/5/2022

Task 10 Magical fountain:

- Assignee: Chun
- Completed by: 22/5/2022

Task 11 More Items:

- Assignee: Chun
- Completed by: 22/5/2022

Task 12 Chests and Disguised Chests:

- Assignee: James
- Completed by: 22/5/2022

Sequence diagram:

- Assignee: Matthew
- Completed by: 2/5/2022

Signed

- Matthew Siegenthaler: I agree to this WBA
- James Huynh: I agree to this WBA
- Chun Kau Mok: I agree to this WBA

Requirement 11

Title: *More Items*

Description: *New class of item - Equipment is added to the game. Equipments can do all sort of things, but requires cool down durations before using it again. For example, BFG instantly kills all enemies around the user and Fruit heals the users for 50HP.*

Explanation why it adheres to SOLID principles (WHY):

- Single Responsibility Principle: Each equipment has its own implementation of the inherited **onUse()** function from the **Equipment** parent class, and all the effects of an equipment are implemented in that function. **onUse()** is called everytime the **UseAction** of the equipment is executed. This avoids implementing the effects of all equipments inside the class of **UseAction**, and let each equipment takes the responsibility of providing its own effects.
- Open-Close Principle: The abstract class **Equipment** itself is inherited from **Item**, and the implementation of **Equipment** does not modify the base code of **Item**. All the actual equipments, like **BFG**, are only responsible for overriding the **onUse()** method from **Equipment** and provides their own behaviour, again, without modifying the **Equipment** base class.
- Dependency Inversion Principle: All the equipments are inherited from **Equipment**, which is inherited from **Item**. This allows actor's inventory (List of **Item**) to store **Equipment** directly, without the need of making a new list just for storing **Equipment**.

Requirements	Features (HOW) / Your Approach / Answer
Must use at least two (2) classes from the engine package	*Item* and *Action* from the engine package are used. *Equipment* is inherited from *Item*, and it provides *UseAction*, which is inherited from *Action*.
Must use/re-use at least one(1) existing feature (either from assignment 2 and/or fixed requirements from assignment 3)	*Status* and *Lava* are used. *Cryotov* applies a FROZEN status to the ground, and *Molotov* converts ground into *Lava*.
Must use existing or create new abstractions (e.g., abstract or interface, apart from the engine code)	*Equipment*, the new abstract class is created, which is inherited from the existing abstract class *Item*.
Must use existing or create new capabilities	*FROZEN is the new GroundCapability that is added for* *Cryotov*, *which convert* *Lava* *into* *Floor* *prevents the ground from turning into* *Lava* *again*

Requirement 12

Title: *Chests and Disguised Chests*

Description: *This requirement implements a Chest, 'c' and Disguised Chest, 'c' into the game. Players can buy from a chest and a random item is dropped onto the Player. However, a Disguised Chest, which looks like a Chest, will attack Friendlies close to it, and reveal its true appearance, 'e'. Upon death, this Enemy will drop a random item onto its location.*

Explanation why it adheres to SOLID principles (WHY):

- Adheres to the **Single Responsibility Principle** as though each **Chest/DisguisedChest** can have their own methods for creating their own ArrayList of items, another class, **ItemPool**, is responsible for creating the ArrayList of items, and also responsible for picking a random item from this ArrayList of items.
- Each **Chest/DisguisedChest** is only responsible for importing and instantiating their own **ItemPool**, (hence ItemPool is not static, following the **Open-Close Principle**) and is only responsible for carrying a random item. E.g, as **Disguised Chest** extends from Enemy, it also carries the behaviours of an **Enemy**, hence, adhering to the **Open-Close Principle**, where **Enemy** is able to be extended to many new actors in the future.
- **DisguisedChest** is implemented such that it extends **Enemy**, carrying over the behaviours of **Enemy** further following the **Dependency Inversion Principle**.

Requirements	Features (HOW) / Your Approach / Answer
Must use at least two (2) classes from the engine package	*We use two classes from the engine package: Actor and Ground. DisguisedChest extends Enemy which extends Actor, Chest extends Ground*
Must use/re-use at least one(1) existing feature (either from assignment 2 and/or fixed requirements from assignment 3)	*We use the existing features, coin and wallet, where Chest allows the OpenChestAction, which takes credits away from actor opening the Chest. Also, DisguisedChest contains behaviours, such as AttackBehaviour. Both classes also have the ability to hold different Items in their inventory.*
Must use existing or create new abstractions (e.g., abstract or interface, apart from the engine code)	*We use the abstraction* *Enemy*, *which the actor* *DisguisedChest* *extends from. Moreover, An abstract class,* *Chest* *was created to allow for different types of Chests to be implemented into game.*
Must use existing or create new capabilities	*We use the existing capability* *Status.ENEMY* *to identify* *DisguisedChest* *as an Enemy. We also added ItemPool to randomly select an item from a group of items. This was intended for use with the chest but this can be later extended to enemy loot pools.*

FIT2099 Assignment 1: Design Rationale

Lab 6 Team 3

REQ1: Trees

The tree stages were implemented as 3 subclasses that inherit from the abstract class **Tree**. Since all tree stages are expected to grow to a new stage after a set amount of turns, The number of turns required to grow should be stored as an instance variable as part of **Tree**. Once the requisite amount of time to grow has passed, a new object of the next tree stage may be returned. Once 5 turns has passed to grow for the Mature stage, the growth timer may be reset back to 5 to for it's to regrow a new sprout.

As sprouts require fertile land to grow, we have chosen to give **Ground** objects that are fertile the capability **FERTILE** in the enumeration **GroundTraits**. This is as future **Ground** tiles may also be fertile tiles, requiring a unified identifier for all such tiles. This allows us to follow the *"Don't repeat yourself"* design principle through use of public constants. **Ground** already features a **CapabilitySet** which we can use to store the enumeration value.

To check for adjacent **FERTILE Ground** for **Mature**, we will check the current location's **Exits** if they have the capability of **FERTILE**. This is as we know the surrounding exits are adjacent to the location. We can then randomly select one of the **FERTILE** locations and replace its **Ground** with **Sprout**.

Pros

- Safeguarding implementation of grow() and growTurns attribute.
- Able to identify all growth stages as a Tree class.
- Checking **Exit**s ensures **Location**s are adjacent to **Mature**

Cons

- Additional code required to implement abstract class.
- Requires **Mature** to handle setting ground of **FERTILE** at location.

Assignment 2 updates

- Added class Utils for random number generation for spawning and growing events. This is to follow the *Single Responsibility Principle* by having dedicated class responsible for random number generation (RNG) as opposed to Tree and its subclasses implement their own RNG.
- Added abstract method .spawn() to Tree. This requires subclasses of tree to handle spawning of either enemies or items at each turn.

REQ2: Jump

JumpActorAction extends **MoveActorAction**: We want **Player** to have an action to move to another location in the **GameMap**, the **MoveActorAction** has the methods to enable **Player** to have this ability. This will override the execute() method to include the success rate check for jumps and if **Player** has the **TALL** status. It will also override the description() method of the action.

JumpManager is associated with **(interface) Jumpable**: We want **JumpManager** to store the **Jumpable** grounds.

(abstract) Tree and **Wall** implements **(interface) Jumpable**: We want only **Tree** and **Wall** grounds to be jumpable but not others, such as **Dirt**. Hence, we use interface. This will also add the **JumpActorAction** to the **ActionList** to allow **Actor**'s with the **CAN_JUMP** status the ability to jump to the **Jumpable** terrain.

Pros

- This follows the SOLID principle *"the Dependency Inversion Principle"* allowing for other objects (i.e. **JumpableManager**) to depend on the abstraction **Jumpable** rather than the **Ground** classes that are jumpable.

Cons

- Use of abstraction - slower time complexity and more use of resources (less efficient).

Assignment 2 updates

- Replaced **Jumpable** interface w/ abstract class **HighGround**, where **Tree** and **Wall** grounds **extend** from.
- Removed **JumpManager** (redundant)

REQ3: Enemies

Goomba and **Koopa** both extends the abstract class **Enemy**, and **Player** extends the abstract class **Friendly**. As we know enemies have different methods compared to friendlies, e.g enemies are able to wander and follow the player but player can't. Indeed, both enemy and friendly extends actor. Enemies would have the **AttackAction** applied to its action list by default for the **Player** to attack it. This can be overriden for different behaviour such as **Koopa**

Once a **Koopa** is damaged enough, it will be given the capability **DORMANT** to signify it cannot be attacked or move. We can choose to add the **AttackAction** to the **Koopa** action list if it is not **DORMANT**, preventing other **Actor**s seeing the option when next to it.

AttackBehaviour, **WanderBehaviour**, **StationaryBehaviour** and **FollowBehaviour** all implement **(interface) Behaviour**, so can act these behaviours without the player's input. The **AttackBehaviour** should take in a target **Actor** upon construction and stored as an instance variable like **FollowBehaviour**. This would allow us to set enemies to attack the **Player** when nearby.

Player holds **Wrench** If **Player** is holding **Wrench** in the inventory, then **SmashShellAction** can be called to kill **Koopa**. This will drop a **SuperMushroom** on its location upon death.

The **Goomba**'s kick and **Koopa**'s punch will be implemented by overriding the **getIntrinsicWeapon()** method of **Actor**. Here we would specify the attack it performs by setting the verb and damage *(the hit rate is the default 50%)* of **IntrinsicWeapon**'s.

Pros

- Easier to understand and follow, e.g. an **Action** is used on the object being attacked
- Separating Actors into either enemies or friendlies (abstract classes) allows simple, clear divide between two Actors with different methods.
- IntrinsicWeapon best describes the type of attack for **Goomba** and **Koopa** and enables us to set the damage.

Cons

- More space and time complexity is required for abstraction.
- Cannot override the hit rate of **IntrinsicWeapon** for future enemy implementations as it is default to 50%.

Assignment 2 updates

Main implementations * **FollowBehaviour** is added to enemies only when they call **AttackAction** in their last turn, through checking the parameter lastAction. I found this was the most optimal way enemies follow other actors as they already engage in fights with any actor close in proximity. * Used **Utils** static method **nextChance()** to create 10% chance of Goomba calling **SuicideAction** to be removed from GameMap. * Koopa cannot be removed from map due to creation of **INDESTRUCTIBLE** status * Koopa becomes **DORMANT** (Status): **AttackBehaviour**, **FollowBehaviour**, **WanderBehaviour** behaviours are stripped from Koopa.

Changes * Removed **StationaryBehaviour** * Enemy and Friendly, along with their subclasses have been divided into two packages, Friendlies and Enemies. * New Action **SuicideAction** implemented, results in removal of Actor from GameMap. * **SmashShellAction** is now responsible for dropping SuperMushroom upon Koopa's death.

REQ4: Magical Items

A new abstract class **MagicalItem**, which is inherited from the base class **Item**, has been added. **PowerStar** and **SuperMushroom** are implemented as inheriting **MagicalItem**. This is done to differentiate 2 types of **Item**: item that can be equipped as a weapon - **WeaponItem**; item that is not a weapon - **MagicalItem**. **MagicalItem** is consumable, which provides status to the **Actor**.

Eating a **SuperMushroom** will increase the **Player**'s max hp with **Actor**'s increaseMaxHP() method. This will also give the **Player** the status capability **TALL** to signify he has eaten the mushroom *(This is indicated with the icon M)*. Upon taking damage, if **Player** has **TALL**, it will remove the capability.

The **PowerStar** item will be given the **FADING** status. This counter for its duration would be stored as part of the **PowerStar** item, decreasing every tick until its removal.

High ground may check to see if the **Player** is standing on it and has the **INVINCIBLE** effect. If so, it will convert to dirt and drop a coin. Upon taking damage, we check the **Player** has the **INVINCIBLE** status to see if we are dealt damage.

The **AttackAction** may also check for the **INVINCIBLE** status of the actor to instantly kill a target when attacking after checking that **Player** successfully hits.

Pros

- More defined purpose of items
- Avoid the need of implementing 2 interfaces
- Future-proof for adding new features, like an inventory system

Cons

- Increased code sized
- Potentially harder to debug

Assignment 2

For the **PowerStar**, its effect, instead of just 1, is divided into 4 statuses:

- **HIGHER_GROUND**: allow actors to move onto higher ground without jumping and destroy that ground
- **COIN_FROM_DESTROYED_GROUND**: every destroyed higher ground drop $5
- **IMMUNITY**: actors receive no damage
- **INSTA_KILL**: actors can kill an enemy instantly upon a successful attack

By separating a compound effect into individual atomic statuses, it will be clearer to us what effect(s) a status provides. For example, the **INVINCIBLE** status from the initial design carries similar meaning with **IMMUNITY**, but it doesn't carries meanings of "Killing enemies instantly" nor "Walk to Higher Ground and Destroy it" etc. It would be more future-proof, as we may have new items providing lesser effects, maybe just **IMMUNITY** and **INSTA_KILL**. The same rationale also applies to **SuperMushroom**, which inital status **TALL** is divided into **TALL** and **EASY_JUMP**. A **ConsumeAction** class is created for **MagicalItem** to provide actions for the players, which is actually required and was missing in the inital design. A **StatusManager** singleton class is introduced to manage all actors' effects with duration. This is done to avoid modifying the based code of Actor and writing smelly code.

REQ5: Trading

Two new classes, **Toad** and **Coin**, are added in this section. **Toad** serves as the item shop in this game, and **Coin** is the currency for buying items from **Toad**. **Coin** is inherited from **Item** as, like all items, coins can be picked up from the ground. However, it is not inherited from either **WeaponItem** or **MagicalItem**, as it can not be equipped as a weapon or consume to gain status. **Coin** should have 1 Integer attribute to represent its value and 1 static String attribute to represent its visual to be displayed. **Player** should also have an integer value tracking the amount of currency they have.

Pros

- No additional class to manage currency of only **Player**.

Cons

- Not as simple as each item having an Integer attribute representing its cost/player having an Integer attribute representing how much the player have.
- Requires other classes to implement class attribute to store total amount of currency.
- (currently, this is exclusive to player).

Assignment 2

Wallet class is created for managing credit of actors, and **WalletManager** singleton class are created for managing wallets of actors. **Item** no longer has **Coin** as attribute.

REQ6: Monologue

GameMap and **Location** keep track of where **Toad** and **Player** are. If close enough, **SpeakAction** is available as an option: grabs monologue from **Toad**, checks if **Player** contains **Wrench**, **Status** of a PowerStar or else the **CapabilitySet** of the Actor e.g cannot be Goomba and decides what to say. Uses **Display** to print monologue string.

Player holds **(abstract) WeaponItem**, and is extended by **Wrench**. Use of **(abstract) WeaponItem** from engine, ease of implementation of new weapons in the future. **(enum) Status** able to contain the different statuses for **Player**

Pros

- Choice to utilise enumeration will avoid the excessive use of literals, and hence improve maintainability and extensibility of the code in the long-term.

Cons

- **Toad** isn't directly responsible for calling **SpeakAction**, but rather relies on **GameMap** and **Location**, e.g, **Player** must close enough in coordinates to **Toad** for **SpeakAction** to be available in console (could be a possible way for Toad to directly call **SpeakAction**).

Assignment 2

- To allow for a NPC to talk, we have decided to use the interface **Talkable**. This requires the implementer to have the method **getMonologue()** which is responsible for getting the monologue spoken by the implementer. This meets the SOLID principles *Interface Segregation Principle* as it separates the single action of monologuing as its own interface. In addition, we are also able to uphold the **Open-Close Principle** as we can continue to add additional objects that can talk without modifying those that use the **Talkable** in their methods (**SpeakAction**).
- Having **Toad** store the **SpeakAction** as part of their action list isn't a con as this utilises the existing action system of engine which checks adjacent tiles for available actions for the **Player**.

REQ7: Reset Game

A **Resettable** interface and a **ResetManager** class are created. All classes that can be reset, like **Player** and **Enemy**, implements this interface. And **ResetManager** manages the reset process. This follows the *Dependency Inversion Principle* which depends on the *Resettable* interface. Classes that implement *Resettable* will only depend on it.

We will iterate through all items that are in the ResetManager and call their reset methods. They are then items deleted will be removed from the manager.

- For trees, the reset() method will perform a 50% chance to change the location **Ground** to **Dirt**.
- For each enemy, we will remove it from the **GameMap** with .
- For the **Player**, we will check if they have status **TALL** or **INVINCIBLE** and remove the capability if they have it. We will also have it set the **Player** current HP attribute equal to the max HP attribute to fully heal **Player**.
- For coins, we will use its **Location**'s removeItem() method to remove it from its location.

Pros

- Easier to debug this features as all the reset method are implemented in this class
- Able to specify which items are reset with the **Resettable** interface, following the *Interface Segregation Principle* to solely be responsible for what occurs to the item during a reset.
- ResetManager tracks *Resettable* instances allowing us to query it to get all resettable instances.

Cons

- Increased code size and complexity

Assignment 2 updates

- Use of the interface **Resettable** assists in following the **Open-Closed Principle** as this allows us to continue to add more things that can be reset without modifying previous implementations. As such, we are able to call the **resetInstance()** method of a **Resettable** without modifying the caller of the function (**ResetManager**).
- The **RestManager** also follows the **Dependency Inversion Principle** by storing all **Resettable** instances which we may interface with to work with all implementers. This then assists us during the **ResetAction** as we can iterate through to reset each entry.

- For Coins and Trees, we require to remove/change them at their location. However, the **resetInstance()** method does not receive the location as a parameter. Our workaround to uphold the polymorphism of the method is to give the Tree/Coins the capability **RESET** to mark them for reset. Upon **tick()** being called, we may then remove/update them from their location as we receive it as a parameter there. This is also the case for **Enemy** where it is removed during the **playTurn()** method being called.
- Inclusion of the **Utils** class which is responsible for random number generation follows the **Single Responsibility Principle** as this allows other classes to call it when a random number is required,

rather than each class storing a Random class as an attribute.

ASSIGNMENT 3

REQ8: Lava Zone

- Abstract class **Zone** serves to define how **GameMaps** are created for our game. This serves to uphold the *Single Responsibility Principle* as we have an abstract class **Zone** defining how the maps are instantiated with their actors and items (with associated abstract methods) rather than defining and creating all maps in the **Application** class (removing its responsibility for creating the maps).
  This also follows the *Open Close Principle* as it allows us to create additional maps for the **Game** class with new classes that extend **Zone** but do not modify the process which the maps are instantiated.
- Class **Game** serves as the driver class for the **Application**. This initializes the zone(gamemaps) with their Items, Actors, and Map. This was done following the *single responsibility principle* with a class responsible for starting and initializing the maps for the game.
- **WarpPipe** has associations with itself and **Location**. These track the location of the exit destination as well as the exit **WarpPipe** instance. This allows us to update the return destination of the exit **WarpPipe** in **WarpAction**.
- **WarpAction** has an association with **WarpPipe** which is the entrance **WarpPipe** an actor is warping from. This is as it contains the information of the exit **WarpPipe** and **Location** used to move an Actor.
- Both **PiranhaPlant** and **WarpPipe** implement the interface **Resettable**, with **WarpPipe** spawning a **PiranhaPlant** on reset. This continues to uphold the *Liskov's Substitution Principle* and *Open Close Principle* as we may have different classes implement our previous features without requiring to rewrite and disrupt our implementation when adding new classes that use the interface. This is also the case with the **Lava** class which extends from **Ground** (following the *Open Close Principle*) to enable us to include new terrain without breaking existing functionality.
- A factory method was added to **WarpPipe**, this was due to engine limitations with the **FancyGroundFactory** class which only creates new instances from a no argument constructor. This does violate the *don't repeat yourself principle*, however, since we cannot modify the engine for **FancyGroundFactory** and we require to specify the destination. As such a new method **randomizePipes()** was added to **Zone** to generate the pipes.

REQ9: More allies and enemies

Changes from Assignment 2:

- Modified behaviours such that enemies only attack friendlies, and this does NOT break the **open-close principle**, as behaviours could still be used by friendlies, e.g we can add another check: if actor has status HOSTILE_TO_ENEMY and target does NOT have status HOSTILE_TO_ENEMY, and vice versa (implement both checks), so if both actors have the same status or both don't, they won't attack eachother.
- Removed instanceof checking for Wrench with status check: CAN_SMASH, (removed code smell, and violation of LSP)
- Replaced Hashmap with Treemap, as it auto sorts based on priority of behaviour.

New implementations:

- Implemented **FlyingKoopa** such that it extends from **Enemy**, and not from **Koopa**, to avoid violation of *Liskov's Substitution Principle*, because Flying Koopa
- Implemented ability to rescue Peach through creation of **Key** item and Status **CAN_UNLOCK**, as the **Open-Close Principle** was upheld during implementation, rather than using instanceof Key, as we may want the ability to unlock other actors or objects in the future.
- Implemented **Fire** class such that it extends **Ground** rather than being an interface, to uphold the **Open-Close Principle** as we avoid modifying the existing Ground code.
- **Bowser** extends **Enemy**, **PiranhaPlant** extends **Enemy**, both contain certain behaviours thus can be extended from Enemies, this upholds the **Dependency Inversion Principle**, where concrete Enemy classes depend on the abstract **Enemy** class

REQ10: Magical fountain

- An abstract class, **Fountain**, was implemented, to allow the concrete classes, **HealthFountain** and **PowerFountain** to extend from. This adheres to the **Dependency Inversion Principle** as the two concrete classes with their implementation details depend on the abstraction **Fountain**. In addition, this requirement fulfils the **Single Responsibility Principle**, where the abstract class **Fountain** is responsible for the broader functions e.g methods, getDrinkAction() and onFill(), whereas the more concrete specific classes, **HealthFountain** and **PowerFountain** have specific functions, e.g adding capability GREATER_HEAL, as this fountain is responsible for healing, and **PowerFountain** --> POWERFUL capability.

REQ11: More items and equipment

- An abstract class, **Equipment**, was created for the **BFG**, **Cryotov**, **Molotov**, and **Fruit** to extend from. Indeed, this adheres to the **Single Responsibility Principle**, as methods used by the concrete classes are already implemented in the abstract class **Equipment**, so that the specific classes are responsible for the more specific functions (e.g BFG kills all enemies surrounding the actor). Of course, the **Dependency Inversion Principle**, as the concrete equipment classes depend on the **Equipment** class.

REQ12: Chests / DisguisedChests

- Chest was created as an abstract class to follow the **Open Close Principle** as this allows for additional chests to extend from it (each with their own item pools) whilst retaining the behaviour of chest.
- ItemPool was created to handle the selecting a random drop from a pool of drops. This follows **Single Responsibility principle** and **Dependency inversion** as

this class is solely responsible for selecting such an item rather than chest, allowing for further extension to things such as an enemy loot pool. **Dependency inversion principle** is upheld as we may add any item to the pool rather than a set poo.

- Create an **OpenChestAction**, which the **Chest** allows the actor to use, this follows the **Single Responsibility**, as this handles the menu display for the action, purchasing from the player's wallet giving the item at the location.
- Implemented **DisguisedChest** such that it extends **Enemy**, carrying over the behaviours of **Enemy** further following the **Dependency Inversion Principle**. Moreover, the **Open-Close Principle** is demonstrated here such that both the **Ground Chest** and **Actor DisguisedChest**, have an **ItemPool** as their attribute, emphasizing the re-usability of the class.

Assignment 3

Matthew Siegenthaler, James Huynh, Chun Kau Mok

Contents

Class diagrams

REQ1

Changes for Assignment 2
* Added dependency: Mature depends on Dirt.
* Added extends: Dirt extends Ground.
* Added Utils class to handle random number generation.
* Tree inherits from HighGround rather than Ground.

REQ2

Assignment 2 CLS Diagram Changes:
<<interface>> Jumpable has been replaced with <> HighGround, JumpManager has been removed (redundant), added Player and visually improved the diagram.

REQ3

REQ4

REQ5

Assignment 2 changes
* Inclusion of Wallet and WalletManager to be responsible for tracking and managing net worth of Player and Toad.
* Updated WeaponItem to be from package engine.weapons
* Added PurchaseAction responsible for purchasing items
* Added ItemManager which manages the price of items

REQ6

Changes for Assignment 2
* Inclusion of the interface Talkable to implement monologue displayed.
* Toad implements Talkable for his monologue.
* Wrench extends WeaponItem of engine.
* SpeakAction extends Action and has a Talkable as an attribute rather than Player. This store who will be speaking in the SpeakAction.
* SpeakAction is generalised so an Actor can perform the action rather than Player.
* Removal of unrelated UML relations.

REQ9

REQ10

REQ11

Equipment: A reusable item with cool down that do all sort of things

Fruit: Heals the user with 50HP
Molotov: Changes the ground around the user into Lava
Cryotov: Freezes the ground aroud the user, changing lava into dirt and disallow the frozen ground to be changed into lava
BFG: Kills all enemies around the user

REQ12

NOTES: DisguisedChest: Pretends to be a normal chest. Initially, DisplayChar == "c". Once engaged in battle, DisplayChar = "e", attacks player.
Disguised Chest can not move.
Drops a random item upon death.

Chest "c": Go next to it, it gives Player option to buy the random item in the chest. Player must buy the item to know what item he is getting. Upon buying from Chest twice, Chest will permanently disappear.

Sequence diagrams
REQ1 Mature.tick()

REQ2 JumpActorAction.execute()

:JumpAction   **moveToLocation :Location**   **map :GameMap**   **actor :Actor**

execute(actor, map)

getGround()

ground :Ground

Changes for Assignment 2
* call HighGround to determine if jump was success.
* Get fall damage from HighGround
* Use Utils to get roll for successfull jump

onJump(actor :Actor)

ground: HighGround

hasCapability(Status.EASY_JUMP)

:Utils

:bool

nextChance()

successfulJump :bool

:bool

alternative

[successfulJump]

moveActor(actor :Actor, moveToLocation :Location)

"actor jumps to location"

[not successfulJump]

getFallDamage()

fallDamage :int

"actor fails jump, take fallDamage"

REQ5 PurchaseAction.execute()

:PurchaseAction   **:WalletManager**   **seller :Actor**   **buyer :Actor**

execute(buyer: Actor, map: GameMap)

getInstance()

walletManager :WalletManager

Changes for Assignment 2
* Focus on PurchaseAction rather than general REQ5.
* PurchaseAction involves ItemManager to check stock.
* PurchaseAction Involves WallerManager to track amount of currency

getPrice(item :Item)

:ItemManager

itemPrice :Message

canAfford(buyer: Actor, itemPrice: Integer)

affordable: bool

alternative

[affordable]

subCredit(buyer: Actor, itemPrice: Integer)

"actor jumps to location"

addCredit(seller: Actor, itemPrice: Integer)

removeItemFromInventory(item: Item)

addItemToInventory(item :Item)

"Buyer buys item from seller"

[not affordable

"You don't have enough coins"

REQ8 WarpAction.execute()