# **MEDICARE**

## source code

### Frontend stack:

#### app.component.html

```
<app-navbar></app-navbar>
<router-outlet></router-outlet>
<footer>
<div class="fixed-bottom">
<small class="bg-light">&#169; 2012-2023- Medicare. Designed & Developed by Rajat Kumar Soni.</small> </div>
</footer>
```

#### app.component.spec.ts

```
import { TestBed } from '@angular/core/testing'; import {
RouterTestingModule \} from '@angular/router/testing'; import \{
AppComponent } from './app.component';
describe('AppComponent',\ ()=>\{
beforeEach(async () => {
  await TestBed.configureTestingModule({
    Router Testing Module
   declarations: [
    AppComponent
  }).compileComponents();
 });
 it('should\ create\ the\ app',\ ()=>\{
  const fixture = TestBed.createComponent(AppComponent);
const app = fixture.componentInstance;
expect(app).toBeTruthy();
 it(`should have as title 'Medicare'`, () => {
  const fixture = TestBed.createComponent(AppComponent);
const app = fixture.componentInstance;
expect(app.title).toEqual('Medicare');
});
 it('should render title', () => {
  const fixture = TestBed.createComponent(AppComponent);
fixture.detectChanges();
  const compiled = fixture.nativeElement as HTMLElement;
  expect (compiled. query Selector ('.content\ span')?. text Content). to Contain ('Medicare\ app\ is\ running!');
```

#### Cart-item.ts

```
import { Product } from "./product";
export class CartItem {
pid!: number;
name!: string;
brand!: string;
price!: number;
img!: any; quantity!:
number;
constructor(product:
```

```
Product) {
             this.pid
= product.pid;
this.name
product.name;
this.brand =
product.brand;
this.price
product.price;
this.img =
product.img;
    this.quantity = 1;
index.html
<!doctype html>
<html lang="en">
<head>
<meta charset="utf-8">
<title>Medicare</title>
 <base href="/">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 link rel="icon" type="image/x-icon" href="favicon.ico">
 </p
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm" crossorigin="anonymous"> </head>
<body>
 <app-root></app-root>
 <script src="https://code.jquery.com/jquery-3.2.1.slm.min.js"</pre>
 integrity="sha384-KJ3o2DKtlkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
 <script src="https://cdn.jsdelivr.net/npm/poper.js@1.12.9/dist/umd/popper.min.js"</pre>
 integrity="sha384-ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
 <script src="https://cdn.jsdelivr.net/npm/botstrap@4.0/dist/js/botstrap.min.js"</pre>
 integrity = "sha384-JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl" \\
crossorigin="anonymous"></script>
 <script src="https://kit.foawesome.com/a076d05399.js" crossorigin="anonymous"></script>
</body>
</html>
```

### Backend:

### MedicareBackendApplication.java

### Usercontroller.java

```
package com.medicare.controller;
import java.net.URI; import
java.util.HashSet;
import java.util.Set;
import\ javax. annotation. PostConstruct;
import javax.validation.Valid;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.http.HttpStatus; import
org.springframework.http.ResponseEntity; import
org.springframework.web.bind.annotation.CrossOrigin; import
org.springframework.web.bind.annotation.PostMapping; import
org.springframework.web.bind.annotation.RequestBody; import
org.springframework.web.bind.annotation.RestController;
import\ org. spring framework. web. servlet. support. Servlet Uri Components Builder;
import com.medicare.entities.Role; import
com.medicare.entities.User; import
com.medicare.entities.UserRole;
import com.medicare.services.UserService;
@RestController @CrossOrigin(origins
public class UserController {
          @Autowired
          private UserService userService;
          //init admin user
@PostConstruct
          public void createAdmin(){
                     User admin = new User();
admin.setUsername("admin@medicare.com");
admin.setPassword("admin12345");
admin.setFirstName("Rajat");
admin.setLastName("Soni");
admin.setContactNumber("1234567890");
                                                     Role role =
                                role.setRoleId(101L);
new Role();
role.setRoleName("ADMIN");
                                          UserRole ur = new
UserRole();
                                ur.setUser(admin);
ur.setRole(role);
                     Set<UserRole> userRole = new HashSet<>();
userRole.add(ur);
                     User adminCreated = this.userService.createUser(admin, userRole);
                     System.out.println("Admin \ username: "+adminCreated.getUsername());
          }
          //create new user
          @PostMapping("/user/signup")
          public ResponseEntity<?> createNewUser(@Valid @RequestBody User user){
                     Role role = new Role();
role.setRoleId(102L);
role.setRoleName("USER");
                                           UserRole
ur = new UserRole();
                                ur.setRole(role);
ur.setUser(user);
                     Set<UserRole> userRole = new HashSet<>();
userRole.add(ur);
                     if (this.user Service.get By Username (user.get Username ())! = null) \ \{
System.out.println("Username already exists!");
                                return ResponseEntity.status(HttpStatus.INTERNAL SERVER ERROR).build();
                     }else {
                                User newUser = this.userService.createUser(user, userRole);
                                URI location =
```

 $Servlet Uri Components Builder. from Current Request(). path ("/{id}"). build And Expand (new User. get User Id()). to Uri(); \\ return \ Response Entity. created (location). build(); \\ \}$