

# Windows 11 Firewall Configuration Guide

## Contents

|          |                                            |          |
|----------|--------------------------------------------|----------|
| <b>1</b> | <b>Steps to Perform Task on Windows 11</b> | <b>2</b> |
| 1.1      | Step 1: Open Firewall.....                 | 2        |
| 1.2      | Step 2: List Current Rules .....           | 2        |
| 1.3      | Step 3: Add a Rule to Block a Port .....   | 2        |
| 1.4      | Step 4: Test the Rule .....                | 2        |
| 1.5      | Step 5: Allow a Rule.....                  | 3        |
| 1.6      | Step 6: Remove the Test Rule .....         | 3        |
| 1.7      | Step 7: Document.....                      | 3        |
| 1.8      | Step 8: Summarize .....                    | 3        |

# 1 Steps to Perform Task on Windows 11

## 1.1 Step 1: Open Firewall

blue-square **Steps:**

1. Press `Win + R`, type `wf.msc`, and press Enter.
2. This opens “Windows Defender Firewall with Advanced Security”.
3. point-right If it opens, your firewall is installed and running.

## 1.2 Step 2: List Current Rules

blue-square **Steps:**

1. In the left pane, click **Inbound Rules**.
2. You’ll see a list of rules that are already set.
3. Similarly, you can click **Outbound Rules**.

## 1.3 Step 3: Add a Rule to Block a Port (e.g., Telnet = Port 23)

blue-square **Steps:**

1. In the right pane, click **New Rule...**
2. Choose **Port** >Click **Next**.
3. Select **TCP** >In “Specific local ports” type: `23` >Click **Next**.
4. Select **Block the connection** >Click **Next**.
5. Choose when to apply (Domain, Private, Public) >Keep all checked >Click **Next**.
6. Give it a name >Click **Finish**. point-right Now, traffic

on Port 23 is blocked.

## 1.4 Step 4: Test the Rule

blue-square **Steps:**

- If you try to connect via Telnet on port 23 (locally or remotely), it should fail.
- Telnet client can be installed in Windows features if needed.

## 1.5 Step 5: Allow a Rule


### Steps:

1. In the same **Inbound Rules >New Rule....**
2. Select **Port >TCP >22.**
3. Select **Allow the connection.**
4. Apply to Domain, Private, Public >**Next.**
5. Name it >**Finish.**

## 1.6 Step 6: Remove the Test Rule

### Steps:

1. Go back to **Inbound Rules.**
2. Find **Telnet 23** rule >**Right-click >Delete.**
3. This restores the firewall to its original state.



```
C:\Windows\System32\cmd.exe
Microsoft Windows [Version 10.0.26100.6584]
(c) Microsoft Corporation. All rights reserved.

C:\>telnet localhost 23
Connecting To localhost...Could not open connection to the host, on port 23: Connect failed

C:\>
C:\>
```