






My Documents

My Computer

My Computer

My Network Places


Recycle Bin


Internet Explorer

Cisco ASDM

Old Java

PuTTY





```

ROUTER
ROUTER(config)#int e0/0
ROUTER(config-if)#ip add 172.16.0.1 255.2
*Jul 24 15:43:55.865: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
ROUTER(config-if)#ip add 172.16.0.1 255.255.0.0
ROUTER(config-if)#exit
ROUTER(config)#int e0/1
ROUTER(config-if)#ip add 8.0.0.1 255.0.0.0
ROUTER(config-if)#exit
ROUTER(config)#int e0/2
ROUTER(config-if)#ip add 50.0.0.1 255.0.0.0
ROUTER(config-if)#exit
ROUTER(config)#do show ip int brief

```

Interface	IP-Address	OK?	Method	Status	Protocol
Ethernet0/0	172.16.0.1	YES	manual	up	up
Ethernet0/1	8.0.0.1	YES	manual	up	up
Ethernet0/2	50.0.0.1	YES	manual	up	up
Ethernet0/3	unassigned	YES	TFTP	down	down



SUREN NETWORK
PLAY WITH TECHNOLOGIES

172.16.0.10
HOT STAR




QEMU (Linux-1)



ENABLE=yes

NAME=Ethernet



QEMU (Linux-1)

```
ENABLE=yes
NAME=Ethernet
IPADDRESS=172.16.0.10
CIDRLEN=16
NETWORK=172.16.0.0
NETMASK=255.255.0.0
GATEWAY=172.16.0.1
BROADCAST=172.16.255.255


DHCP=no
```

 QEMU (Linux-1)





 SUR



Add Roles and Features Wizard

Installation progress

DESTINATION SERVER
server2016

Before You Begin

Installation Type

Server Selection

Server Roles

Features

Web Server Role (IIS)

Role Services

Confirmation

Results

View installation progress

 Feature installation

Installation succeeded on server2016.

Web Server (IIS)

Management Tools

IIS Management Console

Web Server

Common HTTP Features

Default Document

Directory Browsing

HTTP Errors

Static Content

Health and Diagnostics

HTTP Logging



You can close this wizard without interrupting running tasks. View task progress or open this page again by clicking Notifications in the command bar, and then Task Details.

[Export configuration settings](#)

< Previous

Next >

Close

Cancel

Events

Performance

Events

Services

Manage

Tools

View

Help

Hide

Network Tasks

- Create a new connection
- Set up a home or small office network
- Change Windows Firewall settings

LAN or High-Speed Internet



Local Area Connection
Connected
Intel(R) PRO/1000 MT Networ...

C:\WINDOWS\system32\cmd.exe

```
C:\Documents and Settings\user>
C:\Documents and Settings\user>
C:\Documents and Settings\user>ping 50.0.0.1

Pinging 50.0.0.1 with 32 bytes of data:

Reply from 50.0.0.1: bytes=32 time=1ms TTL=255
Reply from 50.0.0.1: bytes=32 time<1ms TTL=255
Reply from 50.0.0.1: bytes=32 time=1ms TTL=255
Reply from 50.0.0.1: bytes=32 time<1ms TTL=255

Ping statistics for 50.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\Documents and Settings\user>_
```

Local Area Connection

LAN or High-Speed Internet

QEMU (Win)



Address

Copyright 1985-2001 Microsoft Corp.


C:\Documents and Settings\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix	:	:
IP Address	:	50.0.0.10
Subnet Mask	:	255.0.0.0
Default Gateway	:	50.0.0.1

C:\Documents and Settings\user>_





Address

Go

Ne

```
Reply from 8.8.8.8: bytes=32 time=1ms TTL=127
Reply from 8.8.8.8: bytes=32 time=1ms TTL=127
Reply from 8.8.8.8: bytes=32 time=1ms TTL=127

Ping statistics for 8.8.8.8:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Documents and Settings\user>ping 127.16.0.10

Pinging 127.16.0.10 with 32 bytes of data:

Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128

Ping statistics for 127.16.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Documents and Settings\user>
```

Other Places


- Control Panel
- My Network Places
- My Documents
- My Computer

Details

Local Area Connection
LAN or High-Speed Internet



Tftpd32



Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128

Ping statistics for 127.16.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Documents and Settings\user>ping 172.16.0.20

Pinging 172.16.0.20 with 32 bytes of data:

Reply from 172.16.0.20: bytes=32 time=1ms TTL=127
Reply from 172.16.0.20: bytes=32 time=1ms TTL=127
Reply from 172.16.0.20: bytes=32 time=1ms TTL=127
Reply from 172.16.0.20: bytes=32 time=1ms TTL=127

Ping statistics for 172.16.0.20:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Documents and Settings\user>

Other Places

- Control Panel
- My Network Places
- My Documents
- My Computer

Details

Local Area Connection
LAN or High-Speed Internet

Network Connections

C:\WINDOWS\system...

5:28 PM

