

SAFETY COVER Measuring Form

PHONE: (800) 288-7946 • FAX: (877) 292-5773

www.intheswim.com • EMAIL: customforms@intheswim.com

320 Industrial Drive • West Chicago, IL 60185

Name: <u>Craig Baldwin</u>	_ Email:cjbsmb1994@yahoo.com
Address:16 Anna Ave	nueCity:BearState: _DEZip Code: _19701_
Best Phone: <u>302-562-4</u>	Best Time to Contact:Evening Time
Fax:	Source Code (from our catalog or website):
Did you receive an l	nstant Estimate online? If so, what was the number?
IMPORTANT:	We base our Custom Safety Cover pricing solely on the measurements you provide. PLEASE READ ALL INSTRUCTIONS BEFORE YOU BEGIN MEASURING.

Thank you for your interest in a quality safety cover from In The Swim! Your Custom Safety Cover will be a worthwhile investment in the life of your pool and the safety of those you love. When filling out this form, it is extremely important that you provide us with accurate measurements. This will ensure an accurate and timely quote, and a cover that fits your pool properly. Every cover fits a little bit differently, so your cover will be made to match the exact measurements you give us. Any inaccurate measurements will not only delay the quoting process, but will also result in your cover not fitting correctly.

Once your safety cover is in production, alterations can NOT be made. Custom Safety Covers cannot be returned.

Tips And Tricks To Avoid Common Measuring Errors

- Tools Needed: Masking tape, waterproof marker, and 100 ft. measuring tape.
- Make sure your Name, Address, Phone Number, and Email are on this cover page, and include your name and number on each additional page of this form. Submit ALL pages, it will speed up your quote!
- Please write neatly, using black ink. The easier it is for us to read, the easier it is for us to quote!
- If you need extra room for any measurements, please include and submit them on a plain sheet of white paper (with your name and number at the top).
- If your pool is a Rectangle, Rectangle with Step Section, or a Rectangle with either Bowed or Grecian ends, it is a type #1 Pool. Use the Type #1 measurement instructions.
- If your pool is Free Form, Oval with Step Section, Kidney, or Lazy L, it is a Type #2 Pool. Use the Type #2 measurement instructions.

GIVE COMPLETE INFORMATION FOR FASTER QUOTING AND ORDERING, AND TO ENSURE CORRECT FIT!

Please Check The Cover(s) You Would Like Us To Quote For You

MESH SAFETY COVERS

Mesh covers are usually lighter and easier to handle than solid covers. This means it will be easier to get the safety cover on and off your pool. Mesh covers will also allow rain water and melting snow to pass through the cover into the pool. Most of the time, covers are going to be less expensive than solid covers.

Meyco Mesh

☑ In The Swim Sunblock Mesh

☑In The Swim Commercial Grade Mesh

SOLID SAFETY COVERS

The big advantage of a solid cover is that it will prevent sunlight and fine particles from entering the water. This will prevent dirt and algae from building up in the pool, keeping it cleaner over the winter. With solid covers, you must remove standing water from the top with either a drain panel (mesh built into the cover), or a cover pump.

☐ Meyco Perma Guard Solid	Drain	Pump
☐ Aqua Master Solid	☐ Drain	☐ Pump
☐In The Swim Supreme Solid	☐ Drain	☐ Pump
☐ Ytra Lita Salid	☐ Drain	□ Dumn


TYPE #1 POOLS: Measuring Instructions for Rectangles, Rectangles with Step Sections, Rectangles with Bowed Ends, or Rectangles with Grecian Ends

STEP 1:

Using the graph paper we've provided, draw an accurate diagram that shows the inside pool dimensions. Include the deck area, planters (if you have them), and any other obstructions that are within 18" of the waterline. If you have a rock structure on the waterline, a raised wall, or a waterfall, please use Type #2 instructions for A - B measurements (see next page). If you are replacing a safety cover, and the old cover is not available, please use Type #2 instructions for A-B measurements as well.


STEP 2:

The diagrams below show the required measurements for each type of pool shape. Select the shape that most closely matches your particular pool, and list your measurements accordingly on the diagram you created. Be sure they are inside waterline dimensions! If your pool doesn't match a shape you see below, you may need to measure for a Type #2 pool (see next page).



STEP 3:


If you have any non-removable obstructions within 18" of the waterline, locate them on your diagram. Measure the distance from the obstruction to the pool's edge, and also measure the distance from the obstruction to the closest squared off corner of the pool.



STEP 4:

If you have a step section, be sure to provide step length and width, and the offset of the step if applicable.

OBSTRUCTION & STEP SECTION



Please provide any measurements given for obstructions on the diagram that is completed.

TYPE #2 POOLS: "A-B Measuring" instructions for Free-Form Pools and Replacement Safety Covers


STEP 1:

Using the graph paper we've provided, draw an accurate diagram indicating the inside pool dimensions. Include the deck area, planters (if you have them), and any other obstructions that are within 18" of the waterline. **Photographs of the pool are required when you have rocks, waterfalls, raised walls, spas, or anything other than a simple, unbroken coping perimeter.**

STEP 2:

Establish two points to be called A and B, parallel to the long side of the pool (see below). These points should be at least 25 feet apart (or 2/3 the total length of the pool), and able to be easily marked with masking tape (or stakes if in the lawn). A must be to the left of B as you face the pool. Be sure to provide the distance between A and B as you face the pool (See Type #2 measuring example on the next page).

Note: The A-B line must never intersect the pool and must be at least 4 feet away from any marked point (pool, anchors, and obstructions) regardless of how far back the line needs to be extended.



STEP 3:

Using masking tape and waterproof marker, mark and number points along the inside edge of the pool at a maximum of 2 foot intervals. Be sure to identify all non-removable obstruction points when filling in your measurements on the measuring chart provided. **Always number in a clockwise direction.**



Use masking tape and waterproof marker instead of chalk. Chalk will wash away if it rains, but the tape and marker will stay put.

Number all corner points, direction changes, ladders, handrails, grab rails, slide legs, rocks, spillways, spa walls that separate the spa and pool, fill spouts, and dive stands that are not removable. **IMPORTANT: Also number any anchors from a previous safety cover.** 1 foot intervals should be used in small or tight radius areas. Remember to include the total length of your A-B line, along with the overall length of your pool.

STEP 4:

Provide cross dimensions from numbered points. These are important so we can verify whether they match the A-B measurements of your pool.

TYPE #2 MEASURING EXAMPLE: "A-B Measuring" instructions for Free-Form Pools and Replacement Safety Covers

STEP 1:

Measure the distance from **Point A** to **Point B** and record the measurement in the space provided on the measuring form.

STEP 2:

Measure the distance from **Point A** to **Point 1** and record the measurement in the chart provided.

STEP 3:

Measure the distance from **Point A** to **Point 2** and record the measurement in the chart provided.

STEP 4:


Continue taking the same type of measurements for all other numbered points on the pool (Point A to Point 3, Point A to Point 4, Point A to Point 5, and so on...). Now measure the distance from Point B to all the numbered points, using the same process that you did for the A measurements (Point B to Point 1, Point B to Point 2, Point B to Point 3, and so on...). See the Example A - B

Measurements Chart below.

STEP 5:

Measure the overall width and length of the pool by selecting numbered points that represent these distances and record measurements in the spaces provided on the measuring form. It is also helpful if you provide at least two additional cross dimension measurements for both the width and length of the pool. See Over all Pool Measurements: "Point to Point" (right).

EXAMPLI	E: A & B MEAS	UREMENTS
POINT	Α	В
1	5' 2"	27' 6"
2	8' 4"	29' 2"
3	11' 8"	32' 6"
4	15' 8"	365' 6"
5	CONT	INIE
6		
7		
8	~	
9		



OVERALL POOL MEASUREMENTS: "POINT TO POINT"

Overall Width = 17 feet (point 17 to point 47)

Cross Dimension = 14 feet (point 11 to point 51)

Cross Dimension = 23 feet (point 27 to point 42)

Overall Length = 37 feet, 9 inches (point 6 to point 38)

Cross Dimension = 24 feet, 7 inches (point 12 to point 36)

Cross Dimension = 14 feet, 2 inches (point 46 to point 39)

Note: Continue taking the A and B measurements for all numbered points that you made around your pool. The measurements from the numbered points should all touch A and B at the exact same point. (For illustration purposes, the lines above are slightly off the exact point.)

REQUIRED INFORMATION: TYPE #1 & TYPE #2 POOLS

Answer ALL questions. If items are **NOT REMOVABLE** and **LESS THAN 18" FROM THE WATERLINE**, measurements must be given <u>using the same method</u> that was used to measure the pool. If your pool has obstructions and/or special features, please provide photos of each area.

CH	IECK ONE:	YES	NO	CHECK ONE:	YES	NO
	Are there skimmer covers? Are the covers flush with the deck? Are there ladders?			11. Does the spa wall have an open spillway If it is an open spillway, A-B dimensions are required to locate the spillway.	? 🗖	Ø
	Are the ladders removable? If No: Measure to locate ladders, and distance ladders extend into the pool.	ā	ū	(Please provide a photo.) 12. Is there a planter area? If Yes: Give A-B dimensions at start and		Ø
3.	Are there handrails? Are the handrails removable?	0		finish of planter area. Give width of coping between the pool and the front of the planter.		
	If No: Measure to locate handrails, and distance handrails extend into the pool.			13. Do you require stakes or anchors in the planter area?		Ø
4.	Are there grab rails? Are the grab rails removable? If No: Measure to locate grab rails,			14. Is the planter raised? If Yes: What type of material is the planter made of?		/ _
	distance rails are set back from the pool, and to points where the rails dip below			15. Is the planter strong enough for the cover to snap-hook into?		ø
5.	the coping. Also indicate type of grab rail Is there a fill spout? Is the fill spout removable?		Z O	16. Is there a raised wall or raised bond beam? If Yes: How high? Give A-B dimensions		Ø
	If No: Measure from pool to front of fill spout.	_	_	at the beginning of the wall as well as points along the wall at the deck line.		•
6.	Is there a dive stand? If Yes: Measurements are required. How far back is the stand from the pool?		4	17. Are there waterfalls or rocks? If Yes: Give A-B dimensions of the beginning and at the end of the		Ø
7.	Is there a slide?		\mathbf{Z}	obstruction as well as points along the pool. (Please provide a photo.)		
	Are slide legs within 18" of the waterline? If Yes: Measurements are required. Also give distance legs are set back from pool edge.			18. Are there varying deck levels? If Yes: Give A-B dimensions at level change. Give A-B dimensions		Ø
8.	Are there any Grab Rocks? If Yes: Measure to locate placement.		Z	indicating the angles where the level change cuts back from the pool. How much of a level change is it?		
9.	How wide are the rocks? Is there a spa?		Z	19. Do you have at least 3 feet of deck around the pool?	Ø	
	Is the spa level with the deck and/or coping? If No: How much is the spa raised			If No: Please show dimensions on your sketch. 20. Do you have a concrete deck?	Z	
	above the pool?			If No: Please specify what type	,_	_
10	Is a separate cover required for the spa?			(wood, brick, etc.).		

FOR REPLACEMI OF EXISTING SAFETY COVE	RS OI	NLY
 CHECK ONE: Is this a replacement safety cover? Do you need to match existing anchors? Is the old cover available? Do you know the manufacturer of your old cover? Manufacturer 	YES	N N N N N
Serial No. Important: If the old cover is not available, please provide A-B measure the pool perimeter as well as the anchor locations.	rements	of

IMPORTANT!!!


Submitting this measuring form indicates that you have verified your measurements, and that the information you have supplied to us is correct. Your new safety cover will be made to these specifications when you place your order. If you need to make changes to your measurements and specifications, please resubmit them in writing. Custom Safety Covers are not returnable.

GRAPH: TYPE #1 & TYPE #2 POOLS

Please specify inside dimensions.

Name: Craig Baldwin

Phone: _(302) 562-4745_____



SAFETY COVER MEASURING FORM: TYPE #2 POOLS

Name: Craig Baldwin

Phone: _(302) 562-4745

IMP	ORTAN	IT!		
Distance from Point A to Point B				
<u>25</u>	ft	<u>0</u>	in.	

A & B N	MEASURE	MENTS
POINT	Α	В
1	20' 4.750''	26' 5.875''
2	22' 0.625"	28' 3.125''
3	23' 9.750''	30' 0.625''
4	25' 7.250''	31' 10.500''
5	27' 5.000''	33' 8.500''
6	29' 3.125''	35' 6.750''
7	31' 1.500''	37' 5.375''
8	33' 0.125"	39' 4.000''
9	33' 5.938''	39' 9.500''
10	33' 11.875''	40' 2.500''
11	34' 5.750''	40' 6.625''
12	34' 11.625''	40' 11.000''
13	35' 5.563''	41' 3.000''
14	35' 11.375''	41' 7.250''
15	36' 4.750''	41' 10.000''
16	36' 9.375''	41' 11.250''
17	37' 1.375''	42' 0.000''
18	38' 4.625''	42' 1.500''
19	38' 7.875''	42' 1.250''
20	38' 10.875''	42' 0.500''
21	39' 1.375''	41' 11.500''
22	39' 10.250''	41' 6.500''
23	40' 7.500''	41' 1.250''
24	41' 6.625''	40' 9.875''
25	41' 8.750''	40' 8.250''
26	41' 7.750''	40' 3.750''
27	41' 1.750''	39' 4.875''
28	40' 11.750''	38' 11.750''
29	41' 1.250''	38' 9.750''
30	41' 5.375''	38' 10.500''
31	41' 9.375''	38' 11.000''
32	41' 10.375''	38' 8.250''
33	41' 7.625''	38' 3.000''
34	40' 7.875''	36' 4.250''

A & B N	/IEASUREI	MENTS
POINT	Α	В
35	40' 3.500''	35' 11.000''
36	39' 9.625''	35' 5.500"
37	39' 3.875"	35' 2.250"
38	38' 9.750''	34' 9.750''
39	38' 4.625''	34' 4.125''
40	37' 9.750''	33' 4.500''
41	37' 0.875''	32' 4.750"
42	35' 5.250''	30' 5.375"
43	33' 9.875"	28' 5.000''
44	32' 3.000''	26' 5.250''
45	30' 9.750''	24' 5.250''
46	29' 8.000''	22' 5.250"
47	28' 7.625''	20' 5.250''
48	27' 8.250''	18' 5.000''
49	26' 10.500''	16' 5.125"
50	26' 2.000''	14' 5.000''
51	25' 6.625''	12' 4.875''
52	25' 2.750''	11' 5.000''
53	24' 8.750''	10' 5.500''
54	24' 0.500''	9' 7.750''
55	23' 3.000''	9' 0.250''
56	22' 4.250''	8' 7.625''
57	21' 4.875''	8' 5.750''
58	20' 5.500''	8' 5.875''
59	19' 6.750''	8' 6.000''
60	18' 9.250''	8' 5.875''
61	18' 0.750''	8' 6.000''
62	17' 5.625"	8' 6.250''
63	16' 8.500''	8' 10.250''
64	15' 10.375''	9' 5.750''
65	14' 11.000''	10' 3.750''
66	13' 11.000''	11' 3.000''
67	12' 11.000''	12' 3.000"
68	11' 11.500''	13' 3.000''

OVERALL PO	OL MEASUREMENTS			
Overall Pool Width				
Point # <u>52</u>	to Point # <u>81</u>			
20	_ ft <u>3</u> in.			
Overa	all Pool Length			
Point # <u>21</u>	to Point # <u>66</u>			
37	_ ft <u>7.5</u> in.			
Cros	ss Dimension			
Point # <u>5</u>	to Point # <u>43</u>			
14	_ ft <u>5</u> in.			
Cros	ss Dimension			
Point # <u>8</u>	to Point # <u>34</u>			
<u>15</u>	_ ft <u>11</u> in.			
Cros	ss Dimension			
Point # <u>86</u> _	to Point # <u>48</u>			
<u>16</u>	_ft <u>6.25</u> in.			
Cros	ss Dimension			
Point # <u>79</u>	to Point # <u>59</u>			
<u>15</u>	_ ft <u>10.125</u> in.			
Ol	bstruction 1			
Туре				
A to Point #	= ft in.			
B to Point #	= ft in.			
Ol	ostruction 2			
Туре				
A to Point #	= ft in.			
B to Point #	= ft in.			
Obstruction 3				
Туре				
A to Point #	= ft in.			
B to Point #	= ft in.			
	e a separate piece of paper han 3 obstructions.			

IMPORTANT!!!

Submitting this measuring form indicates that you have verified your measurements, and that the information you have supplied to us is correct. Your new safety cover will be made to these specifications when you place your order. If you need to make changes to your measurements and specifications, please resubmit them in writing. Custom Safety Covers are not returnable.

SAFETY COVER MEASURING FORM: TYPE #2 POOLS

Name: <u>Craig Baldwin</u>

Phone: <u>(302) 562-4745</u>

A 0 D 1	4E A CLIDE	NAENITO
	MEASURE	_
POINT	A	В
69	11' 0.625''	26' 5.875''
70	10' 2.000''	28' 3.125''
71	9' 4.125''	30' 0.625''
72	8' 7.250''	31' 10.500''
73	7' 11.125''	33' 8.500''
74	7' 4.625''	35' 6.750''
75	7' 0.000''	37' 5.375''
76	6' 10.500''	39' 4.000''
77	7' 0.250''	39' 9.500''
78	7' 5.500''	40' 2.500''
79	8' 0.250''	40' 6.625''
80	8' 9.375''	40' 11.000''
81	9' 8.125''	41' 3.000''
82	10' 7.875''	41' 7.250''
83	11' 7.875''	41' 10.000''
84	12' 7.875''	41' 11.250''
85	13' 7.125"	42' 0.000''
86	15' 6.625''	42' 1.500''
87	17' 6.250''	42' 1.250''
88	18' 6.000''	42' 0.500''
89	19' 0.000''	41' 11.500''
90	19' 6.000''	41' 6.500''
91	20' 0.000''	41' 1.250''
92		
93		
94		
95		
96		
97		
98		
99		
100		
101		
102		

A & B N	//EASURE	MENTS
POINT	Α	В
103		
104		
105		
106		
107		
108		
109		
110		
111		
112		
113		
114		
115		
116		
117		
118		
119		
120		
121		
122		
123		
124		
125		
126		
127		
128		
129		
130		
131		
132		
133		
134		
135		
136		