

```

# 1. 한글 폰트 설치 및 적용
!sudo apt-get install -y fonts-nanum -qq > /dev/null
!sudo fc-cache -fv > /dev/null

import matplotlib.pyplot as plt
import matplotlib.font_manager as fm

fm.fontManager.addfont('/usr/share/fonts/truetype/nanum/NanumG
plt.rc('font', family='NanumGothic')
plt.rcParams['axes.unicode_minus'] = False

# 2. 데이터 구성 (출처: 과기정통부·NIA, 2025년 스마트폰 과의존 실태조사)
# 연령대별 과의존 위험군 비율(%)
age_group_data = {
    '유아동(3-9세)': 26.0,
    '청소년(10-19세)': 43.0,
    '청년(20-30대)': 29.5,
    '전체 평균': 22.7,
}

# 청소년 학교급별 과의존 위험군 비율(%)
school_level_data = {
    '중학생': 47.6,
    '고등학생': 41.5,
    '대학생': 36.5,
}

# 스마트폰 의존 자각 여부(%) - 전체 응답자 vs 과의존위험군
self_aware_data = {
    '전체 응답자': 46.3,
    '과의존 위험군': 83.1,
}

# 3. 그래프 1 - 연령대별 과의존 위험군 비율
plt.figure(figsize=(8, 6))
colors1 = ['gray' if age != '청소년(10-19세)' else 'red' for age
plt.bar(age_group_data.keys(), age_group_data.values(), color=
for i, (age, val) in enumerate(age_group_data.items()):
    plt.text(i, val + 0.5, f"{val}%", ha='center', fontsize=11
plt.ylabel('과의존 위험군 비율 (%)', fontsize=12)
plt.title('연령대별 스마트폰 과의존 위험군 비율', fontsize=15)
plt.grid(True, axis='y', linestyle=':', alpha=0.7)

```

```
plt.show()
```

4. 그래프 2 - 청소년 학교급별 비교

```
plt.figure(figsize=(8, 6))
plt.bar(school_level_data.keys(), school_level_data.values(),
for i, (school, val) in enumerate(school_level_data.items()):
    plt.text(i, val + 0.5, f"{val}%", ha='center', fontsize=11)
plt.ylabel('과의존 위험군 비율 (%)', fontsize=12)
plt.title('학교급별 스마트폰과의존 위험군 비율', fontsize=15)
plt.grid(True, axis='y', linestyle=':', alpha=0.7)
plt.show()
```


5. 그래프 3 - 의존 자각 여부 비교


```
plt.figure(figsize=(8, 6))
plt.bar(self_aware_data.keys(), self_aware_data.values(), color='red',
for i, (grp, val) in enumerate(self_aware_data.items()):
    plt.text(i, val + 1, f"{val}%", ha='center', fontsize=11,
plt.ylabel('"나는 스마트폰에 의존적" 응답 비율 (%)', fontsize=12)
plt.title('스마트폰 의존 자각 여부 비교', fontsize=15)
plt.ylim(0, 100)
plt.grid(True, axis='y', linestyle=':', alpha=0.7)
plt.show()
```




```
debconf: unable to initialize frontend: Dialog
debconf: (No usable dialog-like program is installed, so the c
debconf: falling back to frontend: Readline
debconf: unable to initialize frontend: Readline
debconf: (This frontend requires a controlling tty.)
debconf: falling back to frontend: Teletype
dpkg-preconfigure: unable to re-open stdin:
```

연령대별 스마트폰과의존 위험군 비율





학교급별 스마트폰 과의존 위험군 비율



스마트폰 의존 자각 여부 비교

