

Liaoning Liansheng

Multi-frequency Crystal Core Scale Prevention System · Многочастотная система защиты от накипи

Industrial Scale Prevention Solutions for Industrial Water Systems

Chemical-free physical water treatment technology for boilers, pipelines, heat exchangers and industrial circulating-water systems. Target markets: Russia, Europe and Central Asia.

NO CHEMICALS	No chemical agents are added to the water.
NO ELECTRICITY	No external power supply is required.
LOW MAINTENANCE	No routine personnel attendance or maintenance is described.
LONG SERVICE LIFE	At least 10 years under general conditions, depending on operation.

Working Principle · Принцип работы

The supplied technical materials describe preset natural-frequency information written into the crystal core. Water passes through the crystal core, impeller and multi-frequency disturbance field. Micro-vibrations act on water and scale-forming mineral molecules, reducing deposition. Existing scale is described as gradually loosening into a sand-like state.

01	Water enters the in-line device
02	Water passes through crystal core and impeller
03	Multi-frequency disturbance field acts on water and minerals
04	Scale deposition is reduced; old scale gradually loosens

Application conditions

Standard range	Water temperature	Flow velocity	Pressure options
DN25-DN350	5-85°C	0.5-2.0 m/s	1.0 / 1.6 / 2.5 MPa

FR Series · DN25-DN350

Model	Pipe DN (mm)	Max. D (mm)	Height H (mm)	Flow (m³/h)	Connection	Pressure (MPa)
FR-DN25	DN25	45	222	0.01-7.20	Thread / Flange	1.0 / 1.6
FR-DN40	DN40	80	259	7.21-13.70	Thread / Flange	1.0 / 1.6
FR-DN80	DN80	120	299	13.71-41.40	Thread / Flange	1.0 / 1.6
FR-DN100	DN100	220	386	41.41-50.30	Flange	1.0 / 1.6 / 2.5
FR-DN150	DN150	285	455	50.31-124.90	Flange	1.0 / 1.6 / 2.5
FR-DN200	DN200	340	430	124.91-242.30	Flange	1.0 / 1.6 / 2.5
FR-DN250	DN250	405	532	242.31-389.80	Flange	1.0 / 1.6 / 2.5
FR-DN300	DN300	460	488	389.81-539.90	Flange	1.0 / 1.6 / 2.5
FR-DN350	DN350	520	556	539.91-667.90	Flange	1.0 / 1.6 / 2.5

Dimensions shown are for GB-standard 1.0 MPa flanges. Dimensions are adjusted for 1.6 MPa or 2.5 MPa flanges. Other sizes may be customized.

Applications and Cooperation

BOILER SYSTEMS	Boiler water and heating circuits.
HEAT EXCHANGERS	Hot-water exchange and circulating-water systems.
INDUSTRIAL PIPELINES	Industrial process-water and circulation pipelines.
COOLING WATER	Return-water and make-up-water lines.
MANUFACTURING	Power and heat, beverage, petrochemical, food, metallurgy, mining and pharmaceutical applications.

Referenced projects

Heating company heat-exchange station · Commercial heating and cooling source system · District heating station · Shougang seawater desalination project

Partner enquiries: Russian distributors, water treatment companies, engineering companies and boiler equipment suppliers.

Email: 1445517864@wanweijx.cn · All information in this catalogue is based on supplied company materials.