

app.snowflake.com/ap-southeast-7.aws/re45362/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled.sql

Workspaces Databases + Home My Workspace > Untitled.sql

ACCOUNTADMIN + CAPSTONE_WH (X-Small) CAPSTONE GRIEVANCE Share

```
6 USE SCHEMA CAPSTONE.GRIEVANCE;
7 CREATE OR REPLACE FILE FORMAT CSV_FF
8 TYPE = CSV
9 SKIP_HEADER = 1
10 FIELD_OPTIONALLY_ENCLOSED_BY = ''
11 EMPTY_FIELD_AS_NULL = TRUE
12 NULL_IF = ('', 'NULL')
13 TIMESTAMP_FORMAT = 'YYYY-MM-DD HH24:MI:SS';
14 CREATE OR REPLACE STAGE GRIEVANCE_STAGE FILE_FORMAT = CSV_FF;
15
16 LIST @GRIEVANCE_STAGE;
17 CREATE OR REPLACE TABLE SILVER_COMPLAINT (
18   complaint_id  Add to Chat Explain Quick edit Format
19   word_id
20   category      STRING,
21   status        STRING,
22   raised_ts     TIMESTAMP_NTZ,
23   closed_ts     TIMESTAMP_NTZ,
24   closure_known BOOLEAN,
```

Results (just now)

Table Chart Pivot 2 rows 99ms

#	name	size	md5	last_modified
1	grievance_stage/gold_grievance_weekly.csv	570128	1fdab4baf6785d9e1e8492471667247	Tue, 29 Sep 2026 18:37:02 GMT
2	grievance_stage/silver_complaint.csv	5958032	3a161d6de0b4730031a59f6cdf57c2e-2	Tue, 29 Sep 2026 18:37:42 GMT

app.snowflake.com/ap-southeast-7.aws/re45362/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled.sql

Workspaces Databases + Home My Workspace > Untitled.sql

ACCOUNTADMIN + CAPSTONE_WH (X-Small) CAPSTONE GRIEVANCE Share

```
60 closure_known  BOOLEAN,
61 resolution_hours FLOAT,
62 sla_breach     BOOLEAN
63 );
64 COPY INTO SILVER_COMPLAINT FROM @GRIEVANCE_STAGE/silver_complaint.csv
65 ON_ERROR = ABORT_STATEMENT;
66 ALTER FILE FORMAT CSV_FF SET TIMESTAMP_FORMAT = 'YYYY-MM-DD"THH24:MI:SS.FF3"Z";
67 COPY INTO SILVER_COMPLAINT FROM @GRIEVANCE_STAGE/silver_complaint.csv
68 ON_ERROR = ABORT_STATEMENT;
69 COPY INTO GOLD_COMPLAINT_WEEK FROM @GRIEVANCE_STAGE/gold_grievance_weekly.csv
70 ON_ERROR = ABORT_STATEMENT;
71 COPY INTO SILVER_COMPLAINT FROM @GRIEVANCE_STAGE/silver_complaint.csv
72 ON_ERROR = ABORT_STATEMENT;
73 COPY INTO GOLD_COMPLAINT_WEEK FROM @GRIEVANCE_STAGE/gold_grievance_weekly.csv
74 ON_ERROR = ABORT_STATEMENT;
75 SELECT 'silver' t, COUNT(*) n FROM SILVER_COMPLAINT -- expect 58,488
76 UNION ALL SELECT 'gold', COUNT(*) FROM GOLD_COMPLAINT_WEEK; -- expect 8,328
77 SELECT COUNT(*) FROM SILVER_COMPLAINT
```

Results (just now)

Table Chart Pivot 1 row 552ms

#	status
1	Copy executed with 0 files processed.

app.snowflake.com/ap-southeast-7.aws/re45362/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled.sql

Workspaces Databases + Home My Workspace > Untitled.sql

ACCOUNTADMIN + CAPSTONE_WH (X-Small) CAPSTONE GRIEVANCE Share

```
65 ON_ERROR = ABORT_STATEMENT;
66 ALTER FILE FORMAT CSV_FF SET TIMESTAMP_FORMAT = 'YYYY-MM-DD"THH24:MI:SS.FF3"Z";
67 COPY INTO SILVER_COMPLAINT FROM @GRIEVANCE_STAGE/silver_complaint.csv
68 ON_ERROR = ABORT_STATEMENT;
69 COPY INTO GOLD_COMPLAINT_WEEK FROM @GRIEVANCE_STAGE/gold_grievance_weekly.csv
70 ON_ERROR = ABORT_STATEMENT;
71 COPY INTO SILVER_COMPLAINT FROM @GRIEVANCE_STAGE/silver_complaint.csv
72 ON_ERROR = ABORT_STATEMENT;
73 COPY INTO GOLD_COMPLAINT_WEEK FROM @GRIEVANCE_STAGE/gold_grievance_weekly.csv
74 ON_ERROR = ABORT_STATEMENT;
75 SELECT 'silver' t, COUNT(*) n FROM SILVER_COMPLAINT -- expect 58,488
76 UNION ALL SELECT 'gold', COUNT(*) FROM GOLD_COMPLAINT_WEEK; -- expect 8,328
77 SELECT COUNT(*) FROM SILVER_COMPLAINT
78 WHERE status='CLOSED' AND closure_known = FALSE; -- expect 1,288
79 SELECT COUNT(*) FROM SILVER_COMPLAINT
80 WHERE status='OPEN' AND closure_known = FALSE; -- expect 0
81 SELECT COUNT(*) FROM SILVER_COMPLAINT WHERE resolution_hours < 0; -- expect 0
82 ALTER SESSION SET WEEK_START = 1;
```

Results (just now)

Table Chart Pivot 1 row 364ms

#	status
1	Copy executed with 0 files processed.

app.snowflake.com/ap-southeast-7.aws/re45362/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled.sql

Workspaces Databases + Home Untitled.sql

My Workspace + Add new Untitled.sql

```

65 ON_ERROR = ABORT_STATEMENT;
66 ALTER FILE FORMAT CSV_FF SET TIMESTAMP_FORMAT = 'YYYY-MM-DD"THH24:MI:SS.FF3"Z';
67 COPY INTO SILVER_COMPLAINT FROM @GRIEVANCE_STAGE/silver_complaint.csv
68 ON_ERROR = ABORT_STATEMENT;
69 COPY INTO GOLD_COMPLAINT_WEEK FROM @GRIEVANCE_STAGE/gold_grievance_weekly.csv
70 ON_ERROR = ABORT_STATEMENT;
71 COPY INTO SILVER_COMPLAINT FROM @GRIEVANCE_STAGE/silver_complaint.csv
72 ON_ERROR = ABORT_STATEMENT;
73 COPY INTO GOLD_COMPLAINT_WEEK FROM @GRIEVANCE_STAGE/gold_grievance_weekly.csv
74 ON_ERROR = ABORT_STATEMENT;
75 SELECT 'silver', t, COUNT(*) n FROM SILVER_COMPLAINT -- expect 58,400
76 UNION ALL SELECT 'gold', COUNT(*) n FROM GOLD_COMPLAINT_WEEK -- expect 8,320
77 SELECT COUNT(*) FROM SILVER_COMPLAINT
78 WHERE status='CLOSED' AND closure_known = FALSE; -- expect 1,200
79 SELECT COUNT(*) FROM SILVER_COMPLAINT
80 WHERE status='OPEN' AND closure_known = FALSE; -- expect 0
81 SELECT COUNT(*) FROM SILVER_COMPLAINT WHERE resolution_hours < 0; -- expect 0
82 ALTER SESSION SET WEEK_START = 1;

```

Results (just now)

Table Chart Pivot

2 rows 351ms

#	T	N
1	silver	58400
2	gold	8320

app.snowflake.com/ap-southeast-7.aws/re45362/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled.sql

Workspaces Databases + Home Untitled.sql

My Workspace + Add new Untitled.sql

```

65 ON_ERROR = ABORT_STATEMENT;
66 ALTER FILE FORMAT CSV_FF SET TIMESTAMP_FORMAT = 'YYYY-MM-DD"THH24:MI:SS.FF3"Z';
67 COPY INTO SILVER_COMPLAINT FROM @GRIEVANCE_STAGE/silver_complaint.csv
68 ON_ERROR = ABORT_STATEMENT;
69 COPY INTO GOLD_COMPLAINT_WEEK FROM @GRIEVANCE_STAGE/gold_grievance_weekly.csv
70 ON_ERROR = ABORT_STATEMENT;
71 COPY INTO SILVER_COMPLAINT FROM @GRIEVANCE_STAGE/silver_complaint.csv
72 ON_ERROR = ABORT_STATEMENT;
73 COPY INTO GOLD_COMPLAINT_WEEK FROM @GRIEVANCE_STAGE/gold_grievance_weekly.csv
74 ON_ERROR = ABORT_STATEMENT;
75 SELECT 'silver', t, COUNT(*) n FROM SILVER_COMPLAINT -- expect 58,400
76 UNION ALL SELECT 'gold', COUNT(*) n FROM GOLD_COMPLAINT_WEEK -- expect 8,320
77 SELECT COUNT(*) FROM SILVER_COMPLAINT
78 WHERE status='CLOSED' AND closure_known = FALSE; -- expect 1,200
79 SELECT COUNT(*) FROM SILVER_COMPLAINT
80 WHERE status='OPEN' AND closure_known = FALSE; -- expect 0
81 SELECT COUNT(*) FROM SILVER_COMPLAINT WHERE resolution_hours < 0; -- expect 0
82 ALTER SESSION SET WEEK_START = 1;

```

Results (just now)

Table Chart Pivot

1 row 181ms

#	COUNT(*)
1	1200

app.snowflake.com/ap-southeast-7.aws/re45362/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled.sql

Workspaces Databases + Home Untitled.sql

My Workspace + Add new Untitled.sql

```

69 COPY INTO GOLD_COMPLAINT_WEEK FROM @GRIEVANCE_STAGE/gold_grievance_weekly.csv
70 ON_ERROR = ABORT_STATEMENT;
71 COPY INTO SILVER_COMPLAINT FROM @GRIEVANCE_STAGE/silver_complaint.csv
72 ON_ERROR = ABORT_STATEMENT;
73 COPY INTO GOLD_COMPLAINT_WEEK FROM @GRIEVANCE_STAGE/gold_grievance_weekly.csv
74 ON_ERROR = ABORT_STATEMENT;
75 SELECT 'silver', t, COUNT(*) n FROM SILVER_COMPLAINT -- expect 58,400
76 UNION ALL SELECT 'gold', COUNT(*) n FROM GOLD_COMPLAINT_WEEK -- expect 8,320
77 SELECT COUNT(*) FROM SILVER_COMPLAINT
78 WHERE status='CLOSED' AND closure_known = FALSE; -- expect 1,200
79 WHERE status='OPEN' AND closure_known = FALSE; -- expect 0
80 SELECT COUNT(*) FROM SILVER_COMPLAINT WHERE resolution_hours < 0; -- expect 0
81 ALTER SESSION SET WEEK_START = 1;
82 CREATE OR REPLACE TABLE BACKLOG_CHECK AS
83 WITH sp AS (SELECT DATEADD(week, ROW_NUMBER() OVER (ORDER BY SEQ4()) - 1,
84 DATE '2024-12-30') AS w FROM TABLE(GENERATOR(ROWCOUNT <> 20))),
85 k AS (SELECT DISTINCT ward_id, category FROM SILVER_COMPLAINT),
86

```

Results (just now)

Table Chart Pivot

1 row 94ms

#	COUNT(*)
1	8875

app.snowflake.com/ap-southeast-7.aws/re45362/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled.sql

Workspaces Databases +

My Workspace +

Untitled.sql

ACCOUNTADMIN + CAPSTONE_WH (K-Small) CAPSTONE GRIEVANCE Share

```
69 COPY INTO GOLD_COMPLAINT_WEEK FROM @GRIEVANCE_STAGE/gold_grievance_weekly.csv
70 ON_ERROR = ABORT_STATEMENT;
71 COPY INTO SILVER_COMPLAINT FROM @GRIEVANCE_STAGE/silver_complaint.csv
72 ON_ERROR = ABORT_STATEMENT;
73 COPY INTO GOLD_COMPLAINT_WEEK FROM @GRIEVANCE_STAGE/gold_grievance_weekly.csv
74 ON_ERROR = ABORT_STATEMENT;
75 SELECT 'silver', 1, COUNT(*) n FROM SILVER_COMPLAINT -- expect 58,480
76 UNION ALL SELECT 'gold', COUNT(*) FROM GOLD_COMPLAINT_WEEK; -- expect 8,320
77 SELECT COUNT(*) FROM SILVER_COMPLAINT
78 WHERE status='CLOSED' AND closure_known = FALSE; -- expect 1,200
79 SELECT COUNT(*) FROM SILVER_COMPLAINT
80 WHERE status='OPEN' AND closure_known = FALSE; -- expect 0
81 SELECT COUNT(*) FROM SILVER_COMPLAINT WHERE resolution_hours < 8; -- expect 0
82 ALTER SESSION SET WEEK_START = 1;
83 CREATE OR REPLACE TABLE BACKLOG_CHECK AS
84 WITH sp AS (SELECT DATEADD(week, ROW_NUMBER() OVER (ORDER BY SEQ4()) - 1,
85 DATE '2024-12-30') AS w FROM TABLE(GENERATOR(ROWCOUNT => 26))),
86 k AS (SELECT DISTINCT ward_id, category FROM SILVER_COMPLAINT),
87 --
```

Results (just now)

Table Chart Pivot

1 row 21ms

#	status
1	Statement executed successfully.

app.snowflake.com/ap-southeast-7.aws/re45362/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled.sql

Workspaces Databases +

My Workspace +

Untitled.sql

ACCOUNTADMIN + CAPSTONE_WH (K-Small) CAPSTONE GRIEVANCE Share

```
89 FROM SILVER_COMPLAINT GROUP BY 1, 2, 3
90 UNION ALL
91 SELECT DATE_TRUNC('week', closed_ts)::DATE, ward_id, category, 0, COUNT(*)
92 FROM SILVER_COMPLAINT WHERE closure_known GROUP BY 1, 2, 3)
93 SELECT sp.w, k.ward_id, k.category,
94 COALESCE(SUM(ev.r), 0) AS raised, COALESCE(SUM(ev.c), 0) AS closed,
95 SUM(COALESCE(SUM(ev.r), 0) - COALESCE(SUM(ev.c), 0))
96 OVER (PARTITION BY k.ward_id, k.category ORDER BY sp.w
97 ROWS BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW) AS open_at_week_end
98 FROM sp CROSS JOIN k
99 LEFT JOIN ev ON ev.w = sp.w AND ev.ward_id = k.ward_id AND ev.category = k.category
100 GROUP BY sp.w, k.ward_id, k.category;
101 SELECT COUNT(*) FROM BACKLOG_CHECK; -- expect 8,320
102 SELECT (SELECT SUM(open_at_week_end) FROM BACKLOG_CHECK WHERE w = '2025-06-23') AS backlog_last_week,
103 (SELECT COUNT(*) - COUNT_IF(closure_known) FROM SILVER_COMPLAINT) AS silver_expected;
104 -- the two numbers must be identical
105 SELECT week_start, ward_id, category, raised, closed, open_at_week_end FROM GOLD_COMPLAINT_WEEK
106 MINUS
107 SELECT w, ward_id, category, raised, closed, open_at_week_end FROM BACKLOG_CHECK;
```

Results (just now)

Table Chart Pivot

1 row 26ms

#	COUNT(*)
1	8320

app.snowflake.com/ap-southeast-7.aws/re45362/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled.sql

Workspaces Databases +

My Workspace +

Untitled.sql

ACCOUNTADMIN + CAPSTONE_WH (K-Small) CAPSTONE GRIEVANCE Share

```
94 COALESCE(SUM(ev.r), 0) AS raised, COALESCE(SUM(ev.c), 0) AS closed,
95 SUM(COALESCE(SUM(ev.r), 0) - COALESCE(SUM(ev.c), 0))
96 OVER (PARTITION BY k.ward_id, k.category ORDER BY sp.w
97 ROWS BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW) AS open_at_week_end
98 FROM sp CROSS JOIN k
99 LEFT JOIN ev ON ev.w = sp.w AND ev.ward_id = k.ward_id AND ev.category = k.category
100 GROUP BY sp.w, k.ward_id, k.category;
101 SELECT COUNT(*) FROM BACKLOG_CHECK; -- expect 8,320
102 SELECT (SELECT SUM(open_at_week_end) FROM BACKLOG_CHECK WHERE w = '2025-06-23') AS backlog_last_week,
103 (SELECT COUNT(*) - COUNT_IF(closure_known) FROM SILVER_COMPLAINT) AS silver_expected;
104 -- the two numbers must be identical
105 SELECT week_start, ward_id, category, raised, closed, open_at_week_end FROM GOLD_COMPLAINT_WEEK
106 MINUS
107 SELECT w, ward_id, category, raised, closed, open_at_week_end FROM BACKLOG_CHECK;
108 -- expect 0 rows
109 SELECT category, MEDIAN(resolution_hours) AS median_hours
110 FROM SILVER_COMPLAINT
111 WHERE status='CLOSED' AND closure_known
```

Results (just now)

Table Chart Pivot

1 row 51ms

#	BACKLOG_LAST_WEEK	SILVER_EXPECTED
1	10075	10075

app.snowflake.com/ap-southeast-7.aws/re45362/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled.sql

```

102 SELECT (SELECT SUM(open_at_week_end) FROM BACKLOG_CHECK WHERE w = '2025-06-23') AS backlog_last_week,
103        (SELECT COUNT(*) - COUNT_IF(closure_known) FROM SILVER_COMPLAINT) AS silver_expected;
104 -- the two numbers must be identical
105 SELECT week_start, ward_id, category, raised, closed, open_at_week_end FROM GOLD_COMPLAINT_WEEK
106 MINUS
107 SELECT w, ward_id, category, raised, closed, open_at_week_end FROM BACKLOG_CHECK;
108 -- expect 8 rows
109 SELECT category, MEDIAN(resolution_hours) AS median_hours
110 FROM SILVER_COMPLAINT
111 WHERE status='CLOSED' AND closure_known
112 GROUP BY category ORDER BY median_hours;
113 SELECT category, ward_id, MEDIAN(resolution_hours) AS median_hours
114 FROM SILVER_COMPLAINT
115 WHERE status='CLOSED' AND closure_known
116 GROUP BY category, ward_id ORDER BY category, median_hours DESC;
117 SELECT ward_id, category, COUNT(*) AS complaints,
118        (COUNT(complaints) / COUNT(*)) AS breach_rate
119 FROM SILVER_COMPLAINT
120 WHERE status='CLOSED' AND closure_known
121 GROUP BY ward_id, category ORDER BY breach_rate DESC;

```

WEEK_START	WARD_ID	CATEGORY	RAISED	1	2	CLOSED	OPEN_AT_WEEK_END
2025-06-02	W01	Road Repair	4	0	0	0	0
2025-06-02	W07	Streetlight	5	0	0	0	0
2025-06-02	W08	Encroachment	5	0	0	0	0
2025-06-02	W07	Property Tax	9	0	0	0	0
2025-06-02	W09	Drainage	9	0	0	0	0
2025-06-02	W08	Garbage	4	0	0	0	0
2025-06-02	W08	Drainage	4	0	0	0	0
2025-06-02	W12	Road Repair	12	7	7	21	0
2025-06-02	W13	Garbage	10	7	7	4	0
2025-06-02	W13	Property Tax	2	0	0	2	0
2025-06-02	W13	Property Tax	7	10	0	4	0
2025-06-02	W13	Property Tax	16	11	0	0	0
2025-06-02	W13	Streetlight	6	10	0	0	0
2025-06-02	W10	Stray Animals	0	0	0	0	0
2025-06-02	W09	Encroachment	12	0	0	23	0
2025-06-02	W09	Encroachment	9	0	0	27	0
2025-06-02	W09	Encroachment	10	0	0	0	0

app.snowflake.com/ap-southeast-7.aws/re45362/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled.sql

```

102 SELECT (SELECT SUM(open_at_week_end) FROM BACKLOG_CHECK WHERE w = '2025-06-23') AS backlog_last_week,
103        (SELECT COUNT(*) - COUNT_IF(closure_known) FROM SILVER_COMPLAINT) AS silver_expected;
104 -- the two numbers must be identical
105 SELECT week_start, ward_id, category, raised, closed, open_at_week_end FROM GOLD_COMPLAINT_WEEK
106 MINUS
107 SELECT w, ward_id, category, raised, closed, open_at_week_end FROM BACKLOG_CHECK;
108 -- expect 8 rows
109 SELECT category, MEDIAN(resolution_hours) AS median_hours
110 FROM SILVER_COMPLAINT
111 WHERE status='CLOSED' AND closure_known
112 GROUP BY category ORDER BY median_hours;
113 SELECT category, ward_id, MEDIAN(resolution_hours) AS median_hours
114 FROM SILVER_COMPLAINT
115 WHERE status='CLOSED' AND closure_known
116 GROUP BY category, ward_id ORDER BY category, median_hours DESC;

```

CATEGORY	MEDIAN_HOURS
1 Stray Animals	12.108333333
2 Streetlight	17.975
3 Garbage	30.283333333
4 Water Supply	48.608333333
5 Property Tax	72.908333333
6 Drainage	95.716666667
7 Road Repair	240.0
8 Encroachment	357.083333333




app.snowflake.com/ap-southeast-7.aws/re45362/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled.sql

```

112 GROUP BY category ORDER BY median_hours;
113 SELECT category, ward_id, MEDIAN(resolution_hours) AS median_hours
114 FROM SILVER_COMPLAINT
115 WHERE status='CLOSED' AND closure_known
116 GROUP BY category, ward_id ORDER BY category, median_hours DESC;
117 SELECT ward_id, MEDIAN(resolution_hours) AS median_hours
118 FROM SILVER_COMPLAINT
119 WHERE status='CLOSED' AND closure_known
120 GROUP BY ward_id ORDER BY median_hours DESC LIMIT 10;
121 SELECT ward_id, category, COUNT(*) AS complaints;

```

CATEGORY	WARD_ID	MEDIAN_HOURS
Drainage	W01	2.9%
Encroachment	W02	2.9%
+6 more	+32 more	10.286666667
1 Drainage	W25	109.958333333
2 Drainage	W38	108.983333333
3 Drainage	W30	108.133333333
4 Drainage	W09	105.366666667
5 Drainage	W21	103.258333333
6 Drainage	W13	102.833333333
7 Drainage	W27	101.041666667
8 Drainage	W08	100.85
9 Drainage	W05	100.316666667



app.snowflake.com/ap-southeast-7.aws/re45362/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled.sql

Workspaces Databases + Home Untitled.sql

My Workspace + Add new

ACCOUNTADMIN + CAPSTONE_WH (K-Small) CAPSTONE GRIEVANCE Share

```
125 WHERE sla_breach IS NOT NULL
126 GROUP BY ward_id, category ORDER BY breach_rate DESC;
127 SELECT week_start, SUM(open_at_week_end) AS open_complaints
128 FROM GOLD_COMPLAINT_WEEK
129 GROUP BY week_start ORDER BY week_start;
130 -- Last week's backlog must equal Silver row minus closure known-how row
131 SELECT (SELECT SUM(open_at_week_end) FROM GOLD_COMPLAINT_WEEK WHERE week_start = "2025-06-23") AS backlog_last_week,
132        (SELECT COUNT(*) - COUNT_IF(closure_known) FROM SILVER_COMPLAINT) AS silver_expected;
```

Results (just now)

Table Chart Pivot 1 row 683ms

	BACKLOG_LAST_WEEK
1	8875

dbc-96e8b777-d835.cloud.databricks.com/editor/notebooks/248439519883188?o=7474652711019716

Home Workspace Recent Files

Python Scala SQL R

```
1 from pyspark.sql import functions as F
2
3 MC_ID = "mcmap"
4 WH = F.col("workspace").get("workspace_id")
5 S = F.col("workspace").get("workspace_id")
6
7 def load(name):
8     df = spark.read.option("header", True)
9     .option("inferSchema", False)
10     .csv(f"/MC/{name}")
11     return df
12
13 def write(name):
14     df = spark.read.option("header", True)
15     .option("inferSchema", False)
16     .csv(f"/MC/{name}")
17     df.write.csv(f"/MC/{name}", mode="overwrite")
18
19 load("complaints")
20 write("complaints")
```

dbc-96e8b777-d835.cloud.databricks.com/editor/notebooks/248439519883191?o=7474652711019716

Home Workspace Recent Files

Python Scala SQL R

```
1 from pyspark.sql import functions as F
2
3 MC_ID = "mcmap"
4 WH = F.col("workspace").get("workspace_id")
5 S = F.col("workspace").get("workspace_id")
6
7 def load(name):
8     df = spark.read.option("header", True)
9     .option("inferSchema", False)
10     .csv(f"/MC/{name}")
11     return df
12
13 def write(name):
14     df = spark.read.option("header", True)
15     .option("inferSchema", False)
16     .csv(f"/MC/{name}")
17     df.write.csv(f"/MC/{name}", mode="overwrite")
18
19 load("complaints")
20 write("complaints")
```

