https://windzgaming.netlify.app/









Performance

Accessibility

**Best Practices** 

**SEO** 

# There were issues affecting this run of Lighthouse:

• The page loaded too slowly to finish within the time limit. Results may be incomplete.



# Performance

Values are estimated and may vary. The <u>performance</u> <u>score is calculated</u> directly from these metrics. <u>See</u> <u>calculator.</u>




0-49



50-89



90-100



Expand view

**METRICS** 

▲ First Contentful Paint

6.3 s

Total Blocking Time

0 ms

Speed Index

16.4 s

View Treemap

▲ Largest Contentful Paint

8.2 s


Cumulative Layout Shift

0.578

localhost:5678


1/31

### Lighthouse Report



Show audits relevant to: All FCP LCP TBT CLS

#### DIAGNOSTICS



localhost:5678 2/31

Element

Layout shift score

<div class=" bg-no-repeat rounded-2xl bg-cover bg-center flex items-center justify-aro..." style="">

NomanskyEmbark on an endless journey through the cosmos, where boundless skies ...

<div class=" bg-no-repeat rounded-2xl bg-cover bg-center flex items-center justify-aro..." style="">

Astralascendancy Ascend to astral heights and explore uncharted realms in this...

<div class="h-screen overflow-y-auto snap-y snap-mandatory no-scrollbar" style="opacity: 1;">

0.022

▲ Serve images in next-gen formats — Potential savings of 1,256 KiB

Warnings: Unable to locate resource ...Images/Nomansky.png

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. <u>Learn more about modern image formats</u>.

[FCP] [LCP]

URL	Resource Size	Potential Savings
	2,062.1 KiB	1,255.7 KiB
Images/Chrononexus.jpg (windzgaming.netlif y.app)	1,036.8 KiB	590.2 KiB
Images/Astralascendancy.jpg (windzgaming. netlify.app)	319.9 KiB	176.4 KiB
Images/Destiny.jpg (windzgaming.netlify.app)	277.9 KiB	141.3 KiB
Images/headset.png (windzgaming.netlify.app)	116.3 KiB	104.3 KiB
	Images/Chrononexus.jpg (windzgaming.netlif y.app) Images/Astralascendancy.jpg (windzgaming. netlify.app) Images/Destiny.jpg (windzgaming.netlify.app)	URL  2,062.1 KiB   Images/Chrononexus.jpg (windzgaming.netlif y.app)   Images/Astralascendancy.jpg (windzgaming. alignmentlify.app)   277.9 KiB

localhost:5678 3/31

	URL	Resource Size	Pote
<pre>ps5 <img alt="ps5" class="lg:w- [80%] md:w-[70%] sm:w- [50%]" src="/assets/Images/moti onController.png" style="transform: translateX(-100vw) translateZ(0px);"/></pre>	Images/motionController.png (windzgaming.n etlify.app)	105.7 KiB	96.
<pre>VR Headset <img alt="VR Headset" class="md:w-[100%] sm:w- [40%]" src="/assets/Images/VR.p ng" style="transform: translateX(100vw) translateZ(0px);"/></pre>	Images/VR.png (windzgaming.netlify.app)	59.8 KiB	53.0
<pre>ps5 <img alt="ps5" class="lg:w-[90%] md:w- [85%] sm:w-[70%] mx- auto" src="/assets/Images/ps5. png" style="transform: translateX(100vw) translateZ(0px);"/></pre>	Images/ps5.png (windzgaming.netlify.app)	61.7 KiB	52.
	Images/Cyberpunk.jpg (windzgaming.netlify.a pp)	67.3 KiB	31.6
<pre>WindzGaming <img alt="WindzGaming" class="w-40" src="/assets/Images/Logo Light.png"/></pre>	Images/LogoLight.png (windzgaming.netlify.ap	16.6 KiB	10.2


# ▲ Preconnect to required origins — Potential savings of 370 ms

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. Learn how to preconnect to required origins. LCP FCP

URL Potential Savings

Other Google APIs/SDKs Utility 710 ms

localhost:5678 4/31



URL	Transfer Size	Potential Savings
/assets/index-81d4ffc6.js (windzgaming.netlify.app)	219.7 KiB	34.2 KiB

▲ Page prevented back/forward cache restoration — 1 failure reason

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. <u>Learn more about the bfcache</u>

Failure reason Failure type

Pages that have inflight fetch() or XHR are not currently eligible for back/forward cache.

Pending browser support

https://windzgaming.netlify.app

Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. <u>Learn</u> how to set image dimensions <u>CLS</u>

```
URL
netlify.app 1st Party
 ps5
 <img src="/assets/Images/ps5.png" alt="ps5"</pre>
 class="lg:w-[90%] md:w-[85%] sm:w-[70%] mx-auto"
                                                          ...Images/ps5.png (windzgaming.netlify.app)
 style="transform: translateX(100vw)
 translateZ(0px);">
 headsets
 <img src="/assets/Images/headset.png"</pre>
 alt="headsets" class="lg:w-[97%] md:w-[80%] sm:w-
                                                          Images/headset.png (windzgaming.netlify.app)
  [50%]" style="transform: translateX(-100vw)
 translateZ(0px);">
 ps5
 <img src="/assets/Images/motionController.png"</pre>
 alt="ps5" class="lg:w-[80%] md:w-[70%] sm:w-
                                                          Images/motionController.png (windzgaming.net
  [50%]" style="transform: translateX(-100vw)
                                                          lify.app)
 translateZ(0px);">
 VR Headset
 <img src="/assets/Images/VR.png" alt="VR Headset"</pre>
                                                          ...Images/VR.png (windzgaming.netlify.app)
 class="md:w-[100%] sm:w-[40%]" style="transform:
 translateX(100vw) translateZ(0px);">
```

localhost:5678 6/31

**URL** WindzGaming <img src="/assets/Images/Log Images/LogoLight.png (windzgaming.netlify.app oLight.png" alt="WindzGaming" class="w-20"> WindzGaming <img class="w-40"</pre> Images/LogoLight.png (windzgaming.netlify.app src="/assets/Images/LogoLight.png" alt="WindzGaming"> Serve static assets with an efficient cache policy — 1 resource found A long cache lifetime can speed up repeat visits to your page. Learn more about efficient cache policies. Cache Transfer **URL** TTL Size **91 KiB** firebaseapp.com 30m 91 KiB ...auth/iframe.js (windzgaming-production.firebaseapp.com) Properly size images — Potential savings of 123 KiB Serve images that are appropriately-sized to save cellular data and improve load time. Learn how to size images. FCP LCP Resource Potential **URL** Size Savings netlify.app [1st Party] 298.5 KiB 122.6 KiB headsets <img src="/assets/Images/headset .png" alt="headsets" class="lg:w-[97%] md:w-116.3 KiB 60.7 KiB Images/headset.png (windzgaming.netlify.app) [80%] sm:w-[50%]" style="transform: translateX(-100vw) translateZ(0px);"> VR Headset ...Images/VR.png (windzgaming.netlify.app) 59.8 KiB 32.2 KiB <img src="/assets/Images/VR.png" alt="VR Headset"

localhost:5678 7/31

```
Resource
                                                                                         Potential
                                URL
                                                                                 Size
                                                                                          Savings
class="md:w-[100%] sm:w-
[40%]" style="transform:
translateX(100vw)
translateZ(0px);">
ps5
<img
src="/assets/Images/motionC
ontroller.png" alt="ps5"
class="lg:w-[80%] md:w-
                                Images/motionController.png (windzgaming.n
                                                                            105.7 KiB
                                                                                         24.8 KiB
[70%] sm:w-[50%]"
                                etlify.app)
style="transform:
translateX(-100vw)
translateZ(0px);">
WindzGaming
<img class="w-40"</pre>
                                Images/LogoLight.png (windzgaming.netlify.ap
                                                                             16.6 KiB
                                                                                          4.9 KiB
src="/assets/Images/LogoLig
                                p)
ht.png" alt="WindzGaming">
```

Avoid serving legacy JavaScript to modern browsers — Potential savings of 9 KiB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. Learn how to use modern JavaScript FCP [LCP]

☐ Show 3rd-party resources (1)

URL		Potential Savings
Other Google APIs/SDKs Utility		9.2 KiB
rs=AHpOoo-SM/cb=gapi.loaded_0? le=scs (apis.google.com)		9.2 KiB
rs=AHpOoo-SM/cb=gapi.loaded_0? le=scs:127:15 (apis.google.com)	Date.prototype.toISOSt ring	
netlify.app 1st Party		0.0 KiB
/assets/index-81d4ffc6.js (windzgaming.netlify.app)		0.0 KiB
/assets/index- 81d4ffc6.js:3083:2568 (windzgaming.netlify.app)	<pre>@babel/plugin- transform-classes</pre>	

localhost:5678

# Avoid enormous network payloads — Total size was 5,085 KiB Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes. Show 3rd-party resources (1)


URL	Transfer Size
netlify.app 1st Party	4,831.2 KiB
Images/Nomansky.png (windzgaming.netlify.app)	2,623.7 KiB
Images/Chrononexus.jpg (windzgaming.netlify.app)	1,037.5 KiB
Images/Astralascendancy.jpg (windzgaming.netlify.app)	320.2 KiB
Images/Destiny.jpg (windzgaming.netlify.app)	278.1 KiB
/assets/index-81d4ffc6.js (windzgaming.netlify.app)	219.9 KiB
Images/headset.png (windzgaming.netlify.app)	116.5 KiB
Images/motionController.png (windzgaming.netlify.app)	105.9 KiB
Images/Cyberpunk.jpg (windzgaming.netlify.app)	67.5 KiB
Images/ps5.png (windzgaming.netlify.app)	61.8 KiB
firebaseapp.com	91.1 KiB
auth/iframe.js (windzgaming-production.firebaseapp.com)	91.1 KiB

## ■ Minimize main-thread work — 2.8 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. <u>Learn how to minimize main-thread work [TBT]</u>

Category	Time Spent
Other	1,172 ms
Script Evaluation	902 ms
Style & Layout	411 ms
Rendering	300 ms
Garbage Collection	19 ms
Parse HTML & CSS	4 ms

localhost:5678 9/31



localhost:5678 10/31

...v26/JTUSjlg1\_....woff2 (fonts.gstatic.com) - 62.419 ms, 32.91 KiB

/assets/index-81d4ffc6.js (windzgaming.netlify.app) - 611.413 ms, 219.86 KiB

JavaScript execution time — 0.9 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. <u>Learn how to reduce Javascript execution time</u>. [TBT]

URL	Total CPU Time	Script Evaluation	Script Parse
netlify.app 1st Party	2,418 ms	855 ms	1 ms
/assets/index-81d4ffc6.js (windzgaming.netlify.app)	1,843 ms	832 ms	1 ms
https://windzgaming.netlify.app	575 ms	22 ms	0 ms
Unattributable	353 ms	15 ms	0 ms
Unattributable	353 ms	15 ms	0 ms

Minimize third-party usage — Third-party code blocked the main thread for 0 ms


Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. <u>Learn how to minimize third-party impact</u>. TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
firebaseapp.com	92 KiB	0 ms
auth/iframe.js (windzgaming-production.firebaseapp.com)	91 KiB	0 ms
auth/iframe?apiKey= (windzgaming-production.firebaseapp.com)	1 KiB	0 ms
Other Google APIs/SDKs Utility	43 KiB	0 ms
rs=AHpOoo-SM/cb=gapi.loaded_0?le=scs (apis.google.com)	37 KiB	0 ms
/js/api.js?onload=iframefcb286316 (apis.google.com)	6 KiB	0 ms
relyingparty/getProjectConfig?key=AlzaSyDUv &cb=171 (www.googleapis.com)	0 KiB	0 ms
Google Fonts Cdn	34 KiB	0 ms
v26/JTUSjIg1woff2 (fonts.gstatic.com)	33 KiB	0 ms
/css2? family=Montserrat:wght@300;400;600&display=swap (fonts.googleapis .com)	1 KiB	0 ms
Firebase Utility	2 KiB	0 ms


localhost:5678 11/31

	Third-Party	Transfer Size	Main-Thread Blocking Time
	Listen/channel?gsessionid= (firestore.googleapis.com)	2 KiB	0 ms
	Listen/channel?VER= (firestore.googleapis.com)	0 KiB	0 ms
	Listen/channel?VER= (firestore.googleapis.com)	0 KiB	0 ms
	Avoid long main-thread tasks — 1 long task found sts the longest tasks on the main thread, useful for identifyir	ng worst contributors	to input delay.
Lis		ng worst contributors	
Li:	sts the longest tasks on the main thread, useful for identifyir	ng worst contributors Start Time	to input delay.
Li:	sts the longest tasks on the main thread, useful for identifyir earn how to avoid long main-thread tasks TBT		to input delay.

More information about the performance of your application. These numbers don't directly affect the Performance score.



localhost:5678 12/31



localhost:5678 13/31

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. Learn more about font-display. Lazy load third-party resources with facades Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. Learn how to defer third-parties with a facade. [TBT] Largest Contentful Paint element This is the largest contentful element painted within the viewport. Learn more about the Largest Contentful Paint element LCP Largest Contentful Paint image was not lazily loaded Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. Learn more about optimal lazy loading. [LCP] Uses passive listeners to improve scrolling performance Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. Learn more about adopting passive event listeners. Avoids document.write() For users on slow connections, external scripts dynamically injected via document.write() can delay page load by tens of seconds. Learn how to avoid document.write(). Avoid non-composited animations Animations which are not composited can be janky and increase CLS. Learn how to avoid noncomposited animations CLS Has a <meta name="viewport"> tag with width or initial-scale

A <meta name="viewport"> not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more about using the viewport meta tag.

localhost:5678



These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

#### NAMES AND LABELS



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

localhost:5678 15/31

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

O Interactive controls are keyboard focusable	^
Custom interactive controls are keyboard focusable and display a focus indicator. <u>Learn how to make custom controls focusable</u> .	
O Interactive elements indicate their purpose and state	^
Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn how to decorate interactive elements with affordance hints.	
O The page has a logical tab order	^
Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more about logical tab ordering.	
O Visual order on the page follows DOM order	^
DOM order matches the visual order, improving navigation for assistive technology. <u>Learn more about DOM and visual ordering</u> .	
O User focus is not accidentally trapped in a region	^
A user can tab into and out of any control or region without accidentally trapping their focus. <u>Lear how to avoid focus traps</u> .	<u>n</u>
O The user's focus is directed to new content added to the page	^
If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn how to direct focus to new content.	<u>N</u>
O HTML5 landmark elements are used to improve navigation	^
Landmark elements ( <main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements.</nav></main>	
O Offscreen content is hidden from assistive technology	^
Offscreen content is hidden with display: none or aria-hidden=true. Learn how to properly hide offscreen content.	
O Custom controls have associated labels	^

localhost:5678 16/31

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. <u>Learn</u> more about custom controls and labels.

Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. <u>Learn how to add roles to custom controls</u>.

These items address areas which an automated testing tool cannot cover. Learn more in our guide on <u>conducting an accessibility review</u>.

PASSED AUDITS (20)

[aria-\*] attributes match their roles

Each ARIA role supports a specific subset of aria-\* attributes. Mismatching these invalidates the aria-\* attributes. Learn how to match ARIA attributes to their roles.

[aria-hidden="true"] is not present on the document <body>

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. <a href="Learn how aria-hidden affects the document body">Learn how aria-hidden affects the document body</a>.

[aria-\*] attributes have valid values

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. <u>Learn</u> more about valid values for ARIA attributes.

[aria-\*] attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. <u>Learn more about valid ARIA attributes</u>.

Buttons have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. <u>Learn how to make buttons more accessible</u>.

localhost:5678 17/31

Image elements have [alt] attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. <u>Learn more about the alt attribute</u>.

[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. <u>Learn more about the viewport meta tag.</u>

ARIA attributes are used as specified for the element's role

Some ARIA attributes are only allowed on an element under certain conditions. <u>Learn more about</u> conditional ARIA attributes.

• [aria-hidden="true"] elements do not contain focusable descendents

Focusable descendents within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. <u>Learn how aria-hidden affects focusable elements</u>.

Elements use only permitted ARIA attributes

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. <u>Learn more about prohibited ARIA roles.</u>

Background and foreground colors have a sufficient contrast ratio

Low-contrast text is difficult or impossible for many users to read. <u>Learn how to provide sufficient</u> color contrast.

Document has a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. <u>Learn more about document titles</u>.

localhost:5678

<html> element has a [lang] attribute

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute.

<html> element has a valid value for its [lang] attribute

Specifying a valid <u>BCP 47 language</u> helps screen readers announce text properly. <u>Learn how to use the lang attribute</u>.

Lists contain only elements and script supporting elements (<script> and <template>).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. <u>Learn more about proper list structure</u>.

● List items () are contained within , or <menu> parent elements

Screen readers require list items () to be contained within a parent , or <menu> to be announced properly. Learn more about proper list structure.

Touch targets have sufficient size and spacing.

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. <u>Learn more about touch targets</u>.

Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. <u>Learn more about heading order</u>.

Uses ARIA roles only on compatible elements

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. <u>Learn more about ARIA roles</u>.

localhost:5678

Image elements do not have [alt] attributes that are redundant text.

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. <u>Learn more about the alt attribute</u>.

NOT APPLICABLE (36)

[accesskey] values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. <u>Learn more about access keys</u>.

O button, link, and menuitem elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn how to make command</u> elements more accessible.

O Deprecated ARIA roles were not used

Deprecated ARIA roles may not be processed correctly by assistive technology. <u>Learn more about deprecated ARIA roles</u>.

Elements with role="dialog" or role="alertdialog" have accessible names.

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. <u>Learn how to make ARIA dialog elements more accessible.</u>

ARIA input fields have accessible names

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn more about input field labels</u>.

ARIA meter elements have accessible names

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn how to name meter</u>

localhost:5678 20/31

	<u>elements</u> .	
0	ARIA progressbar elements have accessible names	^
	When a progressbar element doesn't have an accessible name, screen readers announce it wis a generic name, making it unusable for users who rely on screen readers. <u>Learn how to label progressbar elements</u> .	th
0	[role]s have all required [aria-*] attributes	^
	Some ARIA roles have required attributes that describe the state of the element to screen reader Learn more about roles and required attributes.	S.
0	Elements with an ARIA [role] that require children to contain a specific [role] have all required children.	^
	Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. <u>Learn more about roles and required children elements</u> .	
0	[role]s are contained by their required parent element	^
	Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. <u>Learn more about ARIA roles and required parent element</u> .	
0	[role] values are valid	^
	ARIA roles must have valid values in order to perform their intended accessibility functions. <u>Learn more about valid ARIA roles</u> .	<u>n</u>
0	Elements with the role=text attribute do not have focusable descendents.	^
	Adding role=text around a text node split by markup enables VoiceOver to treat it as one phrase but the element's focusable descendents will not be announced. Learn more about the role=text attribute.	
0	ARIA toggle fields have accessible names	^
	When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn more about toggle fields</u> .	;
0	ARIA tooltip elements have accessible names	^
	When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name	

localhost:5678 21/31

	tooltip elements.	
0	ARIA treeitem elements have accessible names	^
	When a treeitem element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements.	
0	The page contains a heading, skip link, or landmark region	^
	Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. <u>Learn more about bypass blocks</u> .	
0	<pre><dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements.</pre></td><td>^</td></tr><tr><td></td><td>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly.</td><td></td></tr><tr><td>0</td><td>Definition list items are wrapped in <d1> elements</td><td>^</td></tr><tr><td></td><td>Definition list items (<dt> and <dd>) must be wrapped in a parent <dl> element to ensure that screen readers can properly announce them. <u>Learn how to structure definition lists correctly</u>.</td><td></td></tr><tr><td>0</td><td>ARIA IDs are unique</td><td>^</td></tr><tr><td></td><td>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. <u>Learn how to fix duplicate ARIA IDs</u>.</td><td></td></tr><tr><td>0</td><td>No form fields have multiple labels</td><td>^</td></tr><tr><td></td><td>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels.</td><td><u>ls</u>.</td></tr><tr><td>0</td><td><frame> Or <iframe> elements have a title</td><td>^</td></tr><tr><td></td><td>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles.</td><td></td></tr><tr><td>0</td><td><a href="html"><a href="html"><a href="html">html</a> element has an [xml:lang] attribute with the same base language as the [lang] attribute.</td><td>^</td></tr><tr><td></td><td>If the webpage does not specify a consistent language, then the screen reader might not annount the page's text correctly. Learn more about the lang attribute.</td><td>ice</td></tr></tbody></table></script></dd></dt></dl></pre>	

localhost:5678 22/31

6/28/24, 2:28 PM

0	Input buttons have discernible text.	^
	Adding discernable and accessible text to input buttons may help screen reader users understant the purpose of the input button. <u>Learn more about input buttons</u> .	d
0	<pre><input type="image"/> elements have [alt] text</pre>	^
	When an image is being used as an <input/> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text.	
0	Form elements have associated labels	^
	Labels ensure that form controls are announced properly by assistive technologies, like screen readers. <u>Learn more about form element labels</u> .	
0	Links are distinguishable without relying on color.	^
	Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. Learn how to make links distinguishable.	
0	The document does not use <meta http-equiv="refresh"/>	^
	Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. Learn more about the refresh meta tag.	
0	<object> elements have alternate text</object>	^
	Screen readers cannot translate non-text content. Adding alternate text to <object> elements helps screen readers convey meaning to users. Learn more about alt text for object elements.</object>	
0	Select elements have associated label elements.	^
	Form elements without effective labels can create frustrating experiences for screen reader user. <u>Learn more about the select element</u> .	S.
0	Skip links are focusable.	^
	Including a skip link can help users skip to the main content to save time. Learn more about skip links.	
0	No element has a [tabindex] value greater than 0	^
	A value greater than 0 implies an explicit navigation ordering. Although technically valid, this ofte	

localhost:5678 23/31

tabindex attribute.

Tables have different content in the summary attribute and <caption>.

The summary attribute should describe the table structure, while <caption> should have the onscreen title. Accurate table mark-up helps users of screen readers. Learn more about summary and caption.

Cells in a element that use the [headers] attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring cells using the [headers] attribute only refer to other cells in the same table may improve the experience for screen reader users. <u>Learn more about the headers attribute</u>.

elements and elements with [role="columnheader"/"rowheader"] have data cells they
describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. <u>Learn more about</u> table headers.

[lang] attributes have a valid value

Specifying a valid <u>BCP 47 language</u> on elements helps ensure that text is pronounced correctly by a screen reader. <u>Learn how to use the lang attribute</u>.

<video> elements contain a <track> element with [kind="captions"]

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. <u>Learn more about video captions</u>.



**Best Practices** 

localhost:5678 24/31


#### TRUST AND SAFETY



#### **GENERAL**



PASSED AUDITS (14)



localhost:5678 25/31

Avoids third-party cookies

Support for third-party cookies will be removed in a future version of Chrome. <u>Learn more about phasing out third-party cookies</u>.

Allows users to paste into input fields

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. Learn more about user-friendly input fields.

Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. <u>Learn more about the geolocation permission</u>.

Avoids requesting the notification permission on page load

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. <u>Learn more about responsibly getting</u> permission for notifications.

Displays images with correct aspect ratio

Image display dimensions should match natural aspect ratio. Learn more about image aspect ratio.

Serves images with appropriate resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. <u>Learn how to provide responsive images</u>.

Has a <meta name="viewport"> tag with width or initial-scale

A <meta name="viewport"> not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more about using the viewport meta tag.

Document uses legible font sizes — 100% legible text

Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom"

localhost:5678 26/31

in order to read. Strive to have >60% of page text ≥12px. Learn more about legible font sizes.



# Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. <u>Learn more about the doctype declaration</u>.

# Properly defines charset

A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more about declaring the character encoding.

No browser errors logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. <u>Learn more about this errors in console diagnostic audit</u>

No issues in the Issues panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

NOT APPLICABLE (2) Hide

#### Redirects HTTP traffic to HTTPS

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. <u>Learn more</u>.

# Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. <u>Learn more about this JavaScript library</u> <u>detection diagnostic audit</u>.

localhost:5678 27/31



These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on <a href="Core Web Vitals">Core Web Vitals</a>. Learn more about Google Search Essentials.


#### CONTENT BEST PRACTICES

▲ Document does not have a meta description ^

Meta descriptions may be included in search results to concisely summarize page content. Learn more about the meta description.

Format your HTML in a way that enables crawlers to better understand your app's content.

#### CRAWLING AND INDEXING



localhost:5678 28/31

Line #	Content	Error
4	<meta charset="utf-8"/>	Syntax not understood
5	<pre><link href="/vite.svg" rel="icon" type="image/svg+xml"/></pre>	Syntax not understood
6	<pre><meta content="width=device-width, initial-scale=1.0" name="viewport"/></pre>	Syntax not understood
7	<title>Vite + React</title>	Syntax not understood
8	<pre><script crossorigin="" src="/assets/index- 81d4ffc6.js" type="module"></script></pre>	Syntax not understood
9	<pre><link href="/assets/index-35e5350a.css" rel="stylesheet"/></pre>	Syntax not understood
10		Syntax not understood
11	<body></body>	Syntax not understood
12	<div id="root"></div>	Syntax not understood
14		Syntax not understood
15		Syntax not understood

To appear in search results, crawlers need access to your app.

## ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

Structured data is valid

Run the <u>Structured Data Testing Tool</u> and the <u>Structured Data Linter</u> to validate structured data. <u>Learn more about Structured Data</u>.

Run these additional validators on your site to check additional SEO best practices.

## PASSED AUDITS (7)



localhost:5678 29/31

Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more about crawler directives.

# Document has a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. <u>Learn more about document titles</u>.

# Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. <u>Learn more about</u> HTTP status codes.

# Links have descriptive text

Descriptive link text helps search engines understand your content. <u>Learn how to make links more</u> accessible.

#### Links are crawlable

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn how to make links crawlable

# Image elements have [alt] attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. <u>Learn more about the alt attribute</u>.

# Document has a valid hreflang

hreflang links tell search engines what version of a page they should list in search results for a given language or region. <u>Learn more about hreflang</u>.

NOT APPLICABLE (1) Hide

localhost:5678 30/31

0	Document has a valid rel=canonical	^
	Canonical links suggest which URL to show in search results. <u>Learn more about canonical links</u> .	

Emulated Moto G Power with	Single page session
Lighthouse 12.1.0	
Slow 4G throttling	Using HeadlessChromium
	126.0.0.0 with node
Lighthouse 12.1.0	Using HeadlessChromium

Generated by **Lighthouse** 12.1.0 | File an issue

localhost:5678 31/31