TEST REPORT

JANOSHIK

E-mail: info@janoshik.com
Web: www.janoshik.com

Task Number #219701

Testing ordered > 06 AUG '26

Sample received > 11 AUG '26

Client	utherpeptide.com	
Sample	cartalax 40mg	CARTA40-0730
Manufacturer	utherpeptide.com	
Batch	CARTA40-0730	

Sample description >

See picture or pictures attached.

Tests requested >

Cartalax analysis

Results >

Cartalax	41.67 mg; 41.73 mg; 41.22 mg.
Purity	99.924%; 99.918%; 99.923%.

Comments >

Analysis conducted > 19 AUG 2026

Signature >



Verify this test at www.janoshik.com/verify/ with the following unique key

AK5GBJPRL29L

TEST REPORT

JANOSHIK

E-mail: info@janoshik.com
Web: www.janoshik.com

Task Number #219702

Testing ordered > 06 AUG '26

Sample received > 11 AUG '26

Client	utherpeptide.com	
Sample	cartalax 40mg	CARTA40-0730
Manufacturer	utherpeptide.com	
Batch	CARTA40-0730	

Sample description >

See picture or pictures attached.

Tests requested >

Endotoxin analysis (separate vial preferred; measurement up to 10 EU/vial)

Results >

Endotoxin	<1 EU/Vial.

Comments >

Analysis conducted > 17 AUG 2026

Signature >



Verify this test at www.janoshik.com/verify/ with the following unique key

7GJLBSMLNMZL

TEST REPORT

JANOSHIK

E-mail: info@janoshik.com
Web: www.janoshik.com

Task Number #219703

Testing ordered > 06 AUG '26

Sample received > 11 AUG '26

Client	utherpeptide.com	
Sample	cartalax 40mg	CARTA40-0730
Manufacturer	utherpeptide.com	
Batch	CARTA40-0730	

Sample description >

See picture or pictures attached.

Tests requested >

Heavy metals screening (As, Cd, Pb, Hg) - as add-on to another test

Results >

As	not detected.
Cd	not detected.
Pb	not detected.

Comments >

Hg: not detected.

Analysis conducted > 14 AUG 2026

Signature >



Verify this test at www.janoshik.com/verify/ with the following unique key

2R2MEFIE99XJ

TEST REPORT

JANOSHIK

E-mail: info@janoshik.com
Web: www.janoshik.com

Task Number #225318

Testing ordered > 19 AUG '26

Sample received > 25 AUG '26

Client: Bohemia Health

Sample: Cartalax 40mg

Manufacturer: Uther

Batch: CARTA40-0730

Sample description >

See picture or pictures attached.

Tests requested >

Cartalax analysis

Results >

Cartalax	41.76 mg; 41.73 mg; 41.70 mg.
Purity	99.914%; 99.956%; 99.922%.

Comments >

Analysis conducted > 28 AUG 2026

Signature >

Verify this test at www.janoshik.com/verify/ with the following unique key

55PAQBTCNSDV

TEST REPORT

JANOSHIK

E-mail: info@janoshik.com
Web: www.janoshik.com

Task Number #234655

Testing ordered > 14 SEP '26

Sample received > 14 SEP '26

Client Bohemia Health

Sample Cartalax 40mg

Manufacturer Uther

Batch CARTA40-0730

Sample description >

See picture or pictures attached.

Tests requested >

LCMS screening

Results >

LCMS screening	

Comments >

LCMS analysis identified the presence of mannitol and cartalax. LCMS spectra are attached.

Analysis conducted > 21 SEP 2026

Signature >



Verify this test at www.janoshik.com/verify/ with the following unique key

PDI9UGXL5RKB

TEST REPORT

JANOSHIK

E-mail: info@janoshik.com
Web: www.janoshik.com

Task Number #234656

Testing ordered > 14 SEP '26

Sample received > 14 SEP '26

Client Bohemia Health

Sample Cartalax 40mg

Manufacturer Uther

Batch CARTA40-0730

Sample description >

See picture or pictures attached.

Tests requested >

Sterility testing (TAMC+TYMC)

Results >

TAMC	PASS
TYMC	PASS

Comments >

Analysis conducted > 01 OCT 2026

Signature >



Verify this test at www.janoshik.com/verify/ with the following unique key

FZWJF45PHLTS