

Blip money — Complete Website Inventory

Pages · Routes · Sections · Buttons · Forms · User Flows · Sitemap · Dependencies

Blip.money — Complete Website Inventory

Generated from `blip-protocol-ui/src` . Single-page React app (React Router v6, `BrowserRouter`). Routing source of truth: `src/App.tsx` .
Global chrome: `src/Layout/RootLayout.tsx` .

0. Global / App-Wide Elements

These render on (almost) every public page via `MainLayout` (`RootLayout.tsx`).

Navbar (`components/Navbar.tsx`) — fixed top bar (black)

Element	Type	Action	Destination
Logo "Blip money"	Link	Navigate home	<code>/</code>
How It Works	NavItem	Navigate	<code>/how-it-works</code>
Market	NavItem	Navigate	<code>/market</code>
Merchant	NavItem	Navigate	<code>/merchant</code>
User	NavItem	Navigate	<code>/user</code>
Whitepaper	NavItem	Navigate	<code>/whitepaper</code>
Join Waitlist (CTA, logged-out)	Link	External waitlist	<code>https://app.blip.money/waitlist/user</code>
Dashboard (CTA, logged-in)	Link	Navigate	<code>/dashboard</code>
Install (mobile only)	Button	PWA install prompt / iOS hint + notification opt-in	— (native prompt)
Hamburger (mobile)	Button	Toggle <code>MobileMenu</code>	Mobile menu overlay

`MobileMenu` mirrors the same nav items + the Join Waitlist / Dashboard CTA.

Footer (`components/Footer.tsx`)

- Protocol:** How It Works `/how-it-works` , Whitepaper `/whitepaper`
- Use Cases:** Freelancers `/use-cases/freelancers` , OTC Traders `/use-cases/otc-traders` , E-Commerce `/use-cases/e-commerce` , Remittances `/use-cases/remittance` , Merchants `/merchant`
- Resources:** Blog `/blog` , Research `/research` , FAQ `/faq` , Glossary `/glossary` , Compare `/compare`
- Markets:** Crypto to AED `/crypto-to-aed` , BTC to AED `/btc-to-aed` , USDT vs USDC `/usdt-vs-usdc` , Buy USDT Dubai `/buy-usdt-dubai` , Crypto OTC Dubai `/crypto-otc-dubai` , Bitcoin Price UAE `/bitcoin-price-uae` , Crypto Tax UAE `/crypto-tax-uae` , Crypto to INR `/crypto-to-inr` , BTC to INR `/btc-to-inr`
- Company:** About `/about` , Press `/press` , Community `/community` , Waitlist `https://app.blip.money/waitlist/user` , Legal `/legal`
- Socials (bottom bar):** X `https://x.com/blip_money` , Telegram `https://t.me/blipmoney` , YouTube `https://www.youtube.com/@BlipMoney` , LinkedIn `https://www.linkedin.com/company/blipmoneyofficial/...`

Other global chrome

- StickyJoinWaitlist** — mobile-only sticky bottom CTA → `https://app.blip.money/waitlist/user` (hidden on auth/redeem routes).
- ScrollToTop**, **ScrollToBottomButton**, **ScrollProgressBar**, **HashRedirectScroll**, **NotificationBannerProvider** — UX utilities, no navigation.
- RouteThemeSync** — forces light theme on `/` , `/rates` , `/signup` , `/signin` , dashboards; dark elsewhere.
- GoogleAnalytics**, **StructuredData** (org + website JSON-LD) — injected globally.

1. PAGE: Home

ROUTE: `/` · Component `pages/Index.tsx` (wrapped in `FirebaseActionHandler`, which redirects Firebase `?mode=resetPassword|verifyEmail&oobCode=...` to `/reset-password` / `/verify-email`). **Purpose:** Cinematic marketing landing assembling 11 lazy-loaded sections.

SECTION: Cinematic Hero (`IndexSections/CinematicHero.tsx`)

- **Button: Send** — Action: validate amount, run in-page settlement demo (mutates embedded merchant dashboard). Destination: *none (demo only)*
- **Button: Join Waitlist** — Action: navigate external. Destination: `https://app.blip.money/waitlist/user`
- **Button: Currency selector (flag pill)** — Action: cycle INR→AED→PHP→THB, recompute rate. Destination: *in-page state*
- **Button: Become a merchant now** — Action: navigate. Destination: `/merchant`
- **Button: Promo card CTA(s) / carousel arrows** — Action: external waitlist / horizontal scroll. Destination: `https://app.blip.money/waitlist/user`
- **Forms:** "Send" amount input + currency selector (demo only, no submit)
- **User Flow:** Land → see live USDT→fiat quote (via `useP2PRate`) → Send demo *or* Join Waitlist → scroll into live merchant dashboard replica.
- **Dependencies:** `useP2PRate` (`p2prate.live`), `framer-motion`, `LiveMerchantDashboard`, `CardPreview`, `EditableText`.

SECTION: Bankless (`BanklessSection.tsx`)

- **Buttons:** None. **Forms:** None.
- **Purpose/Flow:** "Banking, without the bank." 3 animated proof cards (live bid leaderboard seeded by `useP2PRate("INR")`). Informational.

SECTION: How It Works / Dark Fintech (`DarkFintechSection.tsx`)

- **Button: Stage step markers** — jump animation stage (in-page). **Button: Replay** — restart animation (in-page).
- **Forms:** None. **Purpose:** Auto-playing 6-stage settlement story (Send→Match→Escrow→Payout→Proof→Remittance).

SECTION: Protocol Interstitial (`ProtocolInterstitial.tsx`)

- **Button: GitHub** → `https://github.com/blip-money` (new tab)
- **Button: Developer Docs** → `/docs` (raw `<a>`, full reload)
- **Button: Read Whitepaper** → `/whitepaper` (raw `<a>`, full reload)
- **Forms:** None. **Purpose:** "Introducing The Blip Protocol" feature cards.

SECTION: Blip Markets (`BlipMarketsSection.tsx`)

- **Button: Join Waitlist** → `https://app.blip.money/waitlist/merchant-login` (new tab)
- **Button: Explore Blip Market** → `/market`
- **MODAL: WaitlistPopup** (auto-opens ~4s in view) — **Join as Merchant** → `https://app.blip.money/waitlist/merchant`; **Dismiss/X** closes modal.
- **Purpose:** Live merchant dashboard replica + merchant-waitlist nudge.

SECTION: Use Cases (`UseCasesSection.tsx`)

- **Button: Start sending** → `https://app.blip.money/waitlist/user`
- **Button: Accept payments** → `/merchant` (raw `<a>`)
- **Button: Provide liquidity** → `https://app.blip.money/waitlist/user`
- **Purpose:** 3 audience cards (Users / Merchants / LPs).

SECTION: Liquidity Layer (`LiquidityLayer.tsx`)

- **Button: Get early access** → `https://app.blip.money/waitlist/user`. **Purpose:** Rails-vs-Blip comparison table.

SECTION: Live Network Feed (`LiveNetworkFeed.tsx`)

- **Button: Start earning points** → `https://app.blip.money/waitlist/user`. **Purpose:** Simulated live settlement terminal + points counter.

SECTION: App Showcase (`AppShowcaseSection.tsx`)

- **Buttons:** None. ⚠️ Section root has `hidden` class — **not rendered** on live home page.

SECTION: Trust (`TrustSection.tsx`)

- **Button: Read the whitepaper** → `/whitepaper` (router Link). **Purpose:** 4 architecture/trust cards.

SECTION: Final CTA (`CTASection.tsx`)

- **Button: Join waitlist** → `https://app.blip.money/waitlist/user` (new tab, click SFX)
 - **Button: Provide liquidity** → `https://app.blip.money/` (new tab)
-

2. Primary Product / Marketing Pages

PAGE: Market — ROUTE `/market` (`pages/Market.tsx`)

Purpose: Marketing for the live cross-border order-book / sealed-bid market.

- **SECTION: Hero** — status chip, headline. No buttons.
- **SECTION: Live Merchant Dashboard** — embedded mock (`LiveMerchantDashboard`), annotation pins (non-interactive).
- **SECTION: Features** — 6 static feature cards.
- **SECTION: CTA (shared `CTASection`)** — *Join as user* → `https://app.blip.money/waitlist/user` ; *Become a merchant* → `https://app.blip.money/waitlist/merchant` .

PAGE: Merchant — ROUTE `/merchant` (`pages/UseCases/Merchant.tsx`)

Purpose: Convince liquidity providers to apply as Blip merchants.

- **Sections:** Cinematic Hero (`MerchantSection/HeroSection`), How It Works (`merchant/How-it-works`), Why Blip (interactive feature rows — in-page highlight), Dashboard command-center (5 cards), Pricing & Margin Controls (live ticker + slider mock), Trust & Safety (4 cards), Rollout timeline, Requirements (4 cards), FAQ (`merchant/ScrollFAQ` accordion).
- **SECTION: CTA** — *Apply as Merchant* → `https://app.blip.money/waitlist/merchant-login` .
- **Forms:** None. **Depts:** SEO, HreflangTags, StructuredData (FAQPage).

PAGE: User — ROUTE `/user` (`pages/User.tsx`) (file open in IDE)

Purpose: Consumer marketing — send crypto, get fiat instantly.

- **SECTION: UserHero** — *See how it works* → `/how-it-works` . (Live USD/INR rate via `useP2PRate` ; a Join Waitlist CTA is commented out.)
- **SECTION: BestRatesBlackSection** — *Find the best rate* → `/rates` ; *Join waitlist* → `https://app.blip.money/waitlist/user` .
- **SECTION: Send Globally** (`SendGloballySection`).
- **SECTION: App Preview** — `BlipPhoneMockup` , display-only.
- **SECTION: User Trust** — 4 cards.
- **SECTION: CTA** — *Join waitlist* → `https://app.blip.money/waitlist/user` ; *Learn more* → `/how-it-works` .

PAGE: Rates — ROUTE `/rates` (`pages/Rates.tsx`)

Purpose: Skyscanner-style rate finder; Blip vs Binance/Bybit/OKX.

- **SECTION: RateFinder** — currency picker dropdown (INR/AED/PHP/THB/USD), Buy/Sell direction tabs, *Lock this rate / Get rate* → `https://app.blip.money/waitlist/user` .
 - **Forms:** Amount (number, max 10M USDT) + currency + direction. No submit — live recompute via `useP2PRate` .
- **SECTION: ComparisonSection** — feature table + *Join Waitlist* (`CTAButton`) → `https://app.blip.money/waitlist/user` .

PAGE: How It Works — ROUTE `/how-it-works` (`pages/Protocol/HowItWorks.tsx`)

Purpose: 4-step protocol explainer (app → auction → escrow → settlement).

- **Sections:** Hero; Steps 01–04 (phone/dashboard/escrow/settle visuals); Why It Works (metrics + bento cards).
- **SECTION: CTA** — *Join Waitlist* → `https://app.blip.money/waitlist/user` ; *See the live market* → `/market` .

PAGE: Whitepaper — ROUTE `/whitepaper` (`pages/Protocol/Whitepaper.tsx`)

Purpose: In-browser technical whitepaper.

- **SECTION: Hero** — *Read in-browser* → in-page anchor `#abstract` . (PDF download commented out.)
- **SECTION: Sidebar/TOC** — 11 section buttons → smooth-scroll anchors (`#abstract` ... `#conclusion`); scroll-spy via `IntersectionObserver` .
- **SECTION: Body / Footer** — inline + footer *Overview* link → `/market` .
- **Forms:** None.

PAGE: Bounty — ROUTE `/bounty` (`pages/Bounty.tsx`)

Purpose: Bounty/contribution program (earn BLIP points).

- **Sections:** Hero (*Join Bounty Program, Submit Contribution* —  inert, no handlers), Allocation & Rules, Tracks, Rewards (*Reward Documentation* → `href="#"` placeholder), Submission Form.
- **Forms:** Submit Contribution — Wallet Address, Resource Link, Description → *Submit Work*.  `handleSubmit` only calls `preventDefault()` (no API).

PAGE: Card Preview — ROUTE `/card-preview` (`pages/CardPreview.tsx`)

Purpose: Internal dev sandbox to preview merchant-card variants and set the live homepage variant.

- **Sections:** Dashboard preview, HomepageVariantPicker (pills → `useMerchantCardsVariant`, persisted to localStorage), many card-variant showcases each with **copy** (clipboard) + **Use this on homepage** (`setVariant(...)`). Some card CTAs → `https://app.blip.money/waitlist/merchant-login`. Some buttons (BecomeMerchantPreview) are inert.

PAGE: App Landing — ROUTE `/app` (`pages/AppLanding.tsx`) — *no layout, no scroll*

Purpose: `app.blip.money` chooser screen.

- **Buttons:** User app → `window.location.href /dashboard`; Market/Merchant → `/merchant-dashboard`; Sign in → `/signin`. Nav: `/how-it-works`, `/market`; brand → `https://blip.money`. iOS/Android/Mac pills are no-ops.

PAGE: UAE Landing — ROUTE `/uae` (`pages/Unused/uae.tsx`)

Purpose: UAE regional early-access landing.

- **Buttons:** *Join UAE Priority List / Claim UAE early access slot* → `/register-uae`; *View UAE launch perks* → anchor `#uae-why`. ( `/register-uae` is **not** a defined route → 404.)

PAGE: Dark Fintech Preview — ROUTE `/preview/dark-fintech` (`pages/Preview/DarkFintechPreview.tsx`)

Purpose: Isolated design sandbox of the dark cinematic section. Controls: Replay, step dots (in-component). Mock buttons inert.

3. Auth / Waitlist / Onboarding

Auth is consolidated to **two routes** — `/signup` and `/signin` — both rendered by `AuthHero` with a User/Merchant role toggle. All legacy URLs redirect here.

PAGE: AuthHero — ROUTES `/signup` (**signup**), `/signin` (**signin**) (`pages/Waitlist/AuthHero.tsx`)

Legacy redirects (<Navigate replace>): `/waitlist` → `/signup`; `/waitlist/user` → `/signup?role=user`; `/waitlist/merchant` → `/signup?role=merchant`; `/merchant-waitlist` → `/signin?role=merchant`; `/join-waitlist` → `/signup?role=user`; `/register` → `/signup?role=user`; `/merchant-register` → `/signup?role=merchant`; `/login` → `/signin?role=user`; `/merchant-login` → `/signin?role=merchant`.

- **SECTION: Role toggle / cross-sell** — *User / Merchant* segmented toggle + "Switch to..." card → set `role` state, sync `?role=` to URL (no navigation).
- **SECTION: Embedded form** — renders `<Login role>` (signin) or `<Register role embedded>` (signup).
-  `WaitlistUserHero`, `UserLoginHero`, `MerchantLoginHero`, `UserLogin`, `UserRegister`, `MerchantLogin`, `MerchantRegister` are imported in `App.tsx` but **bound to no route** (dead imports). Live forms are `Login.tsx` + `Register.tsx`.

Embedded form: Login (`pages/Waitlist/Login.tsx`)

- **Forms:** email, password (show/hide) → `authApi.login()` → `POST /auth/login`.
 - 2FA required → 2FA modal. Missing role → external register host. Email unverified (403) → `/email-verification-pending`. Success → role-based dashboard: SUPERADMIN → `/admin-dashboard *`, merchant → `/merchant-dashboard`, user → `/dashboard`.
- **Buttons:** Sign up (→ external register host), Forgot password? → `/forgot-password` (+ `?role=merchant`).
- **2FA modal forms:** TOTP code → `/twofa/verify-login`; Recovery code → `/twofa/verify-recovery`. Both → login + dashboard.
- (*Note: `/admin-dashboard` has no route; the admin dashboard route is `/superadmin` — potential dead redirect.)

Embedded form: Register (`pages/Waitlist/Register.tsx`)

- **Forms:** email, password (strength meter), confirmPassword, referral_code (from `?ref=`), reCAPTCHA → `authApi.register()` → `POST /auth/register`.
 - ROLE_ADDED → login + dashboard. Normal success → `/email-verification-pending` (state {email, role}). EMAIL_EXISTS → toast w/ "Log in" → external login host.
- **Buttons:** Switch role (external), Sign in (external login host), Terms → `/terms`, Privacy → `/privacy`.
- **OTP modal** (`verifyOTP` / `resendVerification`) — present but not triggered by current submit flow.

PAGE: ForgotPassword — ROUTE `/forgot-password` (`pages/Waitlist/ForgotPassword.tsx`)

- **Form:** email → `authApi.forgotPassword` → `POST /auth/forgot-password` → in-page success. **Buttons:** Back to Login (external), Try different email.

PAGE: ResetPassword — ROUTE `/reset-password` (`pages/Waitlist/ResetPassword.tsx`)

- **Form:** password + confirm → `authApi.resetPassword(token)` → `POST /auth/reset-password/:token` → success. Reads `?token` / `?oobCode`. Invalid-link view → *Request New Link* → `/forgot-password`.

PAGE: VerifyEmail — ROUTE `/verify-email` (`pages/Waitlist/VerifyEmail.tsx`)

- **On mount:** `authApi.verifyEmail(token)` → `GET /auth/verify-email`. Success → *Go to Login* (external, merchant-login if MERCHANT). Error → resend form (`POST /auth/resend-verification`).

PAGE: EmailVerificationPending — ROUTE `/email-verification-pending` (`pages/Waitlist/EmailVerificationPending.tsx`)

- **Buttons:** Resend Email (`POST /auth/resend-verification` , 60s cooldown), Back to Login (external), contact support → `/contact`.

PAGE: RedeemTelegram — ROUTE `/redeem` (`pages/Waitlist/RedeemTelegram.tsx`) — public, auth-aware

- Reads `?token/?otp/?role` → `airdropApi` (getTokenInfo, getRedeemStatus, verifyLinkToken). Not-logged-in → *Join Waitlist / Log In* (external). OTP form → `airdropApi.verifyRedeemOTP`. Success → *Go to Dashboard* → `/dashboard`.

PAGE: TwoFactorAuth — ROUTE `/twoFactorAuth` (`components/TwoFactorAuth.tsx`) — authenticated

- Enable (QR + TOTP verify → `/twofa/enable` , `/twofa/verify-enable`), recovery codes (download .txt), regenerate (`/twofa/regenerate-recovery`), disable (`/twofa/disable`). Back → `navigate(-1)`.

MODALS: TelegramVerificationModal / TelegramVerify (`components/`)

- Join channel (`window.open` Telegram) → enter Telegram User ID → verify (`POST /telegram/verify` or parent `onVerify`) → award points. Used by dashboards.

4. Protected Dashboards & Admin (no layout)

PAGE: User Dashboard — ROUTE `/dashboard` (`pages/Waitlist/Dashboard.tsx`)

Access: `ProtectedRoute requiredRole="user"`. Unauth/unverified → external `https://app.blip.money/waitlist/user`; non-USER → `/merchant-dashboard`; SUPERADMIN/ADMIN bypass. Boot splash ~2.2s. **Purpose:** Waitlist/airdrop dashboard — quests, referrals, BLIP points.

- **Header:** Protocol Balance → `PointsHistoryModal`; Wallet → `WalletLinkingModal`; theme toggle; menu → Refresh Points (`refreshSession`) / **Logout** (wallet disconnect + `logout()` + → external waitlist).
- **Hero card:** BLIP points → history modal; *Share Code* → `ReferralModal`.
- **Social Quests grid:** Follow Twitter (+50), Join Telegram (+100), Share on Twitter (+100), Share Referral. *Start* → `XFollow/Twitter/Telegram/Referral` verification modal → `updatePoints`. Status via `/telegram/status` , `/twitter/campaign-status/*`.
- **Invite Friends / Referral Code:** Share/View → `ReferralModal`; Copy code → clipboard.
- **Your Progress** (recharts gauge, milestones 100/250/500/1000/2500); **Leaderboard** (View All toggles Points/Followers via `useAutoRefreshLeaderboard`).
- **Modals:** `PointsHistory`, `Referral`, `WalletLinking`, `Twitter/Telegram/XFollow` verification.

PAGE: Merchant Dashboard — ROUTES `/merchant-dashboard` (protected) + `/merchant-dashboard-preview` (unprotected gate) (`pages/Waitlist/MerchantDashboard.tsx`)

Access: `ProtectedRoute requiredRole="merchant"`. Unauth/unverified → external `.../waitlist/merchant-login`; non-merchant → `/dashboard`. Preview route uses `MerchantDashboardPreviewGate` (no role guard). **Purpose:** Merchant waitlist dashboard — referrals, quests, onboarding, volume commitment, settings.

- **Navbar/menu:** Two-Factor Auth modal, Account modal, Commit/Edit Volume modal, **Logout** (confirm → `logout()` + external merchant-login). Wallet via `MerchantWalletButton`. Mobile bottom tabs (Home/Activity/Refer/Quests/Progress).
- **Refer Friends:** Share Your Code → `ReferralModal`; How It Works modal.
- **Referral Code:** Copy code/link; Twitter/Telegram share (intent links). Referral link → `origin + /merchant-register?ref=code`.
- **Onboarding CTA:** *Submit Form* → `https://forms.gle/UyfhpcMdq8BSTQSZ` (+500 BLIP).
- **Social Quests:** Follow Twitter (+500), Follow Telegram (+500), Retweet (+100, max 2 / 2-day cooldown), Share Referral (+50). *Start* → `XFollow/Telegram/Retweet/Referral` modal.
- **Beta banner:** *Send Request* → `https://app.blip.money/waitlist/merchant`.

- **Progress gauge + Leaderboard + Steps.**
- **Modals:** Logout confirm, How It Works, 2FA (enable/verify/regenerate/disable via `twoFactorApi`), Recovery Codes, Account Settings (Change Password → `POST /auth/change-password`), Commit Volume (corridor + monthly volume → `POST /auth/commit-volume`), Wallet/Twitter/XFollow/Telegram/Referral/Retweet/PointsHistory.

PAGE: SuperAdmin Dashboard — ROUTE `/superadmin` (`pages/Waitlist/SuperAdminDashboard.tsx`)

Access: `ProtectedRoute` `requiredRole="admin"` ; component also `navigate("/dashboard")` if `role !== "ADMIN"` . **Purpose:** Internal analytics (read-only).

- **Header:** Logout → external `.../waitlist/user` .
- **Tabs:** overview | users | referrals | volume | bot-merchants | bot-users (lazy fetch via `airdropApi.*`).
 - Overview: stat cards + recharts (registrations, points, volume).
 - Users / Bot-Merchants / Bot-Users: search forms + role/status/country filters + paginated read-only tables.
 - Referrals / Volume: read-only tables.
- **Forms:** search inputs (Enter/Search). No mutating actions.

PAGE: Admin (CMS) — ROUTE `/admin` (`pages/Admin.tsx`)

Access: ⚠ Not a `ProtectedRoute` — client-side password gate (`ADMIN_PASSWORD` hardcoded in source, stored in `localStorage`). **Security concern.**
Purpose: In-house CMS — live-edit Home/Merchant/User marketing copy & images, manage card variants, generate illustrations.

- **AdminGate form:** password → unlock.
- **Header links:** Home/Merchant/User (new tab), Card creator → `window.open("/card-creator")` .
- **Tabs:** Home | Merchant | User | Card variants | Generated library | Asset library | Card generator. Field editors persist overrides to `localStorage` (`useOverride`); image upload → dev `POST /__dev_upload` . Footer link → `/card-preview` .

PAGE: Card Creator — ROUTE `/card-creator` (`pages/CardCreator.tsx`)

Access: ⚠ Unprotected (no gate). Dev-only. **Purpose:** Generate card illustrations via Gemini (dev `POST /__dev_generate_card`) + manage library. Copy path / remove per card. Link → `/admin` .



5. Markets / SEO Landing Pages

Two template families:

- **Family A — Static SEO Landing:** SEO/Head + Breadcrumbs + Hero (CTA) + 3–6 content blocks + FAQ accordion + bottom CTA. Default CTA → `https://app.blip.money/waitlist/user` .
- **Family B — Live Converter:** Family A **plus** a CoinGecko-powered converter card (amount input, asset dropdown, buy/sell toggle, 0.5% fee, live price + 24h change, price chart, rates table, URL deep-link params `?from&amount&direction`).

Shared deps: `SEO` , `Breadcrumbs` , `HreflangTags` , `StructuredData` (FAQPage; converters add `HowTo` + `FinancialService`), `sounds` , `framer-motion`, `lucide-react`.

Page	Route	Family	CTA / notable deviation
SellUsdtDubai	<code>/sell-usdt-dubai</code>	A	→ waitlist
BuyUsdtDubai	<code>/buy-usdt-dubai</code>	A	→ waitlist
CryptoPaymentsUAE	<code>/crypto-payments-uae</code>	A	"Join Blip in the UAE" → waitlist
AcceptCryptoBusiness	<code>/accept-crypto-business</code>	A	🚩 CTA → <code>/merchant</code>
CryptoToAed	<code>/crypto-to-aed</code>	B (reference)	→ waitlist; deep-link params; <code>CTAButton</code>
CryptoRemittanceUae	<code>/crypto-remittance-uae</code>	B-style	→ waitlist
BtcToAed	<code>/btc-to-aed</code>	B (BTC)	→ waitlist
EthToAed	<code>/eth-to-aed</code>	B (ETH)	→ waitlist
SolToAed	<code>/sol-to-aed</code>	B (SOL)	→ waitlist
CryptoToInr	<code>/crypto-to-inr</code>	B (INR)	→ waitlist
BtcToInr	<code>/btc-to-inr</code>	B (INR/BTC)	→ waitlist
EthToInr	<code>/eth-to-inr</code>	B (INR/ETH)	→ waitlist
SolToInr	<code>/sol-to-inr</code>	B (INR/SOL)	→ waitlist
CryptoToBankUae	<code>/crypto-to-bank-uae</code>	B-style	→ waitlist
UsdtVsUsdc	<code>/usdt-vs-usdc</code>	A	comparison; → waitlist
CryptoTaxUae	<code>/crypto-tax-uae</code>	A + tax checker	interactive tax-scenario tool; → waitlist
CryptoEscrowUae	<code>/crypto-escrow-uae</code>	A	cross-links to sibling pages; → waitlist
CryptoSalaryUae	<code>/crypto-salary-uae</code>	A + salary calculator	<code>#salary-converter</code> ; → waitlist
CryptoOtcDubai	<code>/crypto-otc-dubai</code>	A	→ waitlist
BestCryptoExchangeUae	<code>/best-crypto-exchange-uae</code>	A	→ waitlist
BitcoinPriceUae	<code>/bitcoin-price-uae</code>	B (BTC price)	🚩 CTA → <code>/btc-to-aed</code>
CryptoToUae	<code>/cryptoToAed</code> (camelCase route)	A (large)	merchant-bid simulation; extra → <code>/how-it-works</code> , <code>/coming-soon</code>

Programmatic SEO — PseoCorridor (`pages/Markets/PseoCorridor.tsx`)

- **Routes:** dynamic `/:slug` for each of **25** slugs from `data/pseoCorridors.ts` (`getAllPseoSlugs()`); unknown slug → `<Navigate to="/" replace>` .
- **Examples:** `usdt-to-inr-without-kyc` , `usdt-to-inr-via-upi` , `sell-usdt-india-instant` , `binance-p2p-alternative-india` , `crypto-to-upi-instant` , `btc-to-inr-without-kyc` , `uae-to-india-remittance-crypto` , `usdt-to-php-gcash-instant` , `accept-stablecoin-payments-uae-business` , `blip-vs-binance-p2p` .
- **Config-driven sections:** Hero (indicative rate card, `ctaPrimary`), Intro, Comparison table, How-it-works, Benefits, FAQ, Related corridors, Final CTA. 🚩 CTAs → `/rates` (not waitlist). Schemas: `FAQPage` + `HowTo` + `BreadcrumbList` + `FinancialService`.

6. Resources / Company / Legal / Protocol Content

Resources

- **Blog** `/blog` — category tabs (filter), featured + feed rows → `/blog/:slug` . Data: `data/blogArticles` .
- **BlogArticle** `/blog/:slug` — content render; not-found → `<Navigate to="/blog">` ; related rows; Explore More → `/faq` , `/glossary` , `/use-cases` , `/compare` .
- **Research** `/research` — category tabs + date sort → `/research/:slug` . Data: `data/researchArticles` .
- **ResearchArticle** `/research/:slug` — not-found → `<Navigate to="/research">` ; related + Explore More cross-links.
- **FAQ** `/faq` — category tabs + single-open accordion (`openFaq`); injects `FAQPage` JSON-LD. No detail pages. Data: `data/faqData` .
- **Glossary** `/glossary` — search input + category tabs + A-Z filter; term cards are anchors (`#slug`), not links. Data: `data/glossaryData` .
- **Compare** `/compare` (+ `/compare/:slug`) — card grid → `/compare/:slug` ; detail = feature table + verdict + `Join Waitlist` (`CTAButton`) → `https://app.blip.money/waitlist/user` . Unknown slug → silently shows listing. Data: `data/comparisonData` .

Protocol / Use Cases

- **Changelog** `/changelog` — release timeline (type badges). Data: `data/changelogData` . No links.
- **UseCases** `/use-cases` — card grid → `/use-cases/:slug` . Data: `data/useCasesData` .
- **UseCaseDetail** `/use-cases/:slug` — pain points + "How Blip Helps" + data-driven CTA (`useCase.cta.link`); not-found → `<Navigate to="/use-cases">` .
- **Docs** `/docs` (in `pages/Unused/`) — static API docs; sidebar scroll-nav; CopyButtons → clipboard. No real links.

Company

- **About** `/about` — *Read whitepaper* → `/whitepaper` ; *Get in touch* → `/contact` ; mission/vision/values carousels.
- **Press** `/press` — press releases; In-The-Media (hidden, empty data); Brand Assets → **BrandAssetPreview modal** → *Download SVG* (`/brand/*.svg`); Media Contact → `mailto:press@blip.money` + socials.
- **Community** `/community` — social cards (Telegram/X/YouTube/LinkedIn); ecosystem partners; DAO steps; Ambassador *Apply Now* → `https://app.blip.money/waitlist/user` ; CTA *Join on Telegram* → `https://t.me/blipmoney` . (Community Stats section commented out.)
- **ContactUs** `/contact` — contact channels; **email copy** (clipboard); **ContactForm** (Name optional, Email, Inquiry Type select, Message) → `sendFormNotification` → `POST /auth/contact-form` ; Dubai HQ visual.

Legal

- **Privacy** `/privacy` — TOC + scroll-spy; Contact email → Gmail compose link.
- **Terms** `/terms` (`components/TermsService.tsx`) — TOC + scroll-spy.
- **Cookies** `/cookies` (`components/Cookies.tsx`) — TOC + scroll-spy.
- **Gdpr** `/gdpr` — TOC + scroll-spy.
- **LegalPage** `/legal` — tab wrapper rendering Privacy/Terms/Cookies/GDPR inline (tabs switch state, not routes).

Misc

- **ComingSoon** `/coming-soon` — countdown to Feb 24 2026; **Notify Me** email form (⚠ simulated, no backend — sonner toast); social links; feature preview.
 - **Tokenomics** `/tokenomics` → `<Navigate to="/" replace>` (token launch removed).
 - **Rewards** `/rewards` → `<Navigate to="/" replace>` .
 - **NotFound** `*` (`pages/NotFound.tsx`) — 404 catch-all.
-


```
└─ * ..... NotFound (404)

EXTERNAL (app.blip.money) - most CTAs leave the marketing site:
  /waitlist/user · /waitlist/merchant · /waitlist/merchant-login · /waitlist/login
  /dashboard · /merchant-dashboard · /signin (via /app)
```

Flow A — Visitor → User Waitlist (primary conversion)

```

Home / any marketing page
| (Join Waitlist / Get early access / Start sending)
▼
https://app.blip.money/waitlist/user — leaves SPA → external app
(on this site, /signup also renders the signup form via AuthHero)
|
▼ fill Register form (email, password, referral, reCAPTCHA)
POST /auth/register
|
├ success → /email-verification-pending → email link → /verify-email
|                                     | GET /auth/verify-email
|                                     ▼ success
|                                     (external) Login
├ ROLE_ADDED → login → /dashboard

```

Flow B — Returning User Sign-in

```

/signin (AuthHero, role=user)
├─ Login form → POST /auth/login
│   └─ 2FA required → TOTP / recovery code → /twofa/verify-login|recovery
│       └─ email unverified (403) → /email-verification-pending
│           └─ success → login()
role routing: USER → /dashboard
               MERCHANT → /merchant-dashboard
               ADMIN/SUPERADMIN → /superadmin

```

Flow C — Merchant Path

```

Home/Market/Merchant page
├── (Become a merchant / Apply as Merchant / Join as Merchant popup)
└──
https://app.blip.money/waitlist/merchant(-login)  →  /signup?role=merchant (AuthHero)
├── Register(role=merchant) → POST /auth/register
└──
/email-verification-pending → verify → sign in → /merchant-dashboard
├──
├── Submit onboarding Google Form (forms.gle/...) → +500 BLIP
├── Commit Volume modal → POST /auth/commit-volume
├── Social quests (Follow/Telegram/Retweet/Referral) → updatePoints
└── 2FA / Account settings (change password)

```

Flow D — Protected Route Access Control (ProtectedRoute.tsx)

```
Request /dashboard | /merchant-dashboard | /superadmin
├─ isLoading ──────────> spinner
├─ not authenticated / email unverified → ExternalRedirect
│   (merchant route → ../waitlist/merchant-login ; else → ../waitlist/user)
├─ SUPERADMIN / ADMIN ────> allow (bypass role check)
├─ wrong role ──────────> Navigate (merchant route → /dashboard ; user route → /merchant-dashboard)
└─ correct role ──────────> render dashboard
```

Flow E — Airdrop / Points (quests)

```
Dashboard (user or merchant)
├─ Follow on X      → XFollowVerificationModal      → /twitter/campaign-status/x_follow      → updatePoints
├─ Share on X       → TwitterVerificationModal      → /twitter/...                          → updatePoints
├─ Join Telegram    → TelegramVerificationModal → open t.me → POST /telegram/verify      → updatePoints
├─ Retweet (merchant) → RetweetVerificationModal → (cooldown-gated)                    → updatePoints
└─ Refer a friend   → ReferralModal (copy code/link: /merchant-register?ref= or /?ref=)
```

Flow F — Telegram Bot Redeem

```
Telegram bot link → /redeem?token=..&otp=..&role=..
├─ not logged in → save token/otp to localStorage → Join Waitlist / Log In (external)
│                                                         │ (after auth, return to /redeem)
└─ authenticated → airdropApi.verifyLinkToken / verifyRedeemOTP → success → /dashboard
```

Flow G — Markets Live Converter (e.g. /crypto-to-aed, /btc-to-inr)

```
Land on converter page (URL may carry ?from=&amount=&direction=)
├─ CoinGecko simple/price (seeded by STATIC_RATES, refresh 5 min)
└─ Enter amount → pick asset → toggle Buy/Sell
    └─ compute youReceive (-0.5% fee), show 24h change + price chart
        └─ "Convert Now" → https://app.blip.money/waitlist/user
```

9. Cross-Cutting Findings & Anomalies

- **External handoff:** Nearly all conversion CTAs leave the marketing SPA for `app.blip.money/waitlist/*`. The on-site `/signup` & `/signin` render the same forms, but the forms' own "switch/sign-in/sign-up/back" links point to **external** `app.blip.money` hosts.
- **Dead imports / routes:** `WaitlistUserHero`, `UserLoginHero`, `MerchantLoginHero`, `UserLogin`, `UserRegister`, `MerchantLogin`, `MerchantRegister` are imported but routed nowhere. `/uae` links to `/register-uae` which **doesn't exist** (→ 404). Login's `getDashboardForUser` returns `/admin-dashboard` but only `/superadmin` is defined.
- **Inert buttons:** Bounty hero buttons + "Reward Documentation" (`href="#"`) + the Bounty submit (`preventDefault` only); CardPreview's BecomeMerchantPreview buttons; AppLanding store pills.
- **Mocked, no backend:** ComingSoon "Notify Me" form (simulated). Most live feeds (LiveNetworkFeed, dashboards' sample activity) are client-simulated; live rates come from `useP2PRate` (`p2prate.live`) and CoinGecko.
- **Security:** `/admin` uses a **hardcoded client-side password** in source. `/card-creator` is fully unprotected. `/merchant-dashboard-preview` exposes the merchant dashboard with no role guard.
- **Mixed link types:** `/whitepaper`, `/merchant`, `/docs` are reached via both router `<Link>` (SPA nav) and raw `<a>` (full reload) in different sections.
- **Only real submitting forms:** Auth (login/register/forgot/reset/verify/2FA/change-password/commit-volume), ContactUs (`/auth/contact-form`), quest verification modals, RedeemTelegram. Everything else is filter/demo/clipboard.
- **Data-driven content:** Blog, Research, FAQ, Glossary, Compare, UseCases, Changelog, pSEO corridors all read from `src/data/*` files; list→detail via `slug`.

A duplicate tree exists at `blip-protocol-ui-test/` (test/staging copy) — not covered here; the live app is `blip-protocol-ui/`.