Deploying Large Scale Web Applications

Thierry Sans


Users respond to speed

"Amazon found every 100ms of latency cost them 1% in sales"

"Google found an extra •5 seconds in search page generation time dropped traffic by 20%"


http://blog.gigaspaces.com/amazon-found-every-100ms-of-latency-cost-them-1-in-sales/

Our microservice deployment (so far)



Problems

- How to increase the throughput?
- How to scale to serve millions of users?



✓ Better scalability with load balancer and CDN

Backend Web Caching

How to improve response time?

Processing the request means:


I. Parse the HTTP request

2. Map the URL to the handler

DB and API accesses are expensive (time and money when your host charges you each access)

- 3. Query the database or third-party API
- 4. Compute the HTTP response

Fine-grained caching with the web application



Cache controlled by the program

- Specific for each app
- √ Good for caching database requests and storing sessions
- → Popular memory cache: Memcached

Distributed Shared Cache: Memcached


http://memcached.org/

- Store key/value pairs in memory
- Throw away data that is the least recently used

A typical cache algorithm

```
retrieve from cache
if data not in cache:
    # cache miss
    query the database or API
    update the cache
return result
```

Cache Stampede (a.k.a dog piling)



Problem:


Multiple concurrent requests doing the same request because cache was cleared

Solution:


- · update the cache instead of clearing it after an insert
- a page view will never query the database
- → Requires cache warming

Scaling The Backend


Serving multiple apps with a load balancer




Distributed Shared Cache




Database Sharding



Automatic Scaling with container Orchestration



CDN: Content Distribution Network



Example: Akamai, Cloudflare