

# Sprint 1

(register / friend recommendation / event recommendation – 1.user A add the interest related to event – 2.other friends may also be recommended – 3.friends' event will show 'user A has interests to this')

## Sprint 1 use case list

| Use Case ID | Use Case Name                      | Related PBI | Primary Actor | Brief Description                                                                                                                                       |
|-------------|------------------------------------|-------------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| UC1         | Create Basic Profile               | PBI-1       | User          | The user creates and saves a basic profile with key information for profile setup and later suggestions.                                                |
| UC2         | Select Interests                   | PBI-2       | User          | The user selects interests that can support basic group or event suggestions.                                                                           |
| UC3         | Chat with AI Assistant             | PBI-3       | User          | The user sends a message to the AI Assistant and receives a basic response within safety boundaries.                                                    |
| UC4         | View Basic Group/Event Suggestions | PBI-4       | User          | The user views basic group or event suggestions based on available profile and interest information.                                                    |
| UC5         | View Recommendation Explanation    | PBI-5       | User          | The user sees a short explanation of why a group or event is suggested.                                                                                 |
| UC6         | Manage AI Data Consent             | PBI-6       | User          | The user reviews how selected profile and interest data may be used by AI, chooses a consent option, and the system applies that choice where relevant. |

Detailed use case list:

| Use Case                 | Preconditions                                                     | Main Flow                                                                                                                                                                                                                                            | Alternative Flow                                                                                                                         | Postconditions                                                                           |
|--------------------------|-------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| UC1 Create Basic Profile | The user has opened the app and reached the profile setup screen. | 1. The system displays the basic profile fields. 2. The user enters or selects basic profile details, such as display name, age group, region, and school/community context. 3. The system validates required fields. 4. The user saves the profile. | If required fields are missing, the system asks the user to complete them before saving.                                                 | The basic profile is saved and can be used for interest selection and basic suggestions. |
| UC2 Select Interests     | The user has reached the interest selection screen.               | 1. The system displays available interest categories or tags. 2. The user selects one or more interests. 3. The user can deselect interests before saving. 4. The user saves the selected interests.                                                 | If no interest is selected, the system prompts the user to select at least one interest or skip only if the team design allows skipping. | The selected interests are saved and connected to the user profile.                      |

|                                        |                                                              |                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                |                                                                   |
|----------------------------------------|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| UC3 Chat with AI Assistant             | The user has opened the AI Assistant Chat screen.            | 1. The user types and sends a message. 2. The AI Assistant returns a basic response within defined safety boundaries. 3. The response is displayed to the user.                                                                                                     | If the user asks for medical, psychological, legal, emergency, or unsafe advice, the AI gives a boundary response.                                                                                                                             | The user receives a basic AI response or safety boundary message. |
| UC4 View Basic Group/Event Suggestions | The user has created a basic profile and selected interests. | 1. The system uses available profile and interest information to present basic group/event suggestions. 2. The system displays each suggestion with basic information, such as name, type, short description, and relevant tags. 3. The user views the suggestions. | If there are not enough matching suggestions, the system shows a fallback message or asks the user to update interests. If AI data consent does not allow personalised suggestions, the system limits AI-supported suggestions where relevant. | The user can view basic group/event suggestions.                  |

|                                     |                                                                            |                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                            |                                                                              |
|-------------------------------------|----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| UC5 View Recommendation Explanation | The user is viewing a suggested group or event.                            | 1. The user views a suggested group or event. 2. The system shows a short recommendation explanation. 3. The explanation may refer to selected interests, matching tags, nearby area, school/community context, or selected preference.                                              | If a specific explanation is not available, the system shows a simple general explanation.                                                                                                                                 | The user understands the basic reason for the recommendation.                |
| UC6 Manage AI Data Consent          | The user reaches the AI data consent option during onboarding or settings. | 1. The system shows a short explanation of how selected profile and interest data may be used for AI-supported suggestions. 2. The user chooses whether to allow that data use. 3. The user saves the consent choice. 4. Relevant AI-supported suggestions respect the saved choice. | If the user does not give consent, the system limits AI-supported suggestions and explains that suggestions may be less personalised. If the user changes the setting later, future suggestions follow the updated choice. | The user's AI data consent preference is saved and respected where relevant. |

## Sprint 1 user stories

Each PBI should have one clear user story. The stories are written from the user's point of view and include simple acceptance criteria that can be checked during review.

| Story ID | Related PBI                                | User Story                                                                                                                           | Acceptance Criteria                                                                                                                                                  |
|----------|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| US1      | PBI-1 User creates basic profile           | As a user, I want to create a basic profile so that the app can understand my basic identity and context for later suggestions.      | The user can enter or select basic profile information. Required fields are validated. The profile can be saved successfully.                                        |
| US2      | PBI-2 User selects interests               | As a user, I want to select my interests so that the app can suggest relevant groups or events.                                      | The user can view interest options, select or deselect interests, and save selected interests.                                                                       |
| US3      | PBI-3 User chats with AI Assistant         | As a user, I want to chat with an AI Assistant so that I can receive basic guidance or suggestions within the app.                   | The user can send a message. The AI Assistant returns a basic response within safety boundaries. Unsafe or professional-advice requests trigger a boundary response. |
| US4      | PBI-4 AI suggests groups/events            | As a user, I want to see basic group and event suggestions so that I can discover communities or activities related to my interests. | The system displays suggested groups/events based on the user's basic profile, selected interests, and consent setting where relevant.                               |
| US5      | PBI-5 User sees recommendation explanation | As a user, I want to know why a group or event is recommended so that I can understand and trust the suggestion.                     | Each recommendation shows a short explanation where possible, such as same interest, nearby area, or matching selected preference.                                   |

|     |                                     |                                                                                                                                                                    |                                                                                                                                                           |
|-----|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| US6 | PBI-6 User controls AI data consent | As a user, I want to understand and control how my profile and interest data are used by AI so that I can protect my privacy while using AI-supported suggestions. | The user can view a short explanation of AI data use, change the consent choice, and the system applies that choice to relevant AI-supported suggestions. |
|-----|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

## Interest Selection FR/NFR

This section covers requirements for PBI-2: User selects interests. The purpose of Interest Selection is to let users choose basic interest tags that support profile setup and basic group/event suggestions.

Functional Requirements:

| ID      | Functional Requirement                                                                                                              | Priority |
|---------|-------------------------------------------------------------------------------------------------------------------------------------|----------|
| IS-F R1 | The system shall display a list of selectable interest categories or tags.                                                          | High     |
| IS-F R2 | The user shall be able to select one or more interests.                                                                             | High     |
| IS-F R3 | The user shall be able to deselect interests before saving.                                                                         | High     |
| IS-F R4 | The system shall save selected interests to the user's basic profile.                                                               | High     |
| IS-F R5 | Selected interests shall be available for basic group/event suggestions.                                                            | High     |
| IS-F R6 | The system shall show a prompt if the user continues without selecting any interest, unless skipping is allowed by the team design. | Medium   |
| IS-F R7 | The interest list should support basic categories, such as hobbies, education, health/wellbeing, community, and social activities.  | Medium   |

Non-Functional Requirements:

| ID       | Non-Functional Requirement                                                             | Priority |
|----------|----------------------------------------------------------------------------------------|----------|
| IS-NFR 1 | The interest selection screen should be simple and easy to understand.                 | High     |
| IS-NFR 2 | Interest labels should be clear and understandable for general users.                  | High     |
| IS-NFR 3 | Selected interests should only be used according to the user's AI data consent choice. | High     |
| IS-NFR 4 | The screen should be mobile-friendly, with readable text and clear buttons.            | High     |
| IS-NFR 5 | The number of interest options should remain limited to avoid user overload.           | Medium   |
| IS-NFR 6 | Interest data should be stored securely as part of the user profile.                   | High     |

Boundary:

This section does not define a full AI personality profile, advanced behavioural model, full recommendation algorithm, UI layout, or database structure. It only defines the requirement boundary for basic interest selection.

## Basic Group/Event Suggestions FR/NFR

This section covers requirements for PBI-4: AI suggests groups/events. This is a basic suggestion feature, not a complete group discovery system or event management system.

Functional Requirements:

| ID      | Functional Requirement                                                                                                  | Priority |
|---------|-------------------------------------------------------------------------------------------------------------------------|----------|
| GS-F R1 | The system shall display a set of suggested groups and/or events to the user.                                           | High     |
| GS-F R2 | Suggestions shall be based on the user's basic profile, selected interests, and AI data consent setting where relevant. | High     |
| GS-F R3 | Each suggestion shall show basic information, such as name, type, short description, and relevant tags.                 | High     |

|            |                                                                                                                             |        |
|------------|-----------------------------------------------------------------------------------------------------------------------------|--------|
| GS-F<br>R4 | The system shall distinguish whether a suggestion is a group or an event.                                                   | High   |
| GS-F<br>R5 | The system shall show a basic recommendation reason for each suggestion where possible.                                     | High   |
| GS-F<br>R6 | If there are not enough matching suggestions, the system shall show a fallback message or ask the user to update interests. | Medium |
| GS-F<br>R7 | The event should only come from third party                                                                                 |        |

#### Non-Functional Requirements:

| ID          | Non-Functional Requirement                                                                  | Priority |
|-------------|---------------------------------------------------------------------------------------------|----------|
| GS-NF<br>R1 | Suggestions should be easy to scan on a mobile screen.                                      | High     |
| GS-NF<br>R2 | Recommendation reasons should be short and understandable.                                  | High     |
| GS-NF<br>R3 | The system should not claim that suggestions are fully personalised by production-level AI. | High     |
| GS-NF<br>R4 | Suggestions should respect the user's AI data consent setting.                              | High     |
| GS-NF<br>R5 | Suggestion results should be displayed without unnecessary delay.                           | Medium   |
| GS-NF<br>R6 | The feature should not expose private groups, private user data, or sensitive information.  | High     |

#### Boundary:

This feature only demonstrates basic group/event suggestions. It does not include creating groups, joining groups, group detail pages, full event booking, full recommendation feedback loop, advanced AI ranking, event-source integration, or detailed AI implementation logic.

## Basic Profile FR/NFR

This section covers requirements for PBI-1: User creates basic profile. The purpose of Basic Profile is to collect only the minimum user information needed for profile setup, interest selection, and basic suggestions.

Functional Requirements:

| ID         | Functional Requirement                                                                                                                                                                                                                                                                              | Priority |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| BP-F<br>R1 | The system shall allow the user to create a basic profile.<br><br>The first time register shall provide the terms and condition page                                                                                                                                                                | High     |
| BP-F<br>R2 | The profile shall include basic fields such as display name, age group, region, and school/community context where relevant.<br><br>The age can ask the user input birthday and the number can be increased every year after the birthday.<br><br>The region can require user input postcodes / gps | High     |
| BP-F<br>R3 | The user shall be able to enter or select basic profile information.                                                                                                                                                                                                                                | High     |
| BP-F<br>R4 | The system shall validate required profile fields before saving.                                                                                                                                                                                                                                    | High     |
| BP-F<br>R5 | The system shall allow the user to save the basic profile.                                                                                                                                                                                                                                          | High     |
| BP-F<br>R6 | The basic profile shall be available for interest selection and basic suggestions.                                                                                                                                                                                                                  | High     |

Non-Functional Requirements:

| ID          | Non-Functional Requirement                                      | Priority |
|-------------|-----------------------------------------------------------------|----------|
| BP-NF<br>R1 | The profile setup process should be simple and mobile-friendly. | High     |
| BP-NF<br>R2 | Required and optional fields should be clearly indicated.       | High     |

|             |                                                                                                            |        |
|-------------|------------------------------------------------------------------------------------------------------------|--------|
| BP-NF<br>R3 | The system should only collect information needed for profile setup and suggestions.                       | High   |
| BP-NF<br>R4 | Basic profile data should be stored securely.                                                              | High   |
| BP-NF<br>R5 | The profile screen should avoid requesting sensitive information that is not needed for the current scope. | High   |
| BP-NF<br>R6 | The design should support users with different technical abilities.                                        | Medium |

Boundary:

This is only a basic profile setup. It does not include a full profile privacy dashboard, detailed biography system, full social identity verification, full SingPass integration, advanced demographic analysis, complete account management, UI design details, or database design.

## AI Assistant Chat FR/NFR

This section covers requirements for PBI-3: User chats with AI Assistant. The purpose of AI Assistant Chat is to define a basic AI-supported conversation flow with clear safety boundaries.

Functional Requirements:

| ID         | Functional Requirement                                                                                        | Priority |
|------------|---------------------------------------------------------------------------------------------------------------|----------|
| AI-F<br>R1 | The system shall provide an AI Assistant Chat function.                                                       | High     |
| AI-F<br>R2 | The user shall be able to type and send a message to the AI Assistant.                                        | High     |
| AI-F<br>R3 | The AI Assistant shall return a basic text response.                                                          | High     |
| AI-F<br>R4 | The AI Assistant shall provide only basic guidance, app support, social suggestions, or general conversation. | High     |

|            |                                                                                                                                              |      |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------|------|
| AI-F<br>R5 | The AI Assistant shall provide a safety boundary response when the user asks for medical, psychological, legal, emergency, or unsafe advice. | High |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------|------|

|            |                                                                                     |      |
|------------|-------------------------------------------------------------------------------------|------|
| AI-F<br>R6 | The chat feature shall respect the user's AI data consent setting where applicable. | High |
|------------|-------------------------------------------------------------------------------------|------|

#### Non-Functional Requirements:

| ID          | Non-Functional Requirement                                                                                            | Priority |
|-------------|-----------------------------------------------------------------------------------------------------------------------|----------|
| AI-NF<br>R1 | AI Assistant responses should be clear, simple, and understandable.                                                   | High     |
| AI-NF<br>R2 | The AI Assistant should not present itself as a professional expert, doctor, therapist, lawyer, or emergency service. | High     |
| AI-NF<br>R3 | The chat interaction should be simple and suitable for mobile use.                                                    | High     |
| AI-NF<br>R4 | AI conversation data should be handled according to privacy and consent rules.                                        | High     |
| AI-NF<br>R5 | The AI Assistant should avoid harmful, unsafe, discriminatory, or manipulative responses.                             | High     |
| AI-NF<br>R6 | The system should clearly show that the AI Assistant provides basic support only.                                     | High     |

#### Boundary:

This feature only defines the requirement boundary for basic AI Assistant Chat. It does not include full AI companion personality, emotional dependency features, medical support, crisis response, advanced memory, long-term personalisation, production-level AI integration, AI model design, or detailed UI behaviour.

## Register FR/NFR

This section covers first-time registration for a new user. It extends the existing Account Management requirement by defining the minimum requirements for creating a new account.

#### Functional Requirements

| ID      | Functional Requirement                                                                                                                                                  | Priority | Source status                                          |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------------------------------|
| REG-FR1 | The system shall allow a first-time user to create a new account using an approved registration method, such as 1. email, 2. phone number, or 3. username and password. | High     | Based on the group leader document.                    |
| REG-FR2 | The system shall require the user to provide the minimum account information needed to complete registration.                                                           | High     | BA-level completion.                                   |
| REG-FR3 | The system shall validate required registration information before creating the account.                                                                                | High     | BA-level completion.                                   |
| REG-FR4 | The system shall prevent a new account from being created when the same verified email address, phone number, or linked account is already registered.                  | High     | BA-level completion.                                   |
| REG-FR5 | The system shall create the user account after the required information has been successfully submitted and validated.                                                  | High     | Derived from the user-requested registration function. |
| REG-FR6 | The system shall allow the newly registered user to continue to basic profile creation and interest selection.                                                          | High     | Derived from the existing profile and interest flow.   |
| REG-FR7 | The system shall provide a clear message when registration cannot be completed.                                                                                         | Medium   | BA-level completion.                                   |

#### Non-Functional Requirements

| ID       | Non-Functional Requirement                                                                                                                | Priority | Source status                                        |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------------------------------------------|
| REG-NFR1 | The registration process should be simple and suitable for first-time mobile users.                                                       | High     | BA-level completion.                                 |
| REG-NFR2 | The system should collect only the information required to create and protect the account.                                                | High     | BA-level privacy completion.                         |
| REG-NFR3 | Registration credentials and personal information should be protected from unauthorised access.                                           | High     | Based on the project privacy and security direction. |
| REG-NFR4 | Required and optional registration information should be clearly distinguished.                                                           | High     | BA-level usability completion.                       |
| REG-NFR5 | The registration process should support readable text, understandable instructions, and users with different levels of technical ability. | Medium   | Based on the project accessibility direction.        |
| REG-NFR6 | The system should handle registration information according to the applicable privacy and consent requirements.                           | High     | Based on the project privacy and consent direction.  |

## Boundary

This section defines first-time account registration only. It does not define the authentication implementation, identity-provider integration, SingPass integration, database structure, or registration screen layout.

---

# Friend Recommendation FR/NFR

**PARTIALLY OUTDATED** — Only the identical/shared-interest-only recommendation logic is superseded by Sprint 3, A1 Increment Scope Summary and S3-REC. The remaining privacy and explanation content is still applicable; Sprint 3 permits one or more of same interests, user-permitted approximate region, and shared event interest.

This section defines the newly added friend function. Users can establish mutual friend relationships, and the system recommends potential friends based mainly on shared interests.

## Functional Requirements

| ID          | Functional Requirement                                                             | Priority | Source status                  |
|-------------|------------------------------------------------------------------------------------|----------|--------------------------------|
| FRI-<br>FR1 | The system shall allow users to establish mutual friend relationships.             | High     | Directly provided by the user. |
| FRI-<br>FR2 | The system shall recommend potential friends based on shared or related interests. | High     | Directly provided by the user. |

**PARTIALLY OUTDATED** — Only the identical/shared-interest-only recommendation logic is superseded by Sprint 3, A1 Increment Scope Summary and S3-REC. The remaining privacy and explanation content is still applicable; Sprint 3 permits one or more of same interests, user-permitted approximate region, and shared event interest.

|             |                                                                                                                                                                  |      |                                                         |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---------------------------------------------------------|
| FRI-<br>FR3 | Each friend recommendation shall display sufficient basic information for the user to understand the recommendation, including shared interests where permitted. | High | BA-level completion.                                    |
| FRI-<br>FR4 | The user shall be able to send a friend request to a recommended user.                                                                                           | High | Derived from the user-requested mutual friend function. |

|         |                                                                                                                     |        |                                                         |
|---------|---------------------------------------------------------------------------------------------------------------------|--------|---------------------------------------------------------|
| FRI-FR5 | The receiving user shall be able to accept or decline a friend request.                                             | High   | Derived from the user-requested mutual friend function. |
| FRI-FR6 | A friend relationship shall be created only after the receiving user accepts the request.                           | High   | BA-level completion required for mutual friendship.     |
| FRI-FR7 | The system shall avoid recommending users whose privacy or visibility settings do not allow friend recommendations. | High   | BA-level privacy completion.                            |
| FRI-FR8 | If no suitable friend recommendation is available, the system shall provide an appropriate no-result message.       | Medium | BA-level completion.                                    |

## Non-Functional Requirements

| ID | Non-Functional Requirement | Priority | Source status |
|----|----------------------------|----------|---------------|
|----|----------------------------|----------|---------------|

**PARTIALLY OUTDATED** — Only the identical/shared-interest-only recommendation logic is superseded by Sprint 3, A1 Increment Scope Summary and S3-REC. The remaining privacy and explanation content is still applicable; Sprint 3 permits one or more of same interests, user-permitted approximate region, and shared event interest.

|           |                                                                                                                   |      |                                                         |
|-----------|-------------------------------------------------------------------------------------------------------------------|------|---------------------------------------------------------|
| FRI-N FR1 | Friend recommendations should be based on understandable matching factors, primarily shared interests.            | High | Directly based on the user-requested interest matching. |
| FRI-N FR2 | The system should provide a short explanation of why a user is recommended, such as one or more shared interests. | High | BA-level transparency completion.                       |

|              |                                                                                                                                    |        |                                         |
|--------------|------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------------------------------|
| FRI-N<br>FR3 | Private interests and profile information should not be exposed through friend recommendations without permission.                 | High   | BA-level privacy completion.            |
| FRI-N<br>FR4 | Friend requests and friendship status should only be visible to the relevant users.                                                | High   | BA-level privacy completion.            |
| FRI-N<br>FR5 | Friend recommendations should be displayed without unnecessary delay.                                                              | Medium | BA-level performance completion.        |
| FRI-N<br>FR6 | The friend recommendation process should not use protected or sensitive profile information unless the user has permitted its use. | High   | BA-level consent and safety completion. |

## Boundary

This section defines friend recommendation and mutual friendship requirements only. It does not define the recommendation algorithm, similarity score, friend list interface, database relationships, direct messaging, blocking, reporting, or detailed social-network implementation.

---

## Event Recommendation FR/NFR

This section extends the existing event recommendation function with social recommendation behaviour.

The new behaviour is:

1. User A receives an event recommendation because the event is related to User A's selected interests.
2. When User A shows interest in the event, the same event can also be recommended to User A's friends.

3. User A's friends can see that User A is interested in the event, subject to the applicable visibility and consent settings.

#### Functional Requirements

| ID      | Functional Requirement                                                                                                                    | Priority | Source status                                                                     |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------------------------------------------------------------|
| EVR-FR1 | The system shall recommend events that are related to the user's selected interests.                                                      | High     | Based on existing event recommendation requirements and the user's clarification. |
| EVR-FR2 | Each event recommendation shall display basic event information and a reason explaining its relationship to the user's interests.         | High     | Existing recommendation direction plus BA-level completion.                       |
| EVR-FR3 | The user shall be able to indicate that they are interested in a recommended event.                                                       | High     | Based on existing Event Interaction FR10.                                         |
| EVR-FR4 | When User A indicates interest in an event, the system shall make the same event available for recommendation to User A's friends.        | High     | Directly provided by the user.                                                    |
| EVR-FR5 | User A's friends shall be able to see that User A is interested in the event where the relevant visibility and consent settings allow it. | High     | Directly provided by the user, with BA-level privacy qualification.               |

|         |                                                                                                                                                     |        |                                   |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------------------------|
| EVR-FR6 | The event recommendation shown to a friend shall identify the social reason for the recommendation, such as “A friend is interested in this event.” | High   | BA-level transparency completion. |
| EVR-FR7 | The system shall not display User A's event interest to users who are not confirmed friends or who are not permitted to view that activity.         | High   | BA-level privacy completion.      |
| EVR-FR8 | If the user withdraws their interest in an event, the system shall stop presenting that user as interested in the event to friends.                 | Medium | BA-level consistency completion.  |

#### Non-Functional Requirements

| ID       | Non-Functional Requirement                                                                                   | Priority | Source status                                    |
|----------|--------------------------------------------------------------------------------------------------------------|----------|--------------------------------------------------|
| EVR-NFR1 | Event recommendations should be relevant to the user's selected interests.                                   | High     | Directly based on the user-provided requirement. |
| EVR-NFR2 | Social event recommendations should clearly distinguish interest-based reasons from friend-activity reasons. | High     | BA-level transparency completion.                |
| EVR-NFR3 | A user's event-interest status should only be shared according to the user's privacy and consent settings.   | High     | BA-level privacy completion.                     |

|          |                                                                                                                                         |        |                                                             |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------------------------------------------------|
| EVR-NFR4 | The system should not expose private profile information when showing that a friend is interested in an event.                          | High   | BA-level privacy completion.                                |
| EVR-NFR5 | Changes to a user's event-interest status should be reflected to permitted friends without unnecessary delay.                           | Medium | BA-level consistency and performance completion.            |
| EVR-NFR6 | Event-interest information should be accurate and should not continue to show a user as interested after the interest has been removed. | High   | BA-level data consistency completion.                       |
| EVR-NFR7 | The system should provide clear and understandable explanations for event recommendations.                                              | High   | Based on the existing explainable recommendation direction. |

## Boundary

This section defines interest-based and friend-influenced event recommendation requirements. It does not define the event-ranking algorithm, notification implementation, social feed layout, event booking, external event-data integration, database model, or recommendation score.