

Sprint 3 — Revised Incremental Requirements Package

1. Increment Scope Summary

Area	Change Type	Sprint 3 Action
Home Page Weather	Frozen — No Change	Retain the existing mock weather information display on the Home Page.
Check-in Weather	Modified Existing	Add a mock weather information display to the existing Check-in page.
Friend Recommendation	New	Add People You May Want to Know using one or more of the following confirmed factors only: same interests, user-permitted approximate region, and shared event interest.
Profile Visibility	Modified Existing	Extend the existing Profile visibility states from Private and Friends-only to Private, Friends-only, and Public, and provide a user-visible information-unavailable or no-permission state when no Profile information is permitted for the current viewer.
Friend Request	New	Add sending, receiving, accepting, and declining Friend Requests.

OUTDATED — Superseded by Sprint 4.5, Modified Existing Use Cases S3-UC04 and Removed Items, and S5-FR10–S5-FR12. Retained for historical traceability. Current rule: the independent Booked externally Friend Page filter and user-visible presentation are removed; Going is the unified user-visible term.

Friend Page	New	Add a Friend Page with a friend list and filters for Check-in state, mood, interested event, and Booked externally activity. The Sprint 3 prototype allows one supported filter category to be applied at a time.
-------------	-----	---

Event Details Social Layer	Modified Existing	Extend existing Event Details with visible interested counts and a default preview that displays exactly five visible Interested users when at least five are available, or all visible users when fewer than five are available.
Interested People List	New	Add a complete permission-filtered list of visible Interested users for an event.
Friends Activity	Frozen — No Change	Retain the frozen Sprint 2 Home Page summary without adding Sprint 3 Profile, Friend Page, or Interested People List behaviour.

Mock weather information is displayed on both the Home Page and the Check-in page. The Home Page weather display remains a frozen Sprint 2 feature, while the Check-in weather display is the Sprint 3 increment.

1.1 Visibility Matrix

Information Type	Owner	Established Friend	Non-friend
Public information in the existing Profile	Visible	Visible	Visible
Friends-only information	Visible	Visible	Not visible
Private information	Visible	Not visible	Not visible
Public Interested event	Visible	Visible	Visible
Friends-only Interested event	Visible	Visible	Not visible
Private Interested event	Visible	Not visible	Not visible

This matrix summarises the approved visibility rules. “Public information in the existing Profile” does not represent a separate Public Profile module. An Established Friend is a user with whom a friendship has been established through an accepted Friend Request.

1.2 UI Screen Mapping

Requirement Area	UI Screen
Friend Recommendation	People You May Want to Know card
Profile Visibility	Existing Profile viewer / Profile Settings
Friend Request	Friend Request page / notification
Friend Page	Friend Page with single-category filters
Event Interested Social Layer	Updated Event Details
Interested People List	Interested People List
Weather Display	Home Page weather display / Check-in page weather block

The UI Screen Mapping identifies where the approved requirements are represented in the Sprint 3 prototype. It does not prescribe detailed layout, component type, notification channel, implementation method, or technical architecture.

ID Registry

Sprint 3 User Stories

- **S3-US01** — View Mock Weather on Check-in
- **S3-US02** — View Friend Recommendations and Recommendation Reasons
- **S3-US03** — View Another User's Existing Profile
- **S3-US04** — Send Friend Request
- **S3-US05** — Receive and Respond to Friend Requests
- **S3-US06** — View and Filter Friend Page
- **S3-US07** — Manage Profile Visibility
- **S3-US08** — View Event Interested Counts and Preview
- **S3-US09** — View Interested People List and Profiles

New Sprint 3 Use Cases

- **S3-UC01** — View Friend Recommendations
- **S3-UC02** — Send Friend Request
- **S3-UC03** — View and Respond to Friend Requests
- **S3-UC04** — View and Filter Friend Page

- **S3-UC05** — View Interested People for an Event

Existing Feature / Use Case Modifications

- **S2-UC10** — Perform Check-in: mock weather display extension
- **S2-UC23** — View Event Details: interested social-layer extension
- **Existing Profile feature / Use Case.**: permission-based viewing and visibility extension

Sprint 3 FR/NFR Prefixes

- **S3-CW** — Check-in Weather Extension
- **S3-REC** — Friend Recommendation
- **S3-PV** — Profile Visibility Extension, including **S3-PV-FR8** for the information-unavailable or no-permission state
- **S3-FRQ** — Friend Request
- **S3-FP** — Friend Page
- **S3-EIS** — Event Interested Social Layer

Additional Sprint 3 Business Rule and Scope Note IDs

- **S3-BR19** — Single-category Friend Page filtering
 - **S3-SN11** — Combined Friend Page filtering exclusion
-

2. Incremental User Stories and Acceptance Criteria

S3-US01 — View Mock Weather on Check-in

User Story

As a user, I want to view mock weather information on the Check-in page so that weather context is visible while I complete a Check-in.

Acceptance Criteria

- **S3-US01-AC1**: The Check-in page shall display mock weather information.
 - **S3-US01-AC2**: The weather display shall not change the existing note, mood, approximate-location consent, visibility, save, or success behaviour of Check-in.
 - **S3-US01-AC3**: Viewing weather on the Check-in page shall not require precise location, live GPS, continuous tracking, or background tracking.
-

S3-US02 — View Friend Recommendations and Recommendation Reasons

User Story

As a user, I want to view People You May Want to Know with understandable reasons so that I can identify people I may wish to add as friends.

Acceptance Criteria

- **S3-US02-AC1**: The system shall display available friend recommendations as recommendation cards.
 - **S3-US02-AC2**: A recommendation shall use one or more of the following confirmed factors only: same interests, user-permitted approximate region, and shared event interest.
 - **S3-US02-AC3**: Each recommendation card shall display an avatar, name, recommendation reason, Detail action, and Add Friend action.
 - **S3-US02-AC4**: The recommendation reason shall correspond to at least one factor actually used for that recommendation.
 - **S3-US02-AC5**: Detail shall open the recommended user's existing Profile in the applicable permission-based viewer state.
 - **S3-US02-AC6**: Add Friend shall start the Send Friend Request flow.
 - **S3-US02-AC7**: If no permitted recommendation is available, the system shall display a user-visible no-recommendations state.
-

S3-US03 — View Another User's Existing Profile

User Story

As a user, I want to open another user's existing Profile and view only permitted information so that Profile privacy is respected.

Acceptance Criteria

- **S3-US03-AC1**: Recommendation card Detail, Friend Page profile entry, Interested People List profile entry, and Friend Request sender profile entry shall open the same existing Profile.
- **S3-US03-AC2**: The Profile owner shall be able to view all of their own Profile information.
- **S3-US03-AC3**: A friend shall be able to view information set to Public or Friends-only.
- **S3-US03-AC4**: A non-friend shall be able to view only information set to Public.
- **S3-US03-AC5**: Private information and other information not permitted for the current viewer shall not be displayed.

- **S3-US03-AC6**: If no Profile information is available to the current viewer under the applicable visibility settings, the system shall display a user-visible information-unavailable or no-permission state without revealing restricted information.

Scope Note

- A UI label such as Public Profile represents the existing Profile in a permission-based viewer state and does not create a separate Profile or management module.
-

S3-US04 — Send Friend Request

User Story

As a user, I want to send a Friend Request from a recommendation card or another user's Profile so that the other user can decide whether to become my friend.

Acceptance Criteria

- **S3-US04-AC1**: The user shall be able to send a Friend Request from a recommendation card where Add Friend is available.
 - **S3-US04-AC2**: The user shall be able to send a Friend Request from another user's existing Profile where Add Friend is available.
 - **S3-US04-AC3**: After the request is sent, the system shall display a user-visible sent result.
 - **S3-US04-AC4**: Sending a Friend Request shall not establish a friendship unless the receiver accepts the Friend Request.
-

S3-US05 — Receive and Respond to Friend Requests

User Story

As a user, I want to view received Friend Requests and accept or decline them so that I can control who becomes my friend.

Acceptance Criteria

- **S3-US05-AC1**: The user shall be able to access received Friend Requests through the Sprint 3 Friend Request page or notification entry.
- **S3-US05-AC2**: The user shall be able to open the sender's existing Profile from a received request.
- **S3-US05-AC3**: The receiver shall be able to select Accept or Decline.
- **S3-US05-AC4**: Accept shall establish a friendship between the sender and receiver.

- **S3-US05-AC5**: After acceptance, each user may view Friends-only information permitted by the other user's existing visibility settings.
 - **S3-US05-AC6**: Accept shall not change either user's Private, Friends-only, or Public settings.
 - **S3-US05-AC7**: Decline shall not establish a friendship and shall not create a block, report, or other relationship state.
-

S3-US06 — View and Filter Friend Page

User Story

As a user, I want to view my Friend Page and apply one supported filter category at a time so that I can find existing friends based on confirmed activity states.

Acceptance Criteria

- **S3-US06-AC1**: The Friend Page shall display the user's existing friends through Friend Cards.

OUTDATED — Superseded by Sprint 4.5, Modified Existing Use Cases S3-UC04 and Removed Items, and S5-FR10–S5-FR12. Retained for historical traceability. Current rule: the independent Booked externally Friend Page filter and user-visible presentation are removed; Going is the unified user-visible term.

- **S3-US06-AC2**: The Friend Page shall support filters for Check-in state, mood, interested event, and Booked externally activity, and the Sprint 3 prototype shall allow the user to apply one supported filter category at a time.
 - **S3-US06-AC3**: A Friend Card shall display only information that the current user is permitted to view.
 - **S3-US06-AC4**: The user shall be able to open a friend's existing Profile from the Friend Page.
 - **S3-US06-AC5**: If no friend matches the applied filter, the system shall display a user-visible empty state.
-

S3-US07 — Manage Profile Visibility

User Story

As a user, I want to set my existing Profile information to Private, Friends-only, or Public so that I can control who can view it.

Acceptance Criteria

- **S3-US07-AC1**: The existing Profile visibility control shall support Private, Friends-only, and Public.

- **S3-US07-AC2**: The user shall manage these states through the existing Profile or Profile Settings.
- **S3-US07-AC3**: Private information shall be visible only to the information owner.
- **S3-US07-AC4**: Friends-only information shall be visible to the owner and established friends, but not to non-friends.
- **S3-US07-AC5**: Public information shall be visible to the owner, friends, and non-friends.
- **S3-US07-AC6**: Supported interested-event information shall follow the applicable existing Profile visibility setting.

Scope Note

- No separate per-event visibility selector is introduced in Sprint 3.
-

S3-US08 — View Event Interested Counts and Preview

User Story

As a user, I want to view permission-filtered interested counts and an interested-user preview on Event Details so that I can understand visible social interest in the event.

Acceptance Criteria

- **S3-US08-AC1**: Event Details shall display total interested, friends interested, and other interested counts.
 - **S3-US08-AC2**: Total interested shall equal all Interested users visible to the current viewer.
 - **S3-US08-AC3**: Friends interested shall equal visible Interested users who have an established friendship with the current viewer.
 - **S3-US08-AC4**: Other interested shall equal the remaining visible Interested users.
 - **S3-US08-AC5**: When at least five Interested users are visible to the current viewer, Event Details shall display exactly five visible users in the default preview.
 - **S3-US08-AC6**: When fewer than five Interested users are visible to the current viewer, Event Details shall display all visible users in the default preview.
 - **S3-US08-AC7**: Visible friends shall be displayed before other visible users in the preview.
 - **S3-US08-AC8**: Users whose Interested activity is not visible to the current viewer shall not be identified, used to complete the five-user preview, or included in the current viewer's counts.
-

S3-US09 — View Interested People List and Profiles

User Story

As a user, I want to open a complete visible Interested People List and view permitted Profiles so that I can explore people who are visibly interested in an event.

Acceptance Criteria

- **S3-US09-AC1**: Event Details shall provide an accessible entry to the Interested People List.
- **S3-US09-AC2**: The list shall contain all Interested users visible to the current viewer.
- **S3-US09-AC3**: Visible friends shall appear before other visible users.
- **S3-US09-AC4**: The user shall be able to open a listed user’s existing Profile.
- **S3-US09-AC5**: The opened Profile shall display Public information to a non-friend and Public and Friends-only information to an established friend. Private information shall not be displayed.
- **S3-US09-AC6**: If no Interested user is visible, the system shall display a user-visible empty state.
- **S3-US09-AC7**: An unauthorised user shall not appear in the list and shall not be exposed through the list’s visible results.

3. Incremental Use Case List

Use Case ID / Reference	Use Case Name	Change Type	Related User Stories	Increment Summary
S2-UC10	Perform Check-in	Modified Existing	S3-US01	Add mock weather information display to the existing Check-in page without changing the frozen Check-in process.
S3-UC01	View Friend Recommendations	New	S3-US02	View People You May Want to Know, grounded reasons, Detail, and Add Friend actions.

Existing Profile feature / Use Case.	View and Manage Existing Profile under Permission-based Visibility	Modified Existing	S3-US03 ; S3-US07 ; S3-US09	Add Public visibility, apply owner, friend, and non-friend viewer states to the same existing Profile, and provide a user-visible information-unavailable or no-permission state when no Profile information is permitted.
--------------------------------------	--	-------------------	-----------------------------	--

S3-UC02	Send Friend Request	New	S3-US04	Send a Friend Request from a recommendation card or another user's Profile without establishing a friendship unless the receiver accepts it.
---------	---------------------	-----	---------	--

S3-UC03	View and Respond to Friend Requests	New	S3-US05	View received requests, open the sender Profile, and Accept or Decline.
---------	-------------------------------------	-----	---------	---

OUTDATED — Superseded by Sprint 4.5, Modified Existing Use Cases S3-UC04 and Removed Items, and S5-FR10–S5-FR12. Retained for historical traceability. Current rule: the independent Booked externally Friend Page filter and user-visible presentation are removed; Going is the unified user-visible term.

S3-UC04	View and Filter Friend Page	New	S3-US06	View existing friends and apply one supported Check-in state, mood, interested-event, or Booked externally activity filter category at a time.
---------	-----------------------------	-----	---------	--

S2-UC23	View Event Details	Modified Existing	S3-US08	Add visible interested counts and a default preview that shows exactly five visible Interested users when at least five are available, or all visible users when fewer than five are available.
S3-UC05	View Interested People for an Event	New	S3-US09	Open the complete permission-filtered Interested People List and existing Profiles.

4. Incremental Detailed Use Case Specifications

S2-UC10 — Perform Check-in: Weather Display Modification

Change Type: Modified Existing

Primary Actor: User

Supporting Actor: None

Preconditions

- The user has opened the existing Check-in page.

Trigger

- The Check-in page is displayed.

Main Flow

1. The system displays the frozen Sprint 2 Check-in fields and controls.
2. The system displays mock weather information on the Check-in page.
3. The user views the weather information while completing the existing Check-in flow.

Alternative Flows

None.

Postconditions

- Mock weather information is visible on the Check-in page.

- No existing Check-in information, visibility setting, or saved Check-in is modified by viewing the weather display.

Scope Notes

- This modification does not change the frozen Check-in flow.
 - It does not define real weather API access, automatic weather updates, weather forecasts, precise location, live GPS, continuous tracking, or background tracking.
 - The specific weather fields and visual presentation are not defined.
-

S3-UC01 — View Friend Recommendations

Change Type: New

Primary Actor: User

Supporting Actor: None

Preconditions

- The user is signed in.
- The user can access the People You May Want to Know section.

Trigger

- The user opens People You May Want to Know.

Main Flow

1. The system identifies recommendations using one or more of the confirmed permitted factors only.
2. The system displays recommendation cards.
3. Each card displays an avatar, name, grounded recommendation reason, Detail action, and Add Friend action.
4. The user reviews the recommendation and its reason.
5. The user may open Detail or select Add Friend.

Alternative Flows

1 — No Recommendations

1. No permitted recommendation is available.
2. The system displays a user-visible no-recommendations state.

Postconditions

- The user can review available recommendations and grounded reasons.
- Viewing recommendations does not establish a friendship.

Scope Notes

- A recommendation may use one or more of the following confirmed factors only: same interests, user-permitted approximate region, and shared event interest.
 - Approximate-region acquisition or storage is not defined.
 - No factor weighting, ranking score, compatibility score, similarity percentage, hidden factor, personality matching, behavioural profiling, mental-health inference, or algorithm implementation is included.
-

Existing Profile feature / Use Case.

Use Case Name: View and Manage Existing Profile under Permission-based Visibility

Change Type: Modified Existing

Primary Actor: User

Supporting Actor: None

Preconditions

- The existing Profile is available.
- The current viewer is the owner, an established friend, or a non-friend.

Trigger

- The viewer opens the Profile through a confirmed Profile entry point, or the owner opens the existing Profile visibility controls.

Main Flow

1. The system opens the same existing Profile.
2. The system determines whether the viewer is the owner, a friend, or a non-friend.
3. The system applies the relevant permission-based viewer state.
4. The system displays only information permitted for that viewer.
5. When the owner manages visibility, the system provides Private, Friends-only, and Public as available states.
6. The system applies the selected visibility to supported Profile information, including supported interested-event information.

Alternative Flows

1 — Owner Viewer State

- The owner can view all of their own Profile information.

2 — Friend Viewer State

- A friend can view Public and Friends-only information.
- Private information remains hidden.

3 — Non-friend Viewer State

- A non-friend can view Public information only.
- Friends-only and Private information remain hidden.

4 — No Profile Information Available

1. No Profile information is permitted for the current viewer.
2. The system displays a user-visible information-unavailable or no-permission state without revealing restricted information.

Postconditions

- The existing Profile is displayed according to the applicable viewer permissions.
- If no Profile information is permitted, an information-unavailable or no-permission state is displayed without revealing restricted information.
- Any visibility change selected by the owner is applied to supported Profile information.

Scope Notes

- This feature / Use Case reference is linked to the previously approved Profile source, not to the frozen Sprint 2 Use Case List.
 - Public is a third visibility state of the existing Profile.
 - Public Profile is not a separate Profile, editor, database, or management module.
 - All confirmed Profile entry points open the same existing Profile.
 - No per-event independent visibility selector is created.
 - The information-unavailable or no-permission state does not define a specific layout, error code, button, exact wording, or navigation behaviour.
-

S3-UC02 — Send Friend Request

Change Type: New

Primary Actor: User / Request Sender

Supporting Actor: None

Preconditions

- An Add Friend action is available for a target user on a recommendation card or the target user's existing Profile.

Trigger

- The request sender selects Add Friend.

Main Flow

1. The request sender selects Add Friend.
2. The system sends a Friend Request to the target user.
3. The system displays a user-visible sent result.

4. No friendship is established unless the receiver accepts the Friend Request.

Alternative Flows

None.

Postconditions

- A Friend Request has been sent to the request receiver.
- No friendship is established unless the receiver accepts the Friend Request.

Scope Notes

- The request receiver is affected by the sent request but does not directly interact with the system during this Use Case.
 - Cancel, withdraw, expiry, re-send, duplicate-request handling, block, and report are not included.
-

S3-UC03 — View and Respond to Friend Requests

Change Type: New

Primary Actor: Request Receiver

Supporting Actor: None

Preconditions

- A request sender has sent a Friend Request to the receiver.
- The receiver has at least one received Friend Request.

Trigger

- The receiver opens a Friend Request through the Friend Request page or notification entry.

Main Flow

1. The system displays the received request.
2. The receiver reviews the request.
3. The receiver may open the request sender's existing Profile.
4. The system displays the sender's Profile according to the receiver's current permissions.
5. The receiver selects Accept or Decline.

Alternative Flows

1 — Accept

1. The receiver selects Accept.

2. The system establishes a friendship between the request sender and receiver.
3. Friends-only information becomes available according to each user's existing visibility settings.
4. Existing Private, Friends-only, and Public settings remain unchanged.

2 — Decline

1. The receiver selects Decline.
2. The system does not establish a friendship.
3. No block, report, or other relationship state is created.

Postconditions

- Accept establishes a friendship between the request sender and receiver.
- Decline leaves the users without an established friendship.
- Existing visibility settings are not changed by either response.

Scope Notes

- The request sender does not directly interact with the system during the receiver's Accept or Decline flow.
- The specific notification channel and UI layout are not defined.
- Cancel, withdraw, expiry, re-send, duplicate-request handling, block, and report are not included.

S3-UC04 — View and Filter Friend Page

Change Type: New

Primary Actor: User

Supporting Actor: None

Preconditions

- The user can access the Friend Page.

Trigger

- The user opens the Friend Page.

Main Flow

1. The system displays the user's existing friends through Friend Cards.
2. The user selects one supported Friend Page filter category.

OUTDATED — Superseded by Sprint 4.5, Modified Existing Use Cases S3-UC04 and Removed Items, and S5-FR10–S5-FR12. Retained for historical traceability. Current rule: the independent Booked externally Friend Page filter and user-visible presentation are removed; Going is the unified user-visible term.

3. The system applies the selected Check-in state, mood, interested-event, or Booked externally activity filter.

4. The system displays matching Friend Cards using only information permitted for the current user.
5. The user may open a friend's existing Profile.

Alternative Flows

1 — No Matching Friends

1. No friend matches the applied filter.
2. The system displays a user-visible empty state.

Postconditions

- The user can review existing friends matching the applied filter.
- Viewing or filtering the Friend Page does not change friendship or visibility settings.

Scope Notes

- The Sprint 3 prototype allows one supported Friend Page filter category to be applied at a time.
 - Combined filtering is out of scope for Sprint 3.
 - No multi-select filtering, AND/OR filtering, filter priority, filter combinations, saved filters, filter history, sorting algorithm, card layout, or filter-control type is defined.
 - Delete friend, block, report, private message, and group invite are not included.
-

S2-UC23 — View Event Details: Interested Social-layer Modification

Change Type: Modified Existing

Primary Actor: User

Supporting Actor: None

Preconditions

- The user has opened the existing Event Details page.
- Interested-user information may or may not be visible to the current viewer under the applicable visibility rules.

Trigger

- Event Details is displayed.

Main Flow

1. The system identifies Interested users visible to the current viewer.
2. The system displays total interested, friends interested, and other interested counts based only on visible users.
3. When at least five Interested users are visible, the system selects exactly five visible users for the default preview.

4. When fewer than five Interested users are visible, the system selects all visible users for the default preview.
5. Visible friends are displayed before other visible users.
6. Invisible users are not used to complete the five-user preview.
7. The user may open the Interested People List entry.

Alternative Flows

1 — No Visible Interested Users

1. No Interested user is visible to the current viewer.
2. The counts display no visible Interested users.
3. The preview does not display an unauthorised identity.

2 — Fewer Than Five Visible Users

1. Fewer than five Interested users are visible.
2. The preview displays all visible users.
3. The system does not use unauthorised users to complete the preview.

Postconditions

- When at least five Interested users are visible, the current viewer sees exactly five visible users in the default preview.
- When fewer than five Interested users are visible, the current viewer sees all visible users in the default preview.
- Visible friends appear before other visible users.
- No invisible Interested user is identified or included in viewer-visible counts or previews.

Scope Notes

- Total interested means all Interested users visible to the current viewer.
- Friends interested means visible Interested users who are established friends of the current viewer.
- Other interested means the remaining visible Interested users.
- Private Interested activity is not visible to other users.
- Friends-only Interested activity is visible only to established friends.
- No specific layout, carousel, animation, avatar arrangement, or entry-control type is defined.

S3-UC05 — View Interested People for an Event

Change Type: New

Primary Actor: User

Supporting Actor: None

Preconditions

- The user has opened Event Details.
- The Interested People List entry is available.

Trigger

- The user opens the Interested People List.

Main Flow

1. The system identifies all Interested users visible to the current viewer.
2. The system places visible friends at the top of the list.
3. The system places other visible users after friends.
4. The system displays the complete permission-filtered list.
5. The user selects a visible person.
6. The system opens that person's existing Profile in the applicable permission-based viewer state.

Alternative Flows

1 — No Visible Interested Users

1. No Interested user is visible.
2. The system displays a user-visible empty state.

Postconditions

- The user can view all visible Interested users for the event.
- When a listed Profile is opened by a non-friend, only Public information is displayed.
- When a listed Profile is opened by an established friend, Public and Friends-only information may be displayed.
- Private information is not displayed to another user.
- If no Profile information is permitted for the current viewer, the existing Profile flow displays a user-visible information-unavailable or no-permission state without revealing restricted information.

Scope Notes

- The list does not display unauthorised users.
- Friends are placed before other visible users.
- The opened Profile is the existing Profile, not a separate Public Profile module.

5. Incremental FR/NFR

1. Check-in Weather Extension

Functional Requirements

S3-CW-FR1

The existing Check-in page shall display mock weather information.

S3-CW-FR2

The mock weather display shall not change the existing Check-in note, mood, location-consent, visibility, save, or success behaviour.

Non-Functional Requirements

S3-CW-NFR1

The mock weather information should be clear and readable on the Check-in page.

S3-CW-NFR2

The Check-in weather extension shall not require precise location, live GPS, continuous tracking, or background tracking.

Scope Note

The extension does not use a real weather API, automatic weather updates, or weather forecasts. Specific weather fields and visual styles are not defined.

2. Friend Recommendation

Functional Requirements

S3-REC-FR1

The system shall provide People You May Want to Know.

S3-REC-FR2

Friend recommendations shall use one or more of the following confirmed factors only: same interests, user-permitted approximate region, and shared event interest.

S3-REC-FR3

The system shall use a recommendation factor only when the relevant data is permitted for that use.

S3-REC-FR4

Each recommendation card shall display an avatar, name, recommendation reason, Detail action, and Add Friend action.

S3-REC-FR5

The system shall provide a recommendation reason that corresponds to an actual factor used for the recommendation.

S3-REC-FR6

Detail shall open the recommended user's existing Profile in the applicable permission-based viewer state.

S3-REC-FR7

If no permitted recommendation is available, the system shall display a user-visible no-recommendations state.

Non-Functional Requirements

S3-REC-NFR1

Recommendation reasons should be clear and understandable.

S3-REC-NFR2

Friend recommendation shall not expose unpermitted Profile, interested-event, or location information.

Scope Note

Factor weighting, ranking scores, compatibility scores, similarity percentages, hidden factors, personality matching, behavioural profiling, mental-health inference, and recommendation-algorithm implementation are outside scope.

3. Profile Visibility Extension

Functional Requirements

S3-PV-FR1

The existing Profile visibility control shall support Private, Friends-only, and Public.

S3-PV-FR2

The owner shall manage the three visibility states through the existing Profile or Profile Settings.

S3-PV-FR3

Private information shall be visible only to the information owner.

S3-PV-FR4

Friends-only information shall be visible to the owner and established friends, but not to non-friends.

S3-PV-FR5

Public information shall be visible to the owner, friends, and non-friends.

S3-PV-FR6

Recommendation card Detail, Friend Page profile entry, Interested People List profile entry, and Friend Request sender profile entry shall open the same existing Profile.

S3-PV-FR7

Supported interested-event information shall follow the applicable existing Profile visibility setting.

S3-PV-FR8

If no Profile information is permitted for the current viewer, the system shall display a user-visible information-unavailable or no-permission state without revealing restricted information.

Non-Functional Requirements

S3-PV-NFR1

The permission-based Profile viewer state shall not reveal information that the current viewer is not permitted to access.

Scope Note

- **Existing Profile feature / Use Case.** refers to the previously approved Profile source and not to a frozen Sprint 2 Profile Use Case.
- Public Profile is the existing Profile shown in a permission-based viewer state.
- No separate Profile, editor, database, management module, or per-event visibility selector is created.
- The information-unavailable or no-permission state does not prescribe a page layout, error code, button, exact wording, or navigation behaviour.

4. Friend Request

Functional Requirements

S3-FRQ-FR1

The user shall be able to send a Friend Request from a recommendation card.

S3-FRQ-FR2

The user shall be able to send a Friend Request from another user's existing Profile.

S3-FRQ-FR3

After a Friend Request is sent, the system shall display a user-visible sent result.

S3-FRQ-FR4

Sending a Friend Request shall not establish a friendship unless the receiver accepts the Friend Request.

S3-FRQ-FR5

The receiver shall be able to access received Friend Requests through the Sprint 3 Friend Request page or notification entry.

S3-FRQ-FR6

The receiver shall be able to open the sender's existing Profile.

S3-FRQ-FR7

The receiver shall be able to accept a received Friend Request, and acceptance shall establish a friendship without changing either user's existing visibility settings.

S3-FRQ-FR8

The receiver shall be able to decline a received Friend Request, and declining shall not establish a friendship or create a block, report, or other relationship state.

Non-Functional Requirements

S3-FRQ-NFR1

Send, Accept, and Decline results should be clear to the user performing the action.

Scope Note

Cancel, withdraw, expiry, re-send, duplicate-request handling, delete friend, block, and report are outside scope.

5. Friend Page

Functional Requirements

S3-FP-FR1

The Friend Page shall display the user's existing friends through Friend Cards.

S3-FP-FR2

OUTDATED — Superseded by Sprint 4.5, Modified Existing Use Cases S3-UC04 and Removed Items, and S5-FR10–S5-FR12. Retained for historical traceability. Current rule: the independent Booked externally Friend Page filter and user-visible presentation are removed; Going is the unified user-visible term.

The Sprint 3 prototype shall allow the user to apply one supported Friend Page filter category at a time. The supported categories are Check-in state, mood, interested event, and Booked externally activity. Combined filtering is out of scope for Sprint 3.

S3-FP-FR3

Friend Cards shall display only information permitted for the current user.

S3-FP-FR4

The user shall be able to open a friend's existing Profile from the Friend Page.

S3-FP-FR5

If no friend matches the applied filter, the system shall display a user-visible empty state.

Non-Functional Requirements

S3-FP-NFR1

Friend Page information and filter results should be clear and understandable.

Scope Note

- Only one supported Friend Page filter category can be applied at a time in the Sprint 3 prototype.
- Combined filtering is out of scope for Sprint 3.
- No multi-select filtering, AND/OR filtering, filter priority, filter combinations, saved filters, filter history, sorting algorithm, card layout, filter-control type, delete friend, block, report, private message, or group invite is defined.

6. Event Interested Social Layer

Functional Requirements

S3-EIS-FR1

Event Details shall display total interested, friends interested, and other interested counts based only on Interested users visible to the current viewer.

S3-EIS-FR2

Total interested shall equal all Interested users visible to the current viewer.

S3-EIS-FR3

Friends interested shall equal visible Interested users who are established friends of the current viewer.

S3-EIS-FR4

Other interested shall equal the remaining visible Interested users.

S3-EIS-FR5

When at least five Interested users are visible to the current viewer, Event Details shall display exactly five visible users in the default preview, with visible friends before other visible users.

S3-EIS-FR6

When fewer than five Interested users are visible to the current viewer, Event Details shall display all visible users in the default preview and shall not use unauthorised users to complete the preview.

S3-EIS-FR7

Event Details shall provide an accessible entry to a complete Interested People List.

S3-EIS-FR8

The Interested People List shall display all visible Interested users, with visible friends before other visible users.

S3-EIS-FR9

The user shall be able to open a listed user's existing Profile in the applicable permission-based viewer state.

S3-EIS-FR10

Interested users who are not visible to the current viewer shall not be identified, displayed, or included in current-viewer-visible counts.

Non-Functional Requirements

S3-EIS-NFR1

Interested counts, preview information, and list results should be clearly distinguishable and understandable.

S3-EIS-NFR2

The Event Interested Social Layer shall not reveal Private or non-permitted Friends-only identities through counts, previews, or lists.

Scope Note

No specific button, layout, carousel, avatar arrangement, animation, or independent per-event visibility selector is defined.

6. Business Rules and Scope Notes

Business Rules

- **S3-BR01**: Public is the third visibility state of the existing Profile, alongside Private and Friends-only.
- **S3-BR02**: Public Profile is the existing Profile in a permission-based viewer state, not a separate Profile or management module.
- **S3-BR03**: All confirmed Profile entry points open the same existing Profile.
- **S3-BR04**: A Friend Request establishes a friendship only after the receiver selects Accept.
- **S3-BR05**: Friend recommendation may use one or more of only the following confirmed factors: same interests, user-permitted approximate region, and shared event interest.
- **S3-BR06**: Each recommendation reason must correspond to a factor actually used for that recommendation.
- **S3-BR07**: Interested counts are calculated only from users visible to the current viewer.
- **S3-BR08**: When at least five Interested users are visible, Event Details displays exactly five visible users in the default preview. When fewer than five are visible, it displays all visible users.
- **S3-BR09**: Visible friends appear before other visible users in the Event Details preview.
- **S3-BR10**: Visible friends appear at the top of the full Interested People List.
- **S3-BR11**: Friends Activity remains frozen and unchanged in Sprint 3.
- **S3-BR12**: Mock weather information is displayed on both the Home Page and the Check-in page. The Home Page weather display remains a frozen Sprint 2 feature, while the Check-in weather display is the Sprint 3 increment.
- **S3-BR13**: The Sprint 3 weather extension does not use live GPS or a real weather API.
- **S3-BR14**: Interested-event information follows the applicable existing Profile visibility setting.
- **S3-BR15**: Private Interested activity is not identified, displayed, or included in counts for another viewer.

- **S3-BR16:** Friends-only Interested activity is visible only to the owner and established friends.
- **S3-BR17:** Public Interested activity is visible to all users and may be used as a permitted shared-event-interest recommendation factor.
- **S3-BR18:** If no Profile information is permitted for the current viewer, the system displays a user-visible information-unavailable or no-permission state without revealing restricted information.
- **S3-BR19:** The Sprint 3 prototype shall allow the user to apply one supported Friend Page filter category at a time.

Scope Notes

- **S3-SN01:** Approximate-region acquisition and storage are not defined.
- **S3-SN02:** No independent per-event visibility selector is added.
- **S3-SN03:** Friend deletion, block, report, request cancellation, withdrawal, expiry, re-send, and duplicate-request handling are excluded.
- **S3-SN04:** Factor weighting, ranking scores, compatibility scores, similarity percentages, personality matching, hidden factors, profiling, confidence scores, and recommendation-algorithm implementation are excluded.
- **S3-SN05:** UI layouts, components, button styles, card arrangements, animations, and wireframes are not defined.
- **S3-SN06:** AI Assistant Customize artifacts, UAT, ERD, code, API implementation, and database design are outside this Member B incremental package.
- **S3-SN07:** Friends Activity does not receive Public visibility, Friend Page, or Interested People List extensions in Sprint 3.
- **S3-SN08:** The frozen Sprint 2 Check-in location boundary remains unchanged.
- **S3-SN09: Existing Profile feature / Use Case.** refers to the previously approved Profile source. No Profile Use Case ID is inferred from the frozen Sprint 2 Use Case List.
- **S3-SN10:** The Profile information-unavailable or no-permission state does not define a page layout, error code, button, exact wording, or navigation behaviour.
- **S3-SN11:** Combined Friend Page filtering, multi-select filtering, AND/OR filtering, filter priority, filter combinations, saved filters, and filter history are outside the Sprint 3 scope.

7. Traceability Matrix

User Story ID	Acceptance Criteria	Use Case ID / Reference	FR/NFR IDs	Related Sprint 3 Area
---------------	---------------------	-------------------------	------------	-----------------------

S3-US 01	S3-US01-AC 1-AC3	S2-UC10 modification	S3-CW-FR1; S3-CW-FR2; S3-CW-NFR1; S3-CW-NFR2	Check-in Weather Extension
S3-US 02	S3-US02-AC 1-AC7	S3-UC01	S3-REC-FR1-S 3-REC-FR7; S3-REC-NFR1; S3-REC-NFR2	Friend Recommendation
S3-US 03	S3-US03-AC 1-AC6	Existing Profile feature / Use Case.	S3-PV-FR3-S3- PV-FR6; S3-PV-FR8; S3-PV-NFR1	Profile Viewer State
S3-US 04	S3-US04-AC 1-AC4	S3-UC02	S3-FRQ-FR1-S 3-FRQ-FR4; S3-FRQ-NFR1	Send Friend Request
S3-US 05	S3-US05-AC 1-AC7	S3-UC03	S3-FRQ-FR5-S 3-FRQ-FR8; S3-FRQ-NFR1	Receive and Respond to Friend Requests
S3-US 06	S3-US06-AC 1-AC5	S3-UC04	S3-FP-FR1-S3- FP-FR5; S3-FP-NFR1	Friend Page
S3-US 07	S3-US07-AC 1-AC6	Existing Profile feature / Use Case.	S3-PV-FR1-S3- PV-FR7; S3-PV-NFR1	Profile Visibility Extension
S3-US 08	S3-US08-AC 1-AC8	S2-UC23 modification	S3-EIS-FR1-S3 -EIS-FR7; S3-EIS-FR10; S3-EIS-NFR1; S3-EIS-NFR2	Event Details Social Layer

S3-US 09	S3-US09-AC 1-AC7	S3-UC05; Existing Profile feature / Use Case.	S3-EIS-FR7-S3 -EIS-FR10; S3-PV-FR6; S3-PV-FR8; S3-PV-NFR1	Interested People List
-------------	---------------------	---	---	------------------------

8. AI/UI Handoff Notes

AI Handoff

- Friend recommendation may use one or more of the following confirmed factors only: same interests, user-permitted approximate region, and shared event interest.
- A recommendation factor may be used only when the relevant data is permitted for that use.
- The requirements do not require all three recommendation factors to be satisfied for each recommendation.
- Approximate region must not be interpreted as precise location, live GPS, Check-in location history, continuous location, or background location.
- Shared event interest must be used only when the relevant interested-event information is visible under the applicable Profile visibility rules.
- Recommendation reasons must be grounded in an actual factor used for the recommendation.
- The AI implementation must not introduce additional factors, hidden factors, factor weighting, ranking scores, compatibility scores, similarity percentages, personality matching, behavioural profiling, mental-health inference, or confidence scores.
- No recommendation algorithm is specified by this package.

UI/UX Handoff

- All Profile entry points open the same existing Profile.
- **Existing Profile feature / Use Case.** refers to the previously approved Profile source and not to a frozen Sprint 2 Profile Use Case.
- Public is a third visibility state of the existing Profile.
- A screen labelled Public Profile is a permission-based viewer state, not a separate Profile or editor.
- No separate Public Profile editor or management module is required.
- The owner can view all of their own Profile information.
- An established friend can view Public and Friends-only information.
- A non-friend can view Public information only.
- Private information must not be displayed to another user.
- If no Profile information is permitted for the current viewer, the interface must display a user-visible information-unavailable or no-permission state without revealing restricted information.

- The information-unavailable or no-permission state must not reveal a restricted name, avatar, interest, region, event, Check-in, mood, or other restricted data.
- No specific page layout, exact wording, button, error code, or navigation behaviour is required for the information-unavailable or no-permission state.

OUTDATED — Superseded by Sprint 4.5, Modified Existing Use Cases S3-UC04 and Removed Items, and S5-FR10–S5-FR12. Retained for historical traceability. Current rule: the independent Booked externally Friend Page filter and user-visible presentation are removed; Going is the unified user-visible term.

- The Friend Page supports Check-in state, mood, interested event, and Booked externally activity filter categories.
- The Sprint 3 prototype shall allow the user to apply one supported Friend Page filter category at a time.
- Combined Friend Page filtering is out of scope for Sprint 3.
- When at least five Interested users are visible, Event Details displays exactly five visible users in the default preview.
- When fewer than five Interested users are visible, Event Details displays all visible users.
- Visible friends appear before other visible users in the default preview.
- Invisible users must not be used to complete the five-user preview.
- The full Interested People List also places visible friends before other visible users.
- Mock weather information is displayed on both the Home Page and the Check-in page.
- The Home Page weather display remains a frozen Sprint 2 feature, while the Check-in weather display is the Sprint 3 increment.
- The weather displays do not require a real weather API, weather forecasts, precise location, live GPS, continuous tracking, or background tracking.
- After sending a Friend Request, the Add Friend action may be shown as Request Sent in the prototype.
- No specific button, control, component, card layout, avatar arrangement, animation, carousel, or visual style is required.