

Sprint 1.5 + Early Sprint 2

Sprint 2 User Stories

Sprint 2 User Story Table

Story ID	Related PBI / Module	User Story	Acceptance Criteria	Priority
S2-U S1	Added Sprint 2 Scope – Account Registration; PBI ID Pending	As a new user, I want to register for an account using an approved registration method so that I can access the app.	The user can register using email and password, phone number and password, or username and password. Email or phone registration generates a unique default username that does not expose the registration identifier. The system validates the registration information. The user must accept the Terms and Conditions and Privacy Notice before the account is created.	High
S2-U S2	Added Sprint 2 Scope – Add Friend and Friendship; PBI ID Pending	As a user, I want to control how other users can discover my account so that I can balance social connection with privacy.	Username discovery is enabled by default. Email and phone discovery are disabled by default and can be enabled separately. Email and phone searches require an exact match. Search results do not reveal the full email address or phone number.	High

S2-U S3	Added Sprint 2 Scope – Add Friend and Friendship; PBI ID Pending	As a user, I want to search for a known user and send a friend request so that I can establish a confirmed friendship.	The user can search by exact username, email address, or phone number. Only permitted profile information is displayed. The user can send a friend request. The receiving user can accept or decline the request. A confirmed friendship is created only after acceptance.	High
------------	--	--	--	------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-U S4	Added Sprint 2 Scope – Add Friend and Friendship; PBI ID Pending	As a user, I want to manage unwanted or existing social connections so that I can control who can interact with me and view my Friends-only information.	The user can remove a confirmed friend, block another user, and report another user. Removing or blocking a friend revokes future Friends-only access and Trusted Friend permissions. A blocked user cannot send new friend requests or access the blocking user's Friends-only information. A submitted report is passed to the moderation process.	High
------------	--	--	---	------

OUTDATED — Superseded by Sprint 3, A1 Increment Scope Summary and S3-REC. Retained for historical traceability. Current rule: Friend Recommendation may use one or more of same interests, user-permitted approximate region, and shared event interest; the early identical-interest-only design is not authoritative.

S2-U S5	Added Sprint 2 Scope – Friend Recommendation; PBI ID Pending	As a user, I want to receive friend recommendations based on identical shared interests so that I can discover people with interests similar to mine.	A recommended user shares at least one identical interest tag with the current user. The recommendation displays permitted profile information, the identical shared interest, and a short recommendation reason. The user can send a friend request from the recommendation result.	High
------------	---	---	---	------

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

S2-U S6	S2-PBI-2 Check-in; S2-PBI-4 Mood / Activity Heatmap; S2-PBI-7 Privacy Boundary	As a user, I want to complete a Check-in that updates my Current Status so that I can record and optionally share my current note or mood.	A Check-in contains at least a note or a mood. The system records the timestamp. Each successful Check-in updates the user's Current Status. Only one Current Status can be active at a time. A new Check-in ends the previous status. The Current Status ends automatically after 24 hours and is Private by default.	High
------------	--	--	--	------

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

S2-U S7	S2-PBI-2 Check-in; S2-PBI-3 Check-in Map / Timeline; S2-PBI-4 Mood / Activity Heatmap	As a user, I want a monthly Check-in Calendar that records every successful Check-in so that I can review how often I checked in during the month.	Every successful Check-in creates a record for the corresponding calendar date. Multiple Check-ins on the same date each increase that date's Check-in count. The Calendar contains records for the current calendar month. A new monthly record begins when a new month starts. Deleting status content does not remove the Check-in record or reduce the Calendar count.	High
------------	---	--	---	------

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

S2-U S8	S2-PBI-2 Check-in; S2-PBI-3 Check-in Map / Timeline; S2-PBI-6 Friends Visibility; S2-PBI-7 Privacy Boundary	As a user, I want to manage my Check-in History and Calendar visibility so that I can review past activity and decide whether my friends can see my monthly Check-in record.	Ended, replaced, and expired status content is retained in the user's personal Status History for the current month. The user can delete status content without removing the corresponding Check-in count. Status History is Private by default. The Calendar is Private by default, and the user can make it visible to confirmed friends.	High
------------	--	--	--	------

S2-U S9	S2-PBI-3 Check-in Map / Timeline; S2-PBI-4 Mood / Activity Heatmap; S2-PBI-6 Friends Visibility; S2-PBI-7 Privacy Boundary	As a user, I want my permitted Check-in, mood, and activity information to appear in appropriate timeline and heatmap views so that I can review my activity and control what my friends can see.	Current-month Check-in records can support the user's personal timeline and mood/activity heatmap. The user can control whether confirmed friends can view permitted timeline entries or mood/activity information. Private or unauthorised information is not displayed.	Medium
S2-U S10	S2-PBI-5 Events	As a user, I want to view event recommendations related to my selected interests so that I can discover relevant activities.	The system displays an event list and event details. Recommended events contain approved interest tags that match the user's selected interests. Each recommendation displays a short explanation. Prototype event data may use approved third-party research or approved mock data.	High

S2-U S11	S2-PBI-5 Events; S2-PBI-6 Friends Visibility	As a user, I want to mark an event as Interested so that I can record my interest and help relevant friends discover the same event.	The user can add or remove an Interested status. When User A is Interested in an event, the event becomes available for recommendation to confirmed friends whose selected interests match the event tags. A friend-influenced recommendation displays a social reason. User A's Interested status is displayed only according to the applicable visibility setting.	High
S2-U S12	S2-PBI-5 Events	As a user, I want to open an external booking website from an event so that I can continue the booking process outside the app.	Event details can provide an approved external booking link. Selecting the link redirects the user to the external website. The app does not process booking or payment. Opening the external website is not presented as confirmation that a booking has been completed.	High

S2-U S13	S2-PBI-3 Check-in Map / Timeline; S2-PBI-6 Friends Visibility; S2-PBI-7 Privacy Boundary	As a user, I want to control which friends can view my status, Calendar, timeline, mood/activity information, event interests, and permitted location information so that my social activity remains private.	Private Current Status is not visible to other users. Friends-only information is displayed only to confirmed friends. Pending, removed, blocked, or unauthorised users cannot access Friends-only information. The user can control Calendar, timeline, mood/activity, event-interest, and friend-map visibility.	High
-------------	--	--	--	------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-U S14	S2-PBI-3 Check-in Map / Timeline; S2-PBI-7 Privacy Boundary	As a user, I want to share approximate or deliberately updated precise location with permitted friends so that I can control the level of location information they receive.	GPS access requires explicit consent. Approximate location is the default shared level. Only a confirmed friend can become a Trusted Friend. Trusted Friend precise-location permission does not expire automatically, but a new precise location is only received when the user deliberately shares it. The system does not provide real-time or continuous GPS tracking.	High
-------------	--	---	---	------

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

S2-U S15	S2-PBI-1 Home Page	As a user, I want to view a Home Dashboard that summarises my daily Check-in, relevant event suggestions, permitted Friends Activity, and a lightweight AI Assistant entry so that I can quickly access the app's main daily functions.	The Home Dashboard places the Today Check-in Card at the highest priority. It displays a greeting, the current date, available weather information, whether the user has checked in today, the number of successful Check-ins today, and a Check in now action. It displays event suggestions with basic event information, recommendation reasons, applicable Interested and View Details or external booking actions, and permitted friend Interested, Going, or Booked Externally information. It displays permitted recent friend Check-in text, mood, approximate location, date/time, and event activity. It provides a lightweight AI Assistant entry for activity suggestions, Check-in or mood suggestions, recommendation explanations, and social connection suggestions. It does not display precise or real-time friend location and does not include groups, group chat, internal discussion, private messaging, reporting, moderation flags, or administrator/moderator review.	High
-------------	-----------------------	---	--	------

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

S2-U S16	S2-PBI-5 Events; S2-PBI-6 Friends Visibility	As a user, I want to manually mark an event as Going or Booked Externally so that I can record my intended participation without requiring the app to verify or complete an external booking.	The user can mark an available event as Going or Booked Externally, change the current participation status, or remove it. The app identifies both statuses as manually declared and does not present them as verified booking completion. The status is displayed to confirmed friends only where the user's visibility setting permits it. After the status is changed or removed, the previous status is no longer displayed. The app does not process booking or payment.	High
-------------	--	---	---	------

Sprint 2 Use Case List

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

Account Registration, Friendship and Friend Recommendation

Use Case ID	Use Case Name	Related PBI / Module	Related User Story	Primary Actor	Supporting Actor	Brief Description	Diagram Level
S2-U-C01	Register Account	Added Sprint 2 Scope – Account Registration	S2-U-S1	New User	None	The new user creates an account using an approved registration method and accepts the Terms and Conditions and Privacy Notice.	Supplementary Diagram

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

S2-U-C02	Manage Account Discoverability	Added Sprint 2 Scope – Add Friend and Friendship	S2-U-S2	User	None	The user controls whether other users can discover the account through username, email address, or	Supplementary Diagram
----------	--------------------------------	--	---------	------	------	--	-----------------------

					phone number.		
S2 -U C0 3	Search for User	Added Sprint 2 Scope – Add Friend and Friendship	S2-U S3	User	None	The user searches for another account using an exact username, email address, or phone number.	Supplementary Diagram

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

S2 -U C0 4	Send Friend Request	Added Sprint 2 Scope – Add Friend and Friendship / Friend Recommendation	S2-U S3, S2-U S5	User	None	The user sends a friend request to a user found through search or Friend Recommendation.	Supplementary Diagram
---------------------	---------------------	--	---------------------------	------	------	--	-----------------------

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

S2 -U C0 5	Respond to Friend Request	Added Sprint 2 Scope – Add Friend and Friendship	S2-U S3	User acting as request recipient	None	The receiving user accepts or declines a friend request.	Supplementary Diagram
---------------------	---------------------------	--	------------	----------------------------------	------	--	-----------------------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2 -U C0 6	Remove Friend	Added Sprint 2 Scope – Add Friend and Friendship	S2-U S4	User	None	The user removes a confirmed friend and revokes that user's future Friends-only and Trusted Friend access.	Suppleme ntary Diagram
---------------------	------------------	--	------------	------	------	---	------------------------------

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

S2 -U C0 7	Block User	Added Sprint 2 Scope – Add Friend and Friendship	S2-U S4	User	None	The user blocks another user to prevent new friend requests and access to Friends-only information.	Suppleme ntary Diagram
---------------------	------------	--	------------	------	------	---	------------------------------

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

S2 -U C0 8	Report User	Added Sprint 2 Scope – Add Friend and Friendship	S2-U S4	User	None within Member B scope	The user submits a report about another user. Detailed moderation review is outside the current Member B scope.	Suppleme ntary Diagram
---------------------	-------------	--	------------	------	-------------------------------------	---	------------------------------

OUTDATED — Superseded by Sprint 3, A1 Increment Scope Summary and S3-REC. Retained for historical traceability. Current rule: Friend Recommendation may use one or more of same interests, user-permitted approximate region, and shared event interest; the early identical-interest-only design is not authoritative.

S2-UC09	View Friend Recommendations	Added Sprint 2 Scope – Friend Recommendation	S2-US5	User	None	The user views potential friends who share at least one identical interest tag and can send a friend request from the result.	Supplementary Diagram
---------	-----------------------------	--	--------	------	------	---	-----------------------

Check-in, Calendar, History, Timeline, Heatmap and Visibility

Use Case ID	Use Case Name	Related PBI / Module	Related User Story	Primary Actor	Supporting Actor	Brief Description	Diagram Level
-------------	---------------	----------------------	--------------------	---------------	------------------	-------------------	---------------

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

S2-UC10	Perform Check-in	S2-PBI-2 Check-in; S2-PBI-4 Mood / Activity Heatmap ; S2-PBI-7 Privacy Boundary	S2-US6, S2-US7	User	None	The user completes a Check-in using at least a note or mood. The system records the timestamp, updates the Current Status, and increases the monthly Calendar count.	Core
---------	------------------	---	----------------	------	------	--	------

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

S2-UC1 1	View Current Status	S2-PBI-2 Check-in	S2-US 6	User	None	The user views the currently active status, including its note or mood, timestamp, visibility, and active period.	Supporting
-------------	---------------------------	----------------------	------------	------	------	---	------------

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

S2-UC1 2	Delete Current Status	S2-PBI-2 Check-in; S2-PBI-7 Privacy Boundary	S2-US 6, S2-US 8	User	None	The user deletes the active status content before it expires without removing the corresponding Check-in Calendar record.	Supporting
-------------	-----------------------------	--	---------------------------	------	------	---	------------

S2-UC13	View Monthly Check-in Calendar	S2-PBI-2 Check-in; S2-PBI-3 Check-in Map / Timeline; S2-PBI-4 Mood / Activity Heatmap	S2-US 7, S2-US 8	User	None	The user views the current month's Check-in dates and the number of successful Check-ins recorded for each date.	Core
---------	--------------------------------	---	------------------	------	------	--	------

S2-UC14	View Current-Month Status History	S2-PBI-2 Check-in; S2-PBI-3 Check-in Map / Timeline	S2-US 8	User	None	The user views ended, replaced, or expired status content retained during the current calendar month.	Supporting
---------	-----------------------------------	---	---------	------	------	---	------------

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

S2-UC15	Delete Historical Status Content	S2-PBI-2 Check-in; S2-PBI-7 Privacy Boundary	S2-US 8	User	None	The user deletes selected historical note or mood content without deleting the successful Check-in record or reducing the Calendar count.	Supporting
---------	----------------------------------	--	---------	------	------	---	------------

S2-UC16	View Personal Timeline	S2-PBI-3 Check-in Map / Timeline	S2-US9	User	None	The user views permitted Check-in and status activity from the current calendar month in a personal timeline.	Supporting
---------	------------------------	----------------------------------	--------	------	------	---	------------

S2-UC17	View Mood / Activity Heatmap	S2-PBI-4 Mood / Activity Heatmap	S2-US9	User	None	The user views a current-month summary of Check-in, mood, or activity records without receiving medical or psychological conclusions.	Supporting
---------	------------------------------	----------------------------------	--------	------	------	---	------------

S2-UC18	Control Visibility	S2-PBI-6 Friends Visibility; S2-PBI-7 Privacy Boundary	S2-US 8, S2-US 9, S2-US 11, S2-US 13, S2-US 14	User	None	The user controls the visibility of Current Status, Calendar, timeline entries, mood/activity information, event interests, and permitted location information.	Core
---------	--------------------	--	--	------	------	---	------

Friend Activity

Use Case ID	Use Case Name	Related PBI / Module	Related User Story	Primary Actor	Supporting Actor	Brief Description	Diagram Level
S2-UC19	View Friend Check-in	S2-PBI-3 Check-in Map / Timeline; S2-PBI-6 Friends Visibility; S2-PBI-7 Privacy Boundary	S2-US 13	Confirmed Friend	None	A confirmed friend views another user's permitted Current Status or Check-in information.	Core

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

S2-UC20	View Friend Calendar	S2-PBI-3 Check-in Map / Timeline; S2-PBI-6 Friends Visibility; S2-PBI-7 Privacy Boundary	S2-US 8, S2-US 13	Confirmed Friend	None	A confirmed friend views another user's monthly Check-in Calendar only when Calendar visibility permits it.	Supporting
---------	----------------------	--	-------------------	------------------	------	---	------------

S2-UC21	View Friend Timeline and Mood / Activity	S2-PBI-3 Check-in Map / Timeline; S2-PBI-4 Mood / Activity Heatmap ; S2-PBI-6 Friends Visibility; S2-PBI-7 Privacy Boundary	S2-US 9, S2-US 13	Confirmed Friend	None	A confirmed friend views permitted timeline entries and mood/activity information according to the owner's visibility settings.	Supporting
---------	--	---	-------------------	------------------	------	---	------------

Events

Use Case ID	Use Case Name	Related PBI / Module	Related User Story	Primary Actor	Supporting Actor	Brief Description	Diagram Level
-------------	---------------	----------------------	--------------------	---------------	------------------	-------------------	---------------

S2-UC 22	View Event Recommendations	S2-PB I-5 Events	S2-U S10	User	None	The user views events recommended according to matching selected interests and receives a short recommendation explanation.	Core
S2-UC 23	View Event Details	S2-PB I-5 Events	S2-U S10, S2-U S12	User	None	The user views the approved details, source information, and available external booking link for an event.	Core
S2-UC 24	Mark Event as Interested	S2-PB I-5 Events ; S2-PB I-6 Friends Visibility	S2-U S11	User	None	The user marks an event as Interested, allowing the interest to be recorded and the event to become eligible for recommendation to relevant confirmed friends.	Core

S2-UC 25	Remove Interested Status	S2-PB I-5 Events ; S2-PB I-6 Friends Visibility	S2-US11	User	None	The user removes the Interested status so that the user is no longer displayed as interested in the event.	Supporting
S2-UC 26	View Friend-Influenced Event Recommendation	S2-PB I-5 Events ; S2-PB I-6 Friends Visibility	S2-US11	Confirmed Friend	None	A confirmed friend whose interests match the event views a recommendation explaining that a friend is interested in the event.	Supporting
S2-UC 27	Open External Booking Website	S2-PB I-5 Events	S2-US12	User	External Booking Website	The user follows an approved external booking link. The booking and payment process continues outside the app.	Core

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

Optional Location Sharing

Use Case ID	Use Case Name	Related PBI / Module	Related User Story	Primary Actor	Supporting Actor	Brief Description	Diagram Level
-------------	---------------	----------------------	--------------------	---------------	------------------	-------------------	---------------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-UC28	Manage Optional Location Sharing	S2-PBI-3 Check-in Map / Timeline; S2-PBI-7 Privacy Boundary	S2-US14	User	Location Service	The user enables or disables Optional Location Sharing, provides GPS consent, and controls the shared location level.	Core
---------	----------------------------------	--	---------	------	------------------	---	------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-UC29	Manage Trusted Friends	S2-PBI-6 Friends Visibility; S2-PBI-7 Privacy Boundary	S2-US14	User	None	The user adds or removes confirmed friends from the Trusted Friends list and manages precise-location permission.	Supporting
---------	------------------------	---	---------	------	------	---	------------

S2-UC30	Share Approximate Location	S2-PBI-3 Check-in Map / Timeline; S2-PBI-6 Friends Visibility; S2-PBI-7 Privacy Boundary	S2-US 13, S2-US 14	User	Location Service	The user shares an approximate location with confirmed friends according to the applicable visibility setting.	Supporting
---------	----------------------------	---	-----------------------	------	------------------	--	------------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-UC31	Deliberately Share Precise Location	S2-PBI-3 Check-in Map / Timeline; S2-PBI-6 Friends Visibility; S2-PBI-7 Privacy Boundary	S2-US 14	User	Location Service	The user deliberately shares a new precise location with authorised Trusted Friends. The permission does not cause continuous GPS updates.	Supporting
---------	-------------------------------------	---	----------	------	------------------	--	------------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-UC32	View Friend Location	S2-PBI-3 Check-in Map / Timeline; S2-PBI-6 Friends Visibility; S2-PBI-7 Privacy Boundary	S2-US 13, S2-US 14	Confirmed Friend / Trusted Friend	None	A confirmed friend views permitted approximate location, while an authorised Trusted Friend may view the latest precise location deliberately shared by the user.	Core
---------	----------------------	---	-----------------------	-----------------------------------	------	---	------

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

Home Dashboard and Event Participation Status

Use Case ID	Use Case Name	Related PBI / Module	Related User Story	Primary Actor	Supporting Actor	Brief Description	Diagram Level
-------------	---------------	----------------------	--------------------	---------------	------------------	-------------------	---------------

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

S2-UC3	View Home Dashboard	S2-PBI-1 Home Page	S2-US 15	User	None	The user views a Home Dashboard that summarises the Today Check-in, relevant event suggestions , permitted Friends Activity, and a lightweight AI Assistant entry.	Core
--------	---------------------	--------------------	----------	------	------	--	------

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

S2-UC34	Update Event Participation Status	S2-PBI-5 Events; S2-PBI-6 Friends Visibility	S2-US16	User	None	The user manually marks an event as Going or Booked Externally, changes the current participation status, or removes it. The status is shared with confirmed friends only where visibility permits it and is not treated as verified booking completion.	Supporting
---------	-----------------------------------	--	---------	------	------	--	------------

Sprint 2 Actors and Diagram Scope

1. System

The object represented by the Use Case Diagrams is referred to only as:

System

The System is represented by the Use Case Diagram system boundary.

The System is not an Actor.

2. Confirmed Actors

Actor	Actor Type	Description	Diagram Usage
New User	Human actor	A person who has not yet created an account and performs account registration.	Account and Friendship Diagram only
OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.			
Registered User	Primary human actor	A registered user who performs Check-in, manages the Calendar, views events, manages friendships, controls visibility, views the Home Dashboard, updates event participation status, and manages Optional Location Sharing.	All relevant diagrams
Confirmed Friend	Specialised human actor	A Registered User who has an accepted friendship with another Registered User and may view information shared with confirmed friends.	Core, Check-in/Visibility, and Events/Location diagrams

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

Trusted Friend	Specialised human actor	A Confirmed Friend who has been granted permission to view deliberately shared precise-location updates.	Core and Events/Location diagrams
External Booking Website	External system actor	A third-party website that receives the user after an approved external event-booking link is selected.	Core and Events/Location diagrams
Location Service	External system actor	A device or platform location service that provides location information after explicit consent.	Events/Location Diagram only

3. Actor Generalisation

The confirmed Actor hierarchy is:

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

Trusted Friend → Confirmed Friend → Registered User

Meaning:

- A Confirmed Friend is also a Registered User.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- A Trusted Friend is also a Confirmed Friend.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- A Trusted Friend inherits the relevant capabilities of a Confirmed Friend.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Trusted Friend status adds permission to view the latest precise location deliberately shared by the account owner.
- New User remains separate because registration occurs before the person becomes a Registered User.

Formal generalisation:

TrustedFriend --|> ConfirmedFriend
ConfirmedFriend --|> RegisteredUser

4. Actor Naming Rules

The following Actor names are used consistently:

- New User
- Registered User
- Confirmed Friend

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Trusted Friend
- External Booking Website
- Location Service

The following are not separate Actors:

- Request Recipient

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

- Home Dashboard
- AI Assistant Entry
- Event Source
- Weather Information

A Request Recipient is a Registered User acting in a specific Use Case.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

The Home Dashboard and AI Assistant Entry are functions inside the System.

No specific Event Source or Weather Service has been confirmed as an external Actor.

5. Actors Excluded from the Diagrams

Excluded Actor	Reason
AI Service	AI model operation and recommendation implementation are outside the Member B Use Case scope.
Database	A database is an internal implementation component, not an external Actor.
Mobile App	The mobile app is part of the System being modelled.
OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.	
Administrator / Moderator	Report User remains in scope, but detailed moderation review and administrative actions are outside the current Member B scope.
Payment Service	Internal payment is excluded. External payment is handled outside the System.
Event Provider	Event providers do not directly participate in the confirmed user-facing Use Cases.
Weather Service	No specific weather provider or external interaction has been confirmed.
Notification Service	Detailed notification behaviour and implementation are outside the current scope.
Real-Time Tracking Service	Continuous and background location tracking are explicitly excluded.
SingPass / Social Login Provider	SingPass and social login are outside the confirmed registration scope.

6. Diagram Structure

Four Use Case Diagrams will be produced:

1. Sprint 2 Core Use Case Diagram
2. Check-in, Calendar and Visibility Use Case Diagram

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

3. Events and Optional Location Sharing Use Case Diagram
4. Account and Friendship Use Case Diagram

The Core Diagram provides the main overview.

The three supplementary diagrams provide complete module-level coverage without overcrowding the Core Diagram.

Every diagram uses the system boundary label:

System

7. Diagram 1 — Sprint 2 Core Use Case Diagram

7.1 Purpose

The Core Diagram presents the main Sprint 2 user goals.

It includes the five Use Cases explicitly required by the Group Leader:

- Perform Check-in
- View Friend Check-in
- Mark Event as Interested
- Control Visibility
- Open External Booking Website

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

It also includes the Home Dashboard and the minimum supporting Use Cases needed to show the main project flow.

7.2 Actors

- Registered User
- Confirmed Friend

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Trusted Friend
- External Booking Website

Location Service is not included in the Core Diagram.

7.3 Use Cases

Use Case ID	Use Case Name
-------------	---------------

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

S2-UC33	View Home Dashboard
S2-UC10	Perform Check-in
S2-UC13	View Monthly Check-in Calendar
S2-UC18	Control Visibility
S2-UC19	View Friend Check-in
S2-UC22	View Event Recommendations
S2-UC23	View Event Details
S2-UC24	Mark Event as Interested
S2-UC27	Open External Booking Website

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-UC28	Manage Optional Location Sharing
---------	----------------------------------

7.4 Actor Participation

Actor	Participating Use Cases
Registered User	S2-UC33; S2-UC10; S2-UC13; S2-UC18; S2-UC22; S2-UC23; S2-UC24; S2-UC27; S2-UC28
Confirmed Friend	S2-UC19; S2-UC32

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

Trusted Friend	Specialised participation in S2-UC32
External Booking Website	S2-UC27

8. Diagram 2 — Check-in, Calendar and Visibility Use Case Diagram

8.1 Purpose

This diagram provides complete coverage of:

- Check-in
- Current Status
- Monthly Calendar
- Status History
- Personal Timeline
- Mood / Activity Heatmap
- Visibility
- Friend Check-in and activity access

Location sharing and event functions are not included.

8.2 Actors

- Registered User

- Confirmed Friend

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

Trusted Friend is not required because precise-location access is outside this diagram.

8.3 Use Cases

Use Case ID	Use Case Name
S2-UC10	Perform Check-in
S2-UC11	View Current Status
S2-UC12	Delete Current Status
S2-UC13	View Monthly Check-in Calendar
S2-UC14	View Current-Month Status History
S2-UC15	Delete Historical Status Content
S2-UC16	View Personal Timeline
S2-UC17	View Mood / Activity Heatmap
S2-UC18	Control Visibility
S2-UC19	View Friend Check-in

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

S2-UC20	View Friend Calendar
S2-UC21	View Friend Timeline and Mood / Activity

8.4 Actor Participation

Actor	Participating Use Cases
-------	-------------------------

Registered User S2-UC10; S2-UC11; S2-UC12; S2-UC13; S2-UC14; S2-UC15;
S2-UC16; S2-UC17; S2-UC18

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

Confirmed S2-UC19; S2-UC20; S2-UC21
Friend

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

9. Diagram 3 — Events and Optional Location Sharing Use Case Diagram

9.1 Purpose

This diagram provides complete coverage of:

- Event recommendations
- Event details
- Interested status
- Event participation status
- Friend-influenced recommendations
- External booking

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Optional Location Sharing

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Trusted Friend management

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Approximate and precise location sharing
- Friend location access

9.2 Actors

- Registered User
- Confirmed Friend

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Trusted Friend
- External Booking Website
- Location Service

9.3 Use Cases

Use Case ID	Use Case Name
S2-UC22	View Event Recommendations
S2-UC23	View Event Details
S2-UC24	Mark Event as Interested
S2-UC25	Remove Interested Status
S2-UC26	View Friend-Influenced Event Recommendation
S2-UC27	Open External Booking Website
S2-UC34	Update Event Participation Status

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-UC28	Manage Optional Location Sharing
---------	----------------------------------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-UC29	Manage Trusted Friends
S2-UC30	Share Approximate Location

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is

an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-UC31	Deliberately Share Precise Location
S2-UC32	View Friend Location

9.4 Actor Participation

Actor	Participating Use Cases
Registered User	S2-UC22; S2-UC23; S2-UC24; S2-UC25; S2-UC27; S2-UC34; S2-UC28; S2-UC29; S2-UC30; S2-UC31
Confirmed Friend	S2-UC26; S2-UC32
OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.	
Trusted Friend	Specialised participation in S2-UC32
External Booking Website	S2-UC27
Location Service	S2-UC30; S2-UC31

Location Service does not participate in S2-UC28 because managing a permission or setting does not itself obtain location information.

Confirmed Friend does not participate in S2-UC34 because a user can update only their own event participation status.

10. Diagram 4 — Account and Friendship Use Case Diagram

10.1 Purpose

This diagram provides complete coverage of:

- Account Registration

- Account discoverability
- Exact user search
- Friend requests
- Friend-request responses
- Removing friends
- Blocking users
- Reporting users
- Friend Recommendation

10.2 Actors

- New User
- Registered User

New User and Registered User do not use an Actor generalisation relationship.

10.3 Use Cases

Use Case ID	Use Case Name
-------------	---------------

S2-UC01	Register Account
---------	------------------

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

S2-UC02	Manage Account Discoverability
---------	--------------------------------

S2-UC03	Search for User
---------	-----------------

S2-UC04	Send Friend Request
---------	---------------------

S2-UC05	Respond to Friend Request
---------	---------------------------

S2-UC06	Remove Friend
---------	---------------

S2-UC07	Block User
---------	------------

S2-UC08	Report User
---------	-------------

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint

2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

S2-UC09 View Friend Recommendations

10.4 Actor Participation

Actor	Participating Use Cases
New User	S2-UC01
Registered User	S2-UC02; S2-UC03; S2-UC04; S2-UC05; S2-UC06; S2-UC07; S2-UC08; S2-UC09

11. Scope Boundaries for Later Stages

The following decisions apply to the later specifications, diagram design, and PlantUML:

1. The System is not an Actor.
2. Every diagram boundary is labelled **System**.
3. Registered User is the general registered human Actor.
4. Confirmed Friend specialises Registered User.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

5. Trusted Friend specialises Confirmed Friend.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

6. S2-UC32 has Confirmed Friend as its Primary Actor, with Trusted Friend as a specialised Actor.
7. External Booking Website participates only in S2-UC27.
8. Location Service participates only in S2-UC30 and S2-UC31.
9. S2-UC33 is associated with Registered User in the Core Diagram.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

10. S2-UC34 is associated with Registered User in the Events and Optional Location Sharing Diagram.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current

Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

11. No new Actor is introduced for the Home Dashboard, weather information, AI entry, or event data source.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

12. Diagram 2 and Diagram 4 remain unchanged by the Home Dashboard additions.
13. Detailed UML relationships and layout are defined in the separate Business Rules and Use Case Diagram Design stage.
14. No UI, API, database, AI model, or testing implementation is defined in this stage.

Sprint 2 Detailed Use Case Specifications

S2-UC10 — Perform Check-in

Field	Description
Use Case ID	S2-UC10
Use Case Name	Perform Check-in
Related PBI	PBI-2 Check-in; PBI-4 Mood / Activity Heatmap; PBI-7 Privacy Boundary
Related User Story	S2-US6; S2-US7
Primary Actor	Registered User
System	System
Supporting Actor	None
Preconditions	1. The Registered User has successfully accessed their account. 2. The Registered User can access the Check-in function.
PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.	
Postconditions	1. A successful Check-in becomes the user's new Current Status. 2. The previous active Current Status is ended where applicable. 3. A successful Check-in record is added to the current monthly Calendar. 4. The corresponding date's Check-in count increases by one. 5. The new Current Status is scheduled to expire after 24 hours.
Trigger	The Registered User chooses to perform a new Check-in.

Main Flow

Step	Actor Action	System Response
1	The Registered User starts a new Check-in.	The System displays the available note, mood, and visibility options.
2	The Registered User enters a note, selects a mood, or completes both fields.	The System records the entered information temporarily and keeps the Check-in incomplete until submission.
3	The Registered User selects an available visibility level or keeps the default setting.	The System applies Private when no alternative visibility level is selected.

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

4	The Registered User submits the Check-in.	The System validates that at least a note or a mood has been provided. If valid, the System records the timestamp, ends the previous active Current Status where applicable, creates the new Current Status, adds the successful Check-in record to the current monthly Calendar, increases the corresponding date's count by one, and sets the Current Status to expire after 24 hours.
5	The Registered User views the completion result.	The System confirms that the Check-in has been completed successfully.

Alternative and Exception Flows

A1 — No Note or Mood Provided

Step	Actor Action	System Response
------	--------------	-----------------

A1.1	The Registered User submits the Check-in without entering a note or selecting a mood.	The System prevents completion and prompts the user to provide at least one of the two fields.
A1.2	The Registered User enters a note or selects a mood and resubmits.	The System returns to Step 4 of the Main Flow.

A2 — User Cancels the Check-in

Step	Actor Action	System Response
A2.1	The Registered User cancels before submission.	The System ends the Check-in process without updating Current Status or adding a Calendar record.

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

A3 — Multiple Check-ins on the Same Date

Step	Actor Action	System Response
------	--------------	-----------------

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

A3.1	The Registered User submits another valid Check-in on the same date.	The System ends the previous Current Status, creates the new Current Status, records another successful Check-in for the same date, and increases that date's Calendar count again.
------	--	---

A4 — Check-in Cannot Be Saved

Step	Actor Action	System Response
A4.1	The Registered User submits a valid Check-in.	The System cannot complete the save operation, displays an appropriate failure message, keeps the previous Current Status unchanged, and does not add a Calendar record or count.

Related Requirements

- CI-FR1–CI-FR13
- CI-FR17–CI-FR20

- CI-FR25
- CI-NFR1–CI-NFR8

Boundary

- Location information is not automatically attached to a Check-in.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Optional Location Sharing is managed separately.
- Deleting the related status content later does not remove the successful Check-in record.
- The use case does not define AI algorithms, UI layout, database implementation, or medical and psychological analysis.

S2-UC19 — View Friend Check-in

Field	Description
Use Case ID	S2-UC19
Use Case Name	View Friend Check-in
Related PBI	PBI-3 Check-in Map / Timeline; PBI-6 Friends Visibility; PBI-7 Privacy Boundary
Related User Story	S2-US13
Primary Actor	Confirmed Friend
System	System
Supporting Actor	None
Preconditions	1. The actor has successfully accessed their account. 2. The actor selects another Registered User's shared Check-in information. 3. The System can evaluate the current friendship and visibility conditions.

Postconditions 1. The Confirmed Friend views only the Current Status information permitted by the owner. 2. No information belonging to the owner is modified. 3. Private, expired, deleted, replaced, or unauthorised information remains unavailable.

Trigger The actor attempts to view another user's shared Current Status or Check-in information.

Main Flow

Step	Actor Action	System Response
------	--------------	-----------------

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

1	The Confirmed Friend opens the selected user's shared Check-in information.	The System identifies the selected account, confirms that a valid confirmed friendship exists, verifies that the actor has not been removed or blocked, checks whether an active Current Status exists, and evaluates the owner's visibility setting.
2	The Confirmed Friend waits for the permitted information.	The System retrieves only the Current Status information that the actor is authorised to access.
3	The Confirmed Friend views the Current Status.	The System displays the permitted note and/or mood, timestamp, and other approved Current Status information while withholding Private or separately restricted information.

Alternative and Exception Flows

A1 — Current Status Is Private

Step	Actor Action	System Response
------	--------------	-----------------

A1.1	The actor attempts to view the selected user's Current Status.	The System identifies that the Current Status is Private , denies access, and indicates that no visible Current Status is available.
------	--	---

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

A2 — No Active Current Status

Step	Actor Action	System Response
------	--------------	-----------------

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

A2.1	The actor opens the selected user's Check-in information.	The System identifies that no active Current Status exists and does not display expired, deleted, or replaced content as current information.
------	---	---

A3 — Friendship Is No Longer Valid

Step	Actor Action	System Response
------	--------------	-----------------

A3.1	The actor attempts to view Friends-only information after the friendship has been removed.	The System denies access because the confirmed friendship is no longer valid.
------	--	---

A4 — Actor Has Been Blocked

Step	Actor Action	System Response
------	--------------	-----------------

A4.1	The blocked actor attempts to view the owner's Check-in information.	The System identifies the block relationship and denies access to the applicable Friends-only information.
------	--	--

A5 — Status Expires or Is Deleted During Access

Step	Actor Action	System Response
------	--------------	-----------------

A5.1	The Confirmed Friend attempts to continue viewing a status that has expired, been replaced, or been deleted.	The System stops presenting the status as Current Status and indicates that no current visible status is available.
------	--	---

Related Requirements

- FV-FR1–FV-FR5
- FV-FR13
- FV-NFR1–FV-NFR4

- CI-FR8–CI-FR14
- CI-NFR2–CI-NFR5

Boundary

- This use case does not automatically provide access to Status History, the Check-in Calendar, timeline, mood/activity information, event interests, or location information.
- Those categories have separate visibility controls.
- The use case does not define access-control implementation or UI layout.

S2-UC24 — Mark Event as Interested

Field	Description
Use Case ID	S2-UC24
Use Case Name	Mark Event as Interested
Related PBI	PBI-5 Events; PBI-6 Friends Visibility
Related User Story	S2-US11
Primary Actor	Registered User
System	System
Supporting Actor	None
Preconditions	1. The Registered User has successfully accessed their account. 2. The event is available to the user. 3. The user can view the event details.
Postconditions	1. The user's Interested status is recorded for the event. 2. The event is displayed as Interested to that user. 3. Where the user's visibility setting permits, the event becomes eligible for recommendation to Confirmed Friends whose interests match the event tags. 4. No booking or payment is performed.
Trigger	The Registered User chooses to mark an event as Interested.

Main Flow

Step	Actor Action	System Response
1	The Registered User opens the selected event details.	The System displays the approved event information, relevant tags, source information, and available event actions.
2	The Registered User selects the Interested action.	The System confirms that the event remains available. If available, the System records the Interested status, updates the event state displayed to the user, applies the user's event-interest visibility setting, and makes the event eligible for recommendation to matching Confirmed Friends where permitted.
3	The Registered User views the updated event state.	The System confirms that the event has been marked as Interested and prepares the applicable friend-influenced recommendation reason where relevant.

Alternative and Exception Flows

A1 — Event Already Marked as Interested

Step	Actor Action	System Response
A1.1	The Registered User selects Interested for an event that is already marked as Interested.	The System identifies the existing status, does not create a duplicate record, and keeps the current Interested state unchanged.

A2 — Event Is No Longer Available

Step	Actor Action	System Response
A2.1	The Registered User selects the Interested action.	The System identifies that the event is no longer available, does not create an Interested status, and displays an appropriate message.

A3 — Friend Visibility Is Not Permitted

Step	Actor Action	System Response
------	--------------	-----------------

A3.1	The Registered User marks the event as Interested while event-interest visibility does not permit friend access.	The System records the Interested status for the user but does not display the user's identity or interest status to Confirmed Friends and does not socially attribute recommendations to that user.
------	--	--

A4 — No Matching Confirmed Friend Exists

Step	Actor Action	System Response
A4.1	The Registered User marks the event as Interested.	The System records the Interested status but does not generate a friend-influenced recommendation when no Confirmed Friend has matching selected interests.

Related Requirements

- EV-FR4–EV-FR9
- EV-FR13
- EV-NFR2–EV-NFR4
- EV-NFR7
- FV-FR9–FV-FR10

Boundary

- This use case does not define the recommendation-ranking algorithm.
- Marking Interested does not book the event or process payment.
- Removing the Interested status is handled by S2-UC25.
- Detailed notification behaviour is outside the current scope.

S2-UC18 — Control Visibility

Field	Description
Use Case ID	S2-UC18
Use Case Name	Control Visibility
Related PBI	PBI-6 Friends Visibility; PBI-7 Privacy Boundary
Related User Story	S2-US8; S2-US9; S2-US11; S2-US13; S2-US14

Primary Actor Registered User

System System

Supporting Actor None

Preconditions 1. The Registered User has successfully accessed their account. 2.
The Registered User can access the relevant visibility controls.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

Postconditions 1. The selected visibility preference is saved. 2. Future access to the affected information follows the saved setting. 3. Unauthorised users cannot access Friends-only information. 4. Location information remains subject to Optional Location Sharing and Trusted Friend permission.

Trigger The Registered User chooses to review or modify a supported visibility setting.

Main Flow

Step	Actor Action	System Response
1	The Registered User opens the visibility controls.	The System displays the supported information categories, including Current Status, Calendar, timeline, mood/activity information, event interests, and permitted location information.
2	The Registered User selects an information category.	The System displays the visibility options that are valid for the selected category.
3	The Registered User selects the preferred visibility level.	The System explains the effect of the selected option where clarification is required.
4	The Registered User confirms and saves the selection.	The System validates the selected visibility level, records the updated setting, and applies it to future access attempts.

5	The Registered User views the result.	The System confirms that the visibility preference has been updated.
---	---------------------------------------	--

Alternative and Exception Flows

A1 — User Cancels the Change

Step	Actor Action	System Response
A1.1	The Registered User leaves the visibility controls without saving.	The System retains the previous visibility setting and makes no access-rule change.

A2 — Unsupported Visibility Option

Step	Actor Action	System Response
A2.1	The Registered User attempts to select a visibility level that is not supported for the chosen category.	The System prevents the selection and retains the previous valid setting.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

A3 — Precise Location Requires Trusted Friend Permission

Step	Actor Action	System Response
------	--------------	-----------------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

A3.1	The Registered User attempts to grant precise-location access to another user who is not an authorised Trusted Friend.	The System does not grant precise-location access and indicates that Trusted Friend permission is required.
------	--	---

Related Requirements

- CI-FR11–CI-FR12
- CI-FR23
- FV-FR1–FV-FR13
- FV-NFR1–FV-NFR4
- LOC-FR3
- LOC-FR6–LOC-FR12

Boundary

- This use case defines visibility outcomes, not technical access-control implementation.
- Profile and birthday visibility belong to Sprint 1 and are not duplicated here.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Trusted Friend management is handled by S2-UC29.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Removing or blocking a user through S2-UC06 or S2-UC07 revokes that user's future Friends-only access and applicable Trusted Friend permission.
 - The use case does not define UI layout or database permission structures.
-

S2-UC27 — Open External Booking Website

Field	Description
Use Case ID	S2-UC27
Use Case Name	Open External Booking Website
Related PBI	PBI-5 Events
Related User Story	S2-US12
Primary Actor	Registered User
System	System
Supporting Actor	External Booking Website
Preconditions	1. The Registered User can view the event details. 2. The event contains an approved external booking link.

Postconditions 1. The Registered User is redirected to the External Booking Website where the external link functions correctly. 2. Booking and payment remain outside the System. 3. The System does not assume that an external booking has been completed and does not create an internal booking confirmation. 4. The event information inside the System remains unchanged unless another defined action occurs.

Trigger The Registered User selects the approved external booking link.

Main Flow

Step	Actor Action	System Response
1	The Registered User views the event details containing an approved external booking link.	The System displays the approved event information and the available external booking action.
2	The Registered User selects the external booking action.	The System informs the user that they will leave the System and continue on a third-party website.
3	The Registered User confirms the external navigation.	The System opens or redirects the user to the External Booking Website and does not record the redirect as a completed booking.

Alternative and Exception Flows

A1 — User Cancels External Navigation

Step	Actor Action	System Response
A1.1	The Registered User cancels after being informed that an external website will open.	The System keeps the user within the current event information and does not start the external navigation.

A2 — Link Cannot Be Opened

Step	Actor Action	System Response
-------------	---------------------	------------------------

A2.1	The Registered User confirms the external navigation.	The System cannot open the approved link, displays an appropriate failure message, and does not record any booking status.
------	---	--

Related Requirements

- EV-FR2–EV-FR3
- EV-FR10–EV-FR12
- EV-NFR5–EV-NFR6

Boundary

- The System does not control the External Booking Website.
- Booking completion and booking status are managed outside the System.
- Internal booking, payment processing, confirmation, cancellation, and refund handling are outside the current scope.
- The absence of an external booking link is handled as part of S2-UC23 View Event Details and does not trigger this use case.
- External API implementation and third-party website availability are not defined here.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

S2-UC33 — View Home Dashboard

Field	Description
Use Case ID	S2-UC33

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

Use Case Name	View Home Dashboard
Related PBI	PBI-1 Home Page
Related User Story	S2-US15
Primary Actor	Registered User

System System

Supporting Actor None

Preconditions 1. The Registered User has successfully accessed their account. 2. The System can evaluate the user's own information and permitted friend information.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

Postconditions 1. The Home Dashboard is displayed using the information currently available to the Registered User. 2. No Check-in, event, friendship, AI, or location data is modified unless the user selects a separate action. 3. Private or unauthorised friend information remains unavailable.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

Trigger The Registered User opens or returns to the Home Dashboard.

Main Flow

Step	Actor Action	System Response
------	--------------	-----------------

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

1	The Registered User opens the Home Dashboard.	The System identifies the Registered User and evaluates the information that can be displayed according to current privacy, consent, friendship, and visibility settings.
---	---	---

2	The Registered User reviews the Today Check-in Card.	The System displays a greeting, the current date, available weather information, whether the user has checked in today, today's successful Check-in count, the Check in now action, and a permitted lightweight prompt.
3	The Registered User reviews the Event Suggestions area.	The System displays available event cards with approved event information, recommendation reasons, permitted friend Interested or participation information, and applicable Interested, View Details, or approved external booking actions.
4	The Registered User reviews the Friends Activity area.	The System displays permitted recent friend Check-in text, mood, approximate location, date/time, and permitted event-interest or participation activity.
5	The Registered User reviews the AI Assistant entry.	The System displays lightweight options such as Ask AI for suggestions , Find an activity for me , or What can I do today?

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

6	The Registered User selects an available Home Dashboard action.	The System opens the relevant existing function without changing that function's requirements or business rules.
---	---	--

Alternative and Exception Flows

A1 — User Has Not Checked In Today

Step	Actor Action	System Response
A1.1	The Registered User views the Today Check-in Card before completing a Check-in.	The System indicates that the user has not checked in today, displays a count of zero, and provides the Check in now action.

A2 — Weather Information Is Unavailable

Step	Actor Action	System Response
------	--------------	-----------------

A2.1	The Registered User views the Today Check-in Card when weather information is unavailable.	The System displays the remaining Check-in information without presenting inaccurate or invented weather data.
------	--	--

A3 — No Event Suggestion Is Available

Step	Actor Action	System Response
A3.1	The Registered User views the Event Suggestions area when no suitable event is available.	The System displays an appropriate no-result message without presenting an unrelated recommendation as personalised.

A4 — No Permitted Friends Activity Is Available

Step	Actor Action	System Response
A4.1	The Registered User views the Friends Activity area when no permitted activity is available.	The System displays an appropriate empty-state message and does not expose Private or unauthorised information.

A5 — AI Entry Is Unavailable

Step	Actor Action	System Response
-------------	---------------------	------------------------

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

A5.1	The Registered User attempts to use the lightweight AI entry while the AI-supported function is unavailable.	The System displays an appropriate availability message and keeps the other Home Dashboard functions accessible.
------	--	--

A6 — Information Is Restricted by Consent or Visibility

Step	Actor Action	System Response
-------------	---------------------	------------------------

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

A6.1	The Registered User views the Home Dashboard when some information is not permitted for display.	The System omits or limits the affected information according to the applicable consent, privacy, and visibility rules.
------	--	---

Related Requirements

- HOME-FR1–HOME-FR20
- HOME-NFR1–HOME-NFR10
- HOME-BR1
- CI-FR1–CI-FR25
- EV-FR1–EV-FR19
- FV-FR1–FV-FR17
- AI-FR1–AI-FR6
- AI-NFR1–AI-NFR6

Boundary

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

- The Home Dashboard provides summaries and access entries; it does not replace the underlying Check-in, Events, Friends Activity, AI, or Location Use Cases.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

- Friend location on the Home Dashboard is limited to permitted approximate location.
- Precise or real-time friend location is not displayed in the general Friends Activity area.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

- The Home Dashboard does not include groups, group chat, internal discussion, private messaging, reporting, moderation flags, or administrator/moderator review.
- UI layout, weather API selection, event-source integration, AI ranking implementation, database design, and navigation implementation are outside this Use Case.

S2-UC34 — Update Event Participation Status

Field

Description

Use Case ID	S2-UC34
Use Case Name	Update Event Participation Status
Related PBI	PBI-5 Events; PBI-6 Friends Visibility
Related User Story	S2-US16
Primary Actor	Registered User
System	System
Supporting Actor	None

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

Preconditions	1. The Registered User has successfully accessed their account. 2. The event is available to the user. 3. Event participation actions are available from the Home Dashboard or event information.
Postconditions	1. The selected participation status is recorded, changed, or removed. 2. The System identifies the status as manually declared by the user. 3. The status is displayed to Confirmed Friends only where visibility permits. 4. No external booking is verified or completed by the System.
Trigger	The Registered User chooses to add, change, or remove an event participation status.

Main Flow

Step	Actor Action	System Response
------	--------------	-----------------

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

- | | | |
|---|--|---|
| 1 | The Registered User opens an available event card or event details containing participation actions. | The System displays the current participation status and the available Going and Booked Externally options. |
|---|--|---|

PARTIALLY OUTDATED — Only the independent user-visible **Booked externally** option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified **Going/Booked** state content is still applicable.

- | | | |
|---|--|---|
| 2 | The Registered User selects Going or Booked Externally . | The System explains that the selected status is manually declared and does not verify an external booking. |
| 3 | The Registered User confirms the selected status. | The System records the status, replaces any previous participation status for the same user and event, applies the user's visibility setting, and updates the permitted event and Friends Activity information. |
| 4 | The Registered User views the updated event information. | The System displays the current participation status and indicates that it is user-declared. |

Alternative and Exception Flows

A1 — User Cancels the Change

Step	Actor Action	System Response
A1.1	The Registered User cancels before confirming the participation status.	The System retains the previous status and makes no change.

A2 — User Changes the Participation Status

Step	Actor Action	System Response
A2.1	The Registered User selects a different participation status for the same event.	The System replaces the previous status and stops displaying the previous status.

A3 — User Removes the Participation Status

Step	Actor Action	System Response
------	--------------	-----------------

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

- | | | |
|------|---|---|
| A3.1 | The Registered User removes the current participation status. | The System removes the Going or Booked Externally status and stops displaying it to the user and permitted Confirmed Friends. |
|------|---|---|

A4 — Event Is No Longer Available

- | Step | Actor Action | System Response |
|------|--|---|
| A4.1 | The Registered User attempts to update participation for an unavailable event. | The System prevents the update and displays an appropriate message. |

A5 — Friend Visibility Is Not Permitted

- | Step | Actor Action | System Response |
|------|--|--|
| A5.1 | The Registered User confirms a participation status while friend visibility is disabled. | The System records the status for the user but does not display it to Confirmed Friends. |

A6 — Status Cannot Be Saved

- | Step | Actor Action | System Response |
|------|--|--|
| A6.1 | The Registered User confirms a valid participation status. | The System cannot save the change, displays an appropriate failure message, and retains the previous status. |

Related Requirements

- EV-FR14–EV-FR19
- EV-NFR8–EV-NFR11
- FV-FR14–FV-FR17
- FV-NFR5–FV-NFR7
- HOME-FR13–HOME-FR17

Boundary

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

- **Going** and **Booked Externally** are manually declared user statuses.

- The System does not verify booking completion.
- This Use Case does not perform booking, payment, cancellation, refund, or external account integration.
- Detailed notification behaviour is outside the current scope.

Sprint 2 Business Rules and Use Case Diagram Design

Part A — Business Rules

1. Account Registration Business Rules

1. A New User may register using:
 - email and password;
 - phone number and password; or
 - username and password.
2. Social login is not included in the current scope.
3. SingPass registration or identity integration is Future Work.
4. Email, phone number, and username must be unique where they are used as registration identifiers.
5. When email or phone registration is used, the System must generate a unique default username that does not expose the complete email address or phone number.
6. A generated username may be changed only to another available unique username.
7. The account may be created only after the user accepts the Terms and Conditions and Privacy Notice.
8. A successfully registered user becomes a Registered User and may continue to Basic Profile and Interest Selection.

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

2. Account Discoverability and Friendship Business Rules

1. Username discoverability is enabled by default.
2. Email-address discoverability and phone-number discoverability are disabled by default.
3. Email and phone searches use exact matching only.
4. Search results must not expose a user's complete email address or phone number.
5. A friend request does not create a friendship immediately.
6. A Confirmed Friendship is created only after the receiving user accepts the friend request.

7. A pending, declined, or removed friendship does not provide Friends-only access.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

8. Removing a friend revokes that user's future Friends-only access and Trusted Friend permission.
9. Blocking a user overrides any existing friendship or visibility permission.

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

10. Remove Friend, Block User, and Report User remain separate user actions.
11. Detailed moderation review and administrator action are outside the current Member B scope.

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

3. Friend Recommendation Business Rules

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

1. Friend Recommendation uses identical shared interest tags only.
2. Semantic matching, inferred-interest matching, and related-interest matching are not used.

OUTDATED — Superseded by Sprint 3, A1 Increment Scope Summary and S3-REC. Retained for historical traceability. Current rule: Friend Recommendation may use one or more of same interests, user-permitted approximate region, and shared event interest; the early identical-interest-only design is not authoritative.

3. A recommended user must share at least one identical interest tag with the current user.
 4. A recommendation must display an understandable reason based on the identical shared interest where that information may be displayed.
 5. A user whose privacy or discoverability settings prohibit recommendation must not be recommended.
 6. A recommendation does not create a friendship.
 7. A friend request sent from a recommendation follows the same acceptance rules as a friend request sent from user search.
-

4. Check-in and Current Status Business Rules

1. A Check-in must contain at least:
 - a note; or
 - a mood.
2. A Check-in may contain both a note and a mood.
3. Each successful Check-in records a timestamp.

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

4. Each user may have only one active Current Status at a time.

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

5. A new successful Check-in ends the previous active Current Status.

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

6. A Current Status expires 24 hours after its successful Check-in.
7. A new Current Status is Private by default.
8. A user may change Current Status visibility to Friends-only.

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

9. A user may delete the active Current Status before it expires.
10. Deleting Current Status content does not remove the successful Check-in record.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

11. Optional Location Sharing remains independent from Check-in and is not automatically attached to a Check-in.

5. Check-in Calendar and Status History Business Rules

1. Every successful Check-in creates one Check-in Calendar record.
2. Every successful Check-in increases the corresponding date's Check-in count by one.
3. Multiple successful Check-ins on the same date are counted separately.
4. The Check-in Calendar covers the current calendar month.
5. A new Calendar and Status History record begins when a new calendar month starts.
6. Ended, replaced, and expired Current Status content may be retained in the user's private current-month Status History.
7. Deleting historical status content does not remove its corresponding Calendar record.

8. Deleting historical status content does not reduce the Check-in count.
9. The Check-in Calendar is Private by default.

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

10. A user may make the Calendar visible to Confirmed Friends.
 11. Personal Status History remains Private by default and is not automatically shared with friends.
-

6. Timeline and Mood / Activity Business Rules

1. Current-month Check-in records may support the user's personal Timeline.
 2. Current-month Check-in, mood, and approved activity records may support the Mood / Activity Heatmap.
 3. Timeline and Heatmap information must not be presented as:
 - medical diagnosis;
 - psychological diagnosis;
 - health classification; or
 - professional advice.
 4. Confirmed Friends may view Timeline or Mood / Activity information only where the owner has permitted that category.
 5. Permission for one category does not automatically grant permission for another category.
-

7. Event Recommendation Business Rules

1. Events may be recommended when approved event tags match the user's selected interests.
2. Each event recommendation must provide an understandable recommendation reason.
3. A user may mark an event as Interested.
4. When User A is Interested in an event, that event may become available for recommendation to Confirmed Friends whose selected interests match the event tags.
5. A friend-influenced event recommendation must clearly identify the social reason.
6. User A's identity or Interested status may be shown only where the applicable visibility setting permits it.
7. Removing Interested status stops the System from displaying the user as interested in the event.
8. Prototype event data may use:
 - approved third-party research data; or
 - approved mock event data.

9. Mock event data must not be presented as current official event data.
-

8. HOME-BR1 — Home Event Recommendation Priority

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

When the Home Dashboard ranks or organises available event suggestions, the preferred priority is:

1. AI-supported recommendation;

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

2. an event where a permitted friend has declared Going or Booked Externally;
3. an event where a permitted friend is Interested;
4. an event matching approved user information such as selected interest tags, age group, or region.

This priority defines the intended business ordering only. It does not define the AI model, ranking formula, score, or technical implementation.

9. Event Status Business Rules

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

1. Interested, Going, and Booked Externally represent different meanings.
2. Interested records that the user is interested in the event.
3. Going records that the user manually declares an intention to attend the event.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

4. Booked Externally records that the user manually declares that an external booking has been made.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

5. Going and Booked Externally are user-declared participation statuses.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

6. The System does not verify that a Going or Booked Externally declaration is true.
7. Interested is not treated as verified attendance or booking.
8. Going is not treated as verified attendance.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

9. Booked Externally is not treated as verified booking completion.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

10. Going and Booked Externally are the two event participation statuses.
11. Only one current event participation status is retained for the same user and event.
12. Changing the participation status replaces the previous participation status.
13. Removing the participation status stops the previous status from being displayed.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

14. The visibility of Interested, Going, and Booked Externally is controlled according to the applicable Friends Visibility setting.

10. External Booking Business Rules

1. An external booking action is available only where an approved external booking link exists.
2. The user must be informed that the action opens a third-party website.
3. Opening the external website does not confirm that booking has been completed.
4. The System does not process:
 - booking;
 - payment;
 - booking confirmation;
 - cancellation;
 - refund; or
 - external-account management.
5. The System does not control the availability or behaviour of the External Booking Website.
6. Internal booking and payment remain outside the current scope.

11. Friends Visibility Business Rules

1. Friends-only information may be viewed only by Confirmed Friends.
2. A pending friend request does not provide Friends-only access.
3. A removed friend does not retain Friends-only access.
4. A blocked user does not retain Friends-only access.
5. Private Current Status must not be displayed to other users.

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

6. Expired, replaced, or deleted status content must not be presented as an active Current Status.
7. The owner controls friend access separately for supported information categories, including:
 - Current Status;
 - Check-in Calendar;
 - Timeline;
 - Mood / Activity information;
 - Interested status;
 - Going status;
 - Booked Externally status; and
 - permitted location information.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

8. A user's Interested, Going, or Booked Externally status must not be displayed to non-friends or unauthorised users.
9. When an event status changes or is removed, the previous status must no longer be displayed.
10. Removing or blocking a friend revokes future access to all affected Friends-only categories.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

12. Optional Location Sharing Business Rules

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

1. Optional Location Sharing is independent from Check-in.
2. GPS location access requires explicit user consent.
3. Approximate location is the normal default sharing level.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

4. Only a Confirmed Friend may become a Trusted Friend.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

5. Trusted Friend permission may remain active until the owner revokes it, removes the friendship, or blocks the user.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

6. Trusted Friend permission does not cause precise location to update automatically.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

7. A Trusted Friend receives a new precise location only when the account owner deliberately shares a new precise location.
8. Ordinary Confirmed Friends may view only permitted approximate location.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

9. Precise location must not be shared with:
 - ordinary friends;
 - pending friends;
 - removed friends;
 - blocked users;
 - non-friends; or
 - public users.
10. The System does not provide continuous, background, or real-time GPS tracking.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

11. Removing or blocking a friend revokes future location access and applicable Trusted Friend permission.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

13. Home Dashboard Business Rules

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

1. The Home Dashboard provides summaries and access entries for existing System functions.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

2. The Home Dashboard does not replace the underlying Check-in, Events, Friends Activity, AI Assistant, or Optional Location Sharing functions.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

3. The Today Check-in Card has the highest priority on the Home Dashboard.
4. The Today Check-in Card may display:
 - a greeting;
 - the current date;
 - available weather information;
 - whether the user has checked in today;
 - today's successful Check-in count;
 - a **Check in now** action; and
 - a permitted lightweight prompt.
5. Weather information is displayed only when available.
6. The System must not invent unavailable weather information.
7. Event cards may display an image only where the approved event source provides one.
8. Friends Activity displays only information permitted by friendship, privacy, consent, and visibility settings.
9. General Friends Activity may display permitted approximate location only.
10. General Friends Activity does not display precise or real-time friend location.
11. The lightweight AI entry may provide:
 - activity suggestions;
 - Check-in or mood suggestions;
 - recommendation explanations; and
 - social connection suggestions.
12. The lightweight AI entry must not provide:
 - medical diagnosis;
 - psychological treatment;
 - legal advice; or
 - emergency response.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

13. The Home Dashboard does not include:
 - groups;
 - group chat;
 - internal discussion;
 - private messaging;
 - reporting;
 - moderation flags; or
 - administrator or moderator review.

Part B — Use Case Diagram Design

1. General Diagram Rules

1. The modelled application is labelled only as **System**.
2. **System** is the system boundary and is not an Actor.
3. Human and external Actors remain outside the system boundary.
4. All Use Cases remain inside the system boundary.
5. The confirmed Actor generalisation is:

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

Trusted Friend → Confirmed Friend → Registered User

6. New User remains separate from Registered User.
7. External Booking Website is associated only with S2-UC27.
8. Location Service is associated only with S2-UC30 and S2-UC31.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

9. The Home Dashboard, AI Assistant entry, Weather Information, and Event Source are not separate Actors.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

10. Navigation from the Home Dashboard to another function is not represented as `<<include>>` or `<<extend>>` unless a valid Use Case dependency exists.

2. Actor Generalisation

PlantUML direction:

TrustedFriend --|> ConfirmedFriend
ConfirmedFriend --|> RegisteredUser

Meaning:

- Confirmed Friend inherits the relevant Registered User capabilities.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Trusted Friend inherits the relevant Confirmed Friend capabilities.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Trusted Friend adds permission to view deliberately shared precise-location updates.
-

3. Diagram 1 — Sprint 2 Core Use Case Diagram

3.1 Purpose

This is the main overview diagram.

It shows the central Sprint 2 user goals without displaying every supporting function.

It includes the five Group Leader-required Use Cases:

- Perform Check-in
- View Friend Check-in
- Mark Event as Interested
- Control Visibility
- Open External Booking Website

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

It also includes View Home Dashboard and the minimum supporting Use Cases required to communicate the main System scope.

3.2 Actors

- Registered User
- Confirmed Friend

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Trusted Friend
- External Booking Website

3.3 Use Cases

Use Case ID	Use Case Name
-------------	---------------

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

S2-UC33	View Home Dashboard
S2-UC10	Perform Check-in
S2-UC13	View Monthly Check-in Calendar
S2-UC18	Control Visibility
S2-UC19	View Friend Check-in
S2-UC22	View Event Recommendations
S2-UC23	View Event Details
S2-UC24	Mark Event as Interested
S2-UC27	Open External Booking Website

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-UC28	Manage Optional Location Sharing
S2-UC32	View Friend Location

3.4 Actor Associations

Actor	Associated Use Cases
Registered User	S2-UC33; S2-UC10; S2-UC13; S2-UC18; S2-UC22; S2-UC23; S2-UC24; S2-UC27; S2-UC28
Confirmed Friend	S2-UC19; S2-UC32

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

Trusted Friend	S2-UC32 through Actor specialisation
External Booking Website	S2-UC27

3.5 Use Case Relationships

Source Use Case	Relationship	Target Use Case	Reason
S2-UC24 Mark Event as Interested	<<extend>>	S2-UC23 View Event Details	Marking Interested is an optional action while viewing an event.
S2-UC27 Open External Booking Website	<<extend>>	S2-UC23 View Event Details	External booking is optional and depends on an available approved link.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

S2-UC33 View Home Dashboard remains independent.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

The Home Dashboard may provide access to other functions, but opening the dashboard does not require those functions to be executed.

3.6 Layout Plan

- Registered User is positioned on the left.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Confirmed Friend and Trusted Friend are positioned on the right.
- External Booking Website is positioned near S2-UC27.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

- View Home Dashboard is positioned near the upper centre of the System boundary.
 - Check-in Use Cases are grouped in the left-centre area.
 - Event Use Cases are grouped in the right-centre area.
 - Visibility and location Use Cases are positioned toward the lower area.
 - Actor generalisation is displayed outside the System boundary.
-

4. Diagram 2 — Check-in, Calendar and Visibility Use Case Diagram

4.1 Purpose

This diagram provides detailed coverage of:

- Check-in;
- Current Status;
- Calendar;
- Status History;
- Timeline;
- Mood / Activity Heatmap;
- visibility; and
- friend access.

Location sharing and Events are not included.

4.2 Actors

- Registered User
- Confirmed Friend

4.3 Use Cases

Use Case ID	Use Case Name
-------------	---------------

S2-UC10	Perform Check-in
S2-UC11	View Current Status
S2-UC12	Delete Current Status
S2-UC13	View Monthly Check-in Calendar
S2-UC14	View Current-Month Status History
S2-UC15	Delete Historical Status Content
S2-UC16	View Personal Timeline
S2-UC17	View Mood / Activity Heatmap
S2-UC18	Control Visibility
S2-UC19	View Friend Check-in

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

S2-UC20	View Friend Calendar
S2-UC21	View Friend Timeline and Mood / Activity

4.4 Actor Associations

Actor	Associated Use Cases
Registered User	S2-UC10; S2-UC11; S2-UC12; S2-UC13; S2-UC14; S2-UC15; S2-UC16; S2-UC17; S2-UC18

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

Confirmed Friend	S2-UC19; S2-UC20; S2-UC21
------------------	---------------------------

4.5 Use Case Relationships

Source Use Case	Relationship	Target Use Case	Reason
-----------------	--------------	-----------------	--------

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

S2-UC12 Delete Current Status	<<extend>>	S2-UC11 View Current Status	Deleting is an optional action while viewing the active status.
S2-UC15 Delete Historical Status Content	<<extend>>	S2-UC14 View Current-Month Status History	Historical content may optionally be deleted while reviewing History.

The following Use Cases remain independent:

- S2-UC10 Perform Check-in
- S2-UC13 View Monthly Check-in Calendar
- S2-UC16 View Personal Timeline
- S2-UC17 View Mood / Activity Heatmap
- S2-UC18 Control Visibility
- S2-UC19 View Friend Check-in

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

- S2-UC20 View Friend Calendar
- S2-UC21 View Friend Timeline and Mood / Activity

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

Internal actions such as recording the timestamp, updating Current Status, ending the previous status, and increasing the Calendar count remain steps inside S2-UC10 Perform Check-in.

They are not separate Use Cases because they are mandatory internal System behaviours rather than independent Actor goals.

4.6 Layout Plan

- Registered User is positioned on the left.
- Confirmed Friend is positioned on the right.
- Personal Check-in and Status Use Cases are grouped in the upper-left area.
- Calendar and History Use Cases are grouped in the centre.

- Timeline and Heatmap Use Cases are grouped in the lower-left area.
- Friend-view Use Cases are grouped near Confirmed Friend on the right.
- Control Visibility is positioned centrally to show that it applies across multiple information categories.
- No location Actor or location Use Case appears in this diagram.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

5. Diagram 3 — Events and Optional Location Sharing Use Case Diagram

5.1 Purpose

This diagram provides detailed coverage of:

- Event Recommendations;
- Event Details;
- Interested status;
- Going and Booked Externally status;
- friend-influenced recommendations;
- external booking;

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Optional Location Sharing;

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Trusted Friend management; and
- friend-location access.

5.2 Actors

- Registered User
- Confirmed Friend

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Trusted Friend
- External Booking Website
- Location Service

5.3 Use Cases

Use Case ID	Use Case Name
S2-UC22	View Event Recommendations
S2-UC23	View Event Details
S2-UC24	Mark Event as Interested
S2-UC25	Remove Interested Status
S2-UC26	View Friend-Influenced Event Recommendation
S2-UC27	Open External Booking Website
S2-UC34	Update Event Participation Status

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-UC28	Manage Optional Location Sharing
---------	----------------------------------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-UC29	Manage Trusted Friends
S2-UC30	Share Approximate Location

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-UC31	Deliberately Share Precise Location
S2-UC32	View Friend Location

5.4 Actor Associations

Actor	Associated Use Cases
-------	----------------------

Registered User	S2-UC22; S2-UC23; S2-UC24; S2-UC25; S2-UC27; S2-UC34; S2-UC28; S2-UC29; S2-UC30; S2-UC31
-----------------	---

Confirmed Friend	S2-UC26; S2-UC32
------------------	------------------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

Trusted Friend	S2-UC32 through Actor specialisation
----------------	--------------------------------------

External Booking Website	S2-UC27
--------------------------	---------

Location Service	S2-UC30; S2-UC31
------------------	------------------

5.5 Use Case Relationships

Source Use Case	Relationship	Target Use Case	Reason
S2-UC24 Mark Event as Interested	<<extend>>	S2-UC23 View Event Details	Marking Interested is an optional action while viewing an event.
S2-UC25 Remove Interested Status	<<extend>>	S2-UC23 View Event Details	Removing Interested is an optional event action.
S2-UC27 Open External Booking Website	<<extend>>	S2-UC23 View Event Details	External booking is optional and depends on an available approved link.
S2-UC26 View Friend-Influenced Event Recommendation	<<extend>>	S2-UC22 View Event Recommendations	It is a social variation of the normal event-recommendation flow.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

S2-UC29 Manage Trusted Friends	<<extend>>	S2-UC28 Manage Optional Location Sharing	Trusted Friend management is an optional part of location-sharing control.
--------------------------------	------------	--	--

S2-UC34 Update Event Participation Status remains independent.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

It may be initiated from an event card, the Home Dashboard, or Event Details. It is therefore not modelled as exclusively extending S2-UC23 View Event Details.

The following location Use Cases remain independent:

- S2-UC30 Share Approximate Location

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- S2-UC31 Deliberately Share Precise Location
- S2-UC32 View Friend Location

Location Service is associated only with S2-UC30 and S2-UC31 because those Use Cases obtain location information.

Managing a permission through S2-UC28 or S2-UC29 does not itself obtain location information.

5.6 Layout Plan

- Registered User is positioned on the left.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Confirmed Friend and Trusted Friend are positioned on the right.
- External Booking Website is positioned near S2-UC27.
- Location Service is positioned near S2-UC30 and S2-UC31.
- Event recommendation and Event Details Use Cases are grouped in the upper area.
- Interested and participation-status Use Cases are grouped near the event Use Cases.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- Optional Location Sharing and Trusted Friend Use Cases are grouped in the lower area.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

- View Friend Location is positioned near Confirmed Friend and Trusted Friend.
 - Actor generalisation remains outside the System boundary.
-

6. Diagram 4 — Account and Friendship Use Case Diagram

6.1 Purpose

This diagram provides detailed coverage of:

- registration;
- account discoverability;
- user search;
- friend requests;
- friend-request responses;
- friend removal;
- blocking;
- reporting; and
- Friend Recommendation.

6.2 Actors

- New User
- Registered User

6.3 Use Cases

Use Case ID	Use Case Name
S2-UC01	Register Account

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes.

Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

S2-UC02	Manage Account Discoverability
S2-UC03	Search for User
S2-UC04	Send Friend Request
S2-UC05	Respond to Friend Request
S2-UC06	Remove Friend
S2-UC07	Block User
S2-UC08	Report User

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

S2-UC09	View Friend Recommendations
---------	-----------------------------

6.4 Actor Associations

Actor	Associated Use Cases
New User	S2-UC01
Registered User	S2-UC02; S2-UC03; S2-UC04; S2-UC05; S2-UC06; S2-UC07; S2-UC08; S2-UC09

6.5 Use Case Relationships

Source Use Case	Relationship	Target Use Case	Reason
-----------------	--------------	-----------------	--------

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

S2-UC04 Send Friend Request	<<extend>>	S2-UC03 Search for User	Sending a friend request is an optional action after finding a user through search.
-----------------------------------	------------	----------------------------	---

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

S2-UC04 Send Friend Request	<<extend>>	S2-UC09 View Friend Recommendations	A friend request may also be sent from a Friend Recommendation result.
-----------------------------------	------------	--	--

The following Use Cases remain independent:

- S2-UC01 Register Account

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

- S2-UC02 Manage Account Discoverability
- S2-UC05 Respond to Friend Request
- S2-UC06 Remove Friend
- S2-UC07 Block User
- S2-UC08 Report User

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

Block User does not require Remove Friend.

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

Report User does not require Block User or Remove Friend.

New User and Registered User do not use an Actor generalisation relationship.

6.6 Layout Plan

- New User is positioned on the left near S2-UC01.
- Registered User is positioned on the right or lower-left side.
- Registration is separated visually from friendship management.

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

- Search for User and View Friend Recommendations are placed near Send Friend Request.

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.


- Respond to Friend Request is placed near Send Friend Request.

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

- Remove Friend, Block User, and Report User are grouped as independent account-safety and relationship-management actions.
- No moderator or administrator Actor appears.

Sprint 2 Use Case Diagram

Sprint 2 Core Use Case Diagram



@startuml

title Sprint 2 Core Use Case Diagram

left to right direction

skinparam shadowing false

skinparam packageStyle rectangle

actor "Registered User" as RegisteredUser

actor "Confirmed Friend" as ConfirmedFriend

actor "Trusted Friend" as TrustedFriend

actor "External Booking Website" as ExternalBookingWebsite

TrustedFriend --|> ConfirmedFriend

ConfirmedFriend --|> RegisteredUser

rectangle "System" {

usecase "S2-UC33\nView Home Dashboard" as UC33

usecase "S2-UC10\nPerform Check-in" as UC10

usecase "S2-UC13\nView Monthly Check-in\nCalendar" as UC13

usecase "S2-UC18\nControl Visibility" as UC18

usecase "S2-UC19\nView Friend Check-in" as UC19

usecase "S2-UC22\nView Event\nRecommendations" as UC22
usecase "S2-UC23\nView Event Details" as UC23
usecase "S2-UC24\nMark Event as\nInterested" as UC24
usecase "S2-UC27\nOpen External Booking\nWebsite" as UC27

usecase "S2-UC28\nManage Optional\nLocation Sharing" as UC28
usecase "S2-UC32\nView Friend Location" as UC32

}

RegisteredUser -- UC33
RegisteredUser -- UC10
RegisteredUser -- UC13
RegisteredUser -- UC18
RegisteredUser -- UC22
RegisteredUser -- UC23
RegisteredUser -- UC24
RegisteredUser -- UC27
RegisteredUser -- UC28


ConfirmedFriend -- UC19
ConfirmedFriend -- UC32

ExternalBookingWebsite -- UC27

UC24 ..> UC23 : <<extend>>
UC27 ..> UC23 : <<extend>>

@enduml

Check-in, Calendar and Visibility Use Case Diagram



@startuml
title Check-in, Calendar and Visibility Use Case Diagram

left to right direction
skinparam shadowing false
skinparam packageStyle rectangle

actor "Registered User" as RegisteredUser
actor "Confirmed Friend" as ConfirmedFriend

ConfirmedFriend --|> RegisteredUser

rectangle "System" {
 usecase "S2-UC10\nPerform Check-in" as UC10
 usecase "S2-UC11\nView Current Status" as UC11

usecase "S2-UC12\nDelete Current Status" as UC12

usecase "S2-UC13\nView Monthly Check-in\nCalendar" as UC13

usecase "S2-UC14\nView Current-Month\nStatus History" as UC14

usecase "S2-UC15\nDelete Historical\nStatus Content" as UC15

usecase "S2-UC16\nView Personal Timeline" as UC16

usecase "S2-UC17\nView Mood / Activity\nHeatmap" as UC17

usecase "S2-UC18\nControl Visibility" as UC18

usecase "S2-UC19\nView Friend Check-in" as UC19

usecase "S2-UC20\nView Friend Calendar" as UC20

usecase "S2-UC21\nView Friend Timeline and\nMood / Activity" as UC21

}

RegisteredUser -- UC10

RegisteredUser -- UC11

RegisteredUser -- UC12

RegisteredUser -- UC13

RegisteredUser -- UC14

RegisteredUser -- UC15

RegisteredUser -- UC16

RegisteredUser -- UC17

RegisteredUser -- UC18

ConfirmedFriend -- UC19

ConfirmedFriend -- UC20


ConfirmedFriend -- UC21

UC12 ..> UC11 : <<extend>>

UC15 ..> UC14 : <<extend>>

@enduml

Events and Optional Location Sharing Use Case Diagram



@startuml

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

title Events and Optional Location Sharing Use Case Diagram

left to right direction

skinparam shadowing false

skinparam packageStyle rectangle

actor "Registered User" as RegisteredUser

actor "Confirmed Friend" as ConfirmedFriend

actor "Trusted Friend" as TrustedFriend

actor "External Booking Website" as ExternalBookingWebsite

actor "Location Service" as LocationService

TrustedFriend --> ConfirmedFriend

ConfirmedFriend --> RegisteredUser

```

rectangle "System" {
    usecase "S2-UC22\nView Event\nRecommendations" as UC22
    usecase "S2-UC23\nView Event Details" as UC23
    usecase "S2-UC24\nMark Event as\nInterested" as UC24
    
```

```
usecase "S2-UC25\nRemove Interested\nStatus" as UC25
usecase "S2-UC26\nView Friend-Influenced\nEvent Recommendation" as UC26
usecase "S2-UC27\nOpen External Booking\nWebsite" as UC27
usecase "S2-UC34\nUpdate Event\nParticipation Status" as UC34

usecase "S2-UC28\nManage Optional\nLocation Sharing" as UC28
usecase "S2-UC29\nManage Trusted Friends" as UC29
usecase "S2-UC30\nShare Approximate\nLocation" as UC30
usecase "S2-UC31\nDeliberately Share\nPrecise Location" as UC31
usecase "S2-UC32\nView Friend Location" as UC32
}
```

```
RegisteredUser -- UC22
RegisteredUser -- UC23
RegisteredUser -- UC24
RegisteredUser -- UC25
RegisteredUser -- UC27
RegisteredUser -- UC34
RegisteredUser -- UC28
RegisteredUser -- UC29
RegisteredUser -- UC30
RegisteredUser -- UC31
```

```
ConfirmedFriend -- UC26
ConfirmedFriend -- UC32
```


```
ExternalBookingWebsite -- UC27
```

```
LocationService -- UC30
LocationService -- UC31
```

```
UC24 ..> UC23 : <<extend>>
UC25 ..> UC23 : <<extend>>
UC27 ..> UC23 : <<extend>>
UC26 ..> UC22 : <<extend>>
UC29 ..> UC28 : <<extend>>
```

```
@enduml
```

Account and Friendship Use Case Diagram



@startuml

title Account and Friendship Use Case Diagram

left to right direction

skinparam shadowing false

skinparam packageStyle rectangle

actor "New User" as NewUser

actor "Registered User" as RegisteredUser

rectangle "System" {

usecase "S2-UC01\nRegister Account" as UC01

usecase "S2-UC02\nManage Account\nDiscoverability" as UC02

```
usecase "S2-UC03\nSearch for User" as UC03
usecase "S2-UC04\nSend Friend Request" as UC04
usecase "S2-UC05\nRespond to\nFriend Request" as UC05

usecase "S2-UC06\nRemove Friend" as UC06
usecase "S2-UC07\nBlock User" as UC07
usecase "S2-UC08\nReport User" as UC08

usecase "S2-UC09\nView Friend\nRecommendations" as UC09
}
```

NewUser -- UC01

RegisteredUser -- UC02
RegisteredUser -- UC03
RegisteredUser -- UC04
RegisteredUser -- UC05
RegisteredUser -- UC06
RegisteredUser -- UC07
RegisteredUser -- UC08
RegisteredUser -- UC09

UC04 ..> UC03 : <<extend>>
UC04 ..> UC09 : <<extend>>

@enduml

Sprint 2 Functional and Non-Functional Requirements

Sprint 1 Requirements

1. Basic Profile FR/NFR

Functional Requirements

ID	Functional Requirement	Priority	Sprint	Change Status
BP-F R1	The system shall allow the user to create a basic profile.	High	Sprint 1	Baseline
BP-F R2	The basic profile shall support a display name, avatar, date of birth, calculated age, region, school or community context, and personal description.	High	Sprint 1	Refined
BP-F R3	The user shall be able to enter and edit their basic profile information.	High	Sprint 1	Baseline
BP-F R4	The system shall validate all required profile fields before saving the profile.	High	Sprint 1	Baseline
BP-F R5	The system shall allow the user to save the profile after all required information has been validated.	High	Sprint 1	Baseline
BP-F R6	The saved profile shall be available for Interest Selection and Basic Group Suggestions.	High	Sprint 1	Baseline
BP-F R7	The system shall calculate the user's current age from the stored date of birth.	High	Sprint 1	Refined
BP-F R8	The system shall update the calculated age after the user's birthday each year.	High	Sprint 1	Refined

BP-F R9	The system shall allow the user to control which profile fields are visible to other users.	High	Sprint 1	Refined
BP-F R10	The user shall be able to choose whether to display the full date of birth, birthday without year, calculated age, age group, or no birthday-related information.	High	Sprint 1	Refined
BP-F R11	The user shall be able to provide a postcode manually or authorise GPS access to determine an approximate profile region.	High	Sprint 1	Refined

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

BP-F R12	When GPS is used for profile region setup, the system shall store the approved region or approximate location rather than display the precise location publicly.	High	Sprint 1	Refined
-------------	--	------	-------------	---------

Non-Functional Requirements

ID	Non-Functional Requirement	Priority	Sprint	Change Status
BP-NF R1	The profile setup process should be simple and suitable for mobile use.	High	Sprint 1	Baseline
BP-NF R2	Required and optional profile fields should be clearly distinguished.	High	Sprint 1	Baseline
BP-NF R3	The system should collect only the profile information required for the approved functions.	High	Sprint 1	Baseline
BP-NF R4	Profile information shall be protected from unauthorised access.	High	Sprint 1	Baseline
BP-NF R5	The profile setup process should avoid requesting sensitive information unrelated to the approved scope.	High	Sprint 1	Baseline

BP-NF R6	The profile process should support users with different levels of technical ability.	Medium	Sprint 1	Baseline
BP-NF R7	Date-of-birth information shall be Private by default.	High	Sprint 1	Refined
BP-NF R8	GPS access for profile region setup shall require explicit user consent.	High	Sprint 1	Refined

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

BP-NF R9	Full email addresses, phone numbers, dates of birth, and precise locations shall not be publicly displayed by default.	High	Sprint 1	Refined
----------	--	------	----------	---------

Boundary

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

Basic Profile does not define registration, friend search, friend recommendation, event recommendation, Check-in Status, database structure, GPS implementation, or screen layout.

2. Interest Selection FR/NFR

Functional Requirements

ID	Functional Requirement	Priority	Sprint	Change Status
IS-F R1	The system shall display a list of selectable interest categories or tags.	High	Sprint 1	Baseline
IS-F R2	The user shall be able to select one or more interests.	High	Sprint 1	Baseline
IS-F R3	The user shall be able to deselect interests before saving.	High	Sprint 1	Baseline

IS-F R4	The system shall save the selected interests to the user's basic profile.	High	Sprint 1	Baseline
IS-F R5	The selected interests shall be available for Basic Group Suggestions.	High	Sprint 1	Refined
IS-F R6	The user shall select at least one interest before completing Interest Selection.	High	Sprint 1	Refined
IS-F R7	If no interest is selected, the system shall prevent completion and prompt the user to select at least one interest.	High	Sprint 1	Refined
IS-F R8	The interest list shall support approved categories such as hobbies, education, health and wellbeing, community, and social activities.	Medium	Sprint 1	Refined

Non-Functional Requirements

ID	Non-Functional Requirement	Priority	Sprint	Change Status
IS-NF R1	The Interest Selection process should be simple and easy to understand.	High	Sprint 1	Baseline
IS-NF R2	Interest labels should be clear and understandable for general users.	High	Sprint 1	Baseline
IS-NF R3	Selected interests shall only be used according to the user's applicable consent settings.	High	Sprint 1	Baseline
IS-NF R4	The Interest Selection process should be suitable for mobile use, with readable text and clear actions.	High	Sprint 1	Baseline
IS-NF R5	The number of interest options shown at one time should remain manageable to avoid user overload.	Medium	Sprint 1	Baseline
IS-NF R6	Interest data shall be protected as part of the user profile.	High	Sprint 1	Baseline

Boundary

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

This section does not define event recommendation, friend recommendation, related-interest matching, recommendation scoring, AI model design, or database implementation.

3. AI Assistant Chat FR/NFR

Functional Requirements

ID	Functional Requirement	Priority	Sprint	Change Status
AI-F R1	The system shall provide an AI Assistant Chat function.	High	Sprint 1	Baseline
AI-F R2	The user shall be able to type and send a message to the AI Assistant.	High	Sprint 1	Baseline
AI-F R3	The AI Assistant shall return a basic text response.	High	Sprint 1	Baseline
AI-F R4	The AI Assistant shall provide only general conversation, app guidance, social suggestions, or other approved basic support.	High	Sprint 1	Baseline
AI-F R5	The AI Assistant shall provide a safety-boundary response when the user requests medical, psychological, legal, emergency, or unsafe advice.	High	Sprint 1	Baseline
AI-F R6	The AI Assistant shall respect the user's current AI data-consent setting.	High	Sprint 1	Baseline

Non-Functional Requirements

ID	Non-Functional Requirement	Priority	Sprint	Change Status
----	----------------------------	----------	--------	---------------

AI-NF R1	AI Assistant responses should be clear, simple, and understandable.	High	Sprint 1	Baseline
AI-NF R2	The AI Assistant shall not present itself as a doctor, therapist, lawyer, emergency service, or other professional authority.	High	Sprint 1	Baseline
AI-NF R3	The chat interaction should be simple and suitable for mobile use.	High	Sprint 1	Baseline
AI-NF R4	AI conversation data shall be handled according to applicable privacy and consent rules.	High	Sprint 1	Baseline
AI-NF R5	The AI Assistant shall avoid harmful, unsafe, discriminatory, or manipulative responses.	High	Sprint 1	Baseline
AI-NF R6	The system should clearly communicate that the AI Assistant provides basic support only.	High	Sprint 1	Baseline

Boundary

This section does not define advanced memory, long-term personalisation, emotional-dependency features, medical support, crisis response, AI model architecture, prompt design, or production-level AI integration.

4. Basic Group Suggestions FR/NFR

Functional Requirements

ID	Functional Requirement	Priority	Sprint	Change Status
GS-FR1	The system shall display a set of suggested groups to the user.	High	Sprint 1	Refined
GS-FR2	Group suggestions shall be based on the user's approved basic profile information, selected interests, and applicable consent settings.	High	Sprint 1	Refined

GS-FR3	Each group suggestion shall show basic information such as the group name, short description, and relevant interest tags.	High	Sprint 1	Refined
GS-FR4	Each group suggestion shall display a basic recommendation reason.	High	Sprint 1	Refined
GS-FR5	If no specific recommendation reason is available, the system shall display a general explanation based on the user's selected interests.	Medium	Sprint 1	Refined
GS-FR6	If no suitable group suggestion is available, the system shall display a no-result message or prompt the user to update their interests.	Medium	Sprint 1	Refined

Non-Functional Requirements

ID	Non-Functional Requirement	Priority	Sprint	Change Status
GS-N FR1	Group suggestions should be easy to scan on a mobile screen.	High	Sprint 1	Refined
GS-N FR2	Group recommendation reasons should be short and understandable.	High	Sprint 1	Refined
GS-N FR3	The system should not claim that group suggestions are generated by production-level personalised AI when simplified or mock matching is used.	High	Sprint 1	Refined
GS-N FR4	Group suggestions shall respect the user's applicable AI data-consent settings.	High	Sprint 1	Refined
GS-N FR5	Group suggestions shall not expose private groups, private profile information, or sensitive user information without permission.	High	Sprint 1	Refined

Boundary

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and

friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

Event suggestions, event interaction, friend recommendation, and friend search are defined in Sprint 2 and are not part of this Sprint 1 module.

5. AI Data Consent FR/NFR

Functional Requirements

ID	Functional Requirement	Priority	Sprint	Change Status
CONS-FR1	The system shall explain how approved profile and interest data may be used by AI-supported functions.	High	Sprint 1	Baseline restored
CONS-FR2	The user shall be able to give or decline consent for approved AI data use.	High	Sprint 1	Baseline restored
CONS-FR3	The user shall be able to view and change their AI data-consent choice.	High	Sprint 1	Baseline restored
CONS-FR4	AI-supported functions shall follow the user's current consent choice.	High	Sprint 1	Baseline restored
CONS-FR5	Withdrawing consent shall prevent future use of the affected data by the relevant AI-supported functions.	High	Sprint 1	Refined

Non-Functional Requirements

ID	Non-Functional Requirement	Priority	Sprint	Change Status
CONS-NFR1	Consent explanations should be clear and understandable.	High	Sprint 1	Baseline restored
CONS-NFR2	Consent choices shall be stored and applied consistently.	High	Sprint 1	Refined

CONS-NFR3	Declining consent shall not expose the user's profile or interest data to unauthorised AI-supported use.	High	Sprint 1	Refined
-----------	--	------	----------	---------

Boundary

This section defines user control and data-use boundaries. It does not define AI recommendation algorithms, prompt design, AI service integration, or model implementation.

Sprint 2 Requirements

6. Account Registration FR/NFR

Functional Requirements

ID	Functional Requirement	Priority	Sprint	Change Status
REG-FR1	The system shall allow a new user to register using email and password, phone number and password, or username and password.	High	Sprint 2	New
REG-FR2	The system shall validate the selected registration identifier and password before creating the account.	High	Sprint 2	New
REG-FR3	When a user registers using email or phone number, the system shall generate a unique default username that does not expose the complete email address or phone number.	High	Sprint 2	New
REG-FR4	When a user registers using a username, the system shall require that username to be unique.	High	Sprint 2	New
REG-FR5	The user shall be able to change a generated username to another available unique username.	Medium	Sprint 2	New

REG-FR6	The system shall present the Terms and Conditions and Privacy Notice before registration is completed.	High	Sprint 2	New
REG-FR7	The system shall require the user to accept the Terms and Conditions and Privacy Notice before creating the account.	High	Sprint 2	New
REG-FR8	The system shall prevent account creation when the same email address, phone number, or username is already registered.	High	Sprint 2	New
REG-FR9	The system shall create the account after all required registration information has been validated and accepted.	High	Sprint 2	New
REG-FR10	The newly registered user shall be able to continue to Basic Profile and Interest Selection.	High	Sprint 2	New
REG-FR11	The system shall display a clear message when registration cannot be completed.	Medium	Sprint 2	New

Non-Functional Requirements

ID	Non-Functional Requirement	Priority	Sprint	Change Status
REG-NFR1	The registration process should be simple and suitable for first-time mobile users.	High	Sprint 2	New
REG-NFR2	The system should collect only the information required to create and protect the account.	High	Sprint 2	New
REG-NFR3	Registration credentials and personal information shall be protected from unauthorised access.	High	Sprint 2	New
REG-NFR4	Required and optional registration information should be clearly distinguished.	High	Sprint 2	New

REG-NFR5	Registration instructions should be readable and understandable for users with different levels of technical ability.	Medium	Sprint 2	New
REG-NFR6	Registration data shall be handled according to applicable privacy and consent requirements.	High	Sprint 2	New
REG-NFR7	Full email addresses and phone numbers shall not be used as publicly displayed usernames by default.	High	Sprint 2	New

Boundary

Social login is excluded from Sprint 2. SingPass is Future Work. This section does not define authentication architecture, identity-provider integration, database design, or screen layout.

7. Add Friend and Friendship FR/NFR

Functional Requirements

ID	Functional Requirement	Priority	Sprint	Change Status
AF-F R1	The system shall allow a user to search for another user using an exact username, email address, or phone number.	High	Sprint 2	New
AF-F R2	Username discovery shall be enabled by default.	Medium	Sprint 2	New
AF-F R3	Email-address discovery and phone-number discovery shall be disabled by default.	High	Sprint 2	New
AF-F R4	The user shall be able to enable or disable email-address discovery and phone-number discovery separately.	High	Sprint 2	New

AF-F R5	An email or phone search shall return a result only when the identifier is an exact match and the account owner has enabled the corresponding discoverability setting.	High	Sprint 2	New
AF-F R6	A successful search result shall show only profile information that the matched user has permitted other users to view.	High	Sprint 2	New
AF-F R7	A search result shall not display the matched user's full email address or full phone number.	High	Sprint 2	New
AF-F R8	The user shall be able to send a friend request to a matched user.	High	Sprint 2	New
AF-F R9	The receiving user shall be able to accept or decline the friend request.	High	Sprint 2	New
AF-F R10	The system shall create a confirmed friendship only after the receiving user accepts the friend request.	High	Sprint 2	New
AF-F R11	The system shall prevent a user from sending a friend request to their own account.	Medium	Sprint 2	New
AF-F R12	The system shall prevent duplicate pending friend requests and duplicate confirmed friendships.	Medium	Sprint 2	New
AF-F R13	Friends-only information shall remain unavailable until the friend request has been accepted.	High	Sprint 2	New
AF-F R14	The user shall be able to remove a confirmed friend.	High	Sprint 2	New
AF-F R15	Removing a friend shall revoke that user's future access to Friends-only information.	High	Sprint 2	New

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

AF-F R16	Removing a friend shall also remove that user from the account owner's Trusted Friends list.	High	Sprint 2	New
AF-F R17	The user shall be able to block another user.	High	Sprint 2	New
AF-F R18	Blocking a user shall prevent that user from sending new friend requests or accessing Friends-only information belonging to the blocking user.	High	Sprint 2	New
AF-F R19	Blocking an existing friend shall override the friendship's visibility permissions.	High	Sprint 2	New
AF-F R20	The user shall be able to report another user.	High	Sprint 2	New

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

AF-F R21	A submitted user report shall be made available to the platform's moderation process.	High	Sprint 2	New
-------------	---	------	-------------	-----

Non-Functional Requirements

ID	Non-Functional Requirement	Priority	Sprint	Change Status
OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.				
AF-NF R1	Friend search should be simple and understandable.	High	Sprint 2	New
AF-NF R2	Email and phone searches shall not support partial or similar-match discovery.	High	Sprint 2	New
AF-NF R3	Friend requests and friendship status shall be visible only to the relevant users.	High	Sprint 2	New

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

AF-NF R4	Private profile information shall not be revealed through friend search without permission.	High	Sprint 2	New
AF-NF R5	Blocking and reporting controls should be clearly distinguishable from ordinary friend actions.	High	Sprint 2	New
AF-NF R6	Report information shall be handled according to applicable privacy and safety rules.	High	Sprint 2	New

Boundary

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

This section defines user-facing friend search, friendship, removal, blocking, and reporting requirements. It does not define direct messaging, contact-list import, QR-code adding, moderation queues, administrator review procedures, penalties, database relationships, or implementation details.

8. Friend Recommendation FR/NFR

Functional Requirements

ID	Functional Requirement	Priority	Sprint	Change Status
FRI- FR1	The system shall recommend potential friends who share at least one identical interest tag with the user.	High	Sprint 2	New

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation,

and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

FRI- FR2	The system shall not recommend a user whose privacy settings prohibit friend recommendations.	High	Sprint 2	New
FRI- FR3	Each recommendation shall show limited permitted profile information and identical shared interest tags where those interests may be displayed.	High	Sprint 2	New
FRI- FR4	Each recommendation shall show a short reason explaining the identical shared interest.	High	Sprint 2	New

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

FRI- FR5	The user shall be able to send a friend request from a Friend Recommendation result.	High	Sprint 2	New
FRI- FR6	A friend request sent from a recommendation shall follow the same acceptance and confirmation rules defined in Add Friend and Friendship.	High	Sprint 2	New
FRI- FR7	If no suitable recommendation is available, the system shall display a no-result message.	Medium	Sprint 2	New

Non-Functional Requirements

ID	Non-Functional Requirement	Priority	Sprint	Change Status
FRI-N FR1	Friend-recommendation reasons should be clear and understandable.	High	Sprint 2	New
FRI-N FR2	Private interests and profile information shall not be exposed without permission.	High	Sprint 2	New

OUTDATED — Superseded for Sprint 2 by Sprint 2, Updated Stage 1 Scope Notes and Updated Stage 2 §7 Scope Notes. Retained for historical traceability. Current rule: final Sprint 2 assumes existing friendships and excludes friend search, matching, addition, deletion, blocking, reporting, Friend Recommendation,

and friend-request workflows; Sprint 3 later reintroduces only its newly specified Friend Recommendation, Friend Request, and Friend Page scope.

FRI-N FR3	Friend Recommendation shall not use protected or sensitive profile information unless the user has permitted its use.	High	Sprint 2	New
FRI-N FR4	The recommendation function should clearly distinguish a suggested user from a confirmed friend.	High	Sprint 2	New

Boundary

Related-interest matching, semantic-interest matching, recommendation scoring, direct messaging, and complete social-network functionality are excluded from the current scope.

9. Check-in Status and Calendar FR/NFR

Functional Requirements

ID	Functional Requirement	Priority	Sprint	Change Status
CI-F R1	The system shall allow the user to perform a Check-in that updates the user's Current Status.	High	Sprint 2	Refined
CI-F R2	A Check-in shall contain at least a note or a selected mood.	High	Sprint 2	Refined
CI-F R3	The user shall be able to complete a Check-in using a note without selecting a mood.	High	Sprint 2	Refined
CI-F R4	The user shall be able to complete a Check-in using a mood without entering a note.	High	Sprint 2	Refined
CI-F R5	The system shall prevent completion of a Check-in that contains neither a note nor a mood.	High	Sprint 2	Refined
CI-F R6	The system shall automatically record the Check-in timestamp.	High	Sprint 2	Refined

CI-F R7	Each successful Check-in shall update the user's Current Status using the most recent note and/or mood.	High	Sprint 2	Refined
------------	---	------	-------------	---------

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

CI-F R8	Each user shall have no more than one active Current Status at a time.	High	Sprint 2	Refined
------------	--	------	-------------	---------

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

CI-F R9	Completing a new Check-in shall end the user's previous active Current Status.	High	Sprint 2	Refined
------------	--	------	-------------	---------

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

CI-F R10	An active Current Status shall automatically end 24 hours after the successful Check-in.	High	Sprint 2	Refined
-------------	--	------	-------------	---------

CI-F R11	The default visibility of a new Current Status shall be Private.	High	Sprint 2	Refined
-------------	--	------	-------------	---------

CI-F R12	The user shall be able to change Current Status visibility to Friends-only.	High	Sprint 2	Refined
-------------	---	------	-------------	---------

PARTIALLY OUTDATED — Only the temporary Current Status and 24-hour expiry model is superseded by Sprint 2 S2-US6, S2-UC10, and S2-UC12. The remaining Check-in timestamp, note/mood, consent, and privacy content is still applicable.

CI-F R13	The user shall be able to delete an active Current Status before it expires.	High	Sprint 2	Refined
-------------	--	------	-------------	---------

CI-F R14	Ended, replaced, or expired status content shall be available in the user's personal Status History for the current calendar month.	High	Sprint 2	Refined
-------------	---	------	-------------	---------

CI-F R15	The user shall be able to delete status content from the personal Status History.	High	Sprint 2	Refined
-------------	---	------	-------------	---------

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

CI-F R16	Deleting an active or historical status shall not remove the corresponding successful Check-in record or reduce the Calendar count.	High	Sprint 2	Refined
CI-F R17	The system shall provide a personal Check-in Calendar for the current calendar month.	High	Sprint 2	New
CI-F R18	Each successful Check-in shall create a record for the corresponding calendar date.	High	Sprint 2	New
CI-F R19	The Calendar shall record the total number of successful Check-ins for each date.	High	Sprint 2	New
CI-F R20	Multiple successful Check-ins on the same date shall each increase that date's Check-in count.	High	Sprint 2	New
CI-F R21	The Calendar and Status History shall contain records for the current calendar month only.	High	Sprint 2	New
CI-F R22	At the start of a new calendar month, the system shall begin a new monthly Calendar and Status History record.	High	Sprint 2	New

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

CI-F R23	The user shall be able to keep the Check-in Calendar Private or make it visible to confirmed friends.	High	Sprint 2	New
CI-F R24	Check-in records from the current month shall be available for the user's personal timeline and mood/activity heatmap.	Medium	Sprint 2	Refined

CI-F R25	The system shall ensure that any AI-supported use of Check-in Status, mood, or interest information follows the user's AI data-consent, privacy, and safety settings.	High	Sprint 2	Refined
-------------	---	------	-------------	---------

Non-Functional Requirements

ID	Non-Functional Requirement	Priority	Sprint	Change Status
CI-NF R1	Creating and managing a Check-in should be simple and suitable for mobile use.	High	Sprint 2	New
CI-NF R2	Status notes, moods, timestamps, Calendar records, and visibility settings shall be protected from unauthorised access.	High	Sprint 2	New
CI-NF R3	Current Status visibility shall be applied consistently to all permitted viewers.	High	Sprint 2	New

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

CI-NF R4	Calendar counts, Check-in timestamps, and Status History records shall remain consistent.	High	Sprint 2	New
CI-NF R5	Personal Status History and the Check-in Calendar shall remain Private by default.	High	Sprint 2	New
CI-NF R6	The system should collect only the information required for the approved Check-in functions.	High	Sprint 2	New
CI-NF R7	AI-supported use of Check-in information shall not diagnose, classify, or judge the user's psychological or medical condition.	High	Sprint 2	Refined
CI-NF R8	Mood and activity summaries should be presented as activity information rather than medical or psychological conclusions.	High	Sprint 2	New

CI-NF R9	The Check-in Calendar should clearly distinguish dates with no Check-in from dates with one or more successful Check-ins.	Medium	Sprint 2	New
----------	---	--------	----------	-----

Boundary

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

Check-in is a temporary social-status and monthly activity-record function. Optional Location Sharing is defined separately and is not automatically attached to each Check-in. The original private-support daily-ping workflow is not part of the current Sprint 2 Check-in Status scope.

10. Events Recommendation FR/NFR

Functional Requirements

ID	Functional Requirement	Priority	Sprint	Change Status
EV-F R1	The system shall display an event list to the user.	High	Sprint 2	Moved and refined
EV-F R2	The user shall be able to view event details.	High	Sprint 2	Moved and refined
EV-F R3	Event details shall include approved basic information such as event name, description, category, date, location, and external source information where available.	High	Sprint 2	Refined
EV-F R4	The system shall recommend events whose approved interest tags match the user's selected interests.	High	Sprint 2	Moved from Sprint 1
EV-F R5	Each event recommendation shall display a short explanation of its relationship to the user's interests.	High	Sprint 2	Moved from Sprint 1

EV-F R6	The user shall be able to mark an event as Interested.	High	Sprint 2	Refined
EV-F R7	The user shall be able to remove their Interested status from an event.	High	Sprint 2	New
EV-F R8	When User A marks an event as Interested, the system shall make the event available for recommendation to confirmed friends whose selected interests match the event's approved interest tags.	High	Sprint 2	New
EV-F R9	A friend-influenced event recommendation shall display a social reason such as "A friend is interested in this event."	High	Sprint 2	New
EV-F R10	The user shall be able to open an approved external booking link from the event details.	High	Sprint 2	New
EV-F R11	The system shall redirect the user to the external website when the booking link is selected.	High	Sprint 2	New
EV-F R12	The system shall not process event booking or payment within the app in the current scope.	High	Sprint 2	New
EV-F R13	Removing an Interested status shall stop the user from being displayed as interested in that event.	High	Sprint 2	New
EV-F R14	The user shall be able to mark an available event as Going.	High	Sprint 2	New

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

EV-F R15	The user shall be able to mark an available event as Booked Externally.	High	Sprint 2	New
-------------	---	------	-------------	-----

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

EV-F R16	The system shall identify Going and Booked Externally as user-declared statuses and shall not present them as verified external booking completion.	High	Sprint 2	New
-------------	---	------	-------------	-----

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

EV-F R17	The user shall be able to change the current participation status between Going and Booked Externally.	High	Sprint 2	New
-------------	--	------	-------------	-----

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

EV-F R18	The user shall be able to remove the current Going or Booked Externally status.	High	Sprint 2	New
-------------	---	------	-------------	-----

EV-F R19	Changing or removing an event participation status shall stop the previous status from being displayed.	High	Sprint 2	New
-------------	---	------	-------------	-----

Non-Functional Requirements

ID	Non-Functional Requirement	Priority	Sprint	Change Status
EV-NF R1	Event lists and event details should be easy to scan on a mobile screen.	High	Sprint 2	New
EV-NF R2	Event recommendation explanations should be short and understandable.	High	Sprint 2	Moved from Sprint 1
EV-NF R3	Interest-based and friend-influenced recommendation reasons should be clearly distinguished.	High	Sprint 2	New
EV-NF R4	Interested-status information shall remain accurate and consistent.	High	Sprint 2	New

EV-NF R5	External booking links should be clearly identified as links to third-party websites.	High	Sprint 2	New
EV-NF R6	Opening an external booking website shall not be presented as confirmation that a booking has been completed.	High	Sprint 2	New
EV-NF R7	Event recommendations shall respect the user's applicable privacy and consent settings.	High	Sprint 2	Refined

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

EV-NF R8	Going and Booked Externally should be clearly distinguished from Interested.	High	Sprint 2	New
EV-NF R9	Event participation-status information shall remain accurate and consistent.	High	Sprint 2	New
EV-NF R10	Changes to an event participation status should be reflected without unnecessary delay.	Medium	Sprint 2	New
EV-NF R11	A user-declared event participation status shall not be presented as evidence that booking, payment, or external confirmation has occurred.	High	Sprint 2	New

Event Data and Scope Boundary

Sprint 2 prototype event data may use approved third-party research data or approved mock event data.

Mock event data shall not be presented as current official event data.

External event-source integration, event-ranking algorithms, recommendation scoring, internal booking, payment processing, and database implementation are outside the current scope.

11. Friends Visibility FR/NFR

Functional Requirements

ID	Functional Requirement	Priority	Sprint	Change Status
FV-F R1	The system shall display a Friends-only Current Status only to confirmed friends.	High	Sprint 2	New
FV-F R2	A Private Current Status shall not be visible to other users.	High	Sprint 2	New
FV-F R3	A pending friend request shall not grant access to Friends-only information.	High	Sprint 2	New
FV-F R4	Expired, replaced, or deleted statuses shall no longer appear as Current Statuses to friends.	High	Sprint 2	New
FV-F R5	Personal Status History shall remain unavailable to friends by default.	High	Sprint 2	New

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

FV-F R6	The system shall display the Check-in Calendar to confirmed friends only when the user has selected Friends-only Calendar visibility.	High	Sprint 2	New
FV-F R7	The user shall be able to control whether confirmed friends can view permitted Check-in entries in the friend timeline.	High	Sprint 2	New
FV-F R8	The user shall be able to control whether confirmed friends can view permitted mood or activity-status information.	High	Sprint 2	New
FV-F R9	The user shall be able to control whether confirmed friends can view their event Interested status.	High	Sprint 2	New
FV-F R10	The system shall not display a user's event Interested status to non-friends or unauthorised users.	High	Sprint 2	Moved

FV-F R11	The user shall be able to control whether permitted approximate-location points are displayed to confirmed friends in the friend map.	High	Sprint 2	New
-------------	---	------	-------------	-----

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

FV-F R12	Location information shall only be displayed according to the permissions defined in Optional Location Sharing.	High	Sprint 2	Refined
-------------	---	------	-------------	---------

FV-F R13	Removing or blocking a friend shall revoke that user's future access to Friends-only status, Calendar, timeline, event-interest, mood/activity, and location information.	High	Sprint 2	New
-------------	---	------	-------------	-----

FV-F R14	The user shall be able to control whether confirmed friends can view their Going status.	High	Sprint 2	New
-------------	--	------	-------------	-----

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

FV-F R15	The user shall be able to control whether confirmed friends can view their Booked Externally status.	High	Sprint 2	New
-------------	--	------	-------------	-----

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

FV-F R16	The system shall not display a user's Going or Booked Externally status to non-friends or unauthorised users.	High	Sprint 2	New
-------------	---	------	-------------	-----

FV-F R17	When a participation status is changed or removed, the previous status shall no longer be displayed to confirmed friends.	High	Sprint 2	New
-------------	---	------	-------------	-----

Non-Functional Requirements

ID	Non-Functional Requirement	Priority	Sprint	Change Status
FV-NF R1	Visibility controls should be clear and understandable.	High	Sprint 2	New
FV-NF R2	Private status, Calendar, event-interest, mood/activity, and location information shall not be exposed to unauthorised users.	High	Sprint 2	New
FV-NF R3	Visibility results shall remain consistent across Friends Activity, Calendar, map, timeline, event, and status views.	High	Sprint 2	New
OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.				
FV-NF R4	The system should clearly distinguish confirmed friends, pending requests, blocked users, and Trusted Friends.	High	Sprint 2	New
PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.				
FV-NF R5	Going and Booked Externally information shall not be exposed to unauthorised users.	High	Sprint 2	New
PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.				
FV-NF R6	Event participation-status visibility should remain consistent across the Home Dashboard, Friends Activity, and event views.	High	Sprint 2	New
FV-NF R7	Approximate friend location displayed in Friends Activity shall not be presented as precise or real-time location.	High	Sprint 2	New

Boundary

Friends Visibility does not define friend-recommendation logic, direct messaging, group chat, moderation-review procedures, database access-control implementation, or specific page layouts.

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

12. Optional Location Sharing FR/NFR

Functional Requirements

ID	Functional Requirement	Priority	Sprint	Change Status
OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.				
LOC-FR1	The user shall be able to enable or disable Optional Location Sharing independently of Check-in Status.	High	Sprint 2	Refined
LOC-FR2	The system shall obtain explicit consent before accessing GPS location information.	High	Sprint 2	Refined
LOC-FR3	Approximate location shall be the default shared location level.	High	Sprint 2	Refined
OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.				
LOC-FR4	Only a confirmed friend shall be eligible to become a Trusted Friend.	High	Sprint 2	New
OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.				
LOC-FR5	The user shall be able to add or remove confirmed friends from the Trusted Friends list.	High	Sprint 2	New

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

LOC-FR6	The user shall be able to grant a Trusted Friend ongoing permission to view deliberately shared precise-location updates.	High	Sprint 2	Refined
---------	---	------	----------	---------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

LOC-FR7	Trusted Friend precise-location permission shall not expire automatically.	High	Sprint 2	Refined
---------	--	------	----------	---------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

LOC-FR8	Precise-location permission shall remain active until the user withdraws permission, removes the Trusted Friend, removes the friendship, or blocks the user.	High	Sprint 2	Refined
---------	--	------	----------	---------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

LOC-FR9	Ongoing permission shall not cause the user's precise location to update automatically.	High	Sprint 2	Refined
---------	---	------	----------	---------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

LOC-FR10	A Trusted Friend shall receive a new precise location only when the user deliberately shares a new location.	High	Sprint 2	Refined
----------	--	------	----------	---------

LOC-FR11	The system shall not provide continuous or real-time GPS tracking in the current scope.	High	Sprint 2	Refined
----------	---	------	----------	---------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

LOC-FR12	Precise location shall not be shared with ordinary friends, pending friends, blocked users, non-friends, or public users.	High	Sprint 2	New
----------	---	------	----------	-----

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

LOC-FR13	Permitted approximate or precise-location information may be displayed in the approved friend-map view according to the applicable visibility level.	Medium	Sprint 2	Refined
----------	--	--------	----------	---------

Non-Functional Requirements

ID	Non-Functional Requirement	Priority	Sprint	Change Status
----	----------------------------	----------	--------	---------------

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

LOC-N FR1	Location-sharing controls should clearly distinguish approximate and precise location.	High	Sprint 2	New
-----------	--	------	----------	-----

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

LOC-N FR2	Precise-location information shall be protected from unauthorised access.	High	Sprint 2	New
-----------	---	------	----------	-----

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

LOC-N FR3	The system should clearly show the account owner which Trusted Friends currently have precise-location permission.	High	Sprint 2	New
-----------	--	------	----------	-----

LOC-N FR4	Location information shall only be retained and used for approved purposes.	High	Sprint 2	New
-----------	---	------	----------	-----

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

LOC-N FR5	Removing or blocking a friend shall be reflected consistently in Trusted Friend permissions and location visibility.	High	Sprint 2	New
--------------	--	------	-------------	-----

Boundary

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

Optional Location Sharing does not automatically attach location to each Check-in. It does not provide real-time tracking, background continuous GPS updates, emergency-response tracking, route history, or detailed map implementation.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

13. Home Dashboard FR/NFR

Functional Requirements

ID	Functional Requirement	Priority	Sprint	Change Status
----	------------------------	----------	--------	---------------

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME- FR1	The system shall provide a Home Dashboard to the Registered User.	High	Sprint 2	New
--------------	---	------	-------------	-----

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME- FR2	The Home Dashboard shall display the Today Check-in Card as its highest-priority information area.	High	Sprint 2	New
--------------	--	------	-------------	-----

HOME-FR3	The Today Check-in Card shall display a greeting and the current date.	High	Sprint 2	New
HOME-FR4	The Today Check-in Card shall display available weather information where that information is available.	Medium	Sprint 2	New
HOME-FR5	The Today Check-in Card shall indicate whether the user has completed a Check-in today.	High	Sprint 2	New
HOME-FR6	The Today Check-in Card shall display the total number of successful Check-ins completed by the user today.	High	Sprint 2	New

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME-FR7	The Home Dashboard shall provide a Check in now action that opens the existing Check-in function.	High	Sprint 2	New
----------	--	------	----------	-----

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME-FR8	The Home Dashboard shall display a lightweight prompt based on the user's previous mood or current-day Check-in status where permitted information is available.	Medium	Sprint 2	New
----------	--	--------	----------	-----

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME-FR9	The Home Dashboard shall display an Event Suggestions area.	High	Sprint 2	New
HOME-FR10	Each event suggestion shall display available basic information, including event name, time, location, category, and description.	High	Sprint 2	New

HOME-FR11	An event suggestion shall display an event image where the approved source provides an image.	Medium	Sprint 2	New
-----------	---	--------	----------	-----

HOME-FR12	Each event suggestion shall display an understandable recommendation reason.	High	Sprint 2	New
-----------	--	------	----------	-----

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME-FR13	The Home Dashboard shall provide an Interested action for an available event where applicable.	High	Sprint 2	New
-----------	--	------	----------	-----

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

HOME-FR14	The Home Dashboard shall provide Going and Booked Externally actions for an available event where applicable.	High	Sprint 2	New
-----------	---	------	----------	-----

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME-FR15	The Home Dashboard shall provide View Details or an approved external booking action where the relevant event information supports that action.	High	Sprint 2	New
-----------	---	------	----------	-----

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

HOME-FR16	The Home Dashboard shall display permitted friend Interested, Going, or Booked Externally information where the applicable visibility setting permits it.	High	Sprint 2	New
-----------	---	------	----------	-----

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current

Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME-FR17	The Home Dashboard shall display a Friends Activity area containing permitted recent friend Check-in text, mood, approximate location, and date/time information.	High	Sprint 2	New
HOME-FR18	The Friends Activity area shall display permitted recent friend event-interest or participation activity.	High	Sprint 2	New

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME-FR19	The Home Dashboard shall provide a lightweight AI Assistant entry with approved actions such as Ask AI for suggestions, Find an activity for me, or What can I do today?	High	Sprint 2	New
HOME-FR20	The lightweight AI Assistant entry shall support approved activity suggestions, Check-in or mood suggestions, recommendation explanations, and social connection suggestions within the existing AI safety and consent boundaries.	High	Sprint 2	New

Non-Functional Requirements

ID	Non-Functional Requirement	Priority	Sprint	Change Status
HOME-NFR1	The Home Dashboard should be simple and suitable for mobile use.	High	Sprint 2	New

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current

Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME-NFR2	The Today Check-in Card should be clearly prioritised over the other Home Dashboard information areas.	High	Sprint 2	New
-----------	--	------	----------	-----

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME-NFR3	Home Dashboard summaries and actions should be clear, concise, and understandable.	High	Sprint 2	New
-----------	--	------	----------	-----

OUTDATED — Superseded by Sprint 2 S2-US6, S2-UC12, S2-UC13 Scope Notes, CAL-NFR1, and the Calendar Scope Note. Retained for historical traceability. Current rule: the Calendar is based on saved Check-ins, deletion removes the deleted Check-in's contribution, daily or multiple counts are not shown, and the Calendar remains Private.

HOME-NFR4	The displayed Check-in status and daily Check-in count shall remain consistent with the user's successful Check-in records.	High	Sprint 2	New
-----------	---	------	----------	-----

HOME-NFR5	Event information and recommendation reasons should be easy to understand.	High	Sprint 2	New
-----------	--	------	----------	-----

HOME-NFR6	Friends Activity information shall respect the applicable friendship, privacy, consent, and visibility settings.	High	Sprint 2	New
-----------	--	------	----------	-----

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME-NFR7	Friend location displayed in the Home Dashboard shall remain approximate and shall not be presented as precise or real-time location.	High	Sprint 2	New
-----------	---	------	----------	-----

HOME-NFR8	Weather information should only be displayed when available and shall not be replaced with inaccurate or invented weather data.	Medium	Sprint 2	New
-----------	---	--------	----------	-----

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME-NFR9	AI-supported Home Dashboard suggestions shall follow the user's AI data-consent and safety settings and shall not provide medical diagnosis, psychological treatment, legal advice, or emergency response.	High	Sprint 2	New
-----------	--	------	----------	-----

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

HOME-NFR10	The Home Dashboard should remain usable when weather information, event suggestions, Friends Activity, or the AI-supported entry is unavailable, and should provide an understandable unavailable or empty-state message.	Medium	Sprint 2	New
------------	---	--------	----------	-----

Boundary

OUTDATED — Superseded by Sprint 2, Updated Stage 2 §7 Scope Notes, S2-UC10, and CI-FR4. Retained for historical traceability. Current rule: location is an optional, consent-based part of Check-in, is approximate only, and excludes precise, real-time, continuous, and background sharing.

The Home Dashboard provides summaries and access entries for existing functions. It does not replace the Check-in, Events, Friends Activity, AI Assistant, or Optional Location Sharing functions.

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

The Home Dashboard does not include groups, group chat, internal discussion, private messaging, reporting, moderation flags, or administrator/moderator review.

UI layout, weather-provider integration, event-source integration, AI ranking implementation, navigation implementation, database design, and API design are outside the current Member B requirements scope.

Future Work

- SingPass registration or identity integration.
- Social-login registration.
- Related-interest or semantic friend matching.
- Production-level AI recommendation algorithms.
- Real-time GPS tracking.
- Full internal event booking and payment.
- Detailed moderation queues and administrator report-review workflows.