

Sprint 2 — Final Requirements Package

Updated Stage 1 — User Story Table

Story ID	Related PBI	User Story	Acceptance Criteria	Priority
----------	-------------	------------	---------------------	----------

PARTIALLY OUTDATED — Only the per-Check-in privacy-selection/default wording is superseded by Sprint 4.5 S5-CH01, S5-AC01–S5-AC05, and S5-FR01–S5-FR04. The remaining privacy protection is still applicable; initial Accept saves Public, initial Reject saves Private, Friends-only is selected in Settings, and Check-in applies the saved state as read-only.

S2-U S6	PBI-2 Check-in; PBI-7 Privacy Boundary	As a general user, I want to complete a Check-in with a note and/or mood so that I can record my current activity and choose whether to share it with friends.	1. The user shall provide at least a note or a mood. 2. If both the note and mood are empty, the system shall not complete the Check-in and shall prompt the user to provide at least one of them. 3. The system records the Check-in timestamp automatically. 4. Approximate location is optional and requires user consent. 5. Refusing or being unable to provide location does not prevent the Check-in from being saved. 6. The Check-in is Private by default and can be changed to Friends-only. 7. The user can save or delete their own Check-in. After deletion, the Check-in no longer contributes to the Monthly Check-in Calendar, no longer appears in the Check-in Timeline or Friends Activity, its approximate-location point no longer appears on the Check-in Map, and its mood or activity information no longer contributes to the Mood / Activity Heatmap. A Calendar date may remain marked if another saved Check-in still exists for that date.	High
------------	--	--	--	------

S2-U S7	PBI-2 Check-in; PBI-3 Check-in Map / Timeline	As a general user, I want to view a Monthly Check-in Calendar so that I can identify the dates on which I completed Check-ins.	1. The Calendar displays the current month. 2. Dates containing saved Check-ins are identifiable. 3. Calendar information is based on saved Check-in records. 4. The Calendar is Private by default.	Medium
------------	--	--	--	--------

PARTIALLY OUTDATED — Only the per-Check-in privacy-selection/default wording is superseded by Sprint 4.5 S5-CH01, S5-AC01–S5-AC05, and S5-FR01–S5-FR04. The remaining privacy protection is still applicable; initial Accept saves Public, initial Reject saves Private, Friends-only is selected in Settings, and Check-in applies the saved state as read-only.

S2-U S8	PBI-6 Friends Visibility; PBI-7 Privacy Boundary	As a privacy-aware user, I want to control the visibility of my Check-ins and related activity so that only permitted friends can view them.	1. Supported information is Private by default. 2. The user can change supported information to Friends-only. 3. Private Check-in text, mood, approximate location, Map / Timeline information, permitted mood/activity status, and event activity are not visible to friends. 4. Friends can view only the information that the owner has made Friends-only. 5. Friend-facing location is limited to approximate location.	High
------------	---	--	---	------

S2-U S9	PBI-3 Check-in Map / Timeline; PBI-4 Mood / Activity Heatmap	As a general user, I want to review my Check-in Map / Timeline and Mood / Activity Heatmap so that I can understand my recent activity patterns.	1. Saved Check-ins can appear in the Check-in Map / Timeline. 2. Check-in mood or activity information can contribute to the user's Mood / Activity Heatmap. 3. Location shown in these views is approximate. 4. These views do not provide medical or psychological diagnosis.	Medium
------------	---	--	---	--------

S2-U S10	PBI-5 Events	As an event user, I want to view Event Suggestions and Event Details so that I can discover activities that may be relevant to me.	1. The system displays recommended event cards. 2. Event information includes the event name, time, location, category, and a short description. 3. An event image is displayed only when the approved external event source, API, or mock API provides one. 4. Each recommendation provides an understandable reason. 5. The user can open Event Details from Event Suggestions or the Event List.	High
-------------	-----------------	--	---	------

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

S2-U S11	PBI-5 Events; PBI-6 Friends Visibility	As an event user, I want to record my event interest or attendance intention so that I can remember the activity and allow permitted friends to see it.	1. The user can mark an event as Interested. 2. The user can manually mark an event as Going or Booked externally where these options are provided. 3. Going and Booked externally are manual event marks and do not create an in-app booking or payment. 4. Permitted friends can see applicable Interested, Going, or Booked externally activity.	High
-------------	--	---	---	------

S2-U S12	PBI-5 Events	As an event user, I want to open an external booking website from an event so that I can continue the booking process outside the app.	1. An event can provide a Book / View Details action when an approved external link is available. 2. Selecting the action redirects the user to the external website. 3. The app does not process in-app booking or payment.	High
-------------	-----------------	--	--	------

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

S2-U S13	PBI-2 Check-in; PBI-5 Events; PBI-6 Friends Visibility	As a friend, I want to view permitted Friends Activity so that I can see recent Check-ins and event activity shared with me.	1. Friends Activity can display permitted recent Check-ins, including Check-in text, mood, approximate location, and date/time. 2. It can display permitted Interested, Going, and Booked externally event activity. 3. It does not display information that the owner has kept Private. 4. It does not display real-time or precise location.	High
-------------	--	--	--	------

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

S2-U S15	PBI-1 Home Page; PBI-2 Check-in; PBI-5 Events; PBI-6 Friends Visibility	As a general user, I want a Home Page that brings together Today Check-in, Event Suggestions, Friends Activity, and an AI Assistant Entry so that I can access the main Sprint 2 functions from one place.	1. The Home Page presents its four modules in the following priority order: Today Check-in Card, Event Suggestions, Friends Activity, and AI Assistant Entry. 2. Today Check-in Card has the highest priority and appears at the top. 3. Today Check-in Card can show a greeting, today's date, available weather information, today's Check-in status, today's Check-in count, and a Check in now action. 4. Its short prompt can be based on the user's previous mood or today's Check-in status. 5. Check in now opens the Check-in page. 6. Event Suggestions provide the confirmed event information, actions, and recommendation reasons. 7. Event Suggestions use the following recommendation order: AI-supported recommendations; events that permitted friends have marked as Going or Booked externally; events that permitted friends have marked as Interested; and events matching the user's interests, age group, or region. 8. Event Suggestions can show which permitted friends are Interested, Going, or Booked externally, subject to Friends Visibility. 9. Friends Activity shows only information permitted by Friends Visibility. 10. AI Assistant Entry provides Ask AI for suggestions, Find an activity for me, or What can I do today? 11. AI suggestions can support event or activity suggestions, Check-in or mood prompts, recommendation explanations, and general social-connection suggestions. 12. AI does not provide medical diagnosis, psychological treatment, legal advice, or emergency response.	High
-------------	--	--	--	------

Scope Notes

LATER EXPANDED — This statement remains correct for Sprint 2, but the scope was expanded by Sprint 3 A1 Increment Scope Summary, S3-REC, S3-FRQ, and S3-FP.

- Existing friend relationships are assumed for Friends Visibility and Friends Activity. This Sprint does not define friend search, addition, deletion, blocking, reporting, Friend Recommendation, or a friend-request workflow.
- GPS is used only as an optional part of Check-in and uses approximate location.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

- Going and Booked externally remain manual event marks. No independent Event Participation Status Story or management module is created.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

- Going and Booked externally are included together in the second Event Suggestions recommendation-order category.
- The Home Page does not include group features, group chat, internal discussion, private messaging, reporting, moderation flags, or administrator/moderator review.
- AI Check-in Support consent and privacy data restrictions will be defined in the dedicated Stage 4 AI Check-in Support requirements rather than repeated in this Home Page User Story.

Updated Stage 2 — Use Cases / Use Case Diagram Plan

1. Use Case List

Use Case ID	Use Case Name	Brief Description	Primary Actor	Supporting Actor	Related PBI	Related User Story	Priority
-------------	---------------	-------------------	---------------	------------------	-------------	--------------------	----------

S2-UC 10	Perform Check-in	Allows the user to create a Check-in by providing at least a note or mood, with an automatic timestamp, optional consent-based approximate location, and Private or Friends-only visibility.	User	None	PBI-2; PBI-7	S2-US 6; S2-US 15	High
S2-UC 12	Delete Check-in	Allows the user to delete their own saved Check-in. After deletion, the Check-in no longer contributes to the Monthly Check-in Calendar, Timeline, Map, Mood / Activity Heatmap, or Friends Activity. A Calendar date may remain marked if another saved Check-in still exists for that date.	User	None	PBI-2; PBI-7	S2-US 6	High
S2-UC 13	View Monthly Check-in Calendar	Allows the user to view the current month and identify dates containing saved Check-ins.	User	None	PBI-2; PBI-3	S2-US 7	Medium

S2-UC 16	View Check-in Map / Timeline	Allows the user to review saved Check-ins in a Timeline and view permitted approximate-location map points where location is available.	User	None	PBI-3	S2-US 9	Medium
S2-UC 17	View Mood / Activity Heatmap	Allows the user to view a descriptive visual summary based on available saved mood or activity information.	User	None	PBI-4	S2-US 9	Medium
S2-UC 18	Control Visibility	Allows the user to control whether supported Check-in and activity information is Private or Friends-only.	User	None	PBI-6; PBI-7	S2-US 8	High
S2-UC 19	View Friends Activity	Allows a friend to view recent Check-ins and event activity that the information owner has permitted through Friends Visibility.	Friend	None	PBI-2; PBI-5; PBI-6	S2-US 13; S2-US 15	High

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

S2-UC22	View Event Recommendations	Allows the user to view event recommendations and their reasons. Recommendations follow this order: AI-supported recommendations; events that permitted friends have marked as Going or Booked externally; events that permitted friends have marked as Interested; and events matching the user's interests, age group, or region.	User	None	PBI-5	S2-US 10; S2-US 15	High
---------	----------------------------	---	------	------	-------	-----------------------	------

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

S2-UC23	View Event Details	Allows the user to view available event information, recommendation reasons, event actions, manual Going or Booked externally options, and an external Book / View Details action when available.	User	None	PBI-5	S2-US 10; S2-US 11; S2-US 12	High
---------	--------------------	---	------	------	-------	------------------------------------	------

S2-UC24	Mark Event as Interested	Allows the user to manually mark an event as Interested and, where visibility permits, make that activity available to friends.	User	None	PBI-5; PBI-6	S2-US 11	High
S2-UC27	Open External Booking Website	Allows the user to select an approved Book / View Details link and open the External Booking Website outside the app.	User	External Booking Website	PBI-5	S2-US 12	High

2. Actor Definitions

User

The primary human actor who performs Check-ins, manages visibility, views personal history and event information, records event interest, and opens approved external event links.

Friend

A user participating in [S2-UC19 View Friends Activity](#) to view only Check-in and event information permitted by the information owner.

External Booking Website

A secondary or supporting external system actor for [S2-UC27 Open External Booking Website](#). It provides external event details or booking services after the User selects the approved external link.

3. Use Case Relationship Rules

- The diagrams shall use only direct Actor–Use Case associations.
- No `<<include>>` relationship is defined.

- No <<extend>> relationship is defined.
- No Actor generalisation is defined.
- No use-case-to-use-case association is defined.
- Home Page is not represented as an independent Use Case.
- AI Assistant Entry is not represented as an independent Use Case.
- Weather is not represented as an independent Use Case.
- GPS or location services are not represented as independent Actors or Use Cases.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

- Going and Booked externally remain manual event marks and are not represented as independent Use Cases.
- Friend-influenced event recommendation remains part of S2-UC22 View Event Recommendations.
- Delete Check-in propagation does not create separate deletion Use Cases for Calendar, Timeline, Map, Heatmap, or Friends Activity.

4. Diagram Plan 1 — Sprint 2 Core Use Case Diagram

System Boundary

System

Actors

- User
- Friend
- External Booking Website

Use Cases

- S2-UC10 Perform Check-in
- S2-UC18 Control Visibility
- S2-UC19 View Friends Activity
- S2-UC22 View Event Recommendations
- S2-UC23 View Event Details
- S2-UC24 Mark Event as Interested
- S2-UC27 Open External Booking Website

Direct Actor–Use Case Associations

- User — S2-UC10 Perform Check-in
- User — S2-UC18 Control Visibility
- User — S2-UC22 View Event Recommendations

- User — S2-UC23 View Event Details
- User — S2-UC24 Mark Event as Interested
- User — S2-UC27 Open External Booking Website
- Friend — S2-UC19 View Friends Activity
- External Booking Website — S2-UC27 Open External Booking Website

Actor Role Clarification

- User is the Primary Actor for S2-UC27.
 - External Booking Website is the Secondary / Supporting Actor for S2-UC27.
-

5. Diagram Plan 2 — Check-in, Calendar and Friends Visibility Diagram

System Boundary

System

Actors

- User
- Friend

Use Cases

- S2-UC10 Perform Check-in
- S2-UC12 Delete Check-in
- S2-UC13 View Monthly Check-in Calendar
- S2-UC16 View Check-in Map / Timeline
- S2-UC17 View Mood / Activity Heatmap
- S2-UC18 Control Visibility
- S2-UC19 View Friends Activity

Direct Actor–Use Case Associations

- User — S2-UC10 Perform Check-in
- User — S2-UC12 Delete Check-in
- User — S2-UC13 View Monthly Check-in Calendar
- User — S2-UC16 View Check-in Map / Timeline
- User — S2-UC17 View Mood / Activity Heatmap
- User — S2-UC18 Control Visibility
- Friend — S2-UC19 View Friends Activity

Delete Check-in Clarification

S2-UC12 represents the complete user goal of deleting a Check-in. Updating Calendar, Timeline, Map, Heatmap, and Friends Activity after deletion is a result of this Use Case and does not create additional Use Cases.

6. Diagram Plan 3 — Events Diagram

System Boundary

System

Actors

- User
- External Booking Website

Use Cases

- S2-UC22 View Event Recommendations
- S2-UC23 View Event Details
- S2-UC24 Mark Event as Interested
- S2-UC27 Open External Booking Website

Direct Actor–Use Case Associations

- User — S2-UC22 View Event Recommendations
- User — S2-UC23 View Event Details
- User — S2-UC24 Mark Event as Interested
- User — S2-UC27 Open External Booking Website
- External Booking Website — S2-UC27 Open External Booking Website

Event Recommendation Clarification

S2-UC22 uses this recommendation order:

1. AI-supported recommendations

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

2. Events that permitted friends have marked as Going or Booked externally
3. Events that permitted friends have marked as Interested
4. Events matching the user's interests, age group, or region

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

Going and Booked externally remain manual event marks. They do not create independent Use Cases, booking verification, attendance verification, or participation-status management.

7. Scope Notes

- Existing friendship relationships are assumed.

LATER EXPANDED — This statement remains correct for Sprint 2, but the scope was expanded by Sprint 3 A1 Increment Scope Summary, S3-REC, S3-FRQ, and S3-FP.

- Friend search, friend matching, friend addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows are outside scope.
 - No group recommendation, group chat, moderation process, administrator review, or moderator review is included.
 - Location remains an optional, consent-based part of Check-in and is limited to approximate location.
 - No precise, real-time, continuous, or background location tracking is included.
 - No Remove Interested Status or Update Event Participation Status Use Case is included.
 - The app does not perform in-app booking or payment.
 - AI Assistant Entry, AI Safety Boundary, AI Check-in Support, and Weather priorities do not create additional Use Cases.
-

Stage 3 — Detailed Use Case Specifications

S2-UC10 — Perform Check-in

Field	Specification
Use Case ID	S2-UC10

Use Case Name	Perform Check-in
Primary Actor	User
Supporting Actor	None
Preconditions	The user has opened the Check-in function.
Trigger	The user chooses to create a Check-in.

Main Flow

1. The system displays the Check-in fields for note, mood, optional location, and visibility.
2. The user provides at least a note or a mood.
3. The user chooses whether to attach location.
4. If location is selected, the system requests explicit location consent.
5. After consent is provided, the system attaches approximate location.
6. The user selects Private or Friends-only visibility.
7. The user submits the Check-in.
8. The system validates that at least a note or a mood has been provided.
9. The system records the timestamp and saves the Check-in.
10. The system confirms that the Check-in has been saved successfully.

Alternative Flows

A1 — Note and Mood Are Both Empty

1. The user submits the Check-in without a note or mood.
2. The system prevents submission.
3. The system prompts the user to provide at least a note or a mood.

A2 — Location Is Not Selected

1. The user chooses not to attach location.
2. The system saves the Check-in without location.

A3 — Location Consent Is Refused

1. The user selects location but refuses location consent.
2. The system does not attach location.
3. The user can continue and save the Check-in without location.

Optional Flows / Extensions

None.

Postconditions

1. The Check-in is saved with the provided note and/or mood.
2. The Check-in contains an automatically recorded timestamp.
3. The selected Private or Friends-only visibility is applied.
4. Approximate location is attached only when selected and explicitly permitted.

Scope Notes

- Location is optional and is limited to approximate location.
 - Refusing location consent does not prevent Check-in.
 - The Use Case does not provide precise, real-time, continuous, or background location sharing.
-

S2-UC12 — Delete Check-in

Field	Specification
Use Case ID	S2-UC12
Use Case Name	Delete Check-in
Primary Actor	User
Supporting Actor	None

Preconditions The user owns the selected saved Check-in.

Trigger The user performs the delete action on their own Check-in.

Main Flow

1. The user selects a Check-in they own.
2. The user performs the delete action.
3. The system deletes the Check-in and updates the affected user-visible results.

Alternative Flows

None.

Optional Flows / Extensions

None.

Postconditions

1. The deleted Check-in no longer contributes to the Monthly Check-in Calendar.
2. It no longer appears in the Check-in Timeline.
3. Its approximate-location point no longer appears on the Check-in Map.
4. Its mood or activity data no longer contributes to the Mood / Activity Heatmap.
5. Its permitted content no longer appears in Friends Activity.
6. A Calendar date may remain marked if another saved Check-in still exists for that date.

Scope Notes

- This Use Case does not define undo, restore, a recycle bin, or soft deletion.
- It does not define database cascade or deletion-synchronisation implementation.
- The propagation results do not create separate deletion Use Cases.

S2-UC13 — View Monthly Check-in Calendar

Field

Specification

Use Case ID S2-UC13

Use Case
Name View Monthly Check-in Calendar

Primary Actor User

Supporting
Actor None

Preconditions The user can access their saved Check-in records.

Trigger The user opens the Monthly Check-in Calendar.

Main Flow

1. The user opens the Monthly Check-in Calendar.
2. The system displays the current month.
3. The system identifies dates containing saved Check-ins.
4. The user reviews the marked Check-in dates.

Alternative Flows

A1 — No Saved Check-ins in the Current Month

1. The current month contains no saved Check-ins.
2. The system displays the current month without marked Check-in dates.

Optional Flows / Extensions

None.

Postconditions

1. The user can view the current month.
2. Dates are marked according to the user's existing saved Check-in records.
3. Viewing the Calendar does not modify any Check-in.

Scope Notes

- The Monthly Check-in Calendar remains Private.
 - It does not display daily Check-in counts or multiple Check-in counts.
 - Friends-only Calendar visibility is not included.
-

S2-UC16 — View Check-in Map / Timeline

Field	Specification
Use Case ID	S2-UC16
Use Case Name	View Check-in Map / Timeline
Primary Actor	User
Supporting Actor	None
Preconditions	The user can access their saved Check-in history.
Trigger	The user opens the Check-in Map / Timeline.

Main Flow

1. The user opens the Check-in Map / Timeline.
2. The system displays saved Check-ins in the Timeline.
3. For each Check-in containing permitted approximate location, the system displays an approximate-location map point.
4. The user reviews the available Timeline and Map information.

Alternative Flows

A1 — Check-in Has No Location

1. A saved Check-in does not contain location.

2. The system continues to display the Check-in in the Timeline.
3. The system does not display a map point for that Check-in.

Optional Flows / Extensions

None.

Postconditions

1. The user can review their available Check-in history.
2. Approximate map points are displayed only for Check-ins containing permitted location.
3. Viewing the Map / Timeline does not modify the Check-ins.

Scope Notes

- The Map / Timeline follows the confirmed Check-in location and visibility rules.
 - It does not provide precise, real-time, continuous, or background location tracking.
-

S2-UC17 — View Mood / Activity Heatmap

Field	Specification
Use Case ID	S2-UC17
Use Case Name	View Mood / Activity Heatmap
Primary Actor	User
Supporting Actor	None
Preconditions	Existing saved Check-ins contain mood or activity information.

Trigger	The user opens the Mood / Activity Heatmap.
---------	---

Main Flow

1. The user opens the Mood / Activity Heatmap.
2. The system retrieves available mood or activity information from existing Check-ins.
3. The system presents a descriptive visual summary.
4. The user reviews the displayed Heatmap.

Alternative Flows

A1 — Insufficient Mood or Activity Information

1. Available mood or activity information is insufficient.
2. The system does not present the Heatmap as a meaningful summary.
3. The system indicates that insufficient information is available.

Optional Flows / Extensions

None.

Postconditions

1. The user can view a descriptive summary when sufficient information exists.
2. Viewing the Heatmap does not modify the underlying Check-ins.

Scope Notes

- The full Heatmap is available only to the user and is not shared with friends.
- The Heatmap does not provide medical diagnosis, psychological diagnosis, sensitive psychological judgement, or profiling.

S2-UC18 — Control Visibility

Field	Specification
Use Case ID	S2-UC18

Use Case Name	Control Visibility
Primary Actor	User
Supporting Actor	None
Preconditions	The user has supported Check-in or activity information for which visibility can be controlled.
Trigger	The user chooses to review or change the visibility of supported information.

Main Flow

1. The system displays the current visibility setting.
2. The user selects Private or Friends-only.
3. The system records and applies the selected visibility.
4. Information not permitted by the selected visibility remains hidden from friends.

Alternative Flows

None.

Optional Flows / Extensions

None.

Postconditions

1. The selected visibility is applied to the supported information.
2. Friends can access only information permitted as Friends-only.
3. Private information remains unavailable to friends.

Scope Notes

- Visibility control applies to supported Check-in text, mood, approximate location, Map / Timeline information, permitted mood/activity status, and event activity.
- The full Mood / Activity Heatmap is not shared with friends.

- Public, selected-person, Trusted Friend, and group visibility levels are not included.
-

S2-UC19 — View Friends Activity

Field	Specification
Use Case ID	S2-UC19
Use Case Name	View Friends Activity
Primary Actor	Friend
Supporting Actor	None
Preconditions	An existing friendship relationship is available, and the information owner has permitted relevant information to be viewed by friends.
Trigger	The Friend opens Friends Activity.

Main Flow

1. The Friend opens Friends Activity.
2. The system identifies information permitted by each information owner.
3. The system displays permitted recent Check-ins.
4. Permitted Check-in information may include Check-in text, mood, approximate location, and date/time.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

5. The system displays permitted Interested, Going, and Booked externally event activity.

6. The system hides information that the owner has not permitted.
7. The Friend reviews the available activity.

Alternative Flows

A1 — Information Owner Has Not Permitted Access

1. The information owner has kept the relevant information Private.
2. The system does not display that information in Friends Activity.

Optional Flows / Extensions

None.

Postconditions

1. The Friend can view only permitted Check-in and event activity.
2. Viewing Friends Activity does not change the owner's information or visibility settings.

Scope Notes

- Friends Activity does not display precise or real-time location.
- It does not display the full Mood / Activity Heatmap.

LATER EXPANDED — This statement remains correct for Sprint 2, but the scope was expanded by Sprint 3 A1 Increment Scope Summary, S3-REC, S3-FRQ, and S3-FP.

- This Use Case does not include friend search, friend matching, friend requests, Friend Recommendation, or friendship management.

S2-UC22 — View Event Recommendations

Field	Specification
Use Case ID	S2-UC22
Use Case Name	View Event Recommendations
Primary Actor	User

Supporting Actor	None
Preconditions	Event information is available from an approved external event source, API, or mock API.
Trigger	The user opens Event Suggestions or the Event List.

Main Flow

1. The user opens Event Suggestions or the Event List.
2. The system displays available event cards.
3. Each event card displays, when available:
 1. event image;
 2. event name;
 3. time;
 4. location;
 5. category;
 6. short description;
 7. recommendation reason;
 8. Interested action;
 9. Book / View Details action;
 10. permitted friend Interested activity;
 11. permitted friend Going activity;

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

12. permitted friend Booked externally activity.
4. The system presents recommendations in the following order:
 1. AI-supported recommendations;

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

2. events that permitted friends have marked as Going or Booked externally;
3. events that permitted friends have marked as Interested;
4. events matching the user's interests, age group, or region.
5. The user reviews the displayed recommendations and available actions.

Alternative Flows

A1 — Event Image Is Unavailable

1. The approved event source, API, or mock API does not provide an image.
2. The system displays the event card without an image.
3. The remaining available event information and actions continue to be displayed.

A2 — Friend Information Is Not Permitted

1. Friends Visibility does not permit the relevant friend information to be shown.
2. The system does not display that friend information on the event card.
3. The recommendation remains available without the restricted friend information.

A3 — Personalised Information Is Insufficient

1. There is insufficient permitted information to support a personalised recommendation.
2. The system provides a safe fallback recommendation.
3. The fallback does not introduce unsupported recommendation factors.

Optional Flows / Extensions

None.

Postconditions

1. The user can view available event recommendations and recommendation reasons.
2. Applicable Interested and Book / View Details actions remain available.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

3. Viewing recommendations does not automatically modify the user's Interested, Going, or Booked externally marks.

Scope Notes

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

- Going and Booked externally remain manual event marks.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

- Going and Booked externally are included together in the second recommendation-order category.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

- This Use Case does not create independent Going or Booked externally Use Cases.
- It does not define booking verification, attendance verification, participation-status management, ranking scores, similarity percentages, AI confidence scores, recommendation-algorithm implementation, or automatic-learning logic.

S2-UC23 — View Event Details

Field	Specification
Use Case ID	S2-UC23
Use Case Name	View Event Details
Primary Actor	User
Supporting Actor	None
Preconditions	The user has selected an available event.
Trigger	The user opens the selected event's details.

Main Flow

1. The user selects an event.
2. The system opens Event Details.
3. The system displays, when available:
 - event image;
 - event name;
 - time;
 - location;
 - category;
 - short description;
 - recommendation reason.
4. The system displays the Interested action.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

5. Where provided, the system displays manual Going and Booked externally options.

6. When an approved external link is available, the system displays the Book / View Details action.
7. The user reviews the event information and available actions.

Alternative Flows

A1 — Event Image Is Unavailable

1. The event source does not provide an image.
2. The system displays the remaining Event Details without an image.

A2 — External Link Is Unavailable

1. No approved external link is available for the event.
2. The system does not display the external Book / View Details action.
3. The remaining Event Details continue to be displayed.

Optional Flows / Extensions

O1 — Mark as Going

1. The user selects the Going option.
2. The system records Going as a manual event mark.

O2 — Mark as Booked Externally

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

1. The user selects the Booked externally option.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

2. The system records Booked externally as a manual event mark.

Postconditions

1. The user can view the available Event Details.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

2. Any selected Going or Booked externally option is recorded as a manual mark.
3. Simply viewing Event Details does not automatically modify event marks.

Scope Notes

- The Interested action is displayed here, but marking an event as Interested is performed only through S2-UC24.

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

- Going and Booked externally do not create an Event Participation Status module.
 - No booking verification, attendance verification, automatic status update, or participation-status state machine is included.
-

S2-UC24 — Mark Event as Interested

Field	Specification
Use Case ID	S2-UC24
Use Case Name	Mark Event as Interested
Primary Actor	User
Supporting Actor	None
Preconditions	An event with an available Interested action is displayed.
Trigger	The user selects the Interested action.

Main Flow

1. The user selects Interested for an event.
2. The system records the event as Interested for that user.
3. The system displays the event's Interested mark.
4. Where Friends Visibility permits, the Interested activity becomes available to friends.

Alternative Flows

A1 — Friend Visibility Is Not Permitted

1. The user marks the event as Interested.
2. Friends Visibility does not permit the activity to be shared.
3. The system retains the Interested mark for the user.
4. The Interested activity is not displayed to friends.

Optional Flows / Extensions

None.

Postconditions

1. The event is recorded as Interested for the user.
2. The mark is visible to the user.
3. Friends can view the Interested activity only when permitted.

Scope Notes

- This Use Case does not include Remove Interested Status.
 - It does not include toggle behaviour, expiry, attendance verification, or booking verification.
-

S2-UC27 — Open External Booking Website

Field	Specification
Use Case ID	S2-UC27
Use Case Name	Open External Booking Website
Primary Actor	User
Supporting Actor	External Booking Website

Preconditions An approved external Book / View Details link is available for the selected event.

Trigger The user selects the Book / View Details action.

Main Flow

1. The user selects Book / View Details.
2. The system redirects the user through the approved external link.
3. The External Booking Website opens outside the app.
4. The user can continue viewing event details or booking services on the external website.

Alternative Flows

None.

Optional Flows / Extensions

None.

Postconditions

1. The External Booking Website is opened.
2. The app does not complete or verify an external booking.
3. The user remains responsible for any activity completed on the external website.

Scope Notes

- If an approved external link is unavailable, the action is not displayed under S2-UC23.
 - The app does not provide in-app booking or payment.
 - This Use Case does not define cancellation, refund, booking confirmation, booking verification, retry, or recovery processes.
-

Stage 4 — FR/NFR

1. Home Page

Functional Requirements

HP-FR1

PARTIALLY OUTDATED — Only the older Homepage ordering and presentation details are superseded by Sprint 4.5 S5-CH04 and S5-FR17–S5-FR23. The remaining module purposes are still applicable; current Homepage modules use Top 2 plus See All, place Friends Activity after Check-in, use one ordered result, and reuse the Event List Event box.

The system shall present the Home Page modules in the following priority order: Today Check-in Card, Event Suggestions, Friends Activity, and AI Assistant Entry.

Priority: High

HP-FR2

The Today Check-in Card shall appear at the top of the Home Page and shall display a greeting, today's date, today's Check-in status, today's Check-in count, and a Check in now action.

Priority: High

HP-FR3

The Check in now action shall open the Check-in function.

Priority: High

HP-FR4

The Home Page shall support an optional short prompt based on the user's previous mood or today's Check-in status.

Priority: Medium

HP-FR5

Event Suggestions shall present a summary governed by the Events FR/NFR and AI Recommendation Logic requirements.

Priority: High

HP-FR6

Friends Activity shall present a summary governed by the Friends Visibility Requirements.

Priority: High

HP-FR7

AI Assistant Entry shall provide the prompts Ask AI for suggestions, Find an activity for me, and What can I do today?

Priority: Medium

HP-FR8

The Home Page shall display weather information when available.

Priority: Low

Non-Functional Requirements

HP-NFR1

The Home Page should be suitable for mobile use, with readable information and clearly identifiable actions.

Priority: High

Scope Note

The Home Page does not include group features, group chat, internal discussion, private messaging, reporting, moderation flags, or administrator/moderator review.

2. Check-in FR/NFR

Functional Requirements

CI-FR1

The system shall allow the user to provide a note, a mood, or both when creating a Check-in.

Priority: High

CI-FR2

The system shall require at least a note or a mood before completing a Check-in. If both are empty, the system shall prevent submission and prompt the user to provide at least one.

Priority: High

CI-FR3

The system shall record the Check-in timestamp automatically.

Priority: High

CI-FR4

The system shall support optional approximate location only after explicit consent. Refusing location consent shall not prevent Check-in, and the system shall not provide precise, real-time, continuous, or background location sharing.

Priority: High

CI-FR6

PARTIALLY OUTDATED — Only the per-Check-in privacy-selection/default wording is superseded by Sprint 4.5 S5-CH01, S5-AC01–S5-AC05, and S5-FR01–S5-FR04. The remaining privacy protection is still applicable; initial Accept saves Public, initial Reject saves Private, Friends-only is selected in Settings, and Check-in applies the saved state as read-only.

A Check-in shall be Private by default, and the user shall be able to change it to Friends-only.

Priority: High

CI-FR7

The system shall save the completed Check-in and shall confirm that it has been saved successfully.

Priority: High

CI-FR8

The user shall be able to delete their own Check-in content. After deletion, the Check-in shall no longer appear in the Check-in Timeline or Friends Activity, and its approximate-location point shall no longer appear on the Check-in Map. Its mood or activity data shall no longer contribute to the Mood / Activity Heatmap. It shall no longer contribute to the Monthly Check-in Calendar, although a date may remain marked if another saved Check-in still exists for that date.

Priority: High

Non-Functional Requirements

CI-NFR1

The Check-in flow should be simple and mobile-friendly, with clear note, mood, optional location-consent, visibility, save, and success states.

Priority: High

CI-NFR2

Location-consent information should be clear before approximate location is attached.

Priority: High

3. Check-in Map / Timeline

Functional Requirements

MT-FR1

The system shall display the user's saved Check-in history in the Check-in Timeline.

Priority: Medium

MT-FR2

When a saved Check-in contains permitted approximate location, the system shall display an approximate-location map point.

Priority: Medium

MT-FR3

When a Check-in does not contain location, it shall remain visible in the Timeline without a map point.

Priority: Medium

Non-Functional Requirements

MT-NFR1

The Map / Timeline should present Check-in history in a clear and understandable form.

Priority: Medium

MT-NFR2

The Map / Timeline shall comply with the Check-in location and visibility rules.

Priority: Medium

4. Monthly Check-in Calendar

Functional Requirements

CAL-FR1

The system shall display the current month in the Monthly Check-in Calendar and shall identify dates containing saved Check-ins.

Priority: Medium

CAL-FR2

When the current month contains no saved Check-ins, the Calendar shall display the month without marked Check-in dates.

Priority: Medium

Non-Functional Requirements

CAL-NFR1

The Monthly Check-in Calendar shall remain Private.

Priority: Medium

CAL-NFR2

The Calendar should make dates containing Check-ins easy to identify.

Priority: Medium

Scope Note

The Calendar does not include daily Check-in counts, multiple Check-in counts, or Friends-only visibility.

5. Mood / Activity Heatmap

Functional Requirements

HM-FR1

The system shall use existing Check-in mood or activity information to present a descriptive Mood / Activity Heatmap for the user.

Priority: Medium

HM-FR2

When there is insufficient mood or activity information, the system shall not present the Heatmap as a meaningful summary.

Priority: Medium

Non-Functional Requirements

HM-NFR1

The Mood / Activity Heatmap should provide a descriptive visual summary and shall not present medical diagnosis, psychological diagnosis, or sensitive psychological judgement or profiling.

Priority: Medium

Scope Note

The full Mood / Activity Heatmap is for the user's own view and is not provided to friends.

6. Friends Visibility Requirements

Functional Requirements

FV-FR1

Supported Check-in and activity information shall be Private by default.

Priority: High

FV-FR2

The user shall be able to change supported information from Private to Friends-only.

Priority: High

FV-FR3

The system shall support visibility control for Check-in text, mood, approximate location, Map / Timeline information, permitted mood/activity status, and event activity.

Priority: High

FV-FR4

Friends Activity shall display only permitted recent Check-ins, including permitted Check-in text, mood, approximate location, and date/time.

Priority: High

FV-FR5

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

Friends Activity shall display permitted Interested, Going, and Booked externally event activity.

Priority: High

FV-FR6

Information that the owner has not permitted shall not be displayed to friends.

Priority: High

Non-Functional Requirements

FV-NFR1

Friend-facing location shall be limited to permitted approximate location and shall not present precise or real-time location.

Priority: High

FV-NFR3

The full Mood / Activity Heatmap shall not be shared with friends.

Priority: High

Scope Note

LATER EXPANDED — This statement remains correct for Sprint 2, but the scope was expanded by Sprint 3 A1 Increment Scope Summary, S3-REC, S3-FRQ, and S3-FP.

Existing friendship relationships are assumed. Friend search, addition, deletion, blocking, reporting, Friend Recommendation, and friend-request workflows are outside scope.

7. Events FR/NFR

Functional Requirements

EV-FR1

Event Suggestions and Event Details shall display, when available, the event image, event name, time, location, category, short description, and recommendation reason.

Priority: High

EV-FR2

Event cards and Event Details shall display an Interested action where that action is available.

Priority: High

EV-FR3

The system shall allow the user to manually mark an event as Interested through the Mark Event as Interested function.

Priority: High

EV-FR4

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

The system shall support manual Going and Booked externally marks where these options are provided.

Priority: High

EV-FR5

When an approved external link is available, the system shall display a Book / View Details action and shall redirect the user to the External Booking Website when selected.

Priority: High

EV-FR6

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

Where Friends Visibility permits, Event Suggestions shall display which friends are Interested, Going, or Booked externally.

Priority: High

EV-FR7

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

Viewing Event Recommendations or Event Details shall not automatically modify the user's Interested, Going, or Booked externally marks.

Priority: High

Non-Functional Requirements

EV-NFR1

Event information and actions should be clearly distinguishable and understandable on a mobile screen.

Priority: High

EV-NFR2

The external Book / View Details action should clearly indicate that the user is leaving the app for an external website.

Priority: High

EV-NFR3

The app shall not process in-app booking or payment.

Priority: High

Scope Note

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

Remove Interested Status, Update Event Participation Status, and independent participation-status management are outside scope. Going and Booked externally remain manual marks.

8. AI Recommendation Logic

Functional Requirements

AR-FR1

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

Event Suggestions shall use the following recommendation order: AI-supported recommendations; events that permitted friends have marked as Going or Booked externally; events that permitted friends have marked as Interested; and events matching the user's interests, age group, or region.

Priority: High

AR-FR2

The system shall provide a clear and understandable reason for each event or activity recommendation.

Priority: High

AR-FR3

When personalised information is insufficient, the system shall provide a safe fallback recommendation without adding unsupported recommendation factors.

Priority: High

Business Rule

PARTIALLY OUTDATED — Only the independent user-visible Booked externally option, label, filter, and presentation are superseded by Sprint 4.5 S5-CH03, S5-AC13–S5-AC16, and S5-FR10–S5-FR15. The remaining external redirect and unified Going/Booked state content is still applicable.

Booked externally is a permitted manual event mark and shall be included with Going in the second recommendation-order category.

Scope Note

Ranking scores, similarity percentages, AI confidence scores, recommendation-algorithm implementation, and automatic-learning logic are outside the current Sprint 2 scope.

9. AI Check-in Support

Functional Requirements

AIC-FR1

AI Check-in Support shall support lightweight prompts based on permitted previous mood information or today's Check-in status.

Priority: Medium

AIC-FR2

AI Check-in Support shall use only previous mood information, today's Check-in status, Check-in text, and existing interests, and only when the use of each data type is permitted by the user's consent and privacy settings, to provide lightweight event, activity, or general social-connection suggestions.

Priority: Medium

Non-Functional Requirements

AIC-NFR1

AI Check-in prompts should be short, clear, and understandable.

Priority: Medium

Scope Note

General social-connection suggestions do not include Friend Recommendation, friend search, friend matching, friend requests, or friendship management.

10. AI Safety Boundary

Functional Requirements

AS-FR2

The system shall provide a clear boundary response when a request falls outside the approved AI scope.

Priority: Medium

Non-Functional Requirements

AS-FR1

The AI Assistant shall not provide medical diagnosis, psychological treatment, legal advice, or emergency response.

Priority: Medium

AS-NFR1

AI-supported content should remain within the approved scope of event or activity suggestions, lightweight Check-in or mood prompts, recommendation explanations, and general social-connection suggestions.

Priority: Medium

AS-NFR2

The AI Assistant shall not present itself as a doctor, therapist, lawyer, emergency service, or other professional authority.

Priority: Medium