

ICD – 10 CM GUIDELINES & CHAPTER SPECIFIC GUIDELINES

- **INTRODUCTION**
- **CONVENTIONS**
- **GENERAL GUIDELINES**

INTRODUCTION

- U.S. Federal Government's Department of Health and Human Services (DHHS)
 - Centers for Medicare and Medicaid Services (CMS)
 - National Center for Health Statistics (NCHS)provide the following guidelines for coding and reporting
- The ICD-10-CM is a **morbidity classification** published by the **United States for classifying diagnoses and reason for visits in all health care settings**

- ICD-10-CM is based on the ICD-10, the statistical classification of disease published by **the World Health Organization (WHO)**.
- **Approved by the four organizations**
 - The American Hospital Association (AHA)**
 - The American Health Information Management Association (AHIMA),**
 - CMS, and NCHS.**
- **Adherence to these guidelines when assigning ICD-10-CM diagnosis codes is required under the Health Insurance Portability and Accountability Act (HIPAA).**

- The **term encounter** is used for all settings, including hospital admissions
- The **term provider** is used throughout the guidelines to mean physician or any qualified health care practitioner who is legally accountable for establishing the patient's diagnosis
- Patient
- Payer

CODES

- **ICD-10-CM codes have 3 to 7 digit alphanumeric codes.**
- **ICD-10-CM codes describe diseases, illnesses, injuries, and signs/symptoms.**


ALPHABETIC INDEX

- **The alphabetic index**
 - Index of Diseases and Injuries
 - Table of Neoplasms
 - Table of Drugs and Chemicals.
 - Index of External Causes of Injury
- **Main term**
 - Represent diseases or injuries,
- **Subterms**
 - Represent site, type, or etiology of the diseases or injuries


CODE STRUCTURE

- **All ICD-10-CM codes have an alphanumeric structure where all codes begin with a letter.**
- **ICD 10 CM – Tabular list contains**
- **Category – 3 characters**
- **Subcategory** - each level of subdivision after a category is a subcategory
- **Code** - The final level of subdivision is a code

ICD-10-CM Format



ICD-10-CM Characters and Extensions



Now U is used for COVID 19

- ***Example of Code Structure***
 - K29 Gastritis and duodenitis (category)**
 - K29.0 Acute gastritis (subcategory)**
 - K29.00 Acute gastritis without bleeding (code)**
 - R10 Abdominal and pelvic pain**
 - R10.8 Other abdominal pain (subcategory)**
 - R10.811 Abdominal tenderness (subcategory)**
 - R10.811 Right upper quadrant tenderness (code)**

- Codes that have applicable 7th characters are still referred to as codes, not subcategories
- A code that has an applicable 7th character is considered **invalid without the 7th character**
- ICD-10-CM uses an indented format
- **S72. 309A** Unspecified fracture of shaft of unspecified femur

PLACEHOLDER CHARACTERS

- The **letter "x"** is used as the fifth character **dummy placeholder** for many six-character codes, as in **T37.5x1 (poisoning by antiviral drugs, accidental)**.
- This is done to **allow for expansion** in the future, where the sixth character has a specific use.

- The sixth character in these categories represents the indent: accidental, assault, intentional self-harm, undetermined, underdosing, or adverse effect.
- *Example of Use of Placeholder*
 - T37.5x1 = Poisoning by antiviral drugs, accidental
 - T37.5x2 = Poisoning by antiviral drugs, intentional self-harm

Seventh-character extensions:

- **A: Initial encounter**
- **D: Subsequent encounter**
- **S: Sequela**

The appropriate 7th character is to be added to each code from category T38.

A initial encounter

D subsequent encounter

S sequela

Abbreviations

NEC - Not elsewhere classifiable – R49.8 Other voice and resonance disorders

NOS – Not otherwise specified – R50.9 Fever, unspecified

Include

Clarifies content of categories - J32 Chronic sinusitis

Sinus abscess

Sinus infection

Sinus empyema

Sinus suppuration

Exclude 1 “ NOT CODED HERE”

Indicates that code Excluded should never be used at the same time as the code above the excludes 1 note

Eg: AIDS & HIV

Exclude 2 “NOT INCLUDED HERE”

When an Excludes 2 note appears under a code, it is acceptable to use both the code and the excluded code together, when appropriate.

Eg : CHF & Cardiac arrest

10 STEPS TO CORRECT CODING

1. Identify the reason for the visit
2. Consult Alphabetic index first
3. Locate the main entry
4. Scan sub term entries
5. Pay close attention to index instructions
6. NEC
7. NOS
8. Read all the instructions in the tabular list
 - INCLUDES
 - EXCLUDES 1 AND EXCLUDES 2
 - PLACE HOLDER X
 - 7th CHARACTER
9. Conventions and guidelines
10. Confirm and assign the code
11. Sequence codes correctly

EXERCISE

- ACUTE BRONCHITIS
- FEVER
- UTI (URINARY TRACT INFECTION) DUE TO E.COLI
- TENSION HEADACHE
- BENIGN CYST OF RIGHT BREAST
- IDENTIFY THE MAIN TERM , SUBTERM AND CODE THE DIAGNOSIS MENTIONED ABOVE

ICD 10 CM

CHAPTER SPECIFIC GUIDELINES

Sepsis

Systemic
Infection

Negative or
inconclusive
blood cultures

Urosepsis

Sepsis with
Organ
Dysfunction

AOD not
associated
with Sepsis

- For a diagnosis of sepsis, assign the appropriate code for the underlying systemic infection - assign code **A41.9**, Sepsis, unspecified organism.
- Negative or inconclusive blood cultures and sepsis – QUERY THE PROVIDER
- Urosepsis – NON SPECIFIC TERM – QUERY THE PROVIDER
- **Sepsis with organ dysfunction – CODE FOR SEVERE SEPSIS**
- Acute organ dysfunction that is not clearly associated with the sepsis – DO NOT CODE SEVERE SEPSIS R65.2 – QUERY THE PROVIDER

Severe
Sepsis



Systemic
infection



R65.2



No organism
documented

- First a code for the underlying systemic infection – A41.9 (IF ORG NOT MENTIONED)
- Followed by a code from subcategory R65.2, Severe sepsis.
- Additional code(s) for the associated acute organ dysfunction are also required.

CORONA VIRUS INFECTIONS CODING GUIDELINES

- **CORONA VIRUS INFECTIONS**

INFECTIONS DUE TO SARS – CoV2

April 1, 2020 through September 30, 2020

- **A) Code only a confirmed diagnosis** of the 2019 novel coronavirus disease (COVID-19)

AS documented by the provider,

documentation of a positive COVID-19 test result, or a presumptive positive COVID-19 test result (tested positive for a virus at a local or state level)

- For a confirmed diagnosis, assign code **U07.1, COVID-19..**

- If the provider documents "suspected," "possible," "probable," or "inconclusive" COVID19, do not assign code U07.1.
- Assign a code(s) explaining the reason for encounter (such as fever)
- **b) Sequencing of codes**
- When COVID-19 meets the definition of principal diagnosis, code U07.1, COVID-19, should be sequenced first, followed by the appropriate codes for associated manifestations,

COVID 19	U07.1
Asymptomatic Individuals with actual/suspected exposure to COVID 19	Z20.822
Symptomatic Individuals with actual/suspected exposure to COVID 19, test results inconclusive	Z20.822
Personal History Of COVID 19	Z86.16
PNEUMONIA DUE TO COVID 19	U07.1 , J12.82
ACUTE BRONCHITIS D/T COVID 19	U07.1, J20.8
BRONCHITIS NOS D/T COVID 19	U07.1 , J40
ACUTE LRI OR NOS WITH COVID 19	U07.1, J22
RESPIRATORY INFECTION NOS WITH COVID 19	U07.1, J98.8
ARDS D/T COVID 19	U07.1, J80
ARF D/T COVID 19	U07.1, J96.0-
PREGNANCY	O98.5 -, U07.1 , MANIFESTATION CODES

NEOPLASM C00 – D49

- To properly code a neoplasm
- it is necessary to determine from the record if the neoplasm is **benign, in-situ, malignant, or of uncertain histologic behavior.**
- If **malignant, any secondary (metastatic) sites** should also be determined

- **Malignant neoplasm of ectopic tissue**

Malignant neoplasms of ectopic tissue are to be coded to the site of origin mentioned
e.g., ectopic pancreatic malignant neoplasms involving the stomach are coded to malignant neoplasm of pancreas, unspecified (C25.9).

- **Diabetes mellitus**

combination codes

include the type of diabetes mellitus

the body system affected

the complications affecting that body system.

sequenced based on the reason for a particular encounter.

Types of codes in DM

- E08 – Due to underlying condition
- E09 – Drug or chemical induced
- E10 – type 1
- E11 – type 2
- E13 – other specified DM

Mental, Behavioral and Neurodevelopmental disorders (F01 – F99)

- **Psychoactive Substance Use, Abuse and Dependence**
 - When the provider documentation refers to use, abuse and dependence of the same substance (e.g. alcohol, opioid, cannabis, etc.), only one code should be assigned to identify the pattern of use based on the following hierarchy:
 - use and abuse - abuse
 - abuse and dependence - dependence
 - use, abuse and dependence – dependence
 - use and dependence - dependence

Diseases of the Nervous System (G00-G99)

- **Dominant/nondominant side**
 - G81, Hemiplegia and hemiparesis
 - G83.1, Monoplegia of lower limb
 - G83.2, Monoplegia of upper limb
 - G83.3, Monoplegia, unspecified



**IDENTIFY DOMINANT / NON DOMINANT SIDE
IS AFFECTED**

Diseases of the Eye and Adnexa (H00-H59)

Glaucoma

1) Assigning Glaucoma Codes

- Type of glaucoma
- Affected eye
- Stage

2) Bilateral glaucoma with same type and stage

- Same type and same stage – code - type of glaucoma – bilateral – stage (7th character) - H40.1333
- Same type and same stage – but no classification code for bilateral – (H40.10 , H40.20)- report only one code with appropriate stage (7th character) - H40.10X4

Diseases of the Circulatory System (I00-I99)

Hypertension

Hypertension with Heart Disease / HF

- code from category I11 (primary)
- Check for HTN with heart disease (I11.9) /
- HTN with heart failure – I11.0, I50.-
- Hypertensive heart and chronic kidney disease – I13 (primary)
- Heart failure – I50 (type)

Diseases of the Respiratory System (J00-J99)

Chronic Obstructive Pulmonary Disease [COPD] and Asthma

- Acute exacerbation of chronic obstructive bronchitis and asthma - J44 and J45

Ventilator associated Pneumonia (VAP)

- Documentation of Ventilator associated Pneumonia
- Code J95.851, Ventilator associated pneumonia – provider documentation must.
- additional code to identify the organism (e.g., *Pseudomonas aeruginosa* - code B96.5

Vaping-related disorders

- For patients presenting with condition(s) related to vaping, assign code U07.0, Vaping-related disorder, as the principal diagnosis. For lung injury due to vaping, assign only code U07.0.

Diseases of the Skin and Subcutaneous Tissue (L00-L99)

- **Pressure ulcer stage codes**

1) Pressure ulcer stages

- L89 –SITE AND STAGE
- STAGES –based on severity
- Stages 1 –4 ,deep tissue pressure injury , unspecified stage , unstageable.

2) Unstageable pressure ulcers

- (L89.--0) –based on documentation
- pressure ulcers whose stage cannot be clinically determined

Pregnancy, Childbirth, and the Puerperium(O00-O9A)

- Pregnancy is incidental to the encounter, then code Z33.1, Pregnant state, incidental
- **7th character for FetusIdentification** -O31, O32, O33.3 - O33.6, O35, O36, O40, O41, O60.1, O60.2, O64, and O69
- Z34, Encounter for supervision of normal pregnancy, should be used as the first
- Category O09, Supervision of high-risk pregnancy,
- Category Z37, Outcome of delivery
- HIV related illness -subcategory O98.7-, B20
- Category O24, Diabetes mellitus in pregnancy, childbirth, and the puerperium, first, followed by (E08-E13)
- Normal Delivery, Code O80
- Abortion with LivebornFetus Z33.2

Certain Conditions Originating in the Perinatal Period (P00-P96)

- P05, Disorders of new born related to slow fetal growth and fetal malnutrition,
- P07, Disorders of new born related to short gestation and low birth weight, not elsewhere classified

Symptoms, signs, and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Repeated falls

- Code R29.6, Repeated falls (reason for fall being investigated)
- Code Z91.81, History of falling (past and risk for future falls)
- R29.6 and Z91.81 may be assigned together (when appropriate)
- Death NOS –R99

Injury, poisoning, and certain other consequences of external causes (S00-T88)

Coding of Injuries

Traumatic injury codes (S00-T14.9)

Coding of Burns and Corrosions

- **Current burns (T20-T25)**
- **Burns of the eye and internal organs (T26-T28)**

External Causes of Morbidity (V00-Y99)

- **Y92 –PLACE OF OCCURRENCE OF THE EXTERNAL CAUSE**
- **Y93 –ACTIVITY CODE**

*Thank
you*