



Screenshot 1: Submit screenshots of a VueJS app with validation enabled, demonstrating the completion of Activities 1-3.







screenshots of your front end demonstrating the form support on extra validations.










Screenshot 2: a screenshot of your front end demonstrating a PrimeVue DataTable with submitted user information.



Screenshot 3: a screenshot of the code for implementing extra validations and PrimeVue DataTable.

Validations:

```
<div class="row mb-3">
  <div class="col-md-6 col-sm-6">
    <label for="username" class="form-label">Username</label>
    <input
      type="text"
      class="form-control"
      id="username"
      @blur="() => validateName(true)"
      @input="() => validateName(false)"
      v-model="formData.username"
    />
    <!-- Vue 3 Dynamically responsive error messages-->
    <div v-if="errors.username" class="text-danger mt-1 small">
      {{ errors.username }}
    </div>
  </div>

  <div class="col-md-6 col-sm-6">
    <label for="password" class="form-label">Password</label>
    <input
      type="password"
      class="form-control"
      id="password"
      @blur="() => validatePassword(true)"
      @input="() => validatePassword(false)"
      v-model="formData.password"
    />
    <!-- Vue 3 Dynamically responsive error messages -->
    <div v-if="errors.password" class="text-danger mt-1 small">
      {{ errors.password }}
    </div>
  </div>
</div>
```

```
<div class="row mb-3 align-items-center">
  <div class="col-md-6 col-sm-6">
    <div class="form-check mt-3">
      <input
        type="checkbox"
        class="form-check-input"
        id="isAustralian"
        @change="() => validateResident(true)"
        v-model="formData.isAustralian"
      />
      <label class="form-check-label" for="isAustralian">Australian Resident?</label>
    </div>
    <!-- Vue 3 Dynamically responsive error messages -->
    <div v-if="errors.resident" class="text-danger mt-1 small">
      {{ errors.resident }}
    </div>
  </div>

  <div class="col-md-6 col-sm-6">
    <label for="gender" class="form-label">Gender</label>
    <select
      class="form-select"
      id="gender"
      @blur="() => validateGender(true)"
      @change="() => validateGender(true)"
      v-model="formData.gender"
    >
      <option value="">Select Gender</option>
      <option value="female">Female</option>
      <option value="male">Male</option>
      <option value="other">Other</option>
    </select>
    <!-- Vue 3 Dynamically responsive error messages -->
    <div v-if="errors.gender" class="text-danger mt-1 small">
      {{ errors.gender }}
    </div>
```

```
<div class="mb-3">
  <label for="reason" class="form-label">Reason for joining</label>
  <textarea
    class="form-control"
    id="reason"
    rows="3"
    @blur="() => validateReason(true)"
    @input="() => validateReason(false)"
    v-model="formData.reason"
  ></textarea>
  <!-- Vue 3 Dynamically responsive error messages -->
  <div v-if="errors.reason" class="text-danger mt-1 small">
    {{ errors.reason }}
  </div>
</div>
```

PrimeVue DataTable:

```
113     <div class="row mt-5" v-if="submittedCards.length">
114       <div class="col-12">
115         <h2 class="text-center mb-3">Submitted User Information</h2>
116         <DataTable :value="submittedCards" responsiveLayout="scroll" class="p-datatable-striped">
117           <Column field="username" header="Username" sortable></Column>
118           <Column field="password" header="Password"></Column>
119           <Column field="isAustralian" header="Australian Resident">
120             <template #body="slotProps">
121               {{ slotProps.data.isAustralian ? 'Yes' : 'No' }}
122             </template>
123           </Column>
124           <Column field="gender" header="Gender" sortable></Column>
125           <Column field="reason" header="Reason"></Column>
126         </DataTable>
127       </div>
128     </div>
129
130   </div>
131 </template>
132
```

Screenshot 4: a screenshot showing the GitHub commit history with your project update.

