

(/./)

10 543

CompTIA Security+ Certification Practice Test 1 (Exam SY0-401)

Send results by email		
Name Email	Enter your name Enter your email Send Results	
▶ A software or hardware that checks information coming from the Internet and depending on the applied configuration settings either blocks it or allows it to pass through is called:		
O O O Antivirus		
O ✔ ■ Firewall (★ Missed)		
O O O Antispyware		
O O O Malware		
■ Your answer to this question is incorrect.		
▶ A device designed to forward data packets between networks is called:		
OOO Layer 2 switch		
O O O Active hub		
O O O Content filter		
O 🗸 🖷 Router (X Misse	ed)	
■ Your answer to this ques	tion is incorrect.	
► Allowing a connection t	through a firewall is known as creating:	
▶ Allowing a connection through a firewall is known as creating:		
O O O Tunnel		
O ✓ ■ Exception (★ Missed)		
O O O Access Point (AP)		
O O O Entry		
■ Your answer to this ques	tion is incorrect.	
► A network device design	ned for managing the optimal distribution of workloads across multiple computing resources is called:	
O ✓ ■ Load balancer (★ Missed)		
O O O HIDS	In order to provide you with the best online experience this website uses cookies.	
O O O Firewall	By using our website, you agree to our use of cookies. Learn more	
O O O Captive portal	I agree	

▶ The last default rule on a firewall is to deny all traffic.
O ✓ ♥ True (★ Missed)
O O O False
☐ Your answer to this question is incorrect.
▶ A computer network service that allows clients to make indirect network connections to other network services is called:
O O O Load balancing
O ✓ ♥ Proxy (★ Missed)
O O O Network Access Control (NAC)
O O O Backdoor
■ Your answer to this question is incorrect.
▶ Which of the terms listed below refers to a security solution implemented on an individual computer host monitoring that specific system for malicious activities or policy violations?
O O O NIPS
O O O Content filter
O O O Firewall
O ✓ ♥ HIDS (★ Missed)
■ Your answer to this question is incorrect.
▶ One of the measures for securing networking devices includes the practice of disabling unused ports.
O ✔ ♥ True (★ Missed)
O O O False
■ Your answer to this question is incorrect.
▶ Which of the following ensures the privacy of a VPN connection?
O O O Hashing
O ✓ ♥ Tunneling (★ Missed)
O O O Authentication
O O O Cleartext credentials
■ Your answer to this question is incorrect.
▶ Which of the following answers refers to a dedicated device for managing secure connections established over an untrusted network, such as the Internet?
In order to provide you with the best online experience this website uses cookies. O O O Load balancer By using our website, you agree to our use of cookies. Learn more
O ✓ ♥ VPN concentrator (★ Missed)

I agree

■ Your answer to this question is incorrect.

O O O Layer 3 switch
O O O Hardware firewall
■ Your answer to this question is incorrect.
▶ Which of the following acronyms refers to a network or host based monitoring system designed to automatically alert administrators of known or suspected unauthorized activity?
O ✓ ♥ IDS (x Missed)
O O O AES
O O O TPM
O O O EFS
■ Your answer to this question is incorrect.
▶ A software tool used for monitoring and examining contents of the network traffic is known as: (Select all that apply)
□ □ Port scanner
□ ✓ ■ Packet sniffer (★ Missed)
□ □ Vulnerability scanner
□ ✔ ■ Protocol analyzer (★ Missed)
■ Your answer to this question is incorrect.
▶ Which of the following answers list the protocol and port number used by a spam filter? (Select 2 answers)
O O HTTPS
□ ✓ ■ SMTP (★ Missed)
□ ✔ ■ 25 (★ Missed)
■ Your answer to this question is incorrect.
▶ Which of the following acronyms refers to a network security solution combining the functionality of a firewall with additional safeguards such as URL filtering, content inspection, or malware inspection?
0 0 0 MTU
O O O STP
O ✓ ■ UTM (★ Missed)
0 0 0 XML
■ Your answer to this question is incorrect.
In order to provide you with the best online experience this website uses cookies. • URL filtering restricts access to Internet sites based on which of the following criteria?
By using our website, you agree to our use of cookies. Learn more
O O Virus signature

O ✔ ♥ Web address (x Missed)	
O O O Baseline	
O O Data content	
■ Your answer to this question is incorrect.	
▶ Which of the following network security solutions inspects network traffic in real-time and has the capability to stop the ongoing attack?	
O ✓ ■ NIPS (★ Missed)	
O O O HIDS	
O O O NIDS	
O O O NIST	
■ Your answer to this question is incorrect.	
▶ Which of the following acronyms refers to a firewall controlling access to a web server?	
0 0 0 WEP	
O O O WAP	
O O O WPS	
O ✓ ■ WAF (★ Missed)	
Your answer to this question is incorrect.	
▶ Which of the answers listed below refers to a set of rules that specify which users or system processes are granted access to objects as well as what operations are allowed on a given object?	
0 0 0 CRL	
O O O NAT	
O O O BCP	
O ✓ ■ ACL (★ Missed)	
■ Your answer to this question is incorrect.	
▶ Which of the following actions can be taken by passive IDS? (Select 2 answers)	
□ □ □ Firewall reconfiguration	
□ □ Closing down connection	
□ ✓ ■ Logging (★ Missed)	
□ □ Terminating process	
□ ✔ ■ Sending an alert (★ Missed)	
■ Your answer to this question is incorrect.	
▶ 802 1x is an IEEE standard defining:	
▶ 802.1x is an IEEE standard defining: In order to provide you with the best online experience this website uses cookies. By using our website, you agree to our use of cookies. Learn more	
O O Token ring networks By using our website, you agree to our use of cookies. Learn more	
O ✓ ■ Port-based network access control (★ Missed)	

O O O VLAN tagging
O O O Wireless networking
■ Your answer to this question is incorrect.
▶ An access control model in which access to resources is granted or denied depending on Access Control List (ACL) entries is also known as:
O O O Mandatory Access Control
O O O Lattice-Based Access Control
O O O Role-Based Access Control
O ✓ ■ Rule-Based Access Control (★ Missed)
■ Your answer to this question is incorrect.
▶ A type of Intrusion Detection System (IDS) that relies on the previously established baseline of normal network activity in order to detect intrusions is known as a signature-based IDS.
O O O True
O ✓ ■ False (★ Missed)
■ Your answer to this question is incorrect.
▶ Which of the following security solutions provides a countermeasure against denial-of-service attack characterized by increasing number of half-open connections?
O ✔ ■ Flood guard (★ Missed)
O O O Captive portal
O O O Protocol analyzer
O O O Firewall
■ Your answer to this question is incorrect.
▶ Which of the protocols listed below protects against switching loops?
O O O UTP
O O O OCSP
O ✓ ♥ STP (★ Missed)
O O O HMAC
■ Your answer to this question is incorrect.
• A type of Intrusion Detection System (IDS) that relies on known attack patterns to detect an intrusion is known as a signature-based IDS.
O ✓ ♥ True (★ Missed)
O O O False
■ Your answer to this question is incorrect. In order to provide you with the best online experience this website uses cookies.