

Discovery Built-in

Ready to take your barbecuing to the next level? Four or five robust burners will cook your meal perfectly. Plus you can watch it sizzle through the viewing window built in to the convection roasting hood. These barbecues are great for family entertaining.

1. Durable rust resistant cast cooktop

Made from porcelain enamel coated cast iron, one of the toughest coatings available. Solid stainless steel cooktops are also available.

2. Vaporizer grid system

Reduces annoying flare-ups and heat loss for faster cooking and superior fuel economy.


3. Integrated convection roasting hood

Experience cooking perfection in vitreous enamel or stainless steel. The removable roasting hood also includes an on-board temperature gauge and warming rack.

4. Integrated Quartz Start IgnitionOur innovative titanium-coated system ensures durable and

system ensures durable and hassle-free ignition, first time, every time.





DISCOVERY 1100S 5 BURNER

BD16350

- Double lined stainless steel roll back roasting hood with large viewing window.
- Rust resistant vitreous coated cast iron cooktop.
- · Large removable warming rack.



DISCOVERY 1100S 4 BURNER

BD16340

- Double lined stainless steel roll back roasting hood with large viewing window.
- Rust resistant porcelain coated cast iron cooktop.
- Large removable warming rack.





DISCOVERY 1100E 5 BURNER

BD16252

- Vitreous enamel roll back roasting hood with large viewing window and temperature gauge
- Durable vitreous enamel barbecue frame with rust resistant porcelain coated cast iron cooktop.

DISCOVERY 1100E 4 BURNER

BD16242

- Vitreous enamel roll back roasting hood with large viewing window and temperature gauge.
- Durable vitreous enamel barbecue frame with rust resistant porcelain coated cast iron cooktop.





DISCOVERY 1100E 3 BURNER

BD16232

- Vitreous enamel roll back roasting hood with large viewing window and temperature gauge.
- Durable vitreous enamel barbecue frame with rust resistant porcelain coated cast iron cooktop.

DISCOVERY 1000R 5 BURNER

BD18652

- Easy clean vitreous enamel roasting hood with window and temperature gauge.
- Porcelain coated cast iron cooktop with wire chrome warming rack.





DISCOVERY 1000R 4 BURNER

BD18642

- Easy clean vitreous enamel roasting hood with window and temperature gauge.
- Porcelain coated cast iron cooktop with wire chrome warming rack.

DISCOVERY 1000R 3 BURNER

BD18632

- Easy clean vitreous enamel roasting hood with window and temperature gauge.
- Porcelain coated cast iron cooktop with wire chrome warming rack.



Specifications

BUGG		Height (mm)	Width (mm)	Depth (mm)	Weight (kg)	Total Power (BTU)	MJ/hr
BB722AA	BIGG BUGG Amber	1075	1318	656	44.7	31278	33
BB722BA	BIGG BUGG Black	1075	1318	656	44.7	31278	33
BB49924	BUGG Amber with stand	1035	1088	702	31	19000	20
BB49926	BUGG Graphite with stand	1035	1088	702	31	19000	20
BB18224	BUGG Amber	387	554	580	21	19000	20
BB18226	BUGG Graphite	387	554	580	21	19000	20
BB18324	BUGG Charcoal amber	387	554	580	21	19000	20
BB18326	BUGG Charcoal graphite	387	554	580	21	19000	20
Signature SL4000 n	nobile	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)	Total Power (BTU)	MJ/hr
BS30060	Signature SL4000, 5 Burner	1230	1970	587	78	110000	116
BS30050	Signature SL4000, 4 Burner	1230	1815	587	68	91200	97
Signature premium p	olus mobile						
BS19640	Signature Premium Plus, 5 Burner	1230	1970	587	78	110000	116
BS19440	Signature Premium Plus, 4 Burner	1230	1815	587	68	91200	97
Signature plus porce	lain mobile						
BS19650	Signature Plus, 5 Burner	1230	1970	587	78	110000	116
BS19750	Signature Plus, 4 Burner	1230	1815	587	68	91200	97
Signature 3000 mol							
BS19242	4 Burner 3000E	1230	1486	587	113	72000	76
BS19252	5 Burner 3000E	1230	1643	587	119	90000	95
BS19340	4 Burner 3000S	1230	1486	587	113	72000	76
BS19350	5 Burner 3000S	1230	1643	587	119	90000	95
Discovery 1100S mo							
BD47832	Discovery 1100E, 3 Burner	1160	1409	591	81	51000	51
BD47842	Discovery 1100E, 4 Burner	1160	1569	591	89	68000	68
BD47852	Discovery 1100E, 5 Burner	1160	1726	591	97	85000	85
BD47940	Discovery 1100S, 4 Burner	1160	1409	591	81	68000	68
BD47950	Discovery 1100S, 5 Burner	1160	1569	591	89	85000	85
Discovery 1000R mo	bile						
BD47542	Discovery 1000R, 4 Burner	1141	1495	625	33	60660	64
BD47552	Discovery 1000R, 5 Burner	1141	1660	625	35	75825	80
BD47642	Discovery 1000R, 4 Burner	1141	1495	625	33	60660	64
BD47652	Discovery 1000R, 5 Burner	1141	1660	625	35	75825	80
BD47240	Discovery 1000RS 4 Burner	1141	1495	625	33	60660	64
BD47250	Discovery 1000RS 5 Burner	1141	1660	625	35	75825	80
Discovery clubman n	<u>, </u>	11 11	1000	020		70020	
BD16440	Clubman 4 Burner stainless steel	900	920	577	65	68242	72
	Clubman 4 Burner stainless black	900	920	577	65	68242	72
BD16640	Cilibrian 4 Burner Stainless black						
Ciamantana Bartina ha							
Signature ProLine bu		Height (mm)	Width (mm)	Depth (mm)	Weight (kg)	Total Power	MJ/hr
Signature ProLine bu BSH156SA	illt-in Signature ProLine™ integrated						
	ill-in Signature ProLine™ integrated barbecue with hood Signature ProLine™	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)	Total Power (BTU)	MJ/hr
BSH156SA	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated	Height (mm)	Width (mm)	Depth (mm) 540	Weight (kg) 63.5	Total Power (BTU) 67295	MJ/hr 71
BSH156SA BSL156SA BSW316SA	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid	Height (mm) 212 42	Width (mm) 1053 1053	Depth (mm) 540 540	Weight (kg) 63.5 54.5	Total Power (BTU) 67295 67295	MJ/hr 71 71
BSH156SA BSL156SA BSW316SA Signature built-in	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid	Height (mm) 212 42 42	Width (mm) 1053 1053 350	Depth (mm) 540 540 540	Weight (kg) 63.5 54.5	Total Power (BTU) 67295 67295 21800	MJ/hr 71 71 23
BSH156SA BSL156SA BSW316SA Signature built-in BS31560	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated Darbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner	Height (mm) 212 42 42 564	Width (mm) 1053 1053 350	540 540 540 540	Weight (kg) 63.5 54.5 18	Total Power (BTU) 67295 67295 21800	MJ/hr 71 71 23
BSH156SA BSL156SA BSW316SA Signature built-in BS31560 BS31550	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner	Height (mm) 212 42 42 564 564	Width (mm) 1053 1053 350	Depth (mm) 540 540 540	Weight (kg) 63.5 54.5	Total Power (BTU) 67295 67295 21800	MJ/hr 71 71 23
BSH156SA BSL156SA BSW316SA Signature built-in BS31560 BS31550	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated Darbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner	Height (mm) 212 42 42 564	Width (mm) 1053 1053 350	540 540 540 540	Weight (kg) 63.5 54.5 18	Total Power (BTU) 67295 67295 21800	MJ/hr 71 71 23
BSH156SA BSL156SA BSW316SA Signature built-in BS31560 BS31550 BS12850S	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner	Height (mm) 212 42 42 564 564	Width (mm) 1053 1053 350 1334 1177	Depth (mm) 540 540 540 540 578	Weight (kg) 63.5 54.5 18 161 150	Total Power (BTU) 67295 67295 21800 110000 91200	MJ/hr 71 71 23 116 97
BSH156SA BSL156SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 4 Burner	Height (mm) 212 42 42 564 564 528 528	Width (mm) 1053 1053 350 1334 1177 973 816	540 540 540 540 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000	MJ/hr 71 71 23 116 97 95 76
BSH156SA BSL156SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12350	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner	Height (mm) 212 42 42 564 564 528 528	Width (mm) 1053 1053 350 1334 1177 973 816 973	540 540 540 540 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000	MJ/hr 71 71 23 116 97 95 76 95
BSH156SA BSU316SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12350 BS12340	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner, flame failure Signature 3000S, 4 Burner, flame failure	Height (mm) 212 42 42 564 564 528 528 528	Width (mm) 1053 1053 350 1334 1177 973 816 973 816	540 540 540 540 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000	MJ/hr 71 71 23 116 97 95 76 95 76
BSH156SA BSU316SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12350 BS12340 BS12340 BS12850	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner, flame failure Signature 3000S, 4 Burner, flame failure Signature 3000S, 5 Burner, flame failure	Height (mm) 212 42 42 564 564 528 528 528 528	Width (mm) 1053 1053 350 1334 1177 973 816 973 816 973	540 540 540 540 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000	MJ/hr 71 71 23 116 97 95 76 95 76 95
BSH156SA BSU316SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12350 BS12340 BS12340 BS12850	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner, flame failure Signature 3000S, 4 Burner, flame failure	Height (mm) 212 42 42 564 564 528 528 528	Width (mm) 1053 1053 350 1334 1177 973 816 973 816	540 540 540 540 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000	MJ/hr 71 71 23 116 97 95 76 95 76
BSH156SA BSU156SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12350 BS12340 BS12340 BS12380 BS12880 BS12880	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner, flame failure Signature 3000S, 4 Burner, flame failure Signature 3000S, 5 Burner, flame failure	Height (mm) 212 42 42 564 564 528 528 528 528 528	Width (mm) 1053 1053 350 1334 1177 973 816 973 816 973	540 540 540 540 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000	MJ/hr 71 71 23 116 97 95 76 95 76 95
BSH156SA BSL156SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12350 BS12340 BS12850 BS12840 BS12850 BS12840 BS19952	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000S, 5 Burner Signature 3000S, 5 Burner Signature 3000S, 5 Burner, flame failure Signature 3000S, 5 Burner, flame failure Signature 3000S, 5 Burner Signature 3000S, 5 Burner	Height (mm) 212 42 42 564 564 528 528 528 528 528 528 528	Width (mm) 1053 1053 1053 350 1334 1177 973 816 973 816 973 816 973	540 540 540 540 578 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68 65 68	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000 72000 90000	MJ/hr 71 71 23 116 97 95 76 95 76 95 76 95 95
BSH156SA BSU316SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12340 BS12340 BS12850 BS12840 BS12840 BS12840 BS19952 BS19942	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000SS, 4 Burner Signature 3000SS, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner	Height (mm) 212 42 42 564 564 528 528 528 528 528 528	Width (mm) 1053 1053 350 1334 1177 973 816 973 816 973 816	540 540 540 540 578 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68 65 68	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000 72000	MJ/hr 71 71 23 116 97 95 76 95 76 95 76
BSH156SA BSU316SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12340 BS12340 BS12850 BS12840 BS12840 BS19952 BS19942 Discovery 1100 built	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000SS, 4 Burner	Height (mm) 212 42 42 564 564 528 528 528 528 528 528 528 52	1053 1053 350 1334 1177 973 816 973 816 973 816 973 816	540 540 540 540 578 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68 65 68 65 68	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000 72000 90000 72000	MJ/hr 71 71 23 116 97 95 76 95 76 95 76 95 76
BSH156SA BSU316SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12340 BS12850 BS12840 BS19952 BS19942 Discovery 1100 built BD16340	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000S, 4 Burner, flame failure Signature 3000S, 4 Burner, flame failure Signature 3000S, 5 Burner Signature 3000S, 4 Burner Signature 3000S, 4 Burner Signature 3000E, 5 Burner Signature 3000E, 5 Burner	Height (mm) 212 42 42 564 564 528 528 528 528 528 528 528 52	Width (mm) 1053 1053 350 1334 1177 973 816 973 816 973 816 973 816 973 816 973	540 540 540 540 578 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68 65 51	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000 72000 90000 72000	MJ/hr 71 71 23 116 97 95 76 95 76 95 76 95 76 68
BSH156SA BSU316SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12340 BS12340 BS12850 BS12840 BS12840 BS19952 BS19942 Discovery 1100 built	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000SS, 4 Burner	Height (mm) 212 42 42 564 564 528 528 528 528 528 528 528 52	1053 1053 350 1334 1177 973 816 973 816 973 816 973 816	540 540 540 540 578 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68 65 68 65 68	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000 72000 90000 72000	MJ/hr 71 71 23 116 97 95 76 95 76 95 76 95 76
BSH156SA BSL156SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12340 BS12340 BS12840 BS12840 BS19952 BS19942 Discovery 1100 built BD16340 BD16350	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000S, 4 Burner, flame failure Signature 3000S, 4 Burner, flame failure Signature 3000S, 5 Burner Signature 3000S, 4 Burner Signature 3000S, 4 Burner Signature 3000E, 5 Burner Signature 3000E, 5 Burner	Height (mm) 212 42 42 564 564 528 528 528 528 528 528 528 52	Width (mm) 1053 1053 350 1334 1177 973 816 973 816 973 816 973 816 973 816 973	540 540 540 540 578 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68 65 51	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000 72000 90000 72000	MJ/hr 71 71 23 116 97 95 76 95 76 95 76 95 76 68
BSH156SA BSL156SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12340 BS12340 BS12840 BS19952 BS19942 Discovery 1100 built BD16340 BD16350 BD16232	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000S, 5 Burner, flame failure Signature 3000S, 4 Burner, flame failure Signature 3000S, 5 Burner Signature 3000S, 4 Burner Signature 3000S, 4 Burner Signature 3000E, 5 Burner	Height (mm) 212 42 42 564 564 528 528 528 528 528 528 528 52	Width (mm) 1053 1053 350 1334 1177 973 816 973 816 973 816 973 816 973 816 970 100	540 540 540 540 540 578 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68 65 51 58 43	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000 72000 90000 72000 68000 85000	MJ/hr 71 71 23 116 97 95 76 95 76 95 76 95 76 88 88
BSH156SA BSL156SA BSW316SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12350 BS12340 BS12840 BS19952 BS19942 Discovery 1100 built BD16340 BD16350 BD16232 BD16242	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000SS, 4 Burner, flame failure Signature 3000S, 5 Burner, flame failure Signature 3000S, 5 Burner Signature 3000S, 5 Burner Signature 3000S, 4 Burner Signature 3000S, 4 Burner Signature 3000S, 5 Burner Signature 300OS, 5 Burner Signature 300OS, 4 Burner Discovery 1100S, 5 Burner Discovery 1100S, 5 Burner Discovery 1100E, 3 Burner Discovery 1100E, 4 Burner	Height (mm) 212 42 42 42 564 564 528 528 528 528 528 528 528 52	Width (mm) 1053 1053 1053 350 1334 1177 973 816 973 816 973 816 973 816 970 816 970 816 970 816 970 816 970 816 970 816 970 816 970 816 970 816	540 540 540 540 540 578 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68 65 51 58 43 51	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000 72000 90000 72000 51000 68000 68000	MJ/hr 71 71 23 116 97 95 76 95 76 95 76 95 76 51 68
BSH156SA BSU316SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12340 BS12340 BS12340 BS12952 BS19942 Discovery 1100 built BD16340 BD16350 BD16232 BD16252	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner, flame failure Signature 3000S, 5 Burner, flame failure Signature 3000S, 5 Burner Signature 3000S, 5 Burner Signature 3000S, 4 Burner Signature 3000S, 4 Burner Signature 3000S, 5 Burner Signature 3000S, 5 Burner Signature 3000S, 5 Burner Signature 3000S, 5 Burner Signature 300OS, 5 Burner Signature 300OS, 4 Burner Discovery 1100S, 4 Burner Discovery 110OS, 5 Burner Discovery 110OS, 5 Burner Discovery 110OE, 4 Burner Discovery 110OS, 5 Burner	Height (mm) 212 42 42 564 564 528 528 528 528 528 528 528 52	Width (mm) 1053 1053 350 1334 1177 973 816 973 816 973 816 973 816 970 816 970 816 970 816 970 816 970 817 817 818 818 970 818 818 849 1000 689	540 540 540 540 540 578 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68 65 51 58 43	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000 72000 90000 72000 90000 51000	MJ/hr 71 71 23 116 97 95 76 95 76 95 76 95 76 88 85 51
BSH156SA BSL156SA BSW316SA BSW316SA Signature built-in BS31560 BS31550 BS12840S BS12840S BS12340 BS12840 BS19952 BS19942 Discovery 1100 built BD16340 BD16350 BD16232 BD16232 BD16252 Discovery 1000R bu	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000S, 5 Burner, flame failure Signature 3000S, 5 Burner, flame failure Signature 3000S, 5 Burner Signature 3000S, 5 Burner Signature 3000S, 4 Burner Signature 3000E, 5 Burner Signature 3000E, 5 Burner Signature 3000E, 5 Burner Discovery 1100S, 4 Burner Discovery 1100S, 5 Burner Discovery 1100E, 3 Burner Discovery 1100E, 5 Burner	Height (mm) 212 42 42 42 564 564 528 528 528 528 528 528 528 52	Width (mm) 1053 1053 1053 350 1334 1177 973 816 973 816 973 816 973 816 973 816 973 816 973 816 973 816 973 816 973 816 973	540 540 540 540 540 578 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68 65 51 58 43 51 58	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000 72000 90000 72000 90000 51000 68000 85000	MJ/hr 71 71 23 116 97 95 76 95 76 95 76 95 56 88 85 51 68 88
BSH156SA BSU316SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12340 BS12340 BS12850 BS12840 BS19952 BS19942 Discovery 1100 built BD16340 BD16350 BD16232 BD16242	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner, flame failure Signature 3000S, 5 Burner, flame failure Signature 3000S, 5 Burner Signature 3000S, 5 Burner Signature 3000S, 4 Burner Signature 3000S, 4 Burner Signature 3000S, 5 Burner Signature 3000S, 5 Burner Signature 3000S, 5 Burner Signature 3000S, 5 Burner Signature 300OS, 5 Burner Signature 300OS, 4 Burner Discovery 1100S, 4 Burner Discovery 110OS, 5 Burner Discovery 110OS, 5 Burner Discovery 110OE, 4 Burner Discovery 110OS, 5 Burner	Height (mm) 212 42 42 42 564 564 528 528 528 528 528 528 528 52	Width (mm) 1053 1053 1053 350 1334 1177 973 816 973 816 973 816 973 816 970 816 970 816 970 816 970 816 970 816 970 816 970 816 970 816 970 816	540 540 540 540 540 578 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68 65 51 58 43 51	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000 72000 90000 72000 51000 68000 68000	MJ/hr 71 71 23 116 97 95 76 95 76 95 76 95 76 51 68
BSH156SA BSU316SA BSW316SA Signature built-in BS31560 BS31550 BS12850S BS12840S BS12350 BS12340 BS12840 BS19952 BS19942 Discovery 1100 built BD16340 BD16350 BD16232 BD16242 BD16252 Discovery 1000R bu	Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated barbecue with hood Signature ProLine™ integrated ProLine™ integrated barbecue with lid Signature ProLine™ integrated QuadBurner™ with lid Signature SL4000, 5 Burner Signature SL4000, 4 Burner Signature 3000SS, 5 Burner Signature 3000SS, 5 Burner Signature 3000S, 5 Burner, flame failure Signature 3000S, 5 Burner, flame failure Signature 3000S, 5 Burner Signature 3000S, 5 Burner Signature 3000S, 4 Burner Signature 3000E, 5 Burner Signature 3000E, 5 Burner Signature 3000E, 5 Burner Discovery 1100S, 4 Burner Discovery 1100S, 5 Burner Discovery 1100E, 3 Burner Discovery 1100E, 5 Burner	Height (mm) 212 42 42 42 564 564 528 528 528 528 528 528 528 52	Width (mm) 1053 1053 1053 350 1334 1177 973 816 973 816 973 816 973 816 973 816 973 816 973 816 973 816 973 816 973 816 973	540 540 540 540 540 578 578 578 578 578 578 578 578 578 578	Weight (kg) 63.5 54.5 18 161 150 68 65 68 65 68 65 51 58 43 51 58	Total Power (BTU) 67295 67295 21800 110000 91200 90000 72000 90000 72000 90000 72000 90000 72000 90000 51000 68000 85000	MJ/hr 71 71 23 116 97 95 76 95 76 95 76 95 56 88 85 51 68 88

DISCOVERY 1100 BUILT-IN SERIES CUT OUT DIMENSIONS

For built-in installations: islands, masonry, other non-combustible material structures.

To suit models: 1100S and 1100E	3 burner	4 burner	5 burner
Width	720mm	880mm	1035mm
Height	280mm	280mm	280mm
Depth (includes 20mm rear ventilation clearance)	540mm	540mm	540mm
Clearance at rear (Min)	30mm	30mm	30mm
Minimum Clearance to Combustible Materials	450mm	450mm	450mm

To suit models BD16340, BD16350, BD16232, BD16242 and BD16252

