CENTENNIAL JING-ZHANG · CONCEPTUAL SUBMISSION

Jingzhang Works

□□□□□

A city should not pay merely for putting an AI system online. It should pay when real tasks are completed safely, independen accepted, and sustained.

01 Zhongzhiyuan

Real product adoption

Problem desk → shadow trial → independent evaluation → adopt / decline / exit

02 Beijing AI Origin Community

Two-level street closure

Candidate pool → capacity pull → response closure → outcome closure → structural upgrade

03 Dazhongsi

Controlled shared curb

Fixed rules first → AI for exceptions → human confirmation → safe degradation

The route may reverse. The task moves forward.

Overall Structure | One Line, Three Loops, Two Wings

FIGURE 01 / EVIDENCE DIAGRAM

One Results Line, Three Complete Loops

The plan does not force an □-shaped masterplan. It returns problems, responsibility, operation, evaluation and exit to spaces people can see.



THE SIX-STEP COMPLETE LOOP

- 01 Real problem
- 02 Named responsibility
- 03 Controlled exploration
- 04 Live operation
- 05 Independent evaluation
- 06 Adopt / repair / exit

TWO WINGS

Zhongguancun Technology Services Wing Contracts · standards · evaluation · migration

Xiaoyue River Scenario Enablement Wing Observation · dialogue · reversible prototypes

Source: package GeoJSON + proposal design logic

Provisional geometry supports conceptual generation and recalculation only; it is not an official boundary, ownership record, or engineering basis.

Six-step loop in every zone

- 01 Real problem
- 02 Named responsibility
- 03 Controlled exploration
- 04 Live operation
- 05 Independent acceptance
- 06 Procure / repair / exit

Land Use and Renewal | Four Interfaces, Six Projects

FIGURE 02 / EVIDENCE DIAGRAM

Space as an Interface for Closure

Four low-impact interfaces return urban services from an abstract backend to the field. Submitted land use is a recalculable concept model, not existing or statutory zoning.

1

PROBLEM ENTRY

report · explain · correct

street corner / service desk / map

2

OPERATING INTERFACE

rules · alternatives · human takeover

curb / station forecourt / public ground floor

3

EVALUATION INTERFACE

baseline · metrics · review date

observation point / neutral evaluation room

4

SERVICE RECEIPT

owner · progress · result · recurrence

site sign / low-power display / web

CARRIER PRIORITY

Existing public ground floors □ controlled spaces with clear authority □ reversible installations □ fixed works only after evidence

Source: conceptual program + geometry/land_use.geojson (design model)

Provisional geometry supports conceptual generation and recalculation only; it is not an official boundary, ownership record, or engineering basis.

01

Problem interface

Residents, streets, and firms frame acceptably testable problems

02

Trial interface

Shadow mode and reversible prototypes isolate risk

03

Contract interface

Owner, capacity, evidence, payment, and exit are procedural

04

Adoption interface

Procurement, non-adoption, and migration all have public reasons

Mobility and Shared Curb | Rules First, AI for Exceptions

FIGURE 04 / EVIDENCE DIAGRAM

Shared Curb: Rules by Default, AI for Exceptions

This is a functional section and operating-state diagram, not an engineering cross-section. Dimensions, curb authority and traffic operations require formal review and field data.

SAFE WALKING	ACCESSIBLE ARRIVAL	TIME-SHARED CURB	MOVING TRAFFIC
continuous · legible · unobstructed	minimum service in every state	fixed schedules first / AI for exceptions	safety rules remain authoritative

FUNCTIONAL RELATIONSHIP / NOT ENGINEERING DIMENSIONS

NORMAL — fixed rules → MINOR VARIANCE — AI advice → EXCEPTION — human approval → SAFETY PRIORITY — human takeover → DEGRADE / STOP — return to rules

Source: scenario SC-01 + conceptual operating protocol

Provisional geometry supports conceptual generation and recalculation only; it is not an official boundary, ownership record, or engineering basis.

01 Normal rules
Fixed windows, priority, release

02 Fluctuation
Adjust within rules

03 Exception advice
AI advises, human confirms

04 Safety priority
Access and emergency first

05 Degrade or stop
Failure returns to fixed rules

Three Key Areas | One Base, Distinct Flagships

FIGURE 03 / EVIDENCE DIAGRAM

Three Zones, One Protocol, Distinct Flagships

Each zone carries a complete loop and a distinct flagship. Areas are approximate announcement values; official polygons remain pending.

ZHONGZHIYUAN approx. 192.1 ha

FLAGSHIP

True AI Product Adoption

- Problem desk
- Shadow test belt
- Independent evaluation
- Results showcase

problem □ owner □ run □ evaluate □ exit

BEIJING AI ORIGIN approx. 104.3 ha

FLAGSHIP

Two-level Street Closure

- Candidate pool
- Capacity pull
- Response / result closure
- Structural upgrade

problem □ owner □ run □ evaluate □ exit

DAZHONGSI approx. 72.0 ha

FLAGSHIP

Shared Curb

- Rules by default
- AI for exceptions
- Accessibility floor
- Human fallback

problem □ owner □ run □ evaluate □ exit

Source: official approximate areas + provisional key-area geometry + proposal program

Provisional geometry supports conceptual generation and recalculation only; it is not an official boundary, ownership record, or engineering basis.

01

01 Zhongzhiyuan

Real product adoption

Problem desk → shadow trial → independent evaluation → adopt / decline / exit

02

02 Beijing AI Origin Community

Two-level street closure

Candidate pool → capacity pull → response closure → outcome closure → structural upgrade

03

03 Dazhongsi

Controlled shared curb

Fixed rules first → AI for exceptions → human confirmation → safe degradation

AI Scenarios and Operations | Shadow First, Limited Live Operation Next

Eleven scenario cards

SC-01
Controlled shared curb

SC-02
Accessible last leg

SC-03
Station exception

SC-04
Two-level street closure

SC-05
Finite-capacity task desk

SC-06
Public response window

SC-07
Structural-upgrade workshop

SC-08
Product shadow adoption

SC-09
Evaluation and migration

SC-10
Public service receipt

SC-11
Open validation week

Six-step loop in every zone

01 Real problem

02 Named responsibility

03 Controlled exploration

04 Live operation

05 Independent acceptance

06 Procure / repair / exit

Metrics and Compliance | Safety, Outcomes, Then Scale

FIGURE 05 / EVIDENCE DIAGRAM

Three Gates: Safety, Results, Then Scale

Deployment, calls, alerts and model accuracy cannot replace real task outcomes. Field performance is measured independently after baseline freeze.

GATE 1

SAFETY & LEGALITY

safety incidents · authorization · human takeover accessibility floor · data necessity

GATE 2

TASK & FRONTLINE LOAD

primary task · workload index complaints · correction on time

GATE 3

DURABLE RESULT & EXIT

result closure · independent replication data export · migration drill

FAIL GATE 1	FAIL GATE 2	FAIL GATE 3	PASS ALL
degrade / stop	no result payment / no scale	observe / structural upgrade / exit	result payment + conditional scale

Source: metrics.json + independent evaluation protocol

Provisional geometry supports conceptual generation and recalculation only; it is not an official boundary, ownership record, or engineering basis.

GATE 01

Safety and legality

Severe event | lawful authority | human takeover | accessible minimum service

Fail: degrade or stop immediately

GATE 02

Task and frontline load

Primary task | workload | complaints and correction | capacity constraint

Fail: no outcome payment, no expansion

GATE 03

Durable result and exit

Observation | independent recomputation | export | migration and degradation drill

Fail: observe, upgrade, or exit