v0.10 | THREE PUBLIC PROMISES

Make the ordinary urban task work first; AI remains a switchable enhancement

ARRIVE WITHOUT APP

- **Ordinary city**
  fixed bilingual wayfinding + staffed transfer + continuous arr
- **Space**
  legible, stayable station-city ground level with a person to as
- **AI OFF**
  arrival still works when dynamic information fails

CARE WITHOUT ACCOUNT

- **Ordinary city**
  home → shade/seating → staffed care → commons
- **Space**
  no phone/account does not reduce basic service
- **AI OFF**
  phone/paper/human entry and physical routes remain

TEST WITHOUT BLOCKING

- **Ordinary city**
  research/work/service/rest/walking stay continuous
- **Space**
  test pocket is physically separate from public passage
- **STOP**
  test can close/remove without taking the city base with it

These are urban-design acceptance questions, not marketing claims; real location, dimensions, engineering and permits remain pending field/professional verification.

Three public promises

v0.7 | Three key areas, three distinct complete-city spatial types

Not three AI showrooms: innovation campus, long-term neighborhood and station-city district differ in ground floor, public realm, test/service interfaces and exit states.

01 Zhongzhiyuan | Complete Innovation Campus

R&D + civic green spine + food/rest + staffed supervision + bounded test pocket; testing never occupies ordinary circulation.



02 AI Origin | Complete Long-Term Neighborhood

Home—childcare/care—shade/rest—ordinary retail—civic commons form a short daily chain that works without a phone.



03 Dazhongsi | Complete Station-City Everyday District

Fixed bilingual signs—staffed help—accessible interchange—ordinary retail/waiting—Jing-Zhang heritage public interface; dynamic information only enhances.



Shared design discipline: after AI is off, devices are removed or accounts are refused, the three areas still function as a campus, a long-term neighborhood and a legible station-city district.

Concept-only • provisional key-area geometry • not a survey, regulatory plan, station engineering boundary or approved implementation.

Three key-area spatial sections

v0.7 | Three everyday journeys: start with a day in the city, then place AI

Black=people/ordinary city · Green=physical repair · Blue dash=optional AI · Red dash=functioning exit path

01 Zhongzhiyuan | researcher + service worker

- arrival / work
- food + rest
- ordinary walking
- bounded test yard

Testing is physically separated from ordinary circulation; the campus still works after devices exit.

02 AI Origin | older resident + carer + no-phone user

- home
- shade + seating
- care + staffed help
- civic commons

AI navigation layers onto physical accessibility and staffed help; refusing an account never degrades basic service.

03 Dazhongsi | commuter + international visitor + service worker

- fixed bilingual signs
- staffed interchange help
- ordinary retail / rest
- heritage + green spine

Dynamic information may enhance legibility; bad advice falls back immediately to physical routes and human service.

Concept-only · provisional geometry · real entrances, roads, permits, insurance and accountable parties require verification.

Three everyday journeys

v0.7 | How AI changes urban form: six reversible physical interfaces

ordinary-city baseline → physical repair → optional AI → functioning exit state

A | Test pockets



Separate testing from ordinary circulation; remove devices and keep

AI is optional; physical city function remains after exit.

B | Accessible help nodes



Seating, shade, static signs and staffed help come first; navigation/tr

AI is optional; physical city function remains after exit.

C | Continuous station-city arrival



Fixed bilingual signs, staffed help, rest and ordinary retail form the basi

AI is optional; physical city function remains after exit.

D | Replaceable service nodes



Edge compute, charging and maintenance become removable nodes

AI is optional; physical city function remains after exit.

E | People-first public ground floors



Space for sitting, staying, food, meeting and staffed service takes pri

AI is optional; physical city function remains after exit.

F | Reversible spatial versioning



Observe → bounded prototype → public/professional review → merge

AI is optional; physical city function remains after exit.

Shared principle: AI is not an eighth land-use category; it creates spatial interfaces that can start, stop and be replaced.

Concept-only · all dimensions and engineering interfaces require later verification.

How AI changes urban form

Overall scope | Three public promises test the spine, six segments

Fixed reviewer input: the overall structure must let arrival, care and testing work as ordinary urban tasks even in AI-OFF mode.

South / Dazhongsi | ARRIVE

NO APP

Fixed bilingual wayfinding, continuous arrival, staffed transfer and a stayable ground level work first; rail/road nodes follow real vertical conditions.

Middle / AI Origin | CARE

NO ACCOUNT

Home, shade/seating, staffed care and commons work first; continuous green-corridor walking and public frontage take priority over devices.

North / Zhongzhiyuan | TEST

NO BLOCK

R&D, service work, meals, rest and ordinary walking remain continuous; controlled testing is physically separate from public passage.

Site/key-area geometry remains provisional; this shows spatial tasks and priorities, not official redlines, station exits or engineering alignments.

Site overview and C7 method

02 | C7 Land-use + Civic Base Structure

13 conceptual land-use features; allowed codes only; AI does not create a new statutory land-use class



Legend

- Residential 0701
- Community service 0702
- Research 0802
- Culture 0803
- Education 0804
- Commercial service 05
- Park green 1401

Design discipline

- Concept area ≠ statutory zoning
- conceptual_floors ≠ approved height
- Six segments are work zones, not administrative communities

Concept proposal • provisional geometry is not an official redline • recalculate when official data arrives

Land-use structure

Mobility + blue-green | different reality, different spatial response

Fixed reviewer input: east-west links are no longer drawn as one generic condition. Public evidence matters only when it changes a spatial decision.

LINK

Ordinary stitch

Keep the need to connect; redline, crossing form and width remain pending.

LEVEL

Zhichun node

Official draft response: underpass / no at-grade condition → solve vertical continuity and accessibility.

EDGE

Jing-Zhang green edge

Continuous walking, staying and public frontage first; AI/logistics cannot cut passage.

ARRIVE

Station-city arrival

Fixed bilingual wayfinding + staffed service first; dynamic information only enhances.

All alignments remain conceptual relationships; no road redline, bridge/tunnel scheme, station exit, feasibility or approved control plan is claimed.

Mobility and blue-green system

Jing-Zhang City Completeness v0.5 | Public-Space Component Library + Three-Layer Wa

Design order: permanently usable ordinary city function → updateable operational information → optional AI enhancement. If the digital layer fails, the space remains understandable and usable.

Seven reusable components

01 C7 ORIENTATION POST



Permanent: direction / distance / C

equal-rank CN/EN; icon + text; no QR dep

Digital enhancement

optional voice/multilingual Q&A; offline ba

02 SHADED STAY ISLAND



GREEN + COMMON LIFE

seating, shade, water/charging rese

Digital enhancement

optional environment info without id

03 ROBOT HANDOFF BAY

MOVE + WORK

robots stay out of ordinary paths; physi

Safety rule

low speed, closable, human takeover, b

04 STAFFED SERVICE DESK



CARE + NON-AI BASELINE

booking, appeal, navigation, and help all have a human

Spatial requirement

accessible counter, clear hours, emergency contact

05 COMMUNITY SHARED TABLE



COMMON LIFE

free core hours, public booking rules

AI scheduling

advisory only; fairness/conflicts can

06 ACCESSIBILITY CONTINUITY NOD

MOVE + CARE

ramps/rest/tactile/light exist before a

temporary-obstacle AI is an extra al

07 JING-ZHANG MEMORY RAIL

CULTURE + LEARN

dates, people, engineering, commu

Multilingual layer

fixed CN/EN + optional multilingual

Shared component rules

- Real daily function first; communication/AI second.
- Screens never replace seating, lighting, ramps, or physical signs.
- Devices never intrude into fire access, tactile paths, circulation, maintena
- C7 tags are common; materials may differ by key area.

Final dimensions, structure, materials, and devices need professional design.

Three-layer wayfinding: start with “still works when power is off”

L1 PHYSICAL | ALWAYS-ON

direction, distance, accessibility, public service, hazard boundary, fixed heritage te

equal-rank CN/EN, icon+text, color not sole encoding, night readability

failure mode: movement and help still work with no power/network/phone

Owner: spatial/facility operator

L2 OPERATIONS | CHANGEABLE

hours, temporary closures, events, test status, queues, restoration info

every item has update time + responsible role; stale info is removed

failure mode: uncertainty/emergency switches to staffed notices

Owner: information updater + on-site human review

L3 OPTIONAL AI | OPT-IN

multilingual Q&A, personalized routes, scenario explanation, booking assistance

traceable source, minimal data, human takeover, exit recovery

failure mode: shut AI and fall back to L1/L2 with no loss of basic service

Owner: AI service role + corresponding public-service operator

International communication syntax

“What is here? → Which ordinary city capability does it support? → What does AI add? → How do I use it without AI? → Who is responsible?”

Each public node answers these five questions in Chinese and English, replacing “future-tech” slogans with function, rights, and responsibility.

Concept component library only; not construction drawings, a procurement list, facility permit, or official wayfinding standard.

Public-space components and wayfinding

v0.6 | Three flagship pilots: validate before scaling

All quantities and durations are conceptual test configurations, not approved budgets, contracts, permits, sites, or partnership commitments.

01 Zhongzhiyuan | Low-speed robots

Question: how can R&D testing avoid turning public routes into default test sp

NON-AI BASELINE
Ordinary walking + human delivery + staffed on-site guidance

Concept test configuration
1 bounded / controllable yard; 2–4 low-speed devices;
at least 2 human marshal roles per active test window

Prerequisite evidence gates
Site permission, fire/egress, device safety, insurance/liability,
physical separation and human takeover confirmed before start

Window / decision
14–30 controlled days → GO / REVISE / STOP

KPI
No spill into unauthorized routes; takeover reachable;
ordinary movement not degraded; incidents reviewable

Automatic stop threshold
Boundary breach, loss of link, blocked accessible path, takeover fai

Exit receipt
Device removal + temporary-space reset + incident/data cleanup re

Responsibility structure
A: real operating authority (to be confirmed)
R: test lead; C: safety/accessibility/maintenance;
I: public and site management

02 AI Origin | Access / care navigation

Question: can digital assistance enhance, rather than replace, physical acces

NON-AI BASELINE
Continuous physical accessibility + fixed signs + staffed help desk

Concept test configuration
1 route already checked physically;
10–20 voluntary, withdrawable use sessions as a concept cap

Prerequisite evidence gates
Accessibility review, service hours, human help, data minimization,
consent/exit and equal service without registration confirmed

Window / decision
2–4 week small-scale co-test → GO / REVISE / STOP

KPI
Route completion not below baseline; human help reachable;
refusing tracking never removes basic service; errors appealable

Automatic stop threshold
Misdirection to inaccessible path, sensitive-data breach, no human

Exit receipt
Personalization off + deletion/migration record + baseline continues

Responsibility structure
A: real public-service authority (to be confirmed)
R: staffed service lead; C: accessibility/privacy/community;
I: residents, carers and users

03 Dazhongsi | Interchange / multilingual w

Question: can AI improve legibility without creating a dependency?

NON-AI BASELINE
Static signs + staffed advice + routes understandable without a phone

Concept test configuration
1 field-verified arrival portal; 2–3 candidate routes;
Chinese / English and no-phone modes all remain available

Prerequisite evidence gates
Real entrances, opening hours, property/operations interface,
accessibility and emergency wayfinding verified before testing

Window / decision
14-day bounded validation → GO / REVISE / STOP

KPI
Wayfinding time/help requests improve against baseline;
static signs stand alone; bad advice is human-correctable

Automatic stop threshold
Unsafe routing, conflict with live site state, failed human update

Exit receipt
AI layer off + physical signs retained + correction/closure notice

Responsibility structure
A: real station-city/public-interface authority (to be confirmed)
R: on-site information lead; C: transport/accessibility/operations;
I: commuters, visitors and nearby residents

Shared resource and cost boundary
v0.6 states quantity bases, staff roles and test durations only. Currency budget, total FTE, procurement, insurance, contracts and permits stay UNKNOWN until site and accountable parties are confirmed.

Concept proposal only. Provisional geometry remains non-official; no pilot above is represented as executed, funded, approved or contracted.

Three flagship pilot protocols

v0.6 | Implementation resources & RACI: make feasibility auditable

This table states conceptual quantity bases, roles and maintenance cadence only. Currency budgets, total FTE, procurement entities, insurance contracts and approvals remain UNKNOWN.

PILOT	RESOURCE / QUANTITY BASIS	RACI RESPONSIBILITY	MAINTENANCE CADENCE	PRE-START EVIDENCE GATES
Zhongzhiyuan Controlled low-speed robots 14–30 day concept window	• 1 controllable test yard • 2–4 low-speed devices • ≥2 human marshal roles / active window • removable separation / stop signage Cost class: M (concept) | currency UNKNOWN	A: real operating authority (TBC) R: on-site test lead C: safety / accessibility / maintenance / insurance I: site management / public	Device + route check before each day Incident log every test window Daily close-down reset Weekly GO/REVISE/STOP review	Site permission Fire / egress Device safety Liability / insurance Separation + human takeover
AI Origin Accessibility / care navigation 2–4 week concept window	• 1 route already physically audited • 10–20 voluntary, withdrawable sessions cap • 1 fixed staffed help point / service window • L1/L2 non-AI wayfinding remains live Cost class: S–M (concept) | currency UNKNOWN	A: real public-service authority (TBC) R: staffed service lead C: accessibility / privacy / community / care I: residents / carers / user representatives	Physical route check before daily opening Human review for every wrong suggestion Weekly retention/deletion audit Issue list published at phase close	Accessibility review Staffed service hours Data-minimization plan Consent / exit Equal no-account service
Dazhongsi Interchange / multilingual wayfinding 14-day concept window	• 1 field-verified arrival portal • 2–3 candidate routes • Chinese / English / no-phone entry • static signs retained and standalone Cost class: S–M (concept) | currency UNKNOWN	A: real station-city/public-interface authority (TBC) R: on-site information lead C: transport / accessibility / property / operations I: commuters / visitors / nearby residents	State verification before daily opening Human update whenever site state changes Unsafe guidance closed/corrected same day Compare baseline on days 7 / 14	Real entrances / opening hours Property / operations interface Accessible route verified Emergency guidance consistent Human update owner named

Shared decision gate: PRECONDITION → TEST → RECEIPT → DECISION

1 Preconditions evidenced	2 Time-bounded controlled test	3 Exit / fault receipt	4 GO / REVISE / STOP
not complete = do not start	AI-off baseline runs in parallel	remove, correct, delete, reset	scaling is never the default

Shared boundary: if accountable parties, permits, safety, insurance, service hours or field conditions cannot be verified, the proposal remains a concept protocol; no fake budget, partnership or schedule fills the gap.

Concept-only implementation framework. Provisional geometry is non-official and is not a procurement, approval, contract or construction basis.

Implementation resource and RACI

05 | Metrics • Evidence • Data Gaps

Known values, conceptual design quantities and unknown statutory/engineering quantities are kept separate

SITE	GREEN	PUBLIC	C7	AI+	KEY AREAS
11.41 km²	19.5%	3.4%	7	10	3



Critical data gaps

- Official precise site + three key-area polygons
- Official FAR / height / road redlines / heritage / fire / utilities
- Cleared building, tenure, household and service-capacity survey
- Verified road widths, parking, transit interfaces and engineering constraints

Recalculation trigger: when official geometry or key controls arrive, recompute land use, buildings, roads, green/civic space, phasing, metrics, drawings and HTML.

Concept proposal • provisional geometry is not an official redline • recalculate when official data arrives

Metrics and evidence limits