THE RETURN TICKET

CIVIC FRONTSTAGE · BACKSTAGE SYSTEM: THE JING-ZHANG PROTOCOL

AI may enter the city only when verifiable capability returns to the city

Before entering BUILD / TEST / LIVE, every AI service registers seven civic interfaces and a return commitment; operation returns access repair, open methods, maintenance capacity, failure evidence or community service.

ONE DEPLOYMENT, ONE RETURN TICKET



BUILD registers capability and open method
TEST verifies limits and failure evidence
LIVE delivers service rights and civic returns
LEARN / UPDATE revises, pauses or retires

SEVEN-INTERFACE KIT + FIVE CIVIC RETURNS

I1-I7 l identity, receipt, limits, staffed window, appeal, portability, retirement

3	3	7	5
street-rooms	people journeys	interface pieces	return types

Reading Path and Evidence Boundary

Begin with what is official, reproducible, provisional and still unknown

CONTENTS

43.6 km²

Coordinated Research Area

Official approximate figure; no submitted polygon

11.4 km²

Overall Design Area

Official approximate figure

11.413 km²

SITE-001 calculation

Provisional rough boundary; EPSG:4548

01 Official approximate scopes

43.6 km², 11.4 km² and 368.4 ha total for the key areas; the three levels are not interchangeable.

02 Reproducible provisional geometry

SITE-001, land use, green/public space, network relationships, scenario nodes and packages can be recalculated in EPSG:4548.

03 Pending official or cleared evidence

Official boundaries, road/rail alignments, ownership, existing buildings, utilities/fire, heritage, trees and service baselines.

This V0.6 bilingual booklet links three protocol street-rooms, three people journeys, the seven-interface street kit and five return commitments to one GeoJSON, metric, matrix and self-check set.

From Independent Railway Engineering to the Return Ticket

The railway carried capability outward; the Return Ticket requires every AI service to bring public capability back

THE RETURN TICKET I CIVIC FRONTSTAGE + PROTOCOL BACKSTAGE

AI may enter the city only when verifiable capability returns to the city

01

Provisional overall design extent



Map preserves submitted GeoJSON proportions. Street-rooms and journeys are district-level concept indexes; red dash is provisional.

ONE DEPLOYMENT, ONE RETURN TICKET

Before entering BUILD / TEST / LIVE, each AI service registers its civic interfaces and return commitment; outcomes feed LEARN / UPDATE.



FIVE VERIFIABLE RETURNS

- Access repair
- Open method
- Maintenance capacity
- Failure evidence
- Community service

SEVEN-INTERFACE STREET KIT: RIGHTS MADE TANGIBLE

1. AI identity plaque
2. Data receipt
3. Capability-limit marker
4. Staffed window / no-AI route
5. Appeal portal
6. Portability token
7. Version / retirement plate

PROVISIONAL DESIGN BOUNDARY · DESIGN METRICS · NOT STATUTORY / V0.6

Generated locally from geometry/*.geojson + metrics.json; no external basemap or web imagery.

1905-1909

The Jing-Zhang Railway was surveyed, designed, built and managed by Chinese people; its engineering heritage continues to support public life.

2026

Before machine intelligence enters service, it must disclose authority and commit one verifiable capability back to the city.

PUBLIC FRONTSTAGE

Three protocol street-rooms and a seven-interface kit make identity, data, fallback, appeal, migration and retirement visible on site.

PROTOCOL BACKSTAGE

The AI City API supports cross-operator interoperability; the civic compact governs rule revision, remedy and public memory.

Three-Level Scope and Overall Spatial Structure

Coordinated research, overall design and key-area detail play different roles; provisional geometry only supports concept generation and recalculation

3×4 PROTOCOL FIELD | BACKSTAGE TOPOLOGY + FRONTSTAGE STREET-ROOMS

Twelve shared-edge cells host BUILD—TEST—LIVE; three street-rooms make governance tangible

CONCEPT LAND USE + THREE PROTOCOL STREET-ROOMS

- 05 Commerce + industry services
- 0702 Community + talent support
- 0802 R&D + standards / safety
- 0803 Cultural display
- 0804 Education + research
- 1401 Park green space
- 1403 Square + open space



DESIGN LAND-USE COMPOSITION

05 Commerce + industry services	4.25 km² · 37.2%
0702 Community + talent support	1.13 km² · 9.9%
0802 R&D + standards / safety	1.01 km² · 8.8%
0803 Cultural display	0.87 km² · 7.6%
0804 Education + research	0.89 km² · 7.8%
1401 Park green space	2.56 km² · 22.5%
1403 Square + open space	0.71 km² · 6.3%

TOPOLOGY QUALITY

Boundary coverage	Overlap area	Gap area
100%	0 m²	0 m²

All cells are design proposals, not statutory land use, parcel boundaries, or development controls.

PROVISIONAL DESIGN BOUNDARY · DESIGN METRICS · NOT STATUTORY / V0.6

Generated locally from geometry/land_use.geojson + geometry/site_boundary.geojson + metrics.json; no external basemap or web imagery.

43.6 km²

Official approximate Coordinated Research Area; no submitted polygon, used for industry and future-city research only.

11.4 / 11.413 km²

Official Overall Design Area is about 11.4 km²; provisional SITE-001 recalculates to about 11.413 km² in EPSG:4548.

368.4 ha

Official approximate total for three key areas; the polygons remain rough provisional constraints, not approval or precise-area evidence.

3 x 4

BUILD / TEST / LIVE cross knowledge/R&D, green spine, civic interface and everyday service to create twelve topology-closed cells.

How the Protocol Field Produces Civic Returns

A 3 x 4 backstage topology supports three frontstage rooms; LEARN / UPDATE verifies every Return Ticket

	Knowledge / R&D	Public green spine	Civic interface	Everyday service
BUILD	●	●	●	●
TEST	●	●	●	●
LIVE	●	●	●	●

ONE DEPLOYMENT, ONE RETURN TICKET



Backstage: BUILD / TEST / LIVE x four interface bands.
Frontstage: Protocol Ticket-Issuing, Ticket-Checking and Return Rooms.

Five returns: access repair, open method, maintenance capacity, failure evidence and community service.

No scale-up with a missing interface; an unverifiable return triggers revision, pause or exit.

3
protocol street-rooms
concept mechanism count

3
people journeys
concept mechanism count

7
interface pieces
concept mechanism count

5
civic return types
concept mechanism count

CONTROL-STATUS TABLE

Completed: twelve concept-function polygons share cut lines and cover SITE-001; green space is derived from 1401 cells; six concept program envelopes have zero conflict with green or public-space polygons.

Remain unknown: total floor area, FAR, statutory building coverage, height, setbacks, road area and road ratio.
Pending: regulatory controls, buildings, ownership, roads, rail, utilities, fire and heritage evidence.

The deliverable is a concept spatial structure and a control-status table, not approved controls.

Three Protocol Street-Rooms: Rights Become Urban Components

One public frontstage per key area; the seven-interface street kit keeps one legible rights contract across three settings

THREE PROTOCOL STREET-ROOMS I THE SEVEN INTERFACES MADE TANGIBLE

One public frontstage per key area; maps are district-level concept indexes and sections are reusable prototypes

03

BUILD

Announced approx. area 192.1 ha

Zhongzhiyuan

Protocol Ticket-Issuing Room / Capability Contract Court: observation walk, human-stop desk and failure-return cabinet



SEVEN-INTERFACE STREET KIT

- Front: the public sees test limits and stop authority
- Back: capability contracts, standards and incident logs
- Return: open methods + failure evidence

TEST

Announced approx. area 104.3 ha

Beijing AI Origin Community

Protocol Ticket-Checking Room / Station Zero: no-AI route, staffed window and appeal desk



SEVEN-INTERFACE STREET KIT

- Front: ordinary people can understand, refuse and contest
- Back: bounded trial cards, human review and version compare
- Return: access repair + rule improvement

LIVE

Announced approx. area 72.0 ha

Dazhongsi AI Industry Cluster

Protocol Return Room / Commons Ledger: version wall, migration desk and retirement plate



SEVEN-INTERFACE STREET KIT

- Front: consumers identify the service and alternative route
- Back: interoperability, maintenance, migration and exit logs
- Return: maintenance capacity + community service

Colour: proposed land use I White blocks: concept buildings I Amber dots: AI scenarios I Dash: provisional key area

Exact extents, ownership, building scale, heritage interface and engineering feasibility await official evidence.

PROVISIONAL DESIGN BOUNDARY · DESIGN METRICS · NOT STATUTORY / V0.6

Generated locally from geometry/key_areas.geojson + design layers + metrics.json; no external basemap or web imagery.

TICKET-ISSUING ROOM / BUILD

Observation walk, human-stop desk and failure-return cabinet; the front shows test limits while the back deposits open methods and incident logs.

TICKET-CHECKING ROOM / TEST

No-AI route, staffed window and appeal desk; ordinary people can understand, refuse, contest and obtain remedy.

RETURN ROOM / LIVE

Version wall, migration desk and retirement plate; maintenance, portability, community service and failures remain in public memory.

SHARED GATE

Official boundaries, ownership, transport, existing buildings, heritage and engineering conditions remain pending; all locations are conceptual.

AI Scenario Cards S01-S06

The first three are industry testing and validation scenarios; every scenario binds space, operator, human review and exit

S01 Model and Agent Safety Sandbox

VALIDATION

BUILD / TEST | Zhongzhiyuan

Red-team, audit and human stop rules; a pass is not regulatory approval.

S02 Embodied AI Street Lab

VALIDATION

BUILD / TEST | Bounded test yard

Geofencing, on-site steward, incident logs and emergency stop.

S03 Urban Multimodal Evaluation Lab

VALIDATION

TEST | AI Origin

Co-evaluate bias, accessibility and failure modes in a public evaluation card.

S04 AI City API Gateway

TEST / LEARN | Civic interfaces

Register purpose, capability, human review, appeal, rollback and version.

S05 Public-Service Navigation Copilot

TEST / LIVE | Service points

Navigation only; retain staffed and non-digital service routes.

S06 Inclusive Mobility Copilot

TEST / LIVE | Park and station links

Minimize sensing; no commercial profiling of residents.

Shared minimum contract: spatial carrier + operator + data boundary + human review + non-AI fallback + appeal route + version/pause/retirement. All 12 scenarios carry these fields; coordinates remain district-level concept indexes.

AI Scenario Cards S07-S12

From daily services to public memory; every scenario retains a non-AI route and appeal channel

S07 Learning and Career Studio

TEST / LIVE | AI Origin

Explainable matching; no automated admission or employment eligibility.

S08 Health-Service Wayfinding Assistant

TEST / LIVE | Community and mobility nodes

No autonomous diagnosis; escalate high-risk cases to professionals.

S09 Jing-Zhang Living Heritage Trail

LIVE / LEARN | Railway heritage spine

Sourced interpretation, multilingual access and public correction.

S10 Low-Carbon Compute and Energy Observatory

BUILD / LEARN | Zhongzhiyuan

Publish measured indicators and uncertainty; no invented capacity or savings.

S11 AI-Native Commerce and Creative Market

LIVE | Dazhongsi

Disclose generated content and provenance; retain human service and rights clearance.

S12 Civic Deliberation and Evidence Observatory

LEARN / UPDATE | Public forums

Publish evidence, incidents, appeals and versions; support pause or retirement.

Twenty-five unique persona labels are testing roles, not demographic profiles or personal inference. They cover developers, enterprises, students/researchers, residents, older adults, accessibility users, commuters, visitors, public-service staff and professional reviewers.

THREE PEOPLE JOURNEYS | HOW RIGHTS MOVE THROUGH REAL SERVICE CHAINS

04

A wheelchair user, shopkeeper and maintainer jointly test all seven interfaces; dashed links show narrative sequence only

CONCEPT NETWORK + PEOPLE JOURNEYS



Road centrelines 24.15 km	Green-space ratio 22.5%
Public-space ratio 3.79%	AI scenario nodes 12

Journey links are narrative sequences, not roads, accessible routes or engineering alignments. Real routes await road, station and accessibility surveys.

THREE FRONTSTAGE JOURNEYS

P01 — Wheelchair user without a phone

S06 detour cue > S05 staffed service window > S04 data receipt; returns one verified access repair.

P02 — Shopkeeper affected by an AI service

S11 sees provenance and limits > S12 files a contest > human remedy; returns one rule improvement.

P03 — Maintainer responsible for a failed service

S02 human pause > S03 retest > S12 public retirement; returns failure evidence and maintenance method.

Every journey produces a Return Ticket

No scale-up with a missing interface; an unverifiable return triggers revision, pause or exit.

PROVISIONAL DESIGN BOUNDARY · DESIGN METRICS · NOT STATUTORY / V0.6

Generated locally from geometry/roads.geojson + green_space.geojson + public_space.geojson + metrics.json; no external basemap or web imagery.

P01 / ACCESS

Wheelchair user without a phone: S06 detour cue > S05 staffed window > S04 data receipt; the ticket returns one access repair.

P02 / APPEAL

Shopkeeper affected by AI: S11 sees provenance and limits > S12 contests > human remedy; the ticket returns a rule improvement.

P03 / MAINTENANCE

Maintainer: S02 human pause > S03 retest > S12 public retirement; the ticket returns failure evidence and maintenance method.

SHARED SPATIAL BASE

Concept network 24.15 km, design green 22.459% and public interface 3.7905%; all use a provisional denominator and real routes await survey.

Six Renewal Projects, Three Dependency Packages, One Update Rhythm

P1 / P2 / P3 are not near-, mid- or long-term promises; evidence gates trigger them

P1 — 4.793 km²

Public green spine and seven-interface starter

Establish the spine, human fallback and incident routes first

P2 — 2.498 km²

Western knowledge and professional validation

Enter after ownership, building, safety and transport checks

P3 — 4.122 km²

Eastern everyday service and urban diffusion

Scale after independent review, appeal, interoperability and exit

JZ-01 — **Public green spine and seven-interface street-kit starter**

Road redlines, accessibility, staffed service and maintenance responsibility

JZ-02 — **Zhongzhiyuan Protocol Ticket-Issuing Room / Capability Contract Court**

Ecology, flood and safety evidence; separate test and observation routes

JZ-03 — **AI Origin Protocol Ticket-Checking Room / Station Zero**

Campus boundary, ownership, building survey, staffed service and appeal operator

JZ-04 — **Dazhongsi Protocol Return Room / Commons Ledger**

Station exits, heritage, public space, maintenance and retirement responsibility

JZ-05 — **AI public service and low-carbon compute node**

Energy, compute, safety, fire and accountable operator

JZ-06 — **Return Ticket public route and annual Protocol Assembly**

Return verification, public-space permission, independent review, event safety and rights

- **Q** — Quarterly people-journey walk-through
- **H1/H2** — Semiannual Return Ticket evidence review
- **Y** — Annual Jing-Zhang Protocol Assembly
- **V∞** — Continuous public ticket and version ledger

Metric Recalculation, Unknown Controls and Evidence Chain

Source -> judgment -> geometry / metric -> figure / drawing -> matrix -> self-check; missing controls remain unknown

METRICS + EVIDENCE | FROM PROVISIONAL GEOMETRY TO VERIFIABLE RETURN TICKETS

05

The planning base and V0.6 civic mechanisms share sources, formulas, confidence and scope limits

ANNOUNCED SCALE | HIGH

Metric	Value	Confidence
Research coordination area	43.60 km²	High
Overall design area	11.40 km²	High
Key-area total	3.68 km²	High
Three key areas	192.1 / 104.3 / 72.0 ha	High

PROVISIONAL GEOMETRY | DESIGN METRIC

Metric	Value	Confidence	Source
Submitted extent	11.41 km²	Medium	site_boundary.geojson
Land-use coverage	100%	High	land_use.geojson, site_boundary.geojson
Green-space ratio	22.5%	Medium	green_space.geojson, site_boundary.geojson
Public-space ratio	3.79%	Medium	public_space.geojson, site_boundary.geojson
Road centrelines	24.15 km	Medium	roads.geojson
Scenarios / validation	12 / 3	High	public_space.geojson
Interface types / landmarks	7 / 3	High	public_space.geojson, proposal.md
Rooms / people journeys	3 / 3	High	public_space.geojson
Interface entities	7	High	public_space.geojson
Capacity-return desks	3	High	public_space.geojson
Scenario ticket references	100%	High	public_space.geojson
Seven-interface entity coverage	100%	High	public_space.geojson

OFFICIAL DATA REQUIRED | UNKNOWN

- Total floor area
- Floor-area ratio
- Building density
- Building height
- Road area / ratio

Unknown

EVIDENCE FLOW

GeoJSON layers → EPSG:4548 area / length → Recomputable formula → metrics.json → Bilingual figures

Announced areas are scale references; provisional design metrics are not statutory area, development control, approval or investment commitments.

PROVISIONAL DESIGN BOUNDARY · DESIGN METRICS · NOT STATUTORY / V0.6

Generated locally from metrics.json + referenced GeoJSON source_files; no external basemap or web imagery.

66 METRICS

Design metrics, official approximate values and unknown controls are separated; reproducible items retain formula, sources, confidence and assumptions.

15 ASSUMPTIONS

Each open assumption records affected files/metrics, resolution triggers and replacement actions; boundary replacement triggers whole-package recalculation.

23 + 9 + 15

Twenty-three task responses, nine standard responses and fifteen design-depth items use targeted evidence rather than shared boilerplate.

UNKNOWN

Total floor area, FAR, statutory coverage, height, setbacks and road area/ratio await official controls, surveys and professional evidence.

Risks, Data Gaps and Current Submission State

V0.6 retains a review-ready package structure; official boundaries and professional evidence remain future deepening conditions

BOUNDARY AND CONSTRAINTS

Official SITE / KEY_AREA polygons, road/rail alignments, river/flood and station exits

Trigger: regenerate the whole package

RENEWAL BASELINE

Ownership, cadastre, existing buildings, DRR survey, service and industry baselines

Trigger: regenerate the whole package

ENGINEERING AND PROFESSIONAL CONDITIONS

Utilities, energy, drainage, fire, trees, heritage, accessibility, traffic and sign-off

Trigger: regenerate the whole package

LOCAL VALIDATION STATE

- Deterministic and bilingual gates PASS
- Spatial review PASS
- Extended spatial-semantic QA PASS
- Visual packaging PASS
- Professional evidence review PASS
- Bilingual A3 / A0 drawings generated

Manifest hashes and self_checked are finalized only after generation and validation; official data gaps are never disguised as known values.

CLAIMS NOT MADE

- Official approval or enacted law
- Final ownership, DRR decision or building scale
- Engineering feasibility, funding or delivery guarantee
- A test pass as regulatory approval
- Provisional geometry as an official boundary
- Scenario coordinates as confirmed siting

When official boundaries, roads, ownership or controls arrive, replace provisional geometry and regenerate land use, networks, green space, street-rooms, journeys, metrics, figures and drawings.

THE RETURN TICKET

The railway carried capability outward; the Return Ticket requires every AI service to bring verifiable public capability back. The Jing-Zhang Protocol records, revises and retires it backstage.

Garylauchina | OpenAI Codex
Generated locally; no external basemap, web imagery or remote resource

1. AI identity plaque
2. Data receipt
3. Capability-limit marker
4. Staffed window / no-AI route
5. Appeal portal
6. Portability token
7. Version / retirement plate