

JINGZHANG HUMAN CITY OS

v1.0 · Conceptual reference scheme · Review surface synchronized

From an AI showcase to a city for people in the AI era; all spatial, metric, and scenario moves are conceptual, and provisional geometry is not an official redline.

A Human dignity

retention · transition · ageing · health

B Machine-ready

urban API · silicon right-of-way · reversibility

C Hard constraints

compute–power · climate · sandbox · data · versioning

D Spillover


technology · standards · knowledge · OPC · global services

FIG. 01

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

FROM AI SHOWCASE TO HUMAN CITY: FOUR VALUE CHAINS

A/B/C/D anchors; J1–J5 is the minimum auditable, rejectable, reversible path.



A HUMAN DIGNITY

retention · transition · inclusion · wellbeing

B MACHINE-READY CITY

city API · silicon right-of-way · reversible space

C HARD CONSTRAINTS

compute · climate · sandbox · data · releases

D SPILLOVER

technology · standards · knowledge · OPC · global service



Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 02

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

SIX-LAYER SPATIAL OS: PROVISIONAL PARTITIONS AND REVERSIBLE SPACE

Concept layers retain human entry and evidence gates; not zoning, FAR, height, or demolition decisions.




Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 03

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

THREE KEY AREAS: THREE PROBLEMS, THREE RESPONSES

Provisional rough constraints; J1–J5 and evidence gates precede professional deepening.



01 ZHONGZHIYUAN

Embodied-AI public testing + compute-energy audit + standards spillover

concept validation area · for professional deepening

02 AI ORIGIN COMMUNITY

Skills transition + city API + intergenerational learning

concept validation area · for professional deepening

03 DAZHONGSI

Public-data authorization + international services + OPC shared commons

concept validation area · for professional deepening


Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 04

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

HUMAN-MACHINE MOBILITY AND BLUE-GREEN RESILIENCE

Concept corridors; J3 human takeover precedes automated testing, not approved rights-of-way.



Skills Transition Corridor

human-first mobility and transition service

Night-safe Transit Spine

night safety and 24-hour support

Silicon Right-of-Way Test Corridor

accountability, insurance, human takeover first

Concept Low-Altitude Layer

approval required, ground-first, reversible

Sponge Resilience Inspection Route

Xiaoyue River wing and screen-free green


Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 05

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

METRICS ARE NOT DECORATION: KNOWN, UNKNOWN, AND TRACEABLE

Known spatial values are recalculated from provisional GeoJSON in EPSG:4548; social and operational outcomes remain unknown without measurement.



11.41 km²
submitted boundary area

11.1%
concept green-space ratio

1.1%
concept public-space ratio

16
scenario nodes

6
test/validation scenarios

3
city releases

MUST REMAIN UNKNOWN

- Resident retention: household/business baseline absent
- Sustained work transition: paid pathway and follow-up absent
- Manual-channel equivalence: service catalogue and walk-through absent
- Operating PUE / green power: metering and responsibility plan absent
- Heat recovery: load, network, and delivery metering absent
- Ordinary-person journey: structure only; real usability unmeasured

OFFLINE ROUTE TRACE
2 routes · 5/5 steps · 4/4 triggers · 23/23 fields · 2 expected FAIL

Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 07

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

DATA READINESS: TURNING GAPS INTO CLOSABLE RELEASE GATES

Seven evidence paths connect assumptions, scenarios, metrics, and fallbacks; missing data remains unknown or conceptual.




Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 08

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

HUMAN-MACHINE INTERFACES: STOP ACTIONS

Non-scaled concepts: human priority and review precede testing. Not an engineering section or permit.



Derived from geometry/*_geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 09

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

HUMAN CITY ACCEPTANCE ATLAS: WHO ENTERS, WHO STOPS

Six users, 16 scenario cards, provisional spatial anchors, and three release gates resolve on one page; not an operating dashboard or delivery commitment.

16

FULL SCENARIO CARDS

6

PERSONA PATHWAYS

10

REPRESENTATIVE LINKS

3

RELEASE GATES

P-01

Residents, tenants, and older people

USER SC-A01 / SC-A03

ANCHOR SC-A01

HUMAN FLOOR Staffed, paper, and telephone routes; understandable negotiation and ...

FALLBACK Paper, telephone, and on-site consultation remain available.

STOP / ROLLBACK Stop display or collection without consent or explainable eligibil...

P-02

Workers at displacement risk

USER SC-A02

ANCHOR SC-A02

HUMAN FLOOR Voluntary participation, human counselling, and deletable records; no...

FALLBACK Skip automated matching and obtain human career advice.

STOP / ROLLBACK Pause with no job path or discriminatory automated diversion.

P-03

Night AI workers and night-service staff

USER SC-A04

ANCHOR SC-A04

HUMAN FLOOR No continuous location or emotion profiles; anonymous feedback remain...

FALLBACK On-site help, assisted walking, and anonymous feedback come first.

STOP / ROLLBACK Stop technical functions without human help, safety check, or wher...

P-04

OPCs, small merchants, and small teams

USER SC-D01 / SC-D03

ANCHOR SC-D01

HUMAN FLOOR No platform score replaces human negotiation; no named vendor.

FALLBACK Human application, explanation, and dispute handling remain availa...

STOP / ROLLBACK Pause if the offer becomes a closed club or locks in a vendor.

P-05

Public-service staff and data stewards

USER SC-B01 / SC-B04 / SC-C04

ANCHOR SC-B01

HUMAN FLOOR AI cannot autonomously determine permits, cutoffs, enforcement, or in...

FALLBACK Human review, withdrawn consent, and non-digital service coexist.

STOP / ROLLBACK Freeze on unauthorized access, opaque output, or no takeover.

P-06

Disabled people, carers, and low-digital users

USER SC-A03 / SC-B02 / SC-D03


ANCHOR SC-B02

HUMAN FLOOR Every digital entry needs an equivalent human alternative and user wa...

FALLBACK Pedestrian priority, human escort, and one-button stop come first.

STOP / ROLLBACK Return to paper protocol after contact, incident, complaint, or no...

PROVISIONAL-GEOMETRY CORRIDOR MAP



16 small points = full scenario registry; P1-P6 = representative provisional anchors for persona paths.

Map is conceptual reading of submitted provisional geometry, not a service point, alignment, or engineering location.

THREE SHARED RELEASE GATES: MISSING EVIDENCE STAYS CONCEPTUAL

v0.1

Observe, baseline, and public consent

DO NOT ADVANCE Withdraw and revise on misleading claims, no human channel, unconsented data, or unexplained gr...

v0.2

Reversible pilot and independent review

DO NOT ADVANCE Stop and return to evidence or paper protocol on safety, unauthorized data, access barriers, op...

v1.0

Reviewed scaling and standards spillover

DO NOT ADVANCE Withdraw the scaling suggestion when evidence is unverifiable, public interest fails, rights at...


Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 06

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

CITY RELEASE GATES: EVERY EXPANSION CAN BE VETOED

All 16 scenarios progress from observation through bounded pilots to expansion only with data boundaries, human fallback, review evidence, and exit conditions.



16

scenario cards

6

test/validation scenarios

3

release gates

0

authorized implementation commitments

Every gate is a conceptual review interface, not a permit, engineering feasibility finding, investment commitment, or settled policy.

Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG 10 · Parametric trade-off: reversibility and service coverage

PARAMETRIC SPATIAL TRADE-OFFS | BASELINE, PEOPLE-FIRST, MACHINE-READY

ONE PROVISIONAL BOUNDARY · SIX CONCEPTUAL BANDS · REPLAYABLE AREA FORMULA

CONCEPT ONLY

v0.8



source: geometry/land_use.geojson · metrics.json · EPSG:4548 internal recalculation · confidence: low

FIG. 10

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

REVIEW EVIDENCE MAP: 13 TASKBOOK + 7 WORKFLOW QUESTIONS

The two question sets retain separate sources and boundaries; this page shows offline reading paths only, not a score, official finding, or delivery commitment.

13/13 TASKBOOK DIMENSIONS

7/7 REPOSITORY WORKFLOW QUESTIONS

42/42 PACKAGE-LOCAL PATHS RESOLVE

NOT A SCORE
NO ORGANIZER WEIGHT OR RESULT
INFERRED

Read the 13 taskbook questions and their evidence entries first; then use the 7-question repository formal-scorecard workflow. Its percentages are recorded only in JSON as a repository template source, never as organizer scoring.

01 Objective alignment
From the global AI highland and pilgrimage ambition ...
PATH proposal.md

02 Function match
The three positions, five functions, and three areas...
PATH proposal.md

03 Brand identity
Jingzhang Human City OS organizes rail, open interfa...
PATH proposal.md

04 Regional synergy
Technology, standards, knowledge, OPC, and internati...
PATH proposal.md

05 Planning innovation
Human-machine interfaces, reversible reserve, city A...
PATH proposal.md

06 Industry support
Skill transition, bounded tests, shared OPC labs, da...
PATH visual/assets/scenario-cards.json

07 Scenario perceptibility
Sixteen scenario cards, six personas, ten representa...
PATH visual/assets/scenario-cards.json

08 Spatial clarity
Three key areas, conceptual service corridors, blue...
PATH geometry/key_areas.geojson

09 Transferability
Release gates, data gaps, human takeover, and recom...
PATH visual/assets/release-gate-ledger.json

10 Expression completeness
Bilingual prose, figures, drawing sets, webpages, an...
PATH proposal.md

11 Public compliance
Sources, rights boundaries, provisional geometry, un...
PATH sources.json

12 International communication
Bilingual deliverables, the international-service lo...
PATH proposal.md

13 Long-term operational value
Annual review, public issues, release notes, inciden...
PATH visual/assets/release-gate-ledger.json

FIVE EVIDENCE SPINES: PATHS RESOLVE; THEY DO NOT PROVE OUTCOMES

1 THREE-SCOPE NARRATIVE
BILINGUAL PROPOSAL + TASK COVERAGE
MISSING FORMAL INPUT: CONCEPT / UNKNOWN

2 SPACE + METRICS
GEOJSON + EPSG:4548 RECALCULATION
MISSING FORMAL INPUT: CONCEPT / UNKNOWN

3 PEOPLE + SCENARIOS
6 PERSONAS / 16 SCENARIOS / HUMAN STOP
MISSING FORMAL INPUT: CONCEPT / UNKNOWN

4 DATA + RELEASE GATES
UNKNOWN, FALLBACKS, RECOMPUTATION
MISSING FORMAL INPUT: CONCEPT / UNKNOWN

5 REVIEW + BOUNDARIES
REFERENCE AUDIT + 13/13 PATH MAP
MISSING FORMAL INPUT: CONCEPT / UNKNOWN

Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

Conceptual reference scheme; provisional geometry is not an official redline. Figure values share the package metrics and GeoJSON.

11 / 12