

AI may dock only at side interfaces; five east–west stitches enter the permanent public base only after segment-by-segment verification.

5

STITCH PACKAGES

12

PENDING SEGMENTS

7


UNRESOLVED BREAKS

1,102 m²

CONCEPT FLAGSHIP

90 DAYS

STOPPABLE PROOF




TWO INTERFACES · FIVE STITCHES · THREE ROOMS

Three side-carrier families: LINEAR SIDE-BAY · EDGE-HOUSE · TERRACED FORECOURT. Passage, staffed service and basic public rights always precede AI.

The sole flagship is Dazhongsi: ACTIVE changes the side carrier, never the continuous arrival clear line.

TWO LONGITUDINAL · FIVE TRANSVERSE · THREE ROOMS


30-second masterplan: verify candidate segments first; AI docks only at removable side interfaces.



DAZHONGSI | RESOURCE + OPERATING ENVELOPE

D1-D3 CONCEPT-GEOMETRY RECALCULATION · FOUR SCENARIOS · LOW-CONFIDENCE PARTICIPANT ASSUMPTIONS

CNY ROM - NOT A BEIJING QUOTE, BUDGET, PROCUREMENT OR COMMITMENT



MICRO	BASE	EXTENDED	NO-BUILD
ACTIVE SERVICE AREA 367.47 m ²	ACTIVE SERVICE AREA 734.93 m ²	ACTIVE SERVICE AREA 1102.40 m ²	ACTIVE SERVICE AREA 0.00 m ²
CAPACITY 10 / 15 / 22 p	CAPACITY 20 / 29 / 44 p	CAPACITY 29 / 44 / 66 p	CAPACITY N/A · public route
OPEN 600 / 900 / 1200 h/y	OPEN 900 / 1350 / 1800 h/y	OPEN 1200 / 1800 / 2400 h/y	MANUAL 600 / 900 / 1200 h/y
STAFFED 1 / 2 / 3 pos	STAFFED 2 / 3 / 4 pos	STAFFED 3 / 4 / 6 pos	FTE 0.4 / 0.7 / 1.8
FTE 0.4 / 1.3 / 2.7	FTE 1.3 / 3.0 / 5.3	FTE 2.7 / 5.3 / 10.6	CAPEX 0.55M / 0.9M / 1.45M
CAPEX 1.4M / 2.45M / 4.3M	CAPEX 2.65M / 4.65M / 8.05M	CAPEX 3.9M / 7M / 12.1M	OPEX/y 0.17M / 0.29M / 0.75M
OPEX/y 0.26M / 0.64M / 1.41M	OPEX/y 0.51M / 1.19M / 2.53M	OPEX/y 0.82M / 1.91M / 4.4M	RETAIN CLEAR LINE · STAFF · SEAT · SHADE · SIGNS
LOW / BASE / HIGH	LOW / BASE / HIGH	LOW / BASE / HIGH	LOW / BASE / HIGH

公式级复算 / FORMULA-LEVEL RECALCULATION

CAPACITYA × usable fraction + sqm/person → 1 person

FTEpositions × open hours × 1.18 ÷ 1600 → 0.1 FTE

CAPEX(A × CNY/sqm + equipment) × (1 + contingency) → CNY 50k

OPEXFTE × CNY/FTE-y + hours × CNY/h + fixed → CNY 10k

All inputs: participant_assumption · low confidence

六进门 / SIX DECISION GATES

GEOMETRY

PUBLIC BASE

ACCESS/FIRE

OPERATOR/TAKEOVER

RESOURCE/PROCUREMENT

DATA + AI

ANY FAIL → NO-BUILD / FREEZE → HUMAN TAKEOVER → RETURN

These are not one template with three names: waterside test logistics, quiet knowledge service and arrival-recovery flagship have different risks, human roles, components and return paths.

P8.19 / 05 THREE ROOMS

COMPLETE

HIDE THE LABELS; THE THREE PLACES REMAIN LEGIBLE

Three plans, sections, failures, human roles and recovery paths replace one repeated state template.

North Test + Logistics Room

PLAN

SECTION

FAIL

Unclear waterside rights or maintenance edge; robot route conflicts with the public clear line

HUMAN

Test-safety and maintenance marshal

COMPONENT

Mechanically lockable linear test bay

RECOVERY

Equipment arrival—land-side check—local test—human stop—withdrawal review

AI Origin Community + Staffed Service Room

PLAN

SECTION

FAIL

Queues, noise or digital barriers invade the quiet community ground floor

HUMAN

Public knowledge and appeal steward

COMPONENT

Closable quiet edge house with staffed window

RECOVERY

Enter without phone—staffed enquiry—paper service—decline AI—appeal and leave

Dazhongsi Arrival + Recovery Flagship

PLAN

SECTION

FAIL

Peak or night congestion lets the side carrier encroach on the arrival line

HUMAN

Arrival marshal and return-acceptance lead

COMPONENT

One-sided micro-terrace, withdrawal band and staffed state point

RECOVERY


Station arrival—accessible clear line—staffed help—freeze takeover—return acceptance

15-SECOND PATH: find FREEZE, then HUMAN TAKEOVER, then RETURN. All four states keep the same camera, clear line and staffed service.

BASE

CLEAR LINE / STAFFED SERVICE


DAZHONGSI · ONE-SIDED TERRACED FORECOURT
HUMAN-SCALE VIEW / BASE · STORED



ACTIVE

ONE-SIDED LIMITED ACTIVE


DAZHONGSI · ONE-SIDED TERRACED FORECOURT
HUMAN-SCALE VIEW / ACTIVE · PHYSICAL DEPLOYMENT



FREEZE

LOCKOUT / HUMAN TAKEOVER


DAZHONGSI · ONE-SIDED TERRACED FORECOURT
HUMAN-SCALE VIEW / FREEZE · LOCK / ISOLATE / HUMAN REVIEW



RETURN

WITHDRAW / ACCEPT / RESTORE

DAZHONGSI · ONE-SIDED TERRACED FORECOURT
HUMAN-SCALE VIEW / RETURN · MID-RETRACTION



0–30

BASELINE + STAFF

31–45

SHADOW ADVICE

46–60

ONE-POINT ACTIVE

61–75

FREEZE DRILL

76–90

RETURN ACCEPT

HUMAN TASK CHAIN | COMPLETE WITHOUT A PHONE

1

ARRIVE ON CLEAR LINE

2

FIND STAFFED WINDOW

3

COMPLETE ON PAPER / WITH STAFF

4

DECLINE AI / REPORT FAILURE

5

HUMAN TAKEOVER → LEAVE/APEAL

AI_OFF: passage, staffed window, fixed wayfinding, seating/shade and paper service continue.

FORMULA-LEVEL RESOURCE MODEL | BASE RANGE

AREA	734.93 m ² (D1 + D2)
CAPACITY	20 / 29 / 44 persons
OPEN	900 / 1350 / 1800 h/y
FTE	1.3 / 3.0 / 5.3
CAPEX	CNY 2.65 / 4.65 / 8.05M ROM
OPEX/y	CNY 0.51 / 1.19 / 2.53M ROM

CAPACITY = A × usable ÷ sqm/person

FTE = positions × hours × 1.18 ÷ 1600

CAPEX/OPEX: low-confidence participant CNY ROM; not a Beijing quote, budget, procurement or commitment.

SIX STOP INDICATORS | ANY FAIL = STOP

NON-AI COMPLETE

<0.95

NO-LOGIN COMPLETE

<0.95

STATE SWITCH

>3 min

AI CLOSURE

>2 min

RETURN ACCEPT

>15 min

EQUITY BURDEN

>5 min

ANY FAIL → FREEZE → HUMAN TAKEOVER → RETURN