

THREE SPATIAL OPTIONS, ONE PUBLIC REJECTION, ONE REVIEWABLE SELECTION


ALT-A rejected · ALT-B revised · ALT-C advances · field performance remains unknown

ONE REAL SPATIAL DECISION · SAME TASK, USERS AND SITE; OUTCOME IS NOT PREWRIT

21 hard-gate evaluations test public route, access, fire, retirement and staffed E-stops before occupation and reversibility

ALT-A · Central mixed bay

Places the trial in the public-cross centre, shortening equipment runs at the cost of public conflict.




REJECT

Reject: 6 hard gates fail, so the baseline cannot operate independently.

ALT-B · Split trial bays

Two bays clear the public cross, but split supervision, fire observation and retirement into two systems.




REVISE

Revise: hard gates pass, but 3 supervision and retirement fragmentation issues remain.

ALT-C · One-sided reversible bay

Keeps the public cross intact and concentrates trial, staff, E-stops and retirement on the south-east side.



ADVANCE

Advance: every hard gate passes and the public cross, fire access and retirement remain independent.

DECISION IS NOT AN AESTHETIC VOTE · DRAWINGS FOLLOW THE CALCULATION

ALT-A

6 hard gates fail

13.9%

route detour

ALT-B

0 hard fails, 3 revisions

94.9m

supervision span

ALT-C

0 hard fails, sole advance

24.3m

furthest E-stop—staff

90-SECOND JURY ROUTE

overall → landmarks → spatial decision → ALT-C → exit

05 SEC

Baseline first; AI must prove itself.



one spine, three stations, two wings

30 SEC

ALT-A severs the public cross and fails geometry gates.



60 SEC

ALT-B preserves routes but fragments supervision and retirement.



90 SEC

ALT-C is one-sided and reversible; it advances but is not adopted.



10 MIN

Trace space → responsibility → metric → stop → recovery.



BOUNDARY

All boundaries and dimensions remain provisional.



DATA, GAPS + EVIDENCE LEVELS

known design, geometry audit and field unknown stay separate

KNOWN DESIGN

Open context, design geometry, quantities and coverage are recomputable.



GEOMETRY AUDIT

Three options face the same 21 gate evaluations; this is not field simulation.



FIELD UNKNOWN

Footfall, safety performance, acceptance, cost, permits and recovery time are unknown.



PROVISIONAL

Official redlines, entrances, ownership, utilities and survey remain pending.



RECALCULATE

Any formal-data change triggers a rerun.



RIGHTS

OSM is display context only; generated views do not prove conditions.




OVERALL URBAN DESIGN

continuous public baseline links three receipt landmarks

OVERALL URBAN DESIGN · AN UNBROKEN PUBLIC BASELINE LINKS THREE RECEIPT LANI

Open urban fabric is low-contrast context; the spine, stations, wings and six stitches carry the design judgement



THREE SPATIAL TYPES



- ✓ **ONE SPINE**
mobility, blue-green, staffed service
- ✓ **SIX STITCHES**
east-west public interfaces, not redlines
- ✓ **TWO WINGS**
tech service + civic problem exchange

3 OPTIONS · 1 REJECTION

ALT-A · REJECT

ALT-B · REVISE


ALT-C · ADVANCE

geometry audit · not field performance

PUBLIC BASELINE, LAND USE, MOBILITY + BLUE-GREEN

ground floor and public edge precede temporary trial occupation

GROUND INTERFACE + PERMANENT / TEMPORARY OCCUPATION · LAND USE BECOMES I



PERMANENT PUBLIC BASELINE	continuous route · staffed service · shade/rain · all day	
PUBLIC EVIDENCE INTERFACE	state · appeal · receipt · human decision	
REVERSIBLE TRIAL OCCUPATION	timed after permits · civic use restored after removal	

Concept ground-floor, interface and occupation relationships; not statutory land use, existing buildings, investment or approval.


THREE LANDMARKS + EVIDENCE MILE

ring, gate and porch form recognisable public evidence interfaces

THREE LANDMARKS AT COMPARABLE SCALE · RING, GATE AND PORCH HAVE DISTINCT


T2 · VERIFICATION RING

complete bypass encloses controlled ring




S2 · TRANSLATION GATE

three account-free routes cross staffed service



S7 · RECEIPT PORCH

public cross beside one reversible bay



ONE PROTOCOL, DIFFERENT SPACE · BASELINE STANDS → AI ENTERS TEMPORARILY → HUMAN DECIDES → EQUIPMENT LEAVES

T2 · bypass never closes

S2 · staffed window remains

S7 · public cross same length in trial

All landmarks are concept prototypes within provisional bounds; existing edges, survey, ownership and permits remain pending.

REGIONAL CAPABILITY EXCHANGE + CASE MECHANISMS

problem → reproduce → verify → decide → archive knowledge

INPUT

Civic problems, research, manufacturing, compute and service needs.



REPRODUCE

Open conditions, sources, failures and licences are reproduced first.



CONTROL

Validate in controlled space; public space is not the default laboratory.



DECIDE

Human committee allows only adopt, revise or stop.



ARCHIVE

Receipts, failure reasons and asset destinations become public knowledge.



TRANSFER


International cases transfer mechanisms, not Beijing redlines or permits.



ZHONGZHIYUAN · VERIFICATION RING

enclosed validation space plus complete public bypass

ZHONGZHIYUAN · VERIFICATION RING · COMPLETE BYPASS ENCLOSES CONTROLLED RIN



T2 SAFETY PROTOTYPE

- B01** complete public bypass
- A01** controlled robot ring
- E02** observation / dual E-stop
- STOP** pause on pedestrian intrusion
- EXIT** equipment leaves independently

OPEN → TRIAL → PAUSE → RETIRE


design prototype · field permits and performance unknown

baseline service must survive AI closure

AI ORIGIN · TRANSLATION GATE

account-free passage, staffed bilingual desk and closable plug-ins

AI ORIGIN · TRANSLATION GATE · THREE ACCOUNT-FREE ROUTES CROSS STAFFED SERVICE



S2 CIVIC-SERVICE PROTOTYPE

B03 account-free entrance

HUMAN **staffed bilingual desk**

A03 closable plug-in wall

STOP misrouting returns to staff

NIGHT static service remains at night

OPEN → TRIAL → PAUSE → RETIRE

design prototype · field permits and performance unknown

baseline service must survive AI closure

S7 URBAN CONNECTION + THREE ALTERNATIVES


same task, users, site and audit rules

ONE REAL SPATIAL DECISION · SAME TASK, USERS AND SITE; OUTCOME IS NOT PREWRIT

21 hard-gate evaluations test public route, access, fire, retirement and staffed E-stops before occupation and reversibility

ALT-A · Central mixed bay

Places the trial in the public-cross centre, shortening equipment runs at the cost of public conflict.




REJECT

Reject: 6 hard gates fail, so the baseline cannot operate independently.

ALT-B · Split trial bays

Two bays clear the public cross, but split supervision, fire observation and retirement into two systems.




REVISE

Revise: hard gates pass, but 3 supervision and retirement fragmentation issues remain.

ALT-C · One-sided reversible bay

Keeps the public cross intact and concentrates trial, staff, E-stops and retirement on the south-east side.



ADVANCE

Advance: every hard gate passes and the public cross, fire access and retirement remain independent.

DECISION IS NOT AN AESTHETIC VOTE · DRAWINGS FOLLOW THE CALCULATION

ALT-A

6 hard gates fail

13.9%

route detour

ALT-B

0 hard fails, 3 revisions

94.9m

supervision span

ALT-C

0 hard fails, sole advance

24.3m

furthest E-stop—staff

GEOMETRY AUDIT, HARD GATES + SELECTION

ALT-A rejected, ALT-B revised, ALT-C solely advances


SPATIAL DECISION + CIVIC ADOPTION RECEIPT · DESIGN STATUS AND FIELD DECISION S'

ONE REAL SPATIAL DECISION · SAME TASK, USERS AND SITE; OUTCOME IS NOT PREWRIT

21 hard-gate evaluations test public route, access, fire, retirement and staffed E-stops before occupation and reversibility

ALT-A · Central mixed bay

Places the trial in the public-cross centre, shortening equipment runs at the cost of public conflict.




REJECT

Reject: 6 hard gates fail, so the baseline cannot operate independently.

ALT-B · Split trial bays

Two bays clear the public cross, but split supervision, fire observation and retirement into two systems.




REVISE

Revise: hard gates pass, but 3 supervision and retirement fragmentation issues remain.

ALT-C · One-sided reversible bay

Keeps the public cross intact and concentrates trial, staff, E-stops and retirement on the south-east side.



ADVANCE

Advance: every hard gate passes and the public cross, fire access and retirement remain independent.

DECISION IS NOT AN AESTHETIC VOTE · DRAWINGS FOLLOW THE CALCULATION

ALT-A

6 hard gates fail

13.9%

route detour

ALT-B

0 hard fails, 3 revisions

94.9m

supervision span

ALT-C

0 hard fails, sole advance

24.3m

furthest E-stop—staff

geometry_based_design_audit · LOCAL ENU · input 3c4c466b8f8dc2b03... · not proof of field safety, transport or public acceptance

21 GEOMETRY GATE CHECKS

ALT-A

FAIL · 1

FAIL · 2

FAIL · 3

FAIL · 4

FAIL · 5

FAIL · 6

PASS · 7

ALT-B

PASS · 1

PASS · 2

PASS · 3

PASS · 4

PASS · 5

PASS · 6

PASS · 7

ALT-C

PASS · 1

PASS · 2

PASS · 3

PASS · 4

PASS · 5

PASS · 6

PASS · 7

ALT-C · ADVANCE DESIGN

not ADOPT; field performance remains unknown

REAL BLANK RECEIPT · MAY BE FILLED ONLY AFTER FIELD OPERATION

TASK

same task / user

BASELINE

baseline not degraded

EVENT

conflicts / interventions per 100

DECISION

ADOPT / REVISE / STOP

84 / 84 state-contract cases remain appendix evidence: reproducible rules, not spatial ranking or field proof.


geometry design audit / field unknown · provisional concept

11

ALT-C DETAIL, SECTION + 1:50 NODE

public route, buffer, trial, staff, fire and retirement are locatable

ALT-C · 1:500 ASSEMBLABLE PROTOTYPE · PUBLIC CROSS STAYS; AI ENTERS SOUTH-EAST



LOCATABLE WITHOUT LEGEND

-  **B01**
PUBLIC CROSS
-  **A01**
ONE-SIDE BAY
-  **E02**
STAFF + DUAL E-STOP
-  **FIRE**
FIRE ACCESS
-  **RETIRE**
INDEPENDENT RETIREMENT

AUDIT OUTPUT ADVANCE

372m · same route length

2,496m² · trial

3,840m² · reversible buffer




24.3m · furthest E-stop—staff

prototype assumptions pending survey

ASSEMBLY, FOUR STATES + FAILURE FALLBACK

permanent baseline, removable plug-in and evidence interface remain independent

CONTINUOUS JOURNEY + THREE SECTIONS · ACCESS, BLUE-GREEN, FIRE AND FALLBACK



FAILURE FALLBACK · STOP DEVICE → CLOSE TRIAL → STAFF COMPLETE TASK → ROUTES OPEN → LOG / APPEAL → RESTORE

Recovery time remains unknown; the drawing proves only that exits, posts and routes exist in the design model.

Tactile, ramp, fire, drainage and waiting dimensions are prototype proposals pending formal professional review.

TWELVE SCENARIOS + ONE CIVIC YEAR

84 state contracts move to appendix evidence; spatial decision leads

SPRING

Public baseline and accessibility audit.



SUMMER

Capability validation and developer tests.



AUTUMN

Civic trials and public adoption week.



WINTER

Annual receipts, asset inventory and exit review.



12 SCENES

Every scene has baseline, responsibility, metric, stop and recovery.



84 CONTRACTS

Verify reproducible state rules only; do not rank spatial options.



PERMITS, RACI, 90 DAYS + ASSET DESTINATION

any failed permit, role or baseline blocks trial

DAY 0–15

Verify survey, ownership, entrances, fire, utilities, access and traffic.



DAY 16–30

Build only routes, waiting, shade, staffed service and receipt porch.



DAY 31–45

Record seven consecutive baseline operating days.



DAY 46–75

Run timed trial only after eight permit gates close.



DAY 76–90

Stop drill, restore space, public review and receipt.



ASSET EXIT

Equipment returns to operator; civic assets stay; data is archived or deleted by rule.



METRICS, RECEIPT, RISK, SOURCES + NEXT GATES

geometry can be audited first; reality must be proven in the field


SPATIAL DECISION + CIVIC ADOPTION RECEIPT · DESIGN STATUS AND FIELD DECISION S'

ONE REAL SPATIAL DECISION · SAME TASK, USERS AND SITE; OUTCOME IS NOT PREWRIT

21 hard-gate evaluations test public route, access, fire, retirement and staffed E-stops before occupation and reversibility

ALT-A · Central mixed bay

Places the trial in the public-cross centre, shortening equipment runs at the cost of public conflict.




REJECT

Reject: 6 hard gates fail, so the baseline cannot operate independently.

ALT-B · Split trial bays

Two bays clear the public cross, but split supervision, fire observation and retirement into two systems.




REVISE

Revise: hard gates pass, but 3 supervision and retirement fragmentation issues remain.

ALT-C · One-sided reversible bay

Keeps the public cross intact and concentrates trial, staff, E-stops and retirement on the south-east side.



ADVANCE

Advance: every hard gate passes and the public cross, fire access and retirement remain independent.

21 GEOMETRY GATE CHECKS

ALT-A

FAIL · 1

FAIL · 2

FAIL · 3

FAIL · 4

FAIL · 5

FAIL · 6

PASS · 7

ALT-B

PASS · 1

PASS · 2

PASS · 3

PASS · 4

PASS · 5

PASS · 6

PASS · 7

ALT-C

PASS · 1

PASS · 2

PASS · 3

PASS · 4

PASS · 5

PASS · 6

PASS · 7

ALT-C · ADVANCE DESIGN

not ADOPT; field performance remains unknown

DECISION IS NOT AN AESTHETIC VOTE · DRAWINGS FOLLOW THE CALCULATION

ALT-A

6 hard gates fail

13.9%

route detour

ALT-B

0 hard fails, 3 revisions

94.9m

supervision span

ALT-C

0 hard fails, sole advance

24.3m

furthest E-stop—staff

geometry_based_design_audit · LOCAL ENU · input 3c4c466b8f8dc2b03... · not proof of field safety, transport or public acceptance

REAL BLANK RECEIPT · MAY BE FILLED ONLY AFTER FIELD OPERATION

TASK

same task / user

BASELINE

baseline not degraded

EVENT

conflicts / interventions per 100

DECISION

ADOPT / REVISE / STOP

84 / 84 state-contract cases remain appendix evidence: reproducible rules, not spatial ranking or field proof.

geometry design audit / field unknown · provisional concept

16