


THE SHARED FLOOR / THE REAL CITY IS THE GROUND

SEVEN LOCAL FIGURE-GROUNDS; DATA GAPS ARE NOT FILLED BY ASSUMPTION



© OpenStreetMap contributors · ODbL 1.0 · MORPHOLOGY + ATTACHMENT READING ONLY
NOT A STATUTORY MAP, REDLINE, PARCEL, SURVEY, BUILDING INVENTORY, ACCESS AGREEMENT OR NAVIGATION PRODUCT

SCOPE + EVIDENCE STATUS

43.6 km²

research / official approximate

11.4 km²


overall design / official approximate

368.4 ha

three key areas / official approximate

DARK=OSM BUILDING UNION · FINE=STREET · RED=RAIL · BLUE=WATER/GATE · ●=STATION · □=CAMPUS CENTROID · NUMBER=CANDIDATE

C1 · South Gate




BEIJING NORTH + CURRENT/FORMER RAIL TERMINUS

HERITAGE THRESHOLD

FORECOURT, HERITAGE + FLOW SURVEY REQUIRED
EXPERT | RESIDENT → GAP=REVISE

MAPPED: 44 BUILDING / 13 STREET RECORDS

C2 · Dazhongsi Exchange



STATION + RAIL + FOUR-QUADRANT FRACTURE


P0 STATION PORCH; NIGHT ROOM CONDITIONAL

TITLE, METRO, FIRE + OPERATOR

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 12 BUILDING / 48 STREET RECORDS

C3 · Zhichun Learning Cross



STATION + RAIL + LEARNING DISTRICT

ZHICHUN LEARNING CROSS

7-DAY FLOW, ACCESS + CORNER SURVEY

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 39 BUILDING / 94 STREET RECORDS

C4 · Origin Commons



FORMER-RAIL/PARK CONNECTOR + DAILY LIFE

ORIGIN COMMONS / CARE PORCH

HERITAGE, LOCAL NEED + OPERATOR AGREEMENT
EXPERT | RESIDENT → GAP=REVISE

MAPPED: 68 BUILDING / 170 STREET RECORDS

C5 · Qinghua East Road Campus Eave



STATION + CAMPUS CENTROID; GATE NOT CAPTURED

NEGOTIATED CAMPUS GATE

EXACT GATE, SECURITY + CAMPUS AGREEMENT

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 51 BUILDING / 90 STREET RECORDS

C6 · Fifth Ring Approach



CURRENT/FORMER RAIL NEAR FIFTH RING; ROAD SEAM UNVERIFIED

RIDER DOCK / SERVICE FORECOURT

ROAD, LOADING, FIRE + LAND SURVEY

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 49 BUILDING / 128 STREET RECORDS

C7 · Qinghe Rail-Water Crossing



CURRENT RAIL × QINGHE


SPONGE CROSSING

HYDROLOGY, RAIL, DRAINAGE + FLOOD REVIEW

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 31 BUILDING / 48 STREET RECORDS

JING-ZHANG EVIDENCE LINE



01 / 07 · REPLACE THE MODEL, NOT THE CITY

THE REAL CITY IS THE GROUND: SEVEN LOCAL MORPHOLOGY WINDOWS, SEVEN ATTACHMENT CONDITIONS, THREE KEY AREAS

01 2.5 km / published Phase I

02 7 / candidate civic rooms


03 7 / local figure-grounds

04 same indicators / expert+resident

FOUR PROGRAMME BANDS; FIVE RENEWAL SPEEDS

CONCEPT LAND USE IS NOT ZONING; GROUND AND SUPPORT ENDURE WHILE SERVICES, INFILL AND EQUIPMENT CHANGE

N → • PLAN ROTATED 90° FOR SHEET READING



CONCEPT LAND-USE STRUCTURE • NOT STATUTORY ZONING • REVIEW + REBIND ON OFFICIAL CONTROLS

FILL=FOUR PROGRAMME BANDS • DARK=THREE LONG-LIFE FRAMES • GOLD=PUBLIC ROOMS • RED=SEVEN CROSS-INTERFACES

PROGRAMME × DESIGN LIFE

0802

MAKE

0804

TRANSLATE

07

LIVE

05

MEET

DAZHONGSI • ENCOURAGED SHARED LEVELS

2F	ENCOURAGED
G	ENCOURAGED
B1	ENCOURAGED
B2	ENCOURAGED

ENCOURAGED ≠ BUILT, OPEN, EASEMENT OR 24H ACCESS

METRO / OWNER / FIRE / STRUCTURE / OPERATIONS ARE GATES

FIVE RENEWAL SPEEDS

00	GROUND + CLIMATE EDGE	100+
01	LONG-LIFE SUPPORT	100
02	SERVICE CHASSIS	25–40
03	REPLACEABLE INFILL	5–20
04	SCENARIO KIT	≤5

KEEP FRAME; CHANGE CORE; KEEP THE LEDGER. TARGETS ARE NOT WARRANTIES.

OFFICIAL EXTENTS + CONTROLS TRIGGER REVIEW, RECALCULATION + REISSUE.

02 / 07 • THE CITY STAYS; THE INFILL CHANGES

PUBLIC GROUND AND SUPPORT REMAIN; SERVICES, INFILL AND EQUIPMENT CHANGE

01 100+ / public ground

03 25–40 / service chassis

05 ≤5 / equipment


02 100 / support target

04 5–20 / infill


TWELVE-METRE SHARED GROUND: WALK FIRST; ROBOTS YIELD FIRST

DAZHONGSI OFFICIAL RELATIONSHIPS + 12 m SECTION • PLANNED IS NOT BUILT

DAZHONGSI • OFFICIAL PLANNING RELATIONSHIPS (NOT GIS)



ENCOURAGED SHARING + LINKS ≠ OPEN, BUILT OR AN APPROVED ROUTE



12.0 m REFERENCE SECTION TARGET • NOT A STATUTORY ROAD RESERVATION

12 AI CARDS / 4 SHOWN

SPACE • OPERATOR • HUMAN FALLBACK

AI01 TEST

STEP-FREE TRANSFER CHECK

7 ROOMS • ACCESS

FAIL→PAPER+ESCORT

AI02 TEST

LOW-SPEED DELIVERY TRIAL

YARD • SAFETY

FAIL→CART+STOP

AI05 TEST

CLIMATE-REFUGE OPERATING CUES

EAVES • STEWARD

FAIL→MANUAL CHECK

AI12

MULTILINGUAL HUMAN HELP DESK

HELP POINT • CIVIC STAFF

FAIL→INTERPRETER

S01–S15 EVERYDAY-LIFE REHEARSALS

7 PERSONAS • 24H × 4 SEASONS




ALL SEVEN CIVIC ROOMS REQUIRE A 7-DAY FIELD BASELINE

COMPLETE CARDS ≠ PROVEN LOCAL DEMAND OR PERFORMANCE

ROBOTS: LOW SPEED, YIELD, SAFE STOP; HUMAN SERVICE CONTINUES

VISIBLE TO THE PUBLIC; CONTROLLED AT THE THRESHOLD

COURT / controlled proof visible to the public



TYPE PASSPORT	
CONCEPT GFA	32,768 m ²
SUPPORT / INFILL	7,960 / 864 m ²
THRESHOLDS / MODES	2 / 5
COVERED EDGE / WET NODES	900 m ² / 2
FORECOURT—CLOISTER—THRESHOLD—TEST YARD / SAFE STOP	



04 / 07 • PROOFYARD

VISIBLE TO THE PUBLIC; CONTROLLED AT THE THRESHOLD

01 COURT




02 controlled field

03 public gallery

04 separate service

SURVEY FIRST; REUSE FIRST; INSERT REVERSIBLY

CLOISTER / a retrofit-first campus–community weave



TYPE PASSPORT	
CONCEPT GFA	24,480 m ²
SUPPORT / INFILL	3,744 / 2,700 m ²
THRESHOLDS / MODES	3 / 5
COVERED EDGE / WET NODES	520 m ² / 3
PUBLIC LANE / CARE / FORUM / MAKING COURTS / QUIET LOOP	




05 / 07 • ORIGIN CLOISTER
SURVEY FIRST; REUSE FIRST; INSERT REVERSIBLY

01 public lane

02 care / forum / making courts

03 quiet elder loop

04 evening neighbour table



THREE SCREEN ENVELOPES / ONE SURVEY PRIORITY

THE SCREEN ANSWERS WHERE TO MEASURE NEXT—NOT WHERE BUILDING IS PERMITTED.

A SURVEY NEXT

+114 E / -12 N • 115 m FROM ANCHOR

0 MAPPED BUFFERED CONFLICTS • ≈12.7 m CLEARANCE

ORIENTATION SCREEN ONLY; FORMAL EVIDENCE MAY REJECT

B HOLD / VERIFY

+100 E / +160 N • 189 m FROM ANCHOR

0 MAPPED BUFFERED CONFLICTS • ≈20.7 m CLEARANCE

ORIENTATION SCREEN ONLY; FORMAL EVIDENCE MAY REJECT

C HOLD / VERIFY

-170 E / +130 N • 214 m FROM ANCHOR

0 MAPPED BUFFERED CONFLICTS • ≈11.1 m CLEARANCE


ORIENTATION SCREEN ONLY; FORMAL EVIDENCE MAY REJECT

FIELDWORK → DECISION CHAIN

- 01 7-DAY FOUR-QUADRANT COUNTS + NIGHT / RAIN REPEAT
- 02 ACCOMPANIED WHEELCHAIR WALK + NO-PHONE SERVICE TEST
- 03 REDLINE, TITLE, METRO, UTILITIES, FIRE + OPERATOR AGREEMENT
- 04 IF A FAILS, REBIND B/C; IF ALL FAIL, DO NOT BUILD

STOP GATE

UNTIL OFFICIAL EXTENT, TITLE, MEASURED ACCESS, METRO/UTILITIES, FIRE, STRUCTURE, MEP, OPERATOR + 12-MONTH OPEX RESERVE EXIST: A/B/C ARE NOT SITES; NO BUILD, NO OPEN.



06 / 07 • DAZHONGSI: FOUR QUADRANTS TO FIRST BAY

FOUR-QUADRANT FIELDWORK AND THREE SCREEN ENVELOPES ESTABLISH THE URBAN SCALE;
THE SURVEY PRIORITY THEN DEEPENS TO ONE REVERSIBLE CIVIC BAY


01 400 m / orientation field

02 3 / screened envelopes

03 8×8 / proposed first bay

04 ¥1.9–3.8M / concept estimate


ZHONGZHIYUAN • PROOF YARD



- RETAIN / REPAIR / INSERT
- retain usable frame • repair public threshold • insert reversible first bay
- FIRST PILOT
- observation cloister + isolated test cell
- OPERATOR
- test safety lead + independent checker
- STOP RULE
- stop on boundary breach, failed replay or unsafe continuation

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP


AI ORIGIN • ORIGIN CLOISTER



- RETAIN / REPAIR / INSERT
- retain campus/community stock • repair access • insert porous cloister
- FIRST PILOT
- negotiated gate + care court
- OPERATOR
- campus-community joint operator
- STOP RULE
- no build without access agreement and care operator

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

DAZHONGSI • EXCHANGE HALL



- RETAIN / REPAIR / INSERT
- survey retain/repair/insert • repair four-quadrant walking • add all-weather eave
- FIRST PILOT
- station porch + Rider Dock + staffed help desk
- OPERATOR
- local authority + transit + Shared Floor operator
- STOP RULE
- no scale-up before movement, ownership, fire and cost evidence

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

AGENT.2 / ECOSYSTEM

6 MECHANISMS → 8 RESOURCES → FIRST BAY → REPLAY → ADOPT/RETIRE

one-north • Punggol • 22@ • Paris-Saclay • Knowledge Quarter • Kendall; mechanisms, not forms.

AGENT.5 / CULTURE + COMMUNICATION

1905–1909 RAIL EVIDENCE → ZHONGGUANCUN → OPEN AI

Bay / court / lane / cloister / threshold are operating rules; Open Seasons publish source, status, operator and exit.

AGENT.6 / OPERATIONS

6 ACCOUNTABLE ROLES • 4 PHASES • A STOP GATE AT EVERY PHASE

operator + permit + public-benefit covenant + stop rule; if one is absent, the next phase does not start.

- 0–6m
- 6–18m
- 18–36m
- 3–8y