

THREE ALTERNATIVES FACE ONE RULER

ALT-A reject · ALT-B revise · ALT-C advance · 12 contracts / 0 field results

JING-ZHANG TWO ANSWERS · THREE OPTIONS FACE ONE RULER


A design that sacrifices the public route is publicly rejected; the selection then faces twelve measurement contracts.

ONE REAL SPATIAL DECISION · SAME TASK, USERS AND SITE; OUTCOME IS NOT PREWRITTEN

21 hard-gate evaluations test public route, access, fire, retirement and staffed E-stops before occupation and reversibility

ALT-A · Central mixed bay


Places the trial in the public cross centre, shortening equipment runs at the cost of public conflict.



REJECT
Reject: 6 hard gates fail, so the baseline cannot operate independently.

ALT-B · Split trial bays


Two bays clear the public cross, but split supervision, fire observation and retirement into two systems.



REVISE
Revise: hard gates pass, but 3 supervision and retirement fragmentation issues remain.

ALT-C · One-sided reversible bay


Keeps the public cross intact and concentrates trial, staff, E-stops and retirement on the south-east side.



ADVANCE
Advance: every hard gate passes and the public cross, fire access and retirement remain independent.

ALT-C LAYERED CUTAWAY · PUBLIC CROSS NEVER YIELDS; TRIAL STAYS ON ONE SIDE

permanent baseline / removable AI / public evidence / retirement exit from one geometry



LOCATABLE AFTER DECISION	
372 m	same public route in TRIAL
2,496 m ²	one side trial area
24.3 m	furthest E-stop—staff
0	public routes entering trial
OPEN — TRIAL — PAUSE — RETIRE	
baseline remains independently operable	
prototype assumption · survey / permits / field pending	

DECISION IS NOT AN AESTHETIC VOTE · DRAWINGS FOLLOW THE CALCULATION

ALT-A

6 hard gates fail
13.9% route detour

ALT-B

0 hard fails, 3 revisions
94.9m supervision span

ALT-C

0 hard fails, sole advance
24.3m furthest E-stop—staff

geometry_based_design_audit · LOCAL ENU · input 3c4c466b8dc2b03... · not proof of field safety, transport or public acceptance

ALT-A

REJECT · SEVERS CROSS

ALT-B

REVISE · FRAGMENTED

ALT-C

ADVANCE · ONE-SIDE REVERSIBLE

12 / 12 CONTRACTS · 0 FIELD RESULTS · NOT FIELD-RUN

90-SECOND JURY ROUTE

overall → landmarks → spatial decision → ALT-C → exit

05 SEC

Baseline first; AI must prove itself.



one spine, three stations, two wings

30 SEC

ALT-A severs the public cross and fails geometry gates.



60 SEC

ALT-B preserves routes but fragments supervision and retirement.



90 SEC

ALT-C is one-sided and reversible; it advances but is not adopted.



10 MIN

Trace space → responsibility → metric → stop → recovery.



BOUNDARY

All boundaries and dimensions remain provisional.



DATA, GAPS + EVIDENCE LEVELS

known design, geometry audit and field unknown stay separate

KNOWN DESIGN

Open context, design geometry, quantities and coverage are recomputable.



GEOMETRY AUDIT

Three options face the same 21 gate evaluations; this is not field simulation.



FIELD UNKNOWN

Footfall, safety performance, acceptance, cost, permits and recovery time are unknown.



PROVISIONAL

Official redlines, entrances, ownership, utilities and survey remain pending.



RECALCULATE

Any formal-data change triggers a rerun.



RIGHTS

OSM is display context only; generated views do not prove conditions.




OVERALL URBAN DESIGN

continuous public baseline links three receipt landmarks

OVERALL URBAN DESIGN · AN UNBROKEN PUBLIC BASELINE LINKS THREE RECEIPT LANDMARKS

Open urban fabric is low-contrast context; the spine, stations, wings and six stitches carry the design judgement



THREE SPATIAL TYPES



- ✓ **ONE SPINE**
mobility, blue-green, staffed service
- ✓ **SIX STITCHES**
east-west public interfaces, not redlines
- ✓ **TWO WINGS**
tech service + civic problem exchange

3 OPTIONS · 1 REJECTION

ALT-A · REJECT

ALT-B · REVISE


ALT-C · ADVANCE

geometry audit · not field performance

PUBLIC BASELINE, LAND USE, MOBILITY + BLUE-GREEN

ground floor and public edge precede temporary trial occupation

GROUND INTERFACE + PERMANENT / TEMPORARY OCCUPATION · LAND USE BECOMES ENTERABLE



PERMANENT PUBLIC BASELINE	continuous route · staffed service · shade/rain · all day	
PUBLIC EVIDENCE INTERFACE	state · appeal · receipt · human decision	
REVERSIBLE TRIAL OCCUPATION	timed after permits · civic use restored after removal	

Concept ground-floor, interface and occupation relationships; not statutory land use, existing buildings, investment or approval.


THREE LANDMARKS + EVIDENCE MILE

ring, gate and porch form recognisable public evidence interfaces

THREE LANDMARKS AT COMPARABLE SCALE · RING, GATE AND PORCH HAVE DISTINCT PLAN, SECTION AND E


T2 · VERIFICATION RING

complete bypass encloses controlled ring




S2 · TRANSLATION GATE

three account-free routes cross staffed service



S7 · RECEIPT PORCH

public cross beside one reversible bay



ONE PROTOCOL, DIFFERENT SPACE · BASELINE STANDS → AI ENTERS TEMPORARILY → HUMAN DECIDES → EQUIPMENT LEAVES

T2 · bypass never closes

S2 · staffed window remains

S7 · public cross same length in trial

All landmarks are concept prototypes within provisional bounds; existing edges, survey, ownership and permits remain pending.

REGIONAL CAPABILITY EXCHANGE + CASE MECHANISMS

problem → reproduce → verify → decide → archive knowledge

INPUT

Civic problems, research, manufacturing, compute and service needs.

REPRODUCE

Open conditions, sources, failures and licences are reproduced first.

CONTROL

Validate in controlled space; public space is not the default laboratory.

DECIDE

Human committee allows only adopt, revise or stop.

ARCHIVE

Receipts, failure reasons and asset destinations become public knowledge.

TRANSFER

International cases transfer mechanisms, not Beijing redlines or permits.


ZHONGZHIYUAN · VERIFICATION RING

complete public bypass encloses a controlled verification ring

THREE LANDMARKS AT COMPARABLE SCALE · RING, GATE AND PORCH HAVE DISTINCT PLAN, SECTION AND E


T2 · VERIFICATION RING

complete bypass encloses controlled ring




S2 · TRANSLATION GATE

three account-free routes cross staffed service



S7 · RECEIPT PORCH

public cross beside one reversible bay



ONE PROTOCOL, DIFFERENT SPACE · BASELINE STANDS → AI ENTERS TEMPORARILY → HUMAN DECIDES → EQUIPMENT LEAVES

T2 · bypass never closes

S2 · staffed window remains

S7 · public cross same length in trial


All landmarks are concept prototypes within provisional bounds; existing edges, survey, ownership and permits remain pending.

AI ORIGIN · TRANSLATION GATE


three account-free routes cross staffed bilingual service

THREE LANDMARKS AT COMPARABLE SCALE · RING, GATE AND PORCH HAVE DISTINCT PLAN, SECTION AND E


T2 · VERIFICATION RING
complete bypass encloses controlled ring



S2 · TRANSLATION GATE
three account-free routes cross staffed service



S7 · RECEIPT PORCH
public cross beside one reversible bay



ONE PROTOCOL, DIFFERENT SPACE · BASELINE STANDS → AI ENTERS TEMPORARILY → HUMAN DECIDES → EQUIPMENT LEAVES

T2 · bypass never closes

S2 · staffed window remains

S7 · public cross same length in trial

All landmarks are concept prototypes within provisional bounds; existing edges, survey, ownership and permits remain pending.

S7 URBAN CONNECTION + THREE ALTERNATIVES


same task, users, site and audit rule

ONE REAL SPATIAL DECISION · SAME TASK, USERS AND SITE; OUTCOME IS NOT PREWRITTEN

21 hard-gate evaluations test public route, access, fire, retirement and staffed E-stops before occupation and reversibility

ALT-A · Central mixed bay

Places the trial in the public-cross centre, shortening equipment runs at the cost of public conflict.




REJECT

Reject: 6 hard gates fail, so the baseline cannot operate independently.

ALT-B · Split trial bays

Two bays clear the public cross, but split supervision, fire observation and retirement into two systems.




REVISE

Revise: hard gates pass, but 3 supervision and retirement fragmentation issues remain.

ALT-C · One-sided reversible bay

Keeps the public cross intact and concentrates trial, staff, E-stops and retirement on the south-east side.



ADVANCE

Advance: every hard gate passes and the public cross, fire access and retirement remain independent.

DECISION IS NOT AN AESTHETIC VOTE · DRAWINGS FOLLOW THE CALCULATION

ALT-A

6 hard gates fail

13.9%

route detour

ALT-B

0 hard fails, 3 revisions

94.9m

supervision span

ALT-C

0 hard fails, sole advance

24.3m

furthest E-stop—staff

GEOMETRY GATES · WHO EXITS AND WHY

public route, access, fire, retirement and E-stops precede ranking

DECIDE FIRST, THEN MEASURE · THREE ALTERNATIVES FACE ONE RULER


a design sacrificing the public route exits publicly; only the selection enters twelve measurement contracts

ONE REAL SPATIAL DECISION · SAME TASK, USERS AND SITE; OUTCOME IS NOT PREWRITTEN

21 hard-gate evaluations test public route, access, fire, retirement and staffed E-stops before occupation and reversibility

ALT-A · Central mixed bay

Places the trial in the public-cross centre, shortening equipment runs at the cost of public conflict.




REJECT

Reject: 6 hard gates fail, so the baseline cannot operate independently.

ALT-B · Split trial bays

Two bays clear the public cross, but split supervision, fire observation and retirement into two systems.




REVISE

Revise: hard gates pass, but 3 supervision and retirement fragmentation issues remain.

ALT-C · One-sided reversible bay

Keeps the public cross intact and concentrates trial, staff, E-stops and retirement on the south-east side.



ADVANCE

Advance: every hard gate passes and the public cross, fire access and retirement remain independent.

DECISION IS NOT AN AESTHETIC VOTE · DRAWINGS FOLLOW THE CALCULATION

ALT-A

6 hard gates fail

13.9% route detour

ALT-B

0 hard fails, 3 revisions

94.9m supervision span

ALT-C

0 hard fails, sole advance

24.3m furthest E-stop—staff

geometry_based_design_audit · LOCAL ENJ · input 3c4c466b8dc2b03... · not proof of field safety, transport or public acceptance

T2 · ROBOT PASSAGE

DENOMINATOR · 100 / mode

ZERO-TOLERANCE · collision / buffer / route block

FIELD RESULT · 0 / NOT FIELD-RUN

S2 · INTERNATIONAL ARRIVAL

DENOMINATOR · 100 / mode

ZERO-TOLERANCE · no handover / baseline regression

FIELD RESULT · 0 / NOT FIELD-RUN

S7 · TRANSIT FEEDER

DENOMINATOR · 7 days + 100

ZERO-TOLERANCE · conflict / E-stop / recovery failure


FIELD RESULT · 0 / NOT FIELD-RUN

1 REJECT · 1 REVISE · 1 ADVANCE · 12 / 12 CONTRACTS · 0 FIELD RESULTS

ALT-C DETAIL, SECTION + 1:50 NODE

route, buffer, trial, staff, fire and retirement are locatable

ALT-C · 1:500 ASSEMBLABLE PROTOTYPE · PUBLIC CROSS STAYS; AI ENTERS SOUTH-EAST ONLY



LOCATABLE WITHOUT LEGEND

- B01**
PUBLIC CROSS
- A01**
ONE-SIDE BAY
- E02**
STAFF + DUAL E-STOP
- FIRE**
FIRE ACCESS
- RETIRE**
INDEPENDENT RETIREMENT

AUDIT OUTPUT ADVANCE

- 372m · same route length
- 2,496m² · trial
- 3,840m² · reversible buffer
- 24.3m · furthest E-stop—staff


prototype assumptions pending survey

CUTAWAY, FOUR STATES + CONCEPT EXPERIENCE

vector geometry carries scale; the generated view carries perception only

ALT-C LAYERED CUTAWAY · PUBLIC CROSS NEVER YIELDS; TRIAL STAYS ON ONE SIDE

permanent baseline / removable AI / public evidence / retirement exit from one geometry



LOCATABLE AFTER DECISION

372 m

same public route in TRIAL

2,496 m²

one-side trial area

24.3 m

furthest E-stop—staff

0

public routes entering trial

OPEN → TRIAL → PAUSE → RETIRE

baseline remains independently operable

prototype assumption · survey / permits / field pending

TWELVE-SCENE MEASUREMENT CATALOGUE

full contracts follow selection and do not compete for the first screen

TWELVE EXECUTABLE MEASUREMENT CONTRACTS · DEFINE THE DENOMINATOR BEFORE AI BENEFIT

same task · same users · same space · stratified comparison · missing ≠ success · human decision

SCENE	DENOMINATOR / BASELINE	PRIMARY MEASURE	
T1 · MODEL REPRODUCTION	3 models × 3 reruns	completion Δ + human min	FIELD 0
T2 · ROBOT PASSAGE	100 passages / mode	events/100 + parity	FIELD 0
T3 · EDGE DEGRADATION	30 tasks × 3 states + 7d	completion + resource/task	FIELD 0
S1 · ENTERPRISE TRIAGE	100 requests / mode	complete / misroute / staff	FIELD 0
S2 · INTERNATIONAL ARRIVAL	100 arrivals / mode	complete / parity / intervention	FIELD 0
S3 · CIVIC WORKSHOP	20 workshops	verified links / unresolved	FIELD 0
S4 · HERITAGE GUIDE	100 items + all disputes	source / access / correction	FIELD 0
S5 · ACCESSIBLE ROUTING	10 routes × 3 needs × day/night	complete / parity / intervention	FIELD 0
S6 · CLIMATE SERVICE	3 weather classes × ≥30 node-h	correct arrival / resource	FIELD 0
S7 · TRANSIT FEEDER	100 passages / mode + 7d	complete / conflict / recovery	FIELD 0
S8 · PUBLIC SERVICE DESK	100 requests / mode	complete / parity / handoff	FIELD 0
S9 · EVENT FLOW	all trials / ≥3 scales	egress / intervention / grievance	FIELD 0

SIX PUBLIC-VALUE MEASURES

TASK COMPLETION

completed same-task / all eligible

ACCESSIBILITY PARITY

maximum completion gap across assistance strata

SAFETY

events per 100 tasks; severe events zero-tolerance

HUMAN INTERVENTION

tasks needing human takeover / all tasks

RESOURCE / TASK

metered resource / completed task

GRIEVANCE → RECOVERY

clock from accepted grievance/stop to restored baseline

12 / 12 CONTRACTS · 0 RESULTS

non-safety thresholds pending baseline committee

All field rates, resources, cost, satisfaction and recovery time are unknown / not_field_run; 84 synthetic tests only verify reproducible rules.

PERMITS, RACI, 90 DAYS + HERO CONTRACTS

any failed permit, independent role or baseline blocks trial

FROM DESIGN DECISION TO CIVIC ADOPTION · PERMIT, DUTY, STOP, RECOVERY

ALT-A
REJECT · 6 HARD GATES FAIL

ALT-B
REVISE · 3 FRAGMENTATION FLAGS

ALT-C
ADVANCE · ALL HARD GATES PASS

90-DAY ENTRY GATES · ANY FAILED PERMIT, ROLE OR BASELINE BLOCKS TRIAL

DAY 0–15
survey, ownership, entrances,
fire, utilities, access,
traffic

DAY 16–30
build routes, waiting, shade,
staffed service and evidence
porch

DAY 31–45
record seven consecutive
ordinary-service days

DAY 46–75
timed trial only after eight
permits and four duty roles
close

DAY 76–90
stop drill, retire equipment,
restore space, public review

RACI, PERMITS + ASSET EXIT · DESIGN STATUS IS NOT FIELD ADOPTION

ASSET

VENUE

BASELINE

SAFETY

DATA

PUBLIC

8 PERMITS
venue / title / fire / access / power / network / traffic / device

ZERO-TOLERANCE STOP
severe event, baseline regression, missing role or permit

RECOVERY + ASSETS
equipment returns; civic assets stay; data archived or deleted by rule

ADOPT / REVISE / STOP · only field evidence and a human committee may fill this; field performance remains unknown

84 / 84 state contracts remain appendix evidence; geometry decision is not a field result.

METRICS, RECEIPT, RISK, SOURCES + NEXT GATES

spatial decision explains why; contracts define how to verify


SPATIAL DECISION + CIVIC ADOPTION RECEIPT · DESIGN STATUS AND FIELD DECISION STAY SEPARATE

ONE REAL SPATIAL DECISION · SAME TASK, USERS AND SITE; OUTCOME IS NOT PREWRITTEN

21 hard-gate evaluations test public route, access, fire, retirement and staffed E-stops before occupation and reversibility

ALT-A · Central mixed bay


Places the trial in the public-cross centre, shortening equipment runs at the cost of public conflict.



REJECT
Reject: 6 hard gates fail, so the baseline cannot operate independently.

ALT-B · Split trial bays


Two bays clear the public cross, but split supervision, fire observation and retirement into two systems.



REVISE
Revise: hard gates pass, but 3 supervision and retirement fragmentation issues remain.

ALT-C · One-sided reversible bay

Keeps the public cross intact and concentrates trial, staff, E-stops and retirement on the south-east side.



ADVANCE
Advance: every hard gate passes and the public cross, fire access and retirement remain independent.

DECISION IS NOT AN AESTHETIC VOTE · DRAWINGS FOLLOW THE CALCULATION

ALT-A

6 hard gates fail
13.9% route detour

ALT-B

0 hard fails, 3 revisions
94.9m supervision span

ALT-C

0 hard fails, sole advance
24.3m furthest E-stop—staff

21 GEOMETRY GATE CHECKS

ALT-A	FAIL · 1	FAIL · 2	FAIL · 3	FAIL · 4
	FAIL · 5	FAIL · 6	PASS · 7	
ALT-B	PASS · 1	PASS · 2	PASS · 3	PASS · 4
	PASS · 5	PASS · 6	PASS · 7	
ALT-C	PASS · 1	PASS · 2	PASS · 3	PASS · 4
	PASS · 5	PASS · 6	PASS · 7	

ALT-C · ADVANCE DESIGN

not ADOPT; field performance remains unknown

REAL BLANK RECEIPT · MAY BE FILLED ONLY AFTER FIELD OPERATION

TASK same task / user	BASELINE baseline not degraded	EVENT conflicts / interventions per 100	DECISION ADOPT / REVISE / STOP
--------------------------	-----------------------------------	--	-----------------------------------