


Spatial Framework and Public-service Armature

One spine, three districts and twelve service nodes | corridor-axis review orientation



CORE SPATIAL LEDGER

11.41 km² 3

recalculated working extent key districts

12 1 km

service nodes first pilot

MAP LEGEND

blue-green commons

walk-cycle spine

districts / service nodes

concept massing

DELIVERY GATES

G0 G1 G2 G3 G4

evidence—consult—review—open—renew

INTEGRATED SPACE—SERVICE—DELIVERY SUMMARY

FIRST MOVES

01 1 km continuous mobility pilot

02 3 public-service nodes

03 3,000 m² shared ground floor

04 1.5 ha controlled validation field

8–80 EQUAL SERVICE

01 no account, phone or face required

02 equal human/non-digital path

03 basic service continues on failure

04 owner, takeover and exit disclosed

PRECONDITIONS

01 official scope + tenure

02 traffic / rail / fire

03 utilities + hydrology

04 operations + procurement + maintenance

Three Key Districts and First Moves

Spatial ledgers, first moves, program budgets and opening gates



CO-LEARNING COMMONS — DESIGN INTENT

Reversible structures, rain gardens, human service and all-age mobility form the civic interface.

DISTRICT COMPARISON MATRIX

P-03 Zhongzhiyuan Validation District

192.1 ha / 192.9 ha

1.5 ha controlled validation field

tenure · fire/traffic · ethics/data

P-04 AI Origin Collaborative District

104.3 ha / 104.3 ha

3,000 m² shared ground floor

tenure · structure/fire · operations

P-02 Dazhongsi Station-City District

72.0 ha / 72.0 ha


station-city public-hall interface

flow/evacuation · rail · fire

Published and recalculated areas differ by less than 0.5%; official extents remain subject to statutory confirmation.

Implementation Protocol, Negative Tests and Exit Conditions

Twelve services pass eight admission rules; eight injected defects are rejected



12 SERVICES × 8 RULES: ALL PASS

S01								
S02								
S03								
S04								
S05								
S06								
S07								
S08								
S09								
S10								
S11								
S12								
	R1	R2	R3	R4	R5	R6	R7	R8

12/12

valid services pass

8/8

defects rejected


0

dead rules

Negative cases X01–X08 trigger R1–R8 respectively. Results prove protocol logic only, not authorization.

Land-use Structure and Mixed-use Logic

Six concept zones, area balance and implementation boundary



PROGRAM STRUCTURE + DELIVERY NOTES

LU-01 R&D + responsible trials 208.6 ha / 18.3% controlled testing first	LU-02 talent living + care 214.4 ha / 18.8% integrate care facilities
LU-03 co-learning + transfer 204.9 ha / 17.9% adapt existing ground floors	LU-04 rail culture + civic service 180.8 ha / 15.8% rail culture + civic service
LU-05 AI daily services + commerce 166.2 ha / 14.6% mix daily services	LU-06 blue-green resilience 166.4 ha / 14.6% continuous sponge systems


1141.3 ha Six concept zones cover the extent; 0 gaps and 0 overlaps.

CONCEPT LAND BALANCE

LU-01	208.6 ha	R&D + responsible trials
LU-02	214.4 ha	talent living + care
LU-03	204.9 ha	co-learning + transfer
LU-04	180.8 ha	rail culture + civic service
LU-05	166.2 ha	AI daily services + commerce
LU-06	166.4 ha	blue-green resilience

Integrated Mobility, Blue-green and Climate Adaptation

Continuous network, typical section, climate baseline and acceptance method




2015–2024 CLIMATE BASELINE

35.58°C daily Tmax P95

22.3 d/y days ≥ 35°C

649.1 mm annual precipitation

4.05 kWh/m²/day solar




ACCEPTANCE

- 01 clear width survey
- 02 inflow-overflow-drainage
- 03 shade + rest spacing

Metric Evidence, Proposed Targets and Acceptance Owners

Nine delivery metrics organized by evidence class, method and owner



All-age Inclusion, Burdens and Procedural Standing

Nine groups record benefits, burdens, blind spots, required inputs and standing
REGISTERED TOPIC INCIDENCE 0–3 (RECALCULATED FROM LEDGER)

Children and families	3		2		3		
Older people and caregivers	1	3	3			1	
Disabled users	3		1		1	2	
Long-term residents			1		3	1	
Renters and small businesses	1		1	3	3	1	
Students and young talent			3	3		1	
Commuters and visitors	3				1		
Frontline service and maintenance staff			1	2		3	
Nearby campuses, parks and public institutions				1	2	1	
	mobility	rest + care	human service	learning + work	delivery burden	data + digital	maintenance + takeover

PROCEDURAL STANDING

09

population groups

09

standing records

00

coverage claims

No coverage ratio without authorized population and flow denominators. Publish group benefits, burdens and blind spots.

Six Action Packages: Scale, Duration and Exit Conditions

A project portfolio replaces one-shot masterplan commitments
PORTFOLIO: MIDPOINT × COST CLASS × SCHEDULE FLEXIBILITY



DELIVERY RESPONSIBILITY LEDGER

ID	CLASS	WINDOW	START	ACCEPT	EXIT
P-01	M	6–18m	3	3	•
P-02	L	12–24m	3	3	•
P-03	L	12–24m	4	3	•
P-04	M	9–18m	3	3	•
P-05	M	6–12m	4	3	•
P-06	S	3–9m	4	3	•

S <5m · M 5–20m · L 20–50m CNY

Typical Corridor Section and Facility Interfaces

Design-intent rendering paired with dimensional controls



SECTION INTENT | accessible walk + rain garden + two-way cycling + human service

12.0 m FLEXIBLE ASSEMBLY

3.0 m

continuous walk

2.5 m

rain garden

4.0 m

two-way cycling

2.5 m

service lay-by

INTERFACE CONTROLS

- 01 rail safety + maintenance
- 02 continuous tactile route
- 03 inflow-overflow-drainage
- 04 physical wayfinding during outage

Public-service Node: Demountable Kit and Operating Standard

320 m² prototype | human service, rain garden, shade and utilities



NODE AXONOMETRIC INTENT | 20 m × 16 m | continuous accessible loop

SPACE + OPERATIONS LEDGER

320 m²

prototype node

24–36 m²

human-service room

60 s

human acknowledgement

24 h


routine fault order

EXIT RULE

If funding or staffing fails, remove equipment while retaining seating, shade, printed wayfinding and human service


Regional Collaboration Interfaces and Evidence Receipts

Five interfaces defined by inputs, outputs, entry, exit and proof



AI Public-service Governance and Human Takeover


Accountability chain from proposal and test to notice, operation, review and exit



Delivery Sequence, Decision Gates and Maintenance Cycles

Lock evidence and responsibility before reversible pilots, delivery and annual review

PROPOSED 0–24 MONTH DELIVERY WINDOW



Sources, Rights Boundaries and Claims

Eight asset classes register origin, use and claim boundaries


ASSET	SOURCE / RIGHT	USE	CLAIM BOUNDARY
proposal text and translations	agent-authored for this submission	original submission text	policy and standard summaries remain attributed
technical figures and diagrams	generated locally from submission data by the package build script	agent-authored graphics	provisional geometry is labelled and cannot be treated as statutory mapping
OpenStreetMap context	OpenStreetMap contributors	ODbL 1.0 attribution	background context only; no ownership or statutory inference
NASA POWER climate baseline	NASA POWER daily API documentation and retrieved values	public scientific data with attribution	concept-stage point-grid baseline; engineering design requires local data
Blender corridor rendering	agent-generated from conceptual massing	agent-authored rendering	not an as-built or surveyed model
five concept scenes	OpenAI image generation directed for this submission	submission concept imagery	design intent only; no identifiable real people or official endorsement
Three.js offline viewer	Three.js 0.185.1 bundled locally	MIT license	license notice retained in source package
system fonts	Microsoft YaHei or available CJK system font	render-only local font use	font files are not redistributed

Public Identity System and Information Rules

Rail lines, growth rings and the human-service opening form one identity



COLOR + RESPONSIBILITY

	rail ink	#102A43
	leaf / commons	#2F855A
	civic cyan / information	#2B9BB3
	public orange / duty + stop	#F45B3F
	review gold / gates	#E6B93F

USAGE RULES

- 01 Do not combine with government emblems.
- 02 Use orange only for duty, stop and service prompts.
- 03 Every AI point also displays the human-service symbol.